

S101: Receive authentication information and business resource quantity information sent by a terminal, wherein the authentication information has an association relationship with a first account and the terminal is bundled with a second account
S102: Determine, according to the pre-established association relationship between the authentication information and the first account, the first account corresponding to the authentication information
S103: Acquire, according to the business resource quantity information and from business resources of the first account, business resources corresponding to the business resource quantity information and forward the acquired business resources to the second account

FIG. 1



S201: Send, by a terminal, authentication information and business resource quantity information to a server, to cause the server to determine, according to a pre-established association relationship between the authentication information and a first account, the first account corresponding to the authentication information
S202: Receive, by the terminal through a bundled second account, business resources sent by the server and corresponding to the business resource quantity information, wherein the business resources are acquired by the server from business resources of the first account according to the business resource quantity information

FIG. 2



S301: Receive, by a terminal, a request for generating authentication information
S302: Send the request for generating authentication information to a server, to cause the server to generate unique authentication information according to the request for generating authentication information, and establish an association relationship between the authentication information and a first account, wherein the association relationship between the authentication information and the first account is used to cause the server to determine, according to authentication information sent by the terminal bundled with a second account, the first account corresponding to the authentication information, and to acquire a specified quantity of business resources from business resources of the determined first account

FIG. 3



S401: Receive fund authentication information and amount information sent by a terminal, wherein the fund authentication information has an association relationship with a first account and the terminal is bundled with a second account
S402: Determine, according to the pre-established association relationship between the fund authentication information and the first account, the first account corresponding to the fund authentication information
S403: Acquire, according to the amount information and from the funds of the first account, funds corresponding to the amount information and forward the acquired funds to the second account

FIG. 4



S501: Receive fund authentication information and amount information sent by a terminal, wherein the fund authentication information has an association relationship with a first account and the terminal is bundled with a second account
S502: Determine, according to the pre-established association relationship between the fund authentication information and the first account, the first account corresponding to the fund authentication information
S503: Determine whether the fund amount corresponding to the amount information exceeds the fund amount of the first account
Yes
No
S504: Determine credit funds corresponding to the first account, acquiring funds corresponding to the amount information from the credit funds, and forward the funds to the second account, or acquire funds corresponding to the amount information from the funds of the first account and the determined credit funds of the first account, and forward the acquired funds to the second account
S505: Acquire funds corresponding to the amount information from the funds of the first account and forward the acquired funds to the second account

FIG. 5



S601: Send, by the terminal, fund authentication information and amount information to a server, to cause the server to determine, according to a pre-established association relationship between the fund authentication information and a first account, the first account corresponding to the fund authentication information
S602: Receive, by the terminal through a bundled second account, funds sent by the server and corresponding to the amount information, wherein the funds are acquired by the server from the funds of the first account according to the amount information

FIG. 6



S701: Receive, by a terminal, a request for generating fund authentication information
S702: Send the request for generating fund authentication information to a server, to cause the server to generate unique fund authentication information according to the request for generating fund authentication information, and establish an association relationship between the fund authentication information and the first account, wherein the association relationship between the fund authentication information and the first account is used to cause the server to determine, according to the fund authentication information sent by the terminal bundled with a second account, the first account corresponding to the fund authentication information, and to acquire a specified amount of funds from the funds of the first account

FIG. 7



801: Receiving module
802: Determining module
803: Processing module
804: Validity timing module

FIG. 8



901: Sending module
902: Receiving module

FIG. 9



1001: Receiving module
1002: Sending module
1003: Confirmation instruction module

FIG. 10



1101: Receiving module
1102: Determining module
1103: Processing module

FIG. 11




FIG. 12




FIG. 13




FIG. 14