
Claims

1. A medicament comprising a compound of formula (I)



(I)

in which

n represents the number 0, 1, 2 or 3,

R^1 represents hydrogen, methyl, ethyl, n-propyl or isopropyl,

R^2 represents linear or branched PEG 20kDa to 80kDa endcapped with a methoxy-group,

or one of the salts thereof, solvates thereof or the solvates of salts thereof, in combination with an inert nontoxic pharmaceutically suitable excipient, wherein the medicament is in a pharmaceutical form for inhalation.

2. The medicament as claimed in claim 1, characterized in that the compound of formula (I) is defined as follows:

n represents the number 1 or 2,

R^1 represents hydrogen or methyl,

R^2 represents linear PEG 40kDa endcapped with a methoxy-group.

3. The medicament as claimed in claim 1 or 2, characterized in that the compound of formula (I) is defined as follows:

n represents the number 1 or 2,

R^1 represents hydrogen,

R^2 represents linear PEG 40kDa endcapped with a methoxy-group.

4. The medicament as claimed in any one of claims 1 to 3, wherein the pharmaceutical form for inhalation is selected from the group consisting of a powder inhaler and a nebulizer.

5. The medicament as claimed in any one of claims 1 to 4, further in combination with a further active ingredient selected from the group consisting of ACE inhibitors, angiotensin receptor antagonists, beta-2 receptor agonists, phosphodiesterase inhibitors, glucocorticoid receptor agonists, diuretics, recombinant angiotensin converting enzyme-2 and acetylsalicylic acid.


6. The medicament as claimed in claim 5, wherein the further active ingredient is selected from the group consisting of an ACE inhibitor selected from the group consisting of enalapril, quinapril, captopril, lisinopril, ramipril, delapril, fosinopril, perindopril, cilazapril, imidapril, benazepril, moexipril, spirapril and trandopril, an angiotensin receptor antagonist, selected from the group consisting of losartan, candesartan, valsartan, telmisartan and embusartan, a beta-2 receptor agonist, selected from the group consisting of salbutamol, pirbuterol, salmeterol, terbutalin, fenoterol, tulobuterol, clenbuterol, reproterol and formoterol, a phosphodiesterase (PDE) inhibitor selected from the group consisting of milrinone, amrinone, pimobendan, cilostazol, sildenafil, vardenafil and tadalafil, a glucocorticoid receptor agonist selected from the group consisting of cortiosol, cortisone, hydrocortisone, prednisone, methyl-prednisolone, prednylidene, deflazacort, fluocortolone, triamcinolone, dexamethasone and betamethasone, a diuretic selected from the group consisting of furosemide, torasemide and hydrochlorothiazide, recombinant angiotensin converting enzyme-2 and acetylsalicylic acid.

7. The medicament as claimed in any one of claims 1 to 6 for use in the treatment and/or prevention of a cardiovascular, edematous and/or inflammatory disorder selected from the group consisting of heart failure, coronary heart disease, ischemic and/or hemorrhagic stroke, hypertension, pulmonary hypertension, peripheral arterial occlusive disease, pre-eclampsia, chronic obstructive pulmonary disease, asthma, acute and/or chronic pulmonary edema, allergic alveolitis and/or pneumonitis due to inhaled organic dust and particles of fungal, actinomycetic or other origin, and/or acute chemical bronchitis, acute and/or chronic chemical pulmonary edema, neurogenic pulmonary edema, acute and/or chronic pulmonary manifestations due to radiation, acute and/or chronic interstitial lung disorders, acute lung injury/acute respiratory distress syndrome (ALI/ARDS) in adult or child including

newborn, ALI/ARDS secondary to pneumonia and sepsis, aspiration pneumonia and ALI/ARDS secondary to aspiration, ALI/ARDS secondary to smoke gas inhalation, transfusion-related acute lung injury (TRALI), ALI/ARDS and/or acute pulmonary insufficiency following surgery, trauma and/or burns, and/or ventilator induced lung injury (VILI), lung injury following meconium aspiration, pulmonary fibrosis, mountain sickness, glomerulonephritis, acute kidney injury, cardiorenal syndrome, lymphedema, inflammatory bowel disease, sepsis, septic shock, systemic inflammatory response syndrome (SIRS) of non-infectious origin, inflammatory bowel disease and urticaria, comprising administering to a human or animal an active amount of a medicament as claimed in any one of claims 1 to 6.

8. The medicament as claimed in claim 7, wherein the cardiovascular, edematous and/or inflammatory disorder is selected from the group consisting of pulmonary hypertension, chronic obstructive pulmonary disease, asthma, acute and/or chronic pulmonary edema, allergic alveolitis and/or pneumonitis due to inhaled organic dust and particles of fungal, actinomycetic or other origin, and/or acute chemical bronchitis, acute and/or chronic chemical pulmonary edema, neurogenic pulmonary edema, acute and/or chronic pulmonary manifestations due to radiation, acute and/or chronic interstitial lung disorders, acute lung injury/acute respiratory distress syndrome (ALI/ARDS) in adult or child including newborn, ALI/ARDS secondary to pneumonia and sepsis, aspiration pneumonia and ALI/ARDS secondary to aspiration, ALI/ARDS secondary to smoke gas inhalation, transfusion-related acute lung injury (TRALI), ALI/ARDS and/or acute pulmonary insufficiency following surgery, trauma and/or burns, and/or ventilator induced lung injury (VILI), lung injury following meconium aspiration, pulmonary fibrosis, mountain sickness, comprising administering to a human or animal an active amount of a medicament as claimed in any one of claims 1 to 6.


9. A compound of the formula (Ia)



(Ia),

or one of the salts thereof, solvates thereof or the solvates of salts thereof.

10. A compound of the formula (II)



(II).