


Claims

1. A compound of formula (I)

5

10



wherein:

15

R^{1A} and R^{1B} are mutually linked to form, together with the nitrogen atom that they are attached to, a heterocycloalkyl which is optionally substituted with one or more groups R^{11} ;

20

or, alternatively, R^{1A} and R^{1B} are each independently selected from hydrogen, C_{1-5} alkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, $-CO(C_{1-5}$ alkyl), carbocyclyl, and heterocyclyl, wherein said alkyl, said alkenyl, said alkynyl, and the alkyl moiety of said $-CO(C_{1-5}$ alkyl) are each optionally substituted with one or more groups R^{12} , and further wherein said carbocyclyl and said heterocyclyl are each optionally substituted with one or more groups R^{13} .

25

30

each R^{11} is independently selected from C_{1-5} alkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, $-(C_{0-3}$ alkylene)-OH, $-(C_{0-3}$ alkylene)-O(C_{1-5} alkyl), $-(C_{0-3}$ alkylene)-O(C_{1-5} alkylene)-OH, $-(C_{0-3}$ alkylene)-O(C_{1-5} alkylene)-O(C_{1-5} alkyl), $-(C_{0-3}$ alkylene)-SH, $-(C_{0-3}$ alkylene)-S(C_{1-5} alkyl), $-(C_{0-3}$ alkylene)-NH₂, $-(C_{0-3}$ alkylene)-NH(C_{1-5} alkyl), $-(C_{0-3}$ alkylene)-N(C_{1-5} alkyl)(C_{1-5} alkyl), $-(C_{0-3}$ alkylene)-halogen, $-(C_{0-3}$ alkylene)-(C₁₋₅ haloalkyl), $-(C_{0-3}$ alkylene)-O-(C₁₋₅ haloalkyl), $-(C_{0-3}$ alkylene)-CF₃, $-(C_{0-3}$ alkylene)-CN, $-(C_{0-3}$ alkylene)-NO₂, $-(C_{0-3}$ alkylene)-CHO, $-(C_{0-3}$ alkylene)-CO-(C₁₋₅ alkyl), $-(C_{0-3}$ alkylene)-COOH, $-(C_{0-3}$ alkylene)-CO-O-(C₁₋₅

alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl),
 5 -(C₀₋₃ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-hetero-
 10 cyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO,
 15 -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

each R¹² is independently selected from -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂,
 25 -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

30 each R¹³ is independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃

alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃ alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-cycloalkyl, and -(C₀₋₃ alkylene)-heterocycloalkyl;

R² and R⁴ are each independently selected from hydrogen, C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃ alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃ alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl;

alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;

R³ is selected from hydrogen, C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₁₋₅ alkylene)-OH, -(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SH, -(C₁₋₅ alkylene)-S(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH₂, -(C₁₋₅ alkylene)-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-halogen, C₁₋₅ haloalkyl, -(C₁₋₅ alkylene)-O-(C₁₋₅ haloalkyl), -(C₁₋₅ alkylene)-CF₃, -(C₁₋₅ alkylene)-CN, -(C₁₋₅ alkylene)-NO₂, -(C₁₋₅ alkylene)-Si(C₁₋₅ alkyl)₃, -(C₁₋₅ alkylene)-O(C₁₋₅ alkylene)-Si(C₁₋₅ alkyl)₃, -(C₁₋₅ alkylene)-CHO, -(C₁₋₅ alkylene)-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-COOH, -(C₁₋₅ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-CO-NH₂, -(C₁₋₅ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-NH₂, -(C₁₋₅ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO-(C₁₋₅ alkyl), -(C₁₋₅ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₅ alkylene)-carbocyclyl, and -(C₀₋₅ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₅ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₅ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅

alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂, -CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;


ring A is a bicyclic heteroaryl, wherein said bicyclic heteroaryl is optionally substituted with one or more groups R^A; and

each R^A is independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -(C₀₋₃ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-OH, -(C₀₋₃ alkylene)-O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SH, -(C₀₋₃ alkylene)-S(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH₂, -(C₀₋₃ alkylene)-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-halogen, -(C₀₋₃ alkylene)-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-O-(C₁₋₅ haloalkyl), -(C₀₋₃ alkylene)-CF₃, -(C₀₋₃ alkylene)-CN, -(C₀₋₃ alkylene)-NO₂, -(C₀₋₃ alkylene)-CHO, -(C₀₋₃ alkylene)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-COOH, -(C₀₋₃ alkylene)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-NH₂, -(C₀₋₃ alkylene)-CO-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-NH-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-NH₂, -(C₀₋₃ alkylene)-SO₂-NH(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-NH-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-SO₂-(C₁₋₅ alkyl), -(C₀₋₃ alkylene)-carbocyclyl, and -(C₀₋₃ alkylene)-heterocyclyl, wherein the carbocyclyl moiety of said -(C₀₋₃ alkylene)-carbocyclyl and the heterocyclyl moiety of said -(C₀₋₃ alkylene)-heterocyclyl are each optionally substituted with one or more groups independently selected from C₁₋₅ alkyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, -OH, -O(C₁₋₅ alkyl), -O(C₁₋₅ alkylene)-OH, -O(C₁₋₅ alkylene)-O(C₁₋₅ alkyl), -SH, -S(C₁₋₅ alkyl), -NH₂, -NH(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, -O-(C₁₋₅ haloalkyl), -CF₃, -CN, -NO₂, -CHO, -CO-(C₁₋₅ alkyl), -COOH, -CO-O-(C₁₋₅ alkyl), -O-CO-(C₁₋₅ alkyl), -CO-NH₂,

5
~~-CO-NH(C₁₋₅ alkyl), -CO-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-CO-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-(C₁₋₅ alkyl), -NH-CO-O-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-CO-O-(C₁₋₅ alkyl), -O-CO-NH-(C₁₋₅ alkyl), -O-CO-N(C₁₋₅ alkyl)-(C₁₋₅ alkyl), -SO₂-NH₂, -SO₂-NH(C₁₋₅ alkyl), -SO₂-N(C₁₋₅ alkyl)(C₁₋₅ alkyl), -NH-SO₂-(C₁₋₅ alkyl), -N(C₁₋₅ alkyl)-SO₂-(C₁₋₅ alkyl), -SO-(C₁₋₅ alkyl), -SO₂-(C₁₋₅ alkyl), cycloalkyl, and heterocycloalkyl;~~
 or a pharmaceutically acceptable salt, solvate or prodrug thereof; and
for use in therapy as a dual adenosine A_{2A} and A_{2B} receptor antagonist.

10
 2. ~~The compound of claim 1, wherein R^{1A} and R^{1B} are mutually linked to form, together with the nitrogen atom that they are attached to, a heterocycloalkyl which is optionally substituted with one or more groups R¹¹.~~

15
 3. ~~The compound of claim 1 or 2, R^{1A} and R^{1B} are mutually linked to form, together with the nitrogen atom that they are attached to, a group which is selected from~~



~~wherein each one of the above-depicted groups is optionally substituted with one or more R¹¹.~~

20
 4. ~~The compound of any one of claims 1 to 3, wherein R² and R⁴ are each independently selected from hydrogen, C₁₋₅ alkyl, OH, O(C₁₋₅ alkyl), O(C₁₋₅ alkylene)OH, O(C₁₋₅ alkylene)O(C₁₋₅ alkyl), SH, S(C₁₋₅ alkyl), NH, NH(C₁₋₅ alkyl), N(C₁₋₅ alkyl)(C₁₋₅ alkyl), halogen, C₁₋₅ haloalkyl, CF₃, and CN.~~


25
 5. ~~The compound of any one of claims 1 to 4, wherein R³ is selected from C₁₋₅ haloalkyl, (C₁₋₅ alkylene)CN, (C₁₋₅ alkylene)SO-(C₁₋₅ alkyl), and (C₁₋₅ alkylene)SO₂-(C₁₋₅ alkyl).~~

30
 6. ~~The compound of any one of claims 1 to 5, wherein R³ is -CH₂-CF₃ or -CH₂-SO₂-CH₃.~~

7. ~~The compound of any one of claims 1 to 6, wherein ring A is a fused bicyclic heteroaryl, wherein one of the two fused rings of said fused bicyclic heteroaryl~~


has 5 ring atoms and the other fused ring has 6 ring atoms, and further wherein said bicyclic heteroaryl is optionally substituted with one or more groups R^A .

- 5 8. The compound of any one of claims 1 to 7, wherein ring A is a bicyclic heteroaryl having the following formula (II):




- 10 wherein each of the two fused rings of said bicyclic heteroaryl is aromatic, wherein each ring atom A of the bicyclic heteroaryl is independently a carbon or nitrogen atom, wherein each ring atom B is independently a carbon, nitrogen, oxygen or sulfur atom, wherein at least one of the ring atoms A and/or B is different from carbon, and wherein said bicyclic heteroaryl is optionally substituted with one or more groups R^A .
- 15

9. The compound of any one of claims 1 to 8, wherein ring A is selected from any one of the following groups:



- wherein each of the above-depicted groups is optionally substituted with one or more groups R^A ;

and preferably wherein ring A is selected from any one of the following groups:



wherein each of the above-depicted groups is optionally substituted with one or more groups R^A :

5

10. The compound of any one of claims 1 to 9, wherein each R^A is independently selected from C_{1-5} -alkyl, OH, $O(C_{1-5}$ -alkyl), $O(C_{1-5}$ -alkylene)-OH, $O(C_{1-5}$ -alkylene)- $O(C_{1-5}$ -alkyl), SH, $S(C_{1-5}$ -alkyl), NH_2 , $NH(C_{1-5}$ -alkyl), $N(C_{1-5}$ -alkyl)(C_{1-5} -alkyl), halogen, C_{1-5} -haloalkyl, CF_3 , and CN; preferably wherein each R^A is independently halogen; and more preferably wherein each R^A is F.

10

11. The compound of claim 1, wherein said compound is selected from:

15

20

25

30

1	~~[3-(1-Methyl-1H-indol-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-1,4-oxazepan-4-yl-methanone~~
2	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2-methanesulfonyl-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
3	~~Azepan-1-yl-[1-(2,2-difluoro-ethyl)-3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
4	~~Azepan-1-yl-[1-(2-fluoro-ethyl)-3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
5	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-propyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
6	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-methoxymethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
7	~~[6-(Azepan-1-carbonyl)-3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-pyrazolo[4,3-c]pyridin-1-yl]-acetonitrile~~
8	~~Azepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2-methoxy-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
9	~~[1-Cyclopropylmethyl-3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~

5	10	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
	11	~~3-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-6-(1,4-oxazepan-4-carbonyl)-pyrazolo[4,3-c]pyridin-1-ylmethyl]-azetidine-1-carboxylic acid tert-butyl ester~~
	12	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-hydroxymethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
10	13	~~[3-Benzofuran-3-yl-6-(1,4-oxazepan-4-carbonyl)-pyrazolo[4,3-c]pyridin-1-yl]-acetonitrile~~
	14	~~(3-Aza-bicyclo[3.2.1]oct-3-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methylsulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
15	15	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
	16	~~(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridine-6-yl)-1,4-oxazepan-4-yl-methanone~~
	17	~~(1-Methanesulfonylmethyl-3-pyrazolo[1,5-a]pyridin-3-yl-1H-pyrazolo[4,3-c]pyridin-6-yl)-1,4-oxazepan-4-yl-methanone~~
20	18	~~(3-Aza-bicyclo[3.2.1]oct-3-yl)-(1-methanesulfonylmethyl-3-pyrazolo[1,5-a]pyridin-3-yl-1H-pyrazolo[4,3-c]pyridin-6-yl)-methanone~~
	19	~~(3-Aza-bicyclo[3.2.1]oct-3-yl)-(3-benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-methanone~~
25	20	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	21	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	22	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-ethanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~

5	23	(3-Aza-bicyclo[3.2.1]oct-3-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	24	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-8-exo-methyl-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	25	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone
10	26	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-oxa-5-aza-bicyclo[2.2.1]hept-5-yl)-methanone
15	27	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	28	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(8-endo-hydroxy-8-exo-methyl-d3-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
20	29	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(6,6-difluoro-1,4-oxazepan-4-yl)-methanone
	30	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(8-endo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
25	31	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(5-endo-hydroxy-5-exo-methyl-2-aza-bicyclo[2.2.1]hept-2-yl)-methanone
	32	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(4-hydroxy-4-methyl-piperidin-1-yl)-methanone
30	33	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(4,4-difluoro-piperidin-1-yl)-methanone
	34	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(2-methoxymethyl-pyrrolidin-1-yl)-methanone

5	35	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(4-hydroxy-2,2-dimethyl-piperidin-1-yl)-methanone
	36	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(4-hydroxy-piperidin-1-yl)-methanone
	37	[3-(benzofuran-3-yl)-1-(methylsulfonylmethyl)pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)methanone
10	38	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(3-hydroxy-piperidin-1-yl)-methanone
	39	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(3,3-difluoro-piperidin-1-yl)-methanone
15	40	(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(4-hydroxyazepan-1-yl)-methanone
	41	Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-methyl-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	42	3-[6-(Azepane-1-carbonyl)-1-methyl-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carbonitrile
20	43	3-[6-(Azepane-1-carbonyl)-1-propyl-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carbonitrile
	44	Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
25	45	3-[6-(Azepane-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carbonitrile
	46	3-[6-(Azepane-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid amide
30	47	3-[6-(Azepane-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-8-methyl-imidazo[1,2-a]pyridine-6-carbonitrile
	48	Azepan-1-yl-[3-(6-chloro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone

5	49	~~3-[6-(Azepan-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid methylamide~~
	50	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyrimidin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	51	~~Azepan-1-yl-[3-(6-methoxymethyl-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
10	52	~~Azepan-1-yl-[3-indolizin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	53	~~3-[6-(Azepan-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid dimethylamide~~
15	54	~~Azepan-1-yl-[3-imidazo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	55	~~Azepan-1-yl-[3-imidazo[1,2-a]pyridin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	56	~~Azepan-1-yl-[3-imidazo[1,2-a]pyrazin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
20	57	~~3-[6-(Azepan-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-7-methyl-imidazo[1,2-a]pyridine-6-carboxylic acid amide~~
	58	~~Azepan-1-yl-[1-(2,2,2-trifluoro-ethyl)-3-(6-trifluoromethyl-imidazo[1,2-a]pyridin-3-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
25	59	~~Azepan-1-yl-[3-(6-methoxy-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	60	~~Azepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
30	61	~~Azepan-1-yl-[3-(6-methyl-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~

5	62	~~Azepan-1-yl-[3-(8-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	63	~~3-[6-(Azepan-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-7-hydroxy-imidazo[1,2-a]pyridine-6-carbonitrile~~
	64	~~Azepan-1-yl-[3-[6-(1-hydroxy-ethyl)-imidazo[1,2-a]pyridin-3-yl]-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
10	65	~~Azepan-1-yl-[3-(6-cyclopropyl-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	66	~~Azepan-1-yl-[1-(2,2,2-trifluoro-ethyl)-3-(6-trifluoromethoxy-imidazo[1,2-a]pyridin-3-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	67	~~Azepan-1-yl-[3-(7-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
15	68	~~Azepan-1-yl-[3-(6-hydroxy-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	69	~~Azepan-1-yl-[3-(6-difluoromethyl-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	70	~~Azepan-1-yl-[3-[6-(2,2,2-trifluoro-ethoxy)-imidazo[1,2-a]pyridin-3-yl]-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
20	71	~~Azepan-1-yl-[3-[1,2,4]triazolo[4,3-a]pyridin-3-yl]-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	72	~~Azepan-1-yl-[3-[6-(1-hydroxy-1-methyl-ethyl)-imidazo[1,2-a]pyridin-3-yl]-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	73	~~Azepan-1-yl-[3-(7-chloro-6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
25	74	~~Azepan-1-yl-[3-(6-chloro-7-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
30		

5	75	~~Azepan-1-yl-[3-(6-chloro-7-hydroxy-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	76	~~Azepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2-trimethylsilyl-ethoxymethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	77	~~Azepan-1-yl-[3-(6-fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2-trimethylsilyl-ethoxymethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
10	78	~~Azepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(4-methoxy-benzyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	79	~~Azepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(tetrahydro-pyran-2-yl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
15	80	~~[3-(6-Fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
	81	~~3-[6-(1,4-Oxazepan-4-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carbonitrile~~
20	82	~~[3-(6-Fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
	83	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
25	84	~~3-[6-(8-Oxa-3-aza-bicyclo[3.2.1]octane-3-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carbonitrile~~
	85	~~[3-(8-fluoroimidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)methanone~~
30	86	~~[3-(6-fluoroimidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)methanone~~

5	87	[3-(imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]- (3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)methanone
	88	(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)- [3-(6-hydroxyimidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone
	89	Azepan-1-yl-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone hydrochloride
10	90	Azepan-1-yl-[3-benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
15	91	Azepan-1-yl-[3-(1H-indol-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	92	Azepan-1-yl-[3-(1H-pyrrolo[2,3-b]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	93	1,4-Oxazepan-4-yl-[3-thieno[2,3-c]pyridin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
20	94	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-1,4-oxazepan-4-yl-methanone
	95	1,4-Oxazepan-4-yl-[3-pyrazolo[1,5-a]pyridine-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-methanone
	96	[3-(1H-Indol-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-1,4-oxazepan-4-yl-methanone
25	97	1,4-Oxazepan-4-yl-[3-(1H-pyrrolo[2,3-b]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-methanone
30	98	[3-Benzo[b]thiophen-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-yl]-1,4-oxazepan-4-yl-methanone
	99	(8-Oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	100	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]- (8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone

5	101	~~(3-Aza-bicyclo[3.2.1]oct-3-yl)-[3-benzofuran-3-yl-1-(2,2,2-trifluoroethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	102	~~(3-Aza-bicyclo[3.2.1]oct-3-yl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	103	~~[3-Benzofuran-3-yl-1-(2,2-difluoroethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
	104	~~[3-Benzofuran-3-yl-1-(2-fluoroethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone~~
10	105	~~2-[3-Benzofuran-3-yl-6-(1,4-oxazepan-4-carbonyl)-pyrazolo[4,3-c]pyridin-1-yl]-acetamide~~
	106	~~(3-Benzofuran-3-yl-1-propyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-1,4-oxazepan-4-yl-methanone~~
15	107	~~(3-Benzofuran-3-yl-1-methanesulfonylmethyl-1H-pyrazolo[4,3-c]pyridine-6-yl)-(8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
	108	~~(1-Methanesulfonylmethyl-3-pyrazolo[1,5-a]pyridine-3-yl-1H-pyrazolo[4,3-c]pyridine-6-yl)-(8-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
20	109	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)methanone~~
	110	~~[3-(5-fluorobenzofuran-3-yl)-1-(methylsulfonylmethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)methanone~~
25	111	~~[3-(5-fluorobenzofuran-3-yl)-1-(methylsulfonylmethyl)pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)methanone~~
	112	~~(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)-[3-(1H-indol-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
30	113	~~(3-endo-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
	114	~~(4-hydroxy-1-piperidyl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~

5	115	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-1-piperidyl)methanone~~
	116	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-4-methyl-1-piperidyl)methanone~~
	117	~~(4-hydroxy-4-methyl-1-piperidyl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
10	118	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(6-hydroxy-1,4-oxazepan-4-yl)methanone~~
	119	~~(6-hydroxy-1,4-oxazepan-4-yl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
	120	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(6,6-dideuterio-1,4-oxazepan-4-yl)methanone~~
15	121	~~(6,6-dideuterio-1,4-oxazepan-4-yl)-[3-pyrazolo[1,5-a]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
	122	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxyazepan-1-yl)methanone~~
	123	~~[3-(5-fluoro-1H-indol-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)methanone~~
20	124	~~methyl 3-[6-(1,4-oxazepan-4-carbonyl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-3-yl]benzofuran-5-carboxylate~~
	125	~~[3-(5-methylbenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)methanone~~
	126	~~[3-(2-methylbenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)methanone~~
25	127	~~[3-(5-fluorobenzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)methanone~~
	128	~~3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carboxylic acid amide~~
	129	~~3-[6-(1,4-oxazepan-4-carbonyl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-3-yl]benzofuran-5-carboxylic~~

		acid
5	130	1-[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carbonyl]piperidine-4-carboxylic acid
	131	[3-(6-Fluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-piperidin-1-yl)-methanone
10	132	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-piperidin-1-yl)-methanone
	133	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-4-methyl-piperidin-1-yl)-methanone
15	134	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-hydroxy-azepan-1-yl)-methanone
	135	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-oxa-5-aza-bicyclo[2.2.1]hept-5-yl)-methanone
20	136	[3-(6,8-Difluoro-[1,2,4]triazolo[4,3-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone
	137	[3-(6,8-Difluoro-[1,2,4]triazolo[4,3-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-4-yl-methanone
25	138	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-2-methyl-piperidin-1-yl)-methanone
30	139	(3-Aza-bicyclo[3.2.1]oct-3-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	140	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(9-hydroxy-3-aza-bicyclo[3.3.1]non-3-yl)-methanone

5	141	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-2-isopropyl-piperidin-1-yl)-methanone
	142	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-2,2-dimethyl-piperidin-1-yl)-methanone
	143	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-3-isobutyl-piperidin-1-yl)-methanone
10	144	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-fluoro-piperidin-1-yl)-methanone
15	145	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-2-aza-spiro[4.5]dec-2-yl)-methanone
	146	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4,4-difluoro-piperidin-1-yl)-methanone
	147	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4'-hydroxy-3',4',5',6'-tetrahydro-2'H-[3,4']bipyridinyl-1'-yl)-methanone
20	148	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-4-trifluoromethyl-piperidin-1-yl)-methanone
25	149	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-methoxymethyl-pyrrolidin-1-yl)-methanone
	150	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-methyl-1,4-diazepan-1-yl)-methanone
30	151	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-hydroxy-piperidin-1-yl)-methanone

5	152	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(7-oxa-2-aza-spiro[4.5]dec-2-yl)-methanone
	153	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-oxa-9-aza-spiro[5.5]undec-9-yl)-methanone
	154	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(tetrahydro-furo[3,4-c]pyrrol-5-yl)-methanone
10	155	8-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-2,8-diaza-spiro[4.5]decan-3-one
15	156	8-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-2,8-diaza-spiro[4.5]decan-1-one
	157	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-[3-(2-methoxy-ethyl)-pyrrolidin-1-yl]-methanone
20	158	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-morpholin-4-yl-methanone
	159	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3,3-difluoro-piperidin-1-yl)-methanone
25	160	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3,3-difluoro-piperidin-1-yl)-methanone
	161	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-hydroxymethyl-piperidin-1-yl)-methanone
30	162	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-8-exo-methyl-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone

5	163	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-trifluoromethyl-morpholin-4-yl)-methanone
	164	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-trifluoromethyl-piperidin-1-yl)-methanone
	165	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxymethyl-piperidin-1-yl)-methanone
10	166	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-oxa-7-aza-spiro[3.5]non-7-yl)-methanone
15	167	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-methoxymethyl-morpholin-4-yl)-methanone
	168	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone
	169	(4-Aza-tricyclo[4.3.1.1*3,8*]undec-4-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
20	170	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-exo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	171	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-exo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone
	172	(8-Aza-bicyclo[3.2.1]oct-8-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
25	173	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-difluoromethyl-piperidin-1-yl)-methanone
30		

5	174	3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide
	175	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-oxa-6-aza-tricyclo[3.3.1.1*3,7*]dec-6-yl)-methanone
	176	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxymethyl-4-methyl-piperidin-1-yl)-methanone
10	177	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-azepan-1-yl)-methanone
15	178	(2-Aza-tricyclo[3.3.1.1*3,7*]dec-2-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	179	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(5-oxa-8-aza-spiro[2.6]non-8-yl)-methanone
	180	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-thiazepan-1,1-dioxide-4-yl-methanone
20	181	Cis-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2,6-dimethyl-morpholin-4-yl)-methanone
25	182	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2,2-dimethyl-1,4-oxazepan-4-yl)-methanone
	183	Cis-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3,5-dimethyl-morpholin-4-yl)-methanone
30	184	[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-oxa-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone

5	185	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(6,6-difluoro-1,4-oxazepan-4-yl)-methanone~~
	186	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-4-aza-spiro[2.6]non-4-yl)-methanone~~
	187	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
10	188	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(7-endo-hydroxy-3-oxa-9-aza-bicyclo[3.3.1]non-9-yl)-methanone~~
15	189	~~1-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-1,4-diazepan-5-one~~
	190	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-1,4-oxazepan-deuterium-4-yl-methanone~~
	191	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-[1,2]oxazepan-2-yl-methanone~~
20	192	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(5-oxa-8-aza-spiro[3.5]non-8-yl)-methanone~~
25	193	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(6-hydroxy-1,4-oxazepan-4-yl)-methanone~~
	194	~~5-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-2,5-diaza-bicyclo[2.2.1]heptane-2-carboxylic acid tert-butyl ester~~
30	195	~~1,4-Diazepan-1-yl-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	196	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-5-aza-spiro[3.5]non-5-yl)-methanone~~

5	197	~~(2-[[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-methyl-amino]-ethyl)-carbamic acid tert-butyl ester~~
	198	~~3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carboxylic acid (4-hydroxy-tetrahydro-pyran-3-yl)-amide~~
	199	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(6-oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone~~
10	200	~~3-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-3,8-diaza-bicyclo[3.2.1]octane-8-carboxylic acid tert-butyl ester~~
15	201	~~4-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-1,4-diazepan-2-one~~
	202	~~{1-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-azepan-3-yl}-carbamic acid tert-butyl ester~~
20	203	~~(3,3-Difluoro-4-hydroxy-piperidin-1-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	204	~~{4-[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridine-6-carbonyl]-1,4-oxazepan-6-yl}-carbamic acid tert-butyl ester~~
25	205	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-oxa-5-aza-bicyclo[4.1.0]hept-5-yl)-methanone~~
	206	~~[3-(6,8-Difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(7-oxa-4-aza-spiro[2.6]non-4-yl)-methanone~~
30	207	~~[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-piperidin-1-yl)-methanone~~
	208	~~[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-4-methyl-piperidin-1-yl)-methanone~~

5	209	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone
	210	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-exo-ethyl-8-endo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	211	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(5-endo-hydroxy-5-exo-methyl-2-aza-bicyclo[2.2.1]hept-2-yl)-methanone
10	212	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-8-exo-methyl-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
15	213	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-8-exo-methyl-d3-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	214	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-exo-ethynyl-8-endo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	215	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(2-methoxymethyl-pyrrolidin-1-yl)-methanone
20	216	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-fluoro-piperidin-1-yl)-methanone
25	217	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(6,6-difluoro-1,4-oxazepan-4-yl)-methanone
	218	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(8-endo-hydroxy-3-aza-bicyclo[3.2.1]oct-3-yl)-methanone
	219	[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxy-2,2-dimethyl-piperidin-1-yl)-methanone
30	220	[3-Benzofuran-3-yl-1-(2,2-difluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone

5	221	~~[3-Benzofuran-3-yl-1-(2-fluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone~~
	222	~~(3-Benzofuran-3-yl-1-propyl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(3-endo-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone~~
	223	~~tert-butyl N-[4-[3-(6,8-difluoroimidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carbonyl]-1,4-oxazepan-6-yl]carbamate~~
10	224	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(6-hydroxy-1,4-oxazepan-4-yl)methanone~~
	225	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(4,4-difluoro-1-piperidyl)methanone~~
	226	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(3,3-difluoro-1-piperidyl)methanone~~
15	227	~~[3-Benzofuran-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-(3-hydroxy-piperidin-1-yl)-methanone~~
	228	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(4-hydroxyazepan-1-yl)methanone~~
	229	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(6,6-dideuterio-1,4-oxazepan-4-yl)methanone~~
20	230	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-[6-fluoro-1,4-oxazepan-4-yl]methanone~~
	231	~~3-(benzofuran-3-yl)-N,N-di(cyclobutyl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carboxamide~~
	232	~~3-(benzofuran-3-yl)-N,N-di(cyclopropyl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carboxamide~~
25	233	~~3-(benzofuran-3-yl)-N,N-diisopropyl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carboxamide~~
	234	~~3-(benzofuran-3-yl)-N-ethyl-N-isopropyl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carboxamide~~
30		

5	235	~~3-(benzofuran-3-yl)-N-cyclohexyl-N-ethyl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridine-6-carboxamide~~
	236	~~[3-(benzofuran-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(8-hydroxy-8-isopropyl-3-azabicyclo[3.2.1]octan-3-yl)methanone~~
	237	~~3-[6-(1,4-oxazepan-4-carbonyl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-3-yl]benzofuran-5-carboxamide~~
10	238	~~(3,8-Diaza-bicyclo[3.2.1]oct-3-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
15	239	~~(2,5-Diaza-bicyclo[2.2.1]hept-2-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	240	~~(3-Amino-azepan-1-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
	241	~~(6-Amino-1,4-oxazepan-4-yl)-[3-(6,8-difluoro-imidazo[1,2-a]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone~~
20	242	~~(6,6-dideuterio-1,4-oxazepan-4-yl)-[3-(1H-indol-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]methanone~~
25	243	~~[3-(1H-indol-3-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)methanone~~
	244	~~3-[6-(Azepan-1-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-8-methyl-imidazo[1,2-a]pyridine-6-carboxylic acid amide~~
	245	~~3-[6-(Azepan-1-carbonyl)-1-propyl-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid amide~~
30	246	~~3-[6-(1,4-Oxazepan-4-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid amide~~

5	247	3-[6-(8-Oxa-3-aza-bicyclo[3.2.1]octane-3-carbonyl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-3-yl]-imidazo[1,2-a]pyridine-6-carboxylic acid amide
	248	Azepan-1-yl-[3-pyrazolo[1,5-a]pyrazin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	249	1,4-Oxazepan-4-yl-[3-pyrazolo[1,5-a]pyrazin-3-yl-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
10	250	(1-Methanesulfonylmethyl-3-pyrazolo[1,5-a]pyrazin-3-yl-1H-pyrazolo[4,3-c]pyridin-6-yl)-(1,4-oxazepan-4-yl)-methanone
	251	[3-(benzimidazol-1-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)-methanone
	252	[3-(6-fluorobenzimidazol-1-yl)-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)-methanone
15	253	[3-furo[3,2-b]pyridin-3-yl-1-(2,2,2-trifluoroethyl)pyrazolo[4,3-c]pyridin-6-yl]-(1,4-oxazepan-4-yl)-methanone
	254	[1,4]Oxazepan-4-yl-[3-(1H-pyrrolo[3,2-b]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
	255	[1,4]Oxazepan-4-yl-[3-(1H-pyrrolo[2,3-c]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone
20	256	(8-Oxa-3-aza-bicyclo[3.2.1]oct-3-yl)-[3-(1H-pyrrolo[3,2-c]pyridin-3-yl)-1-(2,2,2-trifluoro-ethyl)-1H-pyrazolo[4,3-c]pyridin-6-yl]-methanone

25

and pharmaceutically acceptable salts, solvates and prodrugs of any one of the afore-mentioned compounds.

30

12. The compound of any one of claims 1 to 11 for use as a medicament.

13. A pharmaceutical composition comprising the compound of any one of claims 1 to 11 and a pharmaceutically acceptable excipient.

14. The compound of any one of claims 1 to 11 or the pharmaceutical composition of claim 13 for use in therapy as a dual adenosine A_{2A}- and A_{2B}-receptor antagonist.
- 5 15. The compound of any one of claims 1 to 11 or 14 or the pharmaceutical composition of claim 13 or 14 for use in the treatment or prevention of a hyperproliferative disease or disorder or an infectious disease or disorder.
16. Use of the compound of any one of claims 1 to 11 in the preparation of a medicament for the treatment or prevention of a hyperproliferative disease or disorder or an infectious disease or disorder.
- 10 17. A method of treating or preventing a hyperproliferative disease or disorder or an infectious disease or disorder, the method comprising administering the compound of claim 1 to a subject in need thereof.
- 15 18. The compound for use according to claim 15 or the pharmaceutical composition for use according to claim 15 or the use of claim 16 or the method of claim 17, wherein the disease or disorder to be treated or prevented is a hyperproliferative disease or disorder, and wherein said hyperproliferative disease or disorder is cancer.
- 20 19. The compound for use according to claim 18 or the pharmaceutical composition for use according to claim 18 or the use of claim 18 or the method of claim 18, wherein the cancer is selected from the group consisting of acute granulocytic leukemia, acute lymphocytic leukemia, acute myeloid leukemia, adrenal cortex cancer, bladder cancer, brain cancer, breast cancer, cervical cancer, cervical hyperplasia, cervical cancer, chorio-cancer, chronic granulocytic leukemia, chronic lymphocytic leukemia, chronic myeloid leukemia, colon cancer, endometrial cancer, esophageal cancer, essential thrombocytosis, genitourinary carcinoma, glioma, glioblastoma, hairy cell leukemia, head and neck carcinoma, Hodgkin's disease, Kaposi's sarcoma, lung carcinoma, lymphoma, malignant carcinoid carcinoma, malignant hypercalcemia, malignant melanoma, malignant pancreatic insulinoma, medullary thyroid carcinoma, melanoma, multiple myeloma, mycosis fungoides, neuroblastoma, non-Hodgkin's lymphoma, non-small cell lung cancer, osteogenic sarcoma, ovarian carcinoma, pancreatic
- 25
- 30

carcinoma, polycythemia vera, primary brain carcinoma, primary
 macroglobulinemia, prostatic cancer, renal cell cancer, rhabdomyosarcoma, skin
 cancer, small cell lung cancer, soft tissue sarcoma, squamous cell cancer,
 stomach cancer, testicular cancer, thyroid cancer and Wilms' tumor.

5

20. The compound for use according to claim 15 or the pharmaceutical composition
 for use according to claim 15 or the use of claim 16 or the method of claim 17,
 wherein the disease or disorder to be treated or prevented is a hyperproliferative
 disease or disorder, and wherein said hyperproliferative disease or disorder is
 10 selected from the group consisting of age related macular degeneration, Crohn's
 disease, cirrhosis, a chronic inflammatory related disorder, proliferative diabetic
 retinopathy, proliferative vitreoretinopathy, retinopathy of prematurity,
 granulomatosis, immune hyperproliferation associated with organ or tissue
 transplantation, and an immunoproliferative disease/disorder.

15

21. The compound for use according to claim 20 or the pharmaceutical composition
 for use according to claim 20 or the use of claim 20 or the method of claim 20,
 wherein the disease or disorder to be treated or prevented is an
 immunoproliferative disease or disorder, and wherein the immunoproliferative
 disease or disorder is selected from the group consisting of inflammatory bowel
 20 disease, psoriasis, rheumatoid arthritis, systemic lupus erythematosus (SLE),
 vascular hyperproliferation secondary to retinal hypoxia, and vasculitis.

22. The compound for use according to claim 15 or the pharmaceutical composition
 for use according to claim 15 or the use of claim 16 or the method of claim 17,
 wherein the disease or disorder to be treated or prevented is an infectious
 25 disease or disorder, and wherein said infectious disease or disorder is selected
 from the group consisting of:

(a) virally induced infectious diseases which are caused by retroviruses,
 hepadnaviruses, herpesviruses, flaviviridae and/or adenoviruses,
 wherein the retroviruses are selected from lentiviruses or oncoretroviruses,
 30 wherein the lentivirus is selected from the group consisting of HIV-1, HIV-2,
 FIV, BIV, SIVs, SHIV, CAEV, VMV and EIAV, wherein the oncoretrovirus is
 selected from the group consisting of HTLV-I, HTLV-II and BLV, wherein the
 hepadnavirus is selected from the group consisting of HBV, GSHV and

- WHV, wherein the herpesvirus is selected from the group consisting of HSV I, HSV II, EBV, VZV, HCMV and HHV 8, and wherein the flaviviridae are selected from the group consisting of HCV, West nile and Yellow Fever;
- 5 (b) ~~bacterial infectious diseases which are caused by Gram-positive bacteria, wherein the Gram-positive bacteria are selected from the group consisting of methicillin-susceptible and methicillin-resistant staphylococci (including Staphylococcus aureus, Staphylococcus epidermidis, Staphylococcus haemolyticus, Staphylococcus hominis, Staphylococcus saprophyticus, and coagulase-negative staphylococci), glycopeptides-intermediate-susceptible Staphylococcus aureus (GISA), penicillin-susceptible and penicillin-resistant streptococci (including Streptococcus pneumoniae, Streptococcus pyogenes, Streptococcus agalactiae, Streptococcus avium, Streptococcus bovis, Streptococcus lactis, Streptococcus sanguis and Streptococci Group G (GCS), Streptococci Group G (GGS) and viridans streptococci), enterococci~~
- 10 ~~(including vancomycin-susceptible and vancomycin-resistant strains such as Enterococcus faecalis and Enterococcus faecium), Clostridium difficile, Listeria monocytogenes, Corynebacterium jeikeium, Chlamydia spp (including C. pneumoniae) and Mycobacterium tuberculosis;~~
- 15 (c) ~~bacterial infectious diseases which are caused by Gram-negative bacteria, wherein the Gram-negative bacteria are selected from the group consisting of the genus Enterobacteriaceae, including Escherichia spp. (including Escherichia coli), Klebsiella spp., Enterobacter spp., Citrobacter spp., Serratia spp., Proteus spp., Providencia spp., Salmonella spp., Shigella spp., the genus Pseudomonas (including P. aeruginosa), Moraxella spp. (including M. catarrhalis), Haemophilus spp. and Neisseria spp.; and~~
- 20 (d) ~~infectious diseases induced by intracellular active parasites selected from the group consisting of the phylum Apicomplexa, Sarcocystophora (including Trypanosoma, Plasmodia, Leishmania, Babesia or Theileria), Cryptosporidia, Sarcocystida, Amoebia, Coccidia and Trichomonadia.~~
- 25
23. The compound for use according to any one of claims 15 or 18 to 22 or the
- 30 pharmaceutical composition for use according to any one of claims 15 or 18 to 22 or the use of any one of claims 16 or 18 to 22 or the method of any one of claims 17 to 22, wherein said compound, said pharmaceutical composition or said

medicament is to be administered in combination with one or more further therapeutic agents.

5 24. The compound for use according to any one of claims 15 or 18 to 23 or the pharmaceutical composition for use according to any one of claims 15 or 18 to 23 or the use of any one of claims 16 or 18 to 23 or the method of any one of claims 17 to 23, wherein the subject to be treated is a human.

25. A set or kit comprising separate packs of:
10 — (a) a compound as defined in any one of claims 1 to 11; and
(b) a further therapeutic agent.

26. *In vitro* use of a compound as defined in any one of claims 1 to 11 as a dual adenosine A_{2A} and A_{2B} receptor antagonist.

15

20

25

30