


What is claimed is

1. A compound, or salt or a tautomer thereof, according to Formula (I):



(I)

- 5 Wherein



is a single or double bond;

X is N or CH;

Y is N(H), O or S;

one occurrence of R is cyano and the other occurrence of R is hydrogen or R⁴;

- 10 R¹ is halogen, hydroxyl, C₁-C₆alkyl, C₂-C₆alkenyl, C₃-C₆cycloalkyl, C₁-C₆alkoxy, haloC₁-C₆alkyl, hydroxyC₁-C₆alkyl, aminoC₁-C₆alkyl, C₁-C₆alkoxyC₁-C₆alkyl, C₁-C₆alkoxyC₁-C₆alkoxy, C₃-C₆cycloalkylC₁-C₆alkoxy, haloC₁-C₆alkoxy, S(O)_pC₁-C₆alkyl, CH₂NHC(O)C₁-C₄alkyl or OCH₂C(O)R⁷,

p is 0, 1, or 2;

- 15 R² is C₁-C₆alkyl, C₁-C₆alkoxy, hydroxyC₁-C₆alkyl or halogen;

R³ is hydrogen, halogen, cyano, C₁-C₄alkyl, haloC₁-C₄alkyl, CH₂C(O)R⁷, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S, wherein the phenyl or heteroaryl is optionally substituted with 0, 1, or 2 C₁-C₄alkyl groups, and wherein alkyl and haloalkyl optionally substituted with 0 or 1 hydroxy;

- 20 R⁴ is 0, 1, or 2 substituents independently selected at each occurrence from halogen and C₁-C₆alkyl;

R⁵ is hydrogen, C₁-C₆alkyl, haloC₁-C₆alkyl, C₃-C₆cycloalkyl, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S;

or R³ and R⁵ taken in combination form a divalent -CH₂-CH₂- or -CH₂-N(H)- group;

- 25 R⁶ is hydrogen, hydroxy, amino, C₁-C₆alkyl, C₁-C₆alkoxy, C₁-C₆alkoxyC₁-C₆alkoxy, mono- and di-C₁-C₄alkylamino, amino C₁-C₆alkylamino, [CR^A]₂R⁷, [CR^A]₂C(O)R⁷, O[CR^A]₂R⁷, NHC(O)C₁-

C_6 alkyl, $NHS(O_2)C_1-C_6$ alkyl, $(CH_2)_nR^9$, $O(CH_2)_nR^9$, $C(O)R^7$, $N(H)[CR^A_2]_nR^7$, $O[CR^A_2]_nC(O)R^7$, $N(H)[CR^A_2]_nC(O)R^7$ or tetrazolyl;

or CR^5R^6 , taken in combination, form a divalent carbonyl group, a divalent $=CH_2$ group or cyclopropyl which cyclopropyl is optionally substituted by CO_2H or CH_2OH ;

5 n is 1, 2, 3 or 4;

R^A is independently selected at each occurrence from hydrogen, halogen or C_1-C_4 alkyl;


R^7 is hydroxy, C_1-C_4 alkoxy, amino or mono- and di- C_1-C_4 alkylamino

R^8 is hydrogen or halogen; and

R^9 is a 5 member heteroaryl having 1 to 4 ring heteroatoms selected from N, O or S and

10 optionally substituted with 0, 1, or 2 C_1-C_4 alkyl groups.

2. A compound, or salt or a tautomer thereof, according to Formula (I):



15 Wherein



is a single or double bond;

X is N or CH;

Y is N(H), O or S;

one occurrence of R is cyano and the other occurrence of R is hydrogen or R^4 ;

20 R^1 is halogen, C_1-C_6 alkyl, C_2-C_6 alkenyl, C_3-C_6 cycloalkyl, C_1-C_6 alkoxy, halo C_1-C_6 alkyl, hydroxy C_1-C_6 alkyl, amino C_1-C_6 alkyl, C_1-C_6 alkoxy C_1-C_6 alkyl, C_1-C_6 alkoxy C_1-C_6 alkoxy, C_3-C_6 cycloalkyl C_1-C_6 alkoxy, halo C_1-C_6 alkoxy, $S(O)_pC_1-C_6$ alkyl, $CH_2NHC(O)C_1-C_4$ alkyl or $OCH_2C(O)R'$,

p is 0, 1, or 2;

25 R^2 is C_1-C_6 alkyl, C_1-C_6 alkoxy, hydroxy C_1-C_6 alkyl or halogen;

R^3 is hydrogen, halogen, cyano, C_1 - C_4 alkyl, halo C_1 - C_4 alkyl, $CH_2C(O)R^7$, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S, wherein the phenyl or heteroaryl is optionally substituted with 0, 1, or 2 C_1 - C_4 alkyl groups, and wherein alkyl and haloalkyl optionally substituted with 0 or 1 hydroxy;

- 5 R^4 is 0, 1, or 2 substituents independently selected at each occurrence from halogen and C_1 - C_6 alkyl;

R^5 is hydrogen, C_1 - C_6 alkyl, halo C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S;

or R^3 and R^5 taken in combination form a divalent CH_2-CH_2 - group;


- 10 R^6 is hydrogen, hydroxy, amino, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, C_1 - C_6 alkoxy C_1 - C_6 alkoxy, mono- and di- C_1 - C_4 alkylamino, amino C_1 - C_6 alkylamino, CH_2R^7 , $NHC(O)C_1$ - C_6 alkyl, $NHS(O_2)C_1$ - C_6 alkyl, $C(O)NH_2$, CO_2H , $OCR^A C(O)R^7$ or $N(H)CR^A C(O)R^7$;

or CR^5R^6 , taken in combination, form a divalent carbonyl group or a divalent $=CH_2$ group;

R^A is independently selected at each occurrence from hydrogen or C_1 - C_4 alkyl; and

- 15 R^7 is hydroxy, C_1 - C_4 alkoxy, amino or mono- and di- C_1 - C_4 alkylamino.

3. The compound of claim 1 or 2, or salt or tautomer thereof, according to Formula (Ia);



(Ia).

- 20 4. The compound of any one of claims 1-3, or salt or tautomer thereof, wherein R^4 is absent.

5. The compound of one of claims 1 to 4, or salt or tautomer thereof, wherein R^3 is hydrogen, chloro or phenyl.

- 25 6. The compound of one of claims 1 to 5, or salt or tautomer thereof, wherein R^3 is hydrogen.

7. The compound of any one of claims 1 to 6, or a salt or tautomer thereof, wherein R² is methyl.

5 8. The compound of any one of claims 1 to 7, or a salt or tautomer thereof, wherein R¹ is halogen, C₁-C₄alkyl, vinyl, cyclopropyl, C₁-C₄alkoxy, hydroxyC₁-C₄alkyl, C₁-C₄alkoxyC₁-C₄alkyl, C₁-C₄alkoxyC₁-C₄alkoxy, cyclopropylC₁-C₄alkoxy, haloC₁-C₄alkoxy or S(O)₂C₁-C₄alkyl.

9. The compound of any one of claims 1 to 8, or a salt or tautomer thereof, wherein R¹ is
10 C₁-C₄alkyl, C₁-C₄alkoxy, cyclopropyl, bromo or difluoromethoxy.

10. The compound of any one of claims 1 to 9, or a salt or tautomer thereof, wherein R⁵ is hydrogen, methyl, ethyl cyclopropyl or trifluoromethyl.

15 11. The compound of any one of claims 1 to 10, or a salt or tautomer thereof, wherein R⁶ is hydrogen, hydroxy, methoxy, amino, mono- and di-methylamino or CH₂R⁷; and R⁷ is hydroxy, amino, N(H)CH₃ or N(CH₃)₂.

12. The compound of any one of claims 1 to 11, or a salt or tautomer thereof, wherein R⁶ is
20 methyl or trifluoromethyl;
R⁶ is hydroxy, methoxy, amino, methylamino or CH₂R⁷; and
R⁷ is hydroxy, amino, N(H)CH₃ or N(CH₃)₂.

13. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is
25 N; and Y is N(H).

14. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is N; and Y is O.

30 15. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is N; and Y is S.

16. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is CH; and Y is N(H), O or S.

35

17. The compound of claim 1, or a salt or tautomer thereof, wherein R⁸ is hydrogen.

18. The compound of claim 1, or a salt or tautomer thereof, wherein R⁸ is fluorine.

19. The compound of claim 1, or a salt or tautomer thereof, in which one occurrence of R is cyano and the other occurrence of R is hydrogen;

5 R¹ is methyl, hydroxyl or methoxy;

R² is methyl;

R³ is hydrogen, chloro or phenyl;

R⁴ is absent;

R⁵ is hydrogen, methyl, ethyl or trifluoromethyl;

10 R⁶ is amino, CO₂H, (CH₂)_nC(O)R⁷ or (CH₂)_n-tetrazolyl;

n is 1, 2, or 3;

X is N and Y is NH or O.

20. The compound of claim 1 or claim 2, or a salt or tautomer thereof, which compound is
15 selected from the group consisting of

(±)-2-(((2-aminoethyl)amino)(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

20 (-)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(methylamino)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

25 (+)-2-(1-amino-1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

30 (+) and (-)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+) or (-)-2-(1-(3-chloro-5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile ;

35 (+)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-(hydroxy(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (+)-2-(2,2,2-trifluoro-1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (-)-2-(2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (-)-2-(1-amino-2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(amino(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-(²H₃) methoxy-7-methyl-1*H* indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-(2-methoxyethoxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-6-carbonitrile;

5 2-((7-fluoro-5-methoxy-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((7-chloro-5-(²H₃)methoxy-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

and

(±)-2-((5-((1-methoxypropan-2-yl)oxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile.

10 (+)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-((5-ethoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-((5-ethoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(hydroxy(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(hydroxy(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((7-chloro-5-(²H₃)methoxy-1*H*-indol-4-yl)(hydroxy)methyl)benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (+)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (+)-2-(1-(5-(cyclopropylmethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-(cyclopropylmethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(cyclopropyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(cyclopropyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (+)-2-((²H₃)methyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-((²H₃)methyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (-)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-((3-chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

30 (-)-2-((3-chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

(-)-2-(1-(3-Chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(3-Chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (+)-2-(methoxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(methoxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-hydroxyethyl)-7-methyl-1*H*-indol-5-yl)oxy)acetamide;

5 (±)-2-((4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-hydroxyethyl)-7-methyl-1*H*-indol-5-yl)oxy)acetic acid;

(+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (±)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(2,2,2-trifluoro-1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-Methyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetate;

(+)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;

25 (-)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;

(+)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (-)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-amino-2,2,2-trifluoro-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(dimethylamino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(amino(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((dimethylamino)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (±)-2-(2-amino-1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 2-((5-(aminomethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

N-((4-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)methyl)-7-methyl-1*H*-indol-5-yl)methyl)acetamide;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-7-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 2-((5-chloro-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-vinyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxymethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-4-methyl-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-6-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 2-((5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-6-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

6-chloro-2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-6-methoxy-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (+)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[*d*]imidazole-5-carbonitrile;
(-)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[*d*]imidazole-5-carbonitrile;
(+)-2-(hydroxy(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
5 (-)-2-(hydroxy(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(+)-2-((5-(ethoxymethyl)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-((5-(ethoxymethyl)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
10 (+)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
15 (±)-2-((5-cyclopropyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(+)-2-(hydroxy(5-(isobutyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-(hydroxy(5-(isobutyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
20 (+)-2-(hydroxy(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-(hydroxy(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
25 (+)-2-((5-chloro-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-((5-chloro-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(±)-2-((5-bromo-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
30 (+)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-4-methyl-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(-)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-4-methyl-1*H*-benzo[*d*]imidazole-5-carbonitrile;
35 (±)-2-((5-cyclopropyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-6-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;
(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (±)-2-((5-cyano-1*H*-benzo[d]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methoxy)acetic acid;
(+)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
5 (+)-2-((5-isobutyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-isobutyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
10 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(ethoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(2-methoxyethoxy)methyl)benzo[d]imidazole-5-carbonitrile;
(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
15 (-)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
20 2-(5-ethyl-7-methyl-1*H*-indole-4-carbonyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-(1-hydroxy-1-(7-methyl-5-propyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
25 (-)-2-(1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
30 (+)-2-(1-hydroxy-1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-hydroxy-1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
35 (+)-2-(1-(5-chloro-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-(5-chloro-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxypropyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(cyclopropyl(5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)(phenyl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (±)-4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-hydroxyethyl)-*N*,7-dimethyl-1*H*-indole-5-carboxamide;

(±)-2-(1-hydroxy-1-(7-methyl-5-(trifluoromethyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (+)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((3-bromo-5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((3-chloro-5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((3-chloro-5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(1-(5-ethyl-7-methyl-3-(trifluoromethyl)-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(hydroxy(3,5,7-trimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((3-cyano-5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-((3-cyano-5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((5-ethyl-7-methyl-3-(2,2,2-trifluoro-1-hydroxyethyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(5-hydroxy-6,8-dimethyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (-)-2-(5-hydroxy-6,8-dimethyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(6-ethyl-5-hydroxy-8-methyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (-)-2-(6-ethyl-5-hydroxy-8-methyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(amino(5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(amino(5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(amino(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(methylamino)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (±)-*N*-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methyl)methanesulfonamide;

(±)-*N*-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methyl)acetamide;

(+)-2-(1-amino-1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(1-amino-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

25 (±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-(dimethylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (+)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 5 (+)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 10 (-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-2-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (±)-2-(1-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethoxy)acetic acid;
- 15 2-((7-chloro-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 2-((7-ethyl-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 2-((7-bromo-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 2-((7-(hydroxymethyl)-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 20 2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)vinyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)vinyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 2-((5-ethyl-7-methyl-3-(1*H*-pyrazol-5-yl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (±)-2-((5-ethyl-7-methyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-
- 25 carbonitrile;
- (+)-2-((5,7-dimethyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (-)-2-((5,7-dimethyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 30 (+)-2-((5,7-dimethyl-3-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (-)-2-((5,7-dimethyl-3-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- (+)-2-((5,7-dimethyl-3-(pyridin-3-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-
- 35 5-carbonitrile;
- (-)-2-((5,7-dimethyl-3-(pyridin-3-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

- (±)-2-((5,7-dimethyl-3-(1*H*-pyrazol-5-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-(2-(5-methoxy-7-methyl-1*H*-indol-4-yl)propan-2-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((5,7-dimethylindolin-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 5 (+)-2-(1-methoxy-1-(5-methoxy-7-methylindolin-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(1-methoxy-1-(5-methoxy-7-methylindolin-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;
- 10 (-)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- 15 (-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- 20 (±)-2-(1-(5-cyanobenzo[*d*]oxazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;
- (±)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- 25 (+)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-6-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzofuran-6-carbonitrile;
- 30 (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzofuran-5-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-indole-6-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-indole-5-carbonitrile;
- (+)-ethyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetate;
- 35 (-)-ethyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetate;

(±)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)-2-fluoroacetic acid;

(±)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (+)-2-(6-methoxy-8-methyl-5-(trifluoromethyl)-1,3,4,5-tetrahydropyrrolo[4,3,2-de]isoquinolin-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-((2-aminoethyl)amino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (+)-2-(1-((2-aminoethyl)amino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethoxy)acetic acid;

(+)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

20 (-)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

(±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-5-carbonitrile;

(±)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]thiazole-5-carbonitrile;

(±)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

25 (-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

(±)-2-(1-amino-1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

30 (-)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(2,2,2-trifluoro-1-(²H₃)-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(²H₃)-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

5 (-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)benzo[d]oxazole-5-carbonitrile;

(+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)benzo[d]oxazole-5-carbonitrile;

(+) or (-)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)benzo[d]oxazole-5-carbonitrile;

10 (-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-indole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzofuran-5-carbonitrile;

15 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]thiazole-5-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-indole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-indole-5-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-5-carbonitrile;

20 (±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-6-carbonitrile;

(±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-6-carbonitrile;

(±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-5-carbonitrile;

25 (±)-3-(1-(5-cyanobenzo[d]oxazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)-2,2-dimethylpropanoic acid;

(±)-2-(2,2,2-trifluoro-1-((2-hydroxyethyl)amino)-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

30 (±)-2-((1-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)amino)acetic acid;

(+) or (-)-2-(1-amino-2,2,2-trifluoro-1-(5-hydroxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-6-carbonitrile;

(±)-2-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)cyclopropanecarboxylic acid;

35 (±)-2-(5-cyanobenzo[d]oxazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)cyclopropanecarboxylic acid;

(±)-ethyl 2-(5-cyanobenzo[d]oxazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoate;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(±)-2-(3-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

5 (±)-4-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-methylpropanoic acid

10 (±)-2-(3-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-methylpropyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(+)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(+)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(-)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

15 (±)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

(±)-2-(4-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-3-methylbutyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-(2*H*-tetrazol-5-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

20 (±)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-(2*H*-tetrazol-5-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(±)-2-(2-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(2*H*-tetrazol-5-yl)propan-2-yl)benzo[d]oxazole-5-carbonitrile;

25 (±)-4-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(±)-5-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-5-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

30 (±)-2-(1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2,2-dimethylpropanoic acid; and salts, stereoisomers, racemates and tautomers thereof.

21. A pharmaceutical composition comprising one or more pharmaceutically acceptable
35 carriers and a therapeutically effective amount of a compound of any one of claims 1-20.

22. A combination, in particular a pharmaceutical combination, comprising a therapeutically effective amount of the compound according to any one of claims 1-20 and a second therapeutically active agent.

23. A method of modulating complement alternative pathway activity in a subject, wherein
5 the method comprises administering to the subject a therapeutically effective amount of the compound according to any one of claims 1-20.

24. A method of treating a disorder or a disease in a subject mediated by complement activation, in particular mediated by activation of the complement alternative pathway, wherein the method comprises administering to the subject a therapeutically effective amount of the
10 compound according to any one of claims 1-20.

25. The method of claim 24, in which the disease or disorder is selected from the group consisting of age-related macular degeneration, geographic atrophy, diabetic retinopathy, uveitis, retinitis pigmentosa, macular edema, Behcet's uveitis, multifocal choroiditis, Vogt-Koyangi-Harada syndrome, intermediate uveitis, birdshot retino-choroiditis, sympathetic
15 ophthalmia, ocular cicatricial pemphigoid, ocular pemphigus, nonarteritic ischemic optic neuropathy, post-operative inflammation, retinal vein occlusion, neurological disorders, multiple sclerosis, stroke, Guillain Barre Syndrome, traumatic brain injury, Parkinson's disease, disorders of inappropriate or undesirable complement activation, hemodialysis complications, hyperacute allograft rejection, xenograft rejection, interleukin-2 induced toxicity during IL-2
20 therapy, inflammatory disorders, inflammation of autoimmune diseases, Crohn's disease, adult respiratory distress syndrome, myocarditis, post-ischemic reperfusion conditions, myocardial infarction, balloon angioplasty, post-pump syndrome in cardiopulmonary bypass or renal bypass, atherosclerosis, hemodialysis, renal ischemia, mesenteric artery reperfusion after aortic reconstruction, infectious disease or sepsis, immune complex disorders and autoimmune
25 diseases, rheumatoid arthritis, systemic lupus erythematosus (SLE), SLE nephritis, proliferative nephritis, liver fibrosis, hemolytic anemia, myasthenia gravis, tissue regeneration, neural regeneration, dyspnea, hemoptysis, ARDS, asthma, chronic obstructive pulmonary disease (COPD), emphysema, pulmonary embolisms and infarcts, pneumonia, fibrogenic dust diseases, pulmonary fibrosis, asthma, allergy, bronchoconstriction, hypersensitivity pneumonitis, parasitic
30 diseases, Goodpasture's Syndrome, pulmonary vasculitis, Pauci-immune vasculitis, immune complex-associated inflammation, antiphospholipid syndrome, glomerulonephritis and obesity.

26. A method of treating age related macular degeneration comprising administering to a subject in need thereof an effective amount of a composition comprising a compound of any one of claims 1-20.


27. A compound according to any one of claims 1-20, for use as a medicament.








28. Use of a compound according to any one of claims 1-20, in the manufacture of a medicament for the treatment of a disorder or disease in a subject mediated by complement activation or activation of the complement alternative pathway.

5 29. Use of a compound according to any one of claims 1-20, for the treatment of age-related macular degeneration.

30. A compound of any one of claims 1-20 for use in the treatment of age-related macular degeneration, geographic atrophy, diabetic retinopathy, uveitis, retinitis pigmentosa, macular edema, Behcet's uveitis, multifocal choroiditis, Vogt-Koyangi-Harada syndrome, intermediate
10 uveitis, birdshot retino-choroiditis, sympathetic ophthalmia, ocular cicatricial pemphigoid, ocular pemphigus, nonarteritic ischemic optic neuropathy, post-operative inflammation, retinal vein occlusion, neurological disorders, multiple sclerosis, stroke, Guillain Barre Syndrome, traumatic brain injury, Parkinson's disease, disorders of inappropriate or undesirable complement activation, hemodialysis complications, hyperacute allograft rejection, xenograft rejection,
15 interleukin-2 induced toxicity during IL-2 therapy, inflammatory disorders, inflammation of autoimmune diseases, Crohn's disease, adult respiratory distress syndrome, myocarditis, post-ischemic reperfusion conditions, myocardial infarction, balloon angioplasty, post-pump syndrome in cardiopulmonary bypass or renal bypass, atherosclerosis, hemodialysis, renal ischemia, mesenteric artery reperfusion after aortic reconstruction, infectious disease or sepsis,
20 immune complex disorders and autoimmune diseases, rheumatoid arthritis, systemic lupus erythematosus (SLE), SLE nephritis, proliferative nephritis, liver fibrosis, hemolytic anemia, myasthenia gravis, tissue regeneration, neural regeneration, dyspnea, hemoptysis, ARDS, asthma, chronic obstructive pulmonary disease (COPD), emphysema, pulmonary embolisms and infarcts, pneumonia, fibrogenic dust diseases, pulmonary fibrosis, asthma, allergy,
25 bronchoconstriction, hypersensitivity pneumonitis, parasitic diseases, Goodpasture's Syndrome, pulmonary vasculitis, Pauci-immune vasculitis, immune complex-associated inflammation, antiphospholipid syndrome, glomerulonephritis and obesity.

31. A compound selected from the group consisting of






and salts thereof.

What is claimed is

1. A compound, or salt or a tautomer thereof, according to Formula (I):



(I)

- 5 Wherein



is a single or double bond;

X is N or CH;

Y is N(H), O or S;

one occurrence of R is cyano and the other occurrence of R is hydrogen or R⁴;

- 10 R¹ is halogen, hydroxyl, C₁-C₆alkyl, C₂-C₆alkenyl, C₃-C₆cycloalkyl, C₁-C₆alkoxy, haloC₁-C₆alkyl, hydroxyc₁-C₆alkyl, aminoc₁-C₆alkyl, C₁-C₆alkoxyc₁-C₆alkyl, C₁-C₆alkoxyc₁-C₆alkoxy, C₃-C₆cycloalkylC₁-C₆alkoxy, haloC₁-C₆alkoxy, S(O)_pC₁-C₆alkyl, CH₂NHC(O)C₁-C₄alkyl or OCH₂C(O)R⁷,
p is 0, 1, or 2;

- 15 R² is C₁-C₆alkyl, C₁-C₆alkoxy, hydroxyc₁-C₆alkyl or halogen;
R³ is hydrogen, halogen, cyano, C₁-C₄alkyl, haloC₁-C₄alkyl, CH₂C(O)R⁷, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S, wherein the phenyl or heteroaryl is optionally substituted with 0, 1, or 2 C₁-C₄alkyl groups, and wherein alkyl and haloalkyl optionally substituted with 0 or 1 hydroxy;

- 20 R⁴ is 0, 1, or 2 substituents independently selected at each occurrence from halogen and C₁-C₆alkyl;
R⁵ is hydrogen, C₁-C₆alkyl, haloC₁-C₆alkyl, C₃-C₆cycloalkyl, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S;
or R³ and R⁵ taken in combination form a divalent -CH₂-CH₂- or -CH₂-N(H)- group;
- 25 R⁶ is hydrogen, hydroxy, amino, C₁-C₆alkyl, C₁-C₆alkoxy, C₁-C₆alkoxyc₁-C₆alkoxy, mono- and di-C₁-C₄alkylamino, amino C₁-C₆alkylamino, [CR^A₂]_nR⁷, [CR^A₂]_nC(O)R⁷, O[CR^A₂]_nR⁷, NHC(O)C₁-

C_6 alkyl, $NHS(O_2)C_1-C_6$ alkyl, $(CH_2)_nR^9$, $O(CH_2)_nR^9$, $C(O)R^7$, $N(H)[CR^A_2]_nR^7$, $O[CR^A_2]_nC(O)R^7$, $N(H)[CR^A_2]_nC(O)R^7$ or tetrazolyl;

or CR^5R^6 , taken in combination, form a divalent carbonyl group, a divalent $=CH_2$ group or cyclopropyl which cyclopropyl is optionally substituted by CO_2H or CH_2OH ;

5 n is 1, 2, 3 or 4;

R^A is independently selected at each occurrence from hydrogen, halogen or C_1-C_4 alkyl;


R^7 is hydroxy, C_1-C_4 alkoxy, amino or mono- and di- C_1-C_4 alkylamino

R^8 is hydrogen or halogen; and

R^9 is a 5 member heteroaryl having 1 to 4 ring heteroatoms selected from N, O or S and

10 optionally substituted with 0, 1, or 2 C_1-C_4 alkyl groups.

2. A compound, or salt or a tautomer thereof, according to Formula (I):



(I)

15 Wherein



is a single or double bond;

X is N or CH;

Y is N(H), O or S;

one occurrence of R is cyano and the other occurrence of R is hydrogen or R^4 ;

20 R^1 is halogen, C_1-C_6 alkyl, C_2-C_6 alkenyl, C_3-C_6 cycloalkyl, C_1-C_6 alkoxy, halo C_1-C_6 alkyl, hydroxy C_1-C_6 alkyl, amino C_1-C_6 alkyl, C_1-C_6 alkoxy C_1-C_6 alkyl, C_1-C_6 alkoxy C_1-C_6 alkoxy, C_3-C_6 cycloalkyl C_1-C_6 alkoxy, halo C_1-C_6 alkoxy, $S(O)_pC_1-C_6$ alkyl, $CH_2NHC(O)C_1-C_4$ alkyl or $OCH_2C(O)R'$,

p is 0, 1, or 2;

25 R^2 is C_1-C_6 alkyl, C_1-C_6 alkoxy, hydroxy C_1-C_6 alkyl or halogen;

R^3 is hydrogen, halogen, cyano, C_1 - C_4 alkyl, halo C_1 - C_4 alkyl, $CH_2C(O)R^7$, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S, wherein the phenyl or heteroaryl is optionally substituted with 0, 1, or 2 C_1 - C_4 alkyl groups, and wherein alkyl and haloalkyl optionally substituted with 0 or 1 hydroxy;

- 5 R^4 is 0, 1, or 2 substituents independently selected at each occurrence from halogen and C_1 - C_6 alkyl;

R^5 is hydrogen, C_1 - C_6 alkyl, halo C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, phenyl or 5 or 6 member heteroaryl having 1, 2 or 3 ring heteroatoms independently selected from N, O or S;

or R^3 and R^5 taken in combination form a divalent CH_2-CH_2 group;


- 10 R^6 is hydrogen, hydroxy, amino, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, C_1 - C_6 alkoxy C_1 - C_6 alkoxy, mono- and di- C_1 - C_4 alkylamino, amino C_1 - C_6 alkylamino, CH_2R^7 , $NHC(O)C_1$ - C_6 alkyl, $NHS(O_2)C_1$ - C_6 alkyl, $C(O)NH_2$, CO_2H , $OCR^A_2C(O)R^7$ or $N(H)CR^A_2C(O)R^7$;

or CR^5R^6 , taken in combination, form a divalent carbonyl group or a divalent $=CH_2$ group;

R^A is independently selected at each occurrence from hydrogen or C_1 - C_4 alkyl; and

- 15 R^7 is hydroxy, C_1 - C_4 alkoxy, amino or mono- and di- C_1 - C_4 alkylamino.

3. The compound of claim 1 or 2, or salt or tautomer thereof, according to Formula (Ia):



(Ia).

- 20 4. The compound of any one of claims 1-3, or salt or tautomer thereof, wherein R^4 is absent.

5. The compound of one of claims 1 to 4, or salt or tautomer thereof, wherein R^3 is hydrogen, chloro or phenyl.

25

6. The compound of one of claims 1 to 5, or salt or tautomer thereof, wherein R^3 is hydrogen.

7. The compound of any one of claims 1 to 6, or a salt or tautomer thereof, wherein R² is methyl.
- 5 8. The compound of any one of claims 1 to 7, or a salt or tautomer thereof, wherein R¹ is halogen, C₁-C₄alkyl, vinyl, cyclopropyl, C₁-C₄alkoxy, hydroxyC₁-C₄alkyl, C₁-C₄alkoxyC₁-C₄alkyl, C₁-C₄alkoxyC₁-C₄alkoxy, cyclopropylC₁-C₄alkoxy, haloC₁-C₄alkoxy or S(O)₂C₁-C₄alkyl.
9. The compound of any one of claims 1 to 8, or a salt or tautomer thereof, wherein R¹ is
10 C₁-C₄alkyl, C₁-C₄alkoxy, cyclopropyl, bromo or difluoromethoxy.
10. The compound of any one of claims 1 to 9, or a salt or tautomer thereof, wherein R⁵ is hydrogen, methyl, ethyl cyclopropyl or trifluoromethyl.
- 15 11. The compound of any one of claims 1 to 10, or a salt or tautomer thereof, wherein R⁶ is hydrogen, hydroxy, methoxy, amino, mono- and di-methylamino or CH₂R⁷; and R⁷ is hydroxy, amino, N(H)CH₃ or N(CH₃)₂.
12. The compound of any one of claims 1 to 11, or a salt or tautomer thereof, wherein R⁵ is
20 methyl or trifluoromethyl;
R⁶ is hydroxy, methoxy, amino, methylamino or CH₂R⁷; and
R⁷ is hydroxy, amino, N(H)CH₃ or N(CH₃)₂.
13. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is
25 N; and Y is N(H).
14. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is N; and Y is O.
- 30 15. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is N; and Y is S.
16. The compound of any one of claims 1 to 12, or a salt or tautomer thereof, wherein X is CH; and Y is N(H), O or S.
- 35 17. The compound of claim 1, or a salt or tautomer thereof, wherein R⁸ is hydrogen.

18. The compound of claim 1, or a salt or tautomer thereof, wherein R⁸ is fluorine.

19. The compound of claim 1, or a salt or tautomer thereof, in which one occurrence of R is cyano and the other occurrence of R is hydrogen;

5 R¹ is methyl, hydroxyl or methoxy;

R² is methyl;

R³ is hydrogen, chloro or phenyl;

R⁴ is absent;

R⁵ is hydrogen, methyl, ethyl or trifluoromethyl;

10 R⁶ is amino, CO₂H, (CH₂)_nC(O)R⁷ or (CH₂)_n-tetrazolyl;

n is 1, 2, or 3;

X is N and Y is NH or O.

20. The compound of claim 1 or claim 2, or a salt or tautomer thereof, which compound is
15 selected from the group consisting of

(±)-2-(((2-aminoethyl)amino)(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

20 (-)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-((5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)(methylamino)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

25 (+)-2-(1-amino-1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

30 (+) and (-)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+) or (-)-2-(1-(3-chloro-5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile ;

(+)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

35 (-)-2-(1-(5-(difluoromethoxy)-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-(hydroxy(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-hydroxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (+)-2-(2,2,2-trifluoro-1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-methoxy-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (-)-2-(2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (-)-2-(1-amino-2,2,2-trifluoro-1-(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(amino(7-methyl-5-(methylsulfonyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-²H₃) methoxy-7-methyl-1*H* indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-(2-methoxyethoxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-6-carbonitrile;

5 2-((7-fluoro-5-methoxy-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((7-chloro-5-(²H₃)methoxy-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

and

(±)-2-((5-((1-methoxypropan-2-yl)oxy)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile.

10 (+)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-((5-ethoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-((5-ethoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(hydroxy(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(hydroxy(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((7-chloro-5-(²H₃)methoxy-1*H*-indol-4-yl)(hydroxy)methyl)benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxy-7-methyl-1*H*-indole-4-carbonyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (+)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

5 (+)-2-(1-(5-(cyclopropylmethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-(5-(cyclopropylmethoxy)-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

10 (+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-(1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

15 (+)-2-(cyclopropyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(cyclopropyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

20 (+)-2-((²H₃)methyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-((²H₃)methyl(methoxy)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

25 (-)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-((3-chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-6-carbonitrile;

30 (-)-2-((3-chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-6-carbonitrile;

(-)-2-(1-(3-Chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(+)-2-(1-(3-chloro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

35 (+)-2-(methoxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(methoxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-hydroxyethyl)-7-methyl-1*H*-indol-5-yl)oxy)acetamide;

5 (±)-2-((4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-hydroxyethyl)-7-methyl-1*H*-indol-5-yl)oxy)acetic acid;

(+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (±)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(2,2,2-trifluoro-1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-Methyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetate;

(+)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;

25 (-)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;

(+)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (-)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-amino-2,2,2-trifluoro-1-(5-isopropoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(dimethylamino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(amino(5-isopropoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (-)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((dimethylamino)(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (±)-2-(2-amino-1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5-ethoxy-7-methyl-1*H*-indol-4-yl)-2-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 2-((5-(aminomethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

N-((4-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)methyl)-7-methyl-1*H*-indol-5-yl)methyl)acetamide;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-7-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 2-((5-chloro-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-vinyl -7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5-methoxymethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-4-methyl-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-6-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 2-((5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-6-fluoro-1*H*-benzo[*d*]imidazole-5-carbonitrile;

6-chloro-2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

2-((5,7-dimethyl-1*H*-indol-4-yl)methyl)-6-methoxy-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (+)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]imidazole-5-carbonitrile;
(-)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]imidazole-5-carbonitrile;
(+)-2-(hydroxy(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 5 (-)-2-(hydroxy(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-((5-(ethoxymethyl)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-(ethoxymethyl)-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-
- 10 carbonitrile;
(+)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 15 (±)-2-((5-cyclopropyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(hydroxy(5-(isobutyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(hydroxy(5-(isobutyl)-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-
- 20 carbonitrile;
(+)-2-(hydroxy(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(hydroxy(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
- 25 (+)-2-((5-chloro-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-chloro-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-((5-bromo-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[d]imidazole-5-
- 30 carbonitrile;
(+)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-4-methyl-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-4-methyl-1*H*-benzo[d]imidazole-5-carbonitrile;
- 35 (±)-2-((5-cyclopropyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-6-fluoro-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

- (±)-2-((5-cyano-1*H*-benzo[d]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methoxy)acetic acid;
(+)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
5 (+)-2-((5-isobutyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-((5-isobutyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
10 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(ethoxy)methyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(2-methoxyethoxy)methyl)benzo[d]imidazole-5-carbonitrile;
(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
15 (-)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
20 2-(5-ethyl-7-methyl-1*H*-indole-4-carbonyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(±)-2-(1-hydroxy-1-(7-methyl-5-propyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
25 (-)-2-(1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
30 (+)-2-(1-hydroxy-1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
(-)-2-(1-hydroxy-1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;
35 (+)-2-(1-(5-chloro-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-2-(1-(5-chloro-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (-)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-hydroxypropyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(cyclopropyl(5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)(phenyl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

25 (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-(hydroxymethyl)-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (±)-4-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-hydroxyethyl)-*N*,7-dimethyl-1*H*-indole-5-carboxamide;

(±)-2-(1-hydroxy-1-(7-methyl-5-(trifluoromethyl)-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 5 (-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 10 (-)-2-(1-(5-isobutyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((3-bromo-5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((3-chloro-5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (±)-2-((3-chloro-5-ethyl-7-methyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 15 (+)-2-(1-(5-ethyl-7-methyl-3-(trifluoromethyl)-1*H*-indol-4-yl)-1-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (±)-2-(hydroxy(3,5,7-trimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((3-cyano-5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-((3-cyano-5-ethyl-7-methyl-1*H*-indol-4-yl)(methoxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 20 (±)-2-((5-ethyl-7-methyl-3-(2,2,2-trifluoro-1-hydroxyethyl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(5-hydroxy-6,8-dimethyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 25 (-)-2-(5-hydroxy-6,8-dimethyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(6-ethyl-5-hydroxy-8-methyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(6-ethyl-5-hydroxy-8-methyl-1,3,4,5-tetrahydrobenzo[*cd*]indol-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 30 (+)-2-(amino(5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(amino(5,7-dimethyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(amino(5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(amino(5-ethyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 35 (+)-2-(amino(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(amino(5-isopropyl-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(methylamino)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (±)-*N*-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methyl)methanesulfonamide;

(±)-*N*-((5-cyano-1*H*-benzo[*d*]imidazol-2-yl)(5,7-dimethyl-1*H*-indol-4-yl)methyl)acetamide;

(+)-2-(1-amino-1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5,7-dimethyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (+)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

20 (-)-2-(1-amino-1-(5-isopropyl-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

25 (±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-1-(dimethylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

30 (+)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-bromo-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (+)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 5 (+)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 10 (-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoro-1-(methylamino)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (±)-2-(1-(5,7-dimethyl-1*H*-indol-4-yl)-2-hydroxyethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (±)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethoxy)acetic acid;
- 15 2-((7-chloro-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((7-ethyl-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((7-bromo-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((7-(hydroxymethyl)-5-methyl-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 20 2-(1-(5-ethyl-7-methyl-1*H*-indol-4-yl)vinyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)vinyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((5-ethyl-7-methyl-3-(1*H*-pyrazol-5-yl)-1*H*-indol-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (±)-2-((5-ethyl-7-methyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 25 (+)-2-((5,7-dimethyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-((5,7-dimethyl-3-phenyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 30 (+)-2-((5,7-dimethyl-3-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-((5,7-dimethyl-3-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-((5,7-dimethyl-3-(pyridin-3-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 35 (-)-2-((5,7-dimethyl-3-(pyridin-3-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

- (±)-2-((5,7-dimethyl-3-(1*H*-pyrazol-5-yl)-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-(2-(5-methoxy-7-methyl-1*H*-indol-4-yl)propan-2-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 2-((5,7-dimethylindolin-4-yl)methyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- 5 (+)-2-(1-methoxy-1-(5-methoxy-7-methylindolin-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (-)-2-(1-methoxy-1-(5-methoxy-7-methylindolin-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;
- (+)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;
- 10 (-)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-
- 15 carbonitrile;
- (-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (+)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(2,2,2-trifluoro-1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-
- 20 5-carbonitrile;
- (±)-2-(1-(5-cyanobenzo[*d*]oxazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetic acid;
- (±)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-
- 25 5-carbonitrile;
- (+)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (-)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-6-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzofuran-6-carbonitrile;
- 30 (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzofuran-5-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-indole-6-carbonitrile;
- (±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)-1*H*-indole-5-carbonitrile;
- (+)-ethyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)acetate;
- (-)-ethyl 2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-
- 35 1*H*-indol-4-yl)ethoxy)acetate;

(±)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)-2-fluoroacetic acid;

(±)-2-(2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

5 (+)-2-(6-methoxy-8-methyl-5-(trifluoromethyl)-1,3,4,5-tetrahydropyrrolo[4,3,2-de]isoquinolin-5-yl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(-)-2-(1-((2-aminoethyl)amino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

10 (+)-2-(1-((2-aminoethyl)amino)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(5-cyano-1*H*-benzo[*d*]imidazol-2-yl)-1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-2,2,2-trifluoroethoxy)acetic acid;

(+)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

15 (-)-2-(1-amino-1-(5-bromo-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

20 (-)-2-(1-amino-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

(±)-2-(hydroxy(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-5-carbonitrile;

(±)-2-(1-amino-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]thiazole-5-carbonitrile;

(±)-2-(amino(5-methoxy-7-methyl-1*H*-indol-4-yl)methyl)benzo[*d*]thiazole-5-carbonitrile;

(+)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

25 (-)-2-(1-amino-1-(5-ethyl-7-methyl-1*H*-indol-4-yl)ethyl)benzo[*d*]oxazole-5-carbonitrile;

(±)-2-(1-amino-1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(±)-2-(1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[*d*]imidazole-6-carbonitrile;

30 (-)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-(²H₃)methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

35 (-)-2-(2,2,2-trifluoro-1-(²H₃)-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(2,2,2-trifluoro-1-(²H₃)-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[*d*]imidazole-5-carbonitrile;

(+)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(-)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

5 (-)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)benzo[d]oxazole-5-carbonitrile;

(+)-2-(1-(5-cyclopropyl-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)benzo[d]oxazole-5-carbonitrile;

(+) or (-)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(methylamino)ethyl)benzo[d]oxazole-5-carbonitrile;

10 (-)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(+)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)-1*H*-indole-5-carbonitrile;

(±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzofuran-5-carbonitrile;

15 (±)-2-((5,7-dimethyl-1*H*-indol-4-yl)(hydroxy)methyl)benzo[d]thiazole-5-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-indole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-indole-5-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-5-carbonitrile;

20 (±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzo[d]thiazole-6-carbonitrile;

(±)-2-(1-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-6-carbonitrile;

(±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-6-carbonitrile;

(±)-2-(1-methoxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)benzofuran-5-carbonitrile;

25 (±)-3-(1-(5-cyanobenzo[d]oxazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethoxy)-2,2-dimethylpropanoic acid;

(±)-2-(2,2,2-trifluoro-1-((2-hydroxyethyl)amino)-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

30 (±)-2-((1-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-2,2,2-trifluoro-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)ethyl)amino)acetic acid;

(+) or (-)-2-(1-amino-2,2,2-trifluoro-1-(5-hydroxy-7-methyl-1*H*-indol-4-yl)ethyl)-1*H*-benzo[d]imidazole-6-carbonitrile;

(±)-2-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)cyclopropanecarboxylic acid;

35 (±)-2-(5-cyanobenzo[d]oxazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)cyclopropanecarboxylic acid;

(±)-ethyl 2-(5-cyanobenzo[d]oxazol-2-yl)-2-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoate;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(±)-2-(3-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)propyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

5 (±)-4-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-methylpropanoic acid

10 (±)-2-(3-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-methylpropyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(-)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(+)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)propanoic acid;

(+)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(-)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

15 (±)-4-(5-cyanobenzo[d]oxazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

(±)-2-(4-hydroxy-1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-3-methylbutyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-(2*H*-tetrazol-5-yl)ethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

20 (±)-2-(1-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2-(2*H*-tetrazol-5-yl)ethyl)benzo[d]oxazole-5-carbonitrile;

(±)-2-(2-(5-methoxy-7-methyl-1*H*-indol-4-yl)-1-(2*H*-tetrazol-5-yl)propan-2-yl)benzo[d]oxazole-5-carbonitrile;

25 (±)-4-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-4-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

(±)-3-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)butanoic acid;

(±)-5-(5-cyano-1*H*-benzo[d]imidazol-2-yl)-5-(5-methoxy-7-methyl-1*H*-indol-4-yl)pentanoic acid;

30 (±)-2-(1-(6-fluoro-5-methoxy-7-methyl-1*H*-indol-4-yl)-1-methoxyethyl)-1*H*-benzo[d]imidazole-5-carbonitrile;

(±)-3-(5-cyanobenzo[d]oxazol-2-yl)-3-(5-methoxy-7-methyl-1*H*-indol-4-yl)-2,2-dimethylpropanoic acid; and salts, stereoisomers, racemates and tautomers thereof.

21. A pharmaceutical composition comprising one or more pharmaceutically acceptable
35 carriers and a therapeutically effective amount of a compound of any one of claims 1-20.

22. A combination, in particular a pharmaceutical combination, comprising a therapeutically effective amount of the compound according to any one of claims 1-20 and a second therapeutically active agent.

















23. A compound according to any one of claims 1-20, for use as a medicament.


24. Use of a compound according to any one of claims 1-20, in the manufacture of a medicament for the treatment of a disorder or disease in a subject mediated by complement activation or activation of the complement alternative pathway.

25. Use of a compound according to any one of claims 1-20, for the treatment of age-related macular degeneration.

26. A compound of any one of claims 1-20 for use in the treatment of age-related macular degeneration, geographic atrophy, diabetic retinopathy, uveitis, retinitis pigmentosa, macular edema, Behcet's uveitis, multifocal choroiditis, Vogt-Koyangi-Harada syndrome, intermediate uveitis, birdshot retino-choroiditis, sympathetic ophthalmia, ocular cicatricial pemphigoid, ocular pemphigus, nonarteritic ischemic optic neuropathy, post-operative inflammation, retinal vein occlusion, neurological disorders, multiple sclerosis, stroke, Guillain Barre Syndrome, traumatic brain injury, Parkinson's disease, disorders of inappropriate or undesirable complement activation, hemodialysis complications, hyperacute allograft rejection, xenograft rejection, interleukin-2 induced toxicity during IL-2 therapy, inflammatory disorders, inflammation of autoimmune diseases, Crohn's disease, adult respiratory distress syndrome, myocarditis, post-ischemic reperfusion conditions, myocardial infarction, balloon angioplasty, post-pump syndrome in cardiopulmonary bypass or renal bypass, atherosclerosis, hemodialysis, renal ischemia, mesenteric artery reperfusion after aortic reconstruction, infectious disease or sepsis, immune complex disorders and autoimmune diseases, rheumatoid arthritis, systemic lupus erythematosus (SLE), SLE nephritis, proliferative nephritis, liver fibrosis, hemolytic anemia, myasthenia gravis, tissue regeneration, neural regeneration, dyspnea, hemoptysis, ARDS, asthma, chronic obstructive pulmonary disease (COPD), emphysema, pulmonary embolisms and infarcts, pneumonia, fibrogenic dust diseases, pulmonary fibrosis, asthma, allergy, bronchoconstriction, hypersensitivity pneumonitis, parasitic diseases, Goodpasture's Syndrome, pulmonary vasculitis, Pauci-immune vasculitis, immune complex-associated inflammation, antiphospholipid syndrome, glomerulonephritis and obesity.

27. A compound selected from the group consisting of





and salts thereof.