

“Sterile flexible package with pressure compensator for the dosed reconstitution of fluid medicinal or nutritional substances to be administered to patients by infusion or injection.”

* * * * *

5 The present invention relates to a sterile flexible package for the dosed reconstitution of fluid medicinal or nutritional substances to be administered to patients by infusion or injection. The package is equipped with a pressure compensator to keep constant pressure applied on fluids during reconstitution.

10 Packages for intravenous infusions or instillations are known, which comprise a flexible bag in which a sterile chamber for containing a diluent is formed, and from which a flexible tube with an openable closure extends, equipped with a coupling and perforation device, through which a pharmaceutical or nutritional substance in powder, gel or other material is
15 withdrawn from a bottle and delivered into the inner chamber of the bag, which substance, once mixed with the diluent, forms the medicament or nutrient to be supplied to the patient.

 It is also known that sterility conditions must be preserved once the bottle is perforated in order to transfer the pharmaceutical or nutritional
20 substance from the bottle into the bag.

 While a loss in sterility is always dangerous, in the specific case of high-risk drugs this loss may lead to severe effects for both the patient and the medical and healthcare personnel responsible for the patient care. First, there is a the danger of an incorrect administration being performed, for
25 example due to a premature or erroneous triggering of the drug reconstitution, or a risk of contamination of the medical and healthcare personnel or the patient themselves.

 As a solution to this problem, packages where a single sterile flexible casing with airtight closure houses in separate chambers a flexible bag with
30 liquid diluent and a bottle of medicinal or nutritional substance in powder,

gel or other form equipped with a pierceable cap are known, in particular from EP 2962676 A1. Said casing also houses a mixing tube equipped with an openable closure extending from the bag and ending with a device allowing the coupling to the cap and the perforation of said cap. Initially, the bottle is inserted in the (still open) chamber of the casing in a coupling position to the coupling and perforation device and then, after said chamber has been hermetically sealed, may be manually maneuvered from outside of casing up to a perforating position of the cap through the coupling and perforation device itself.

Thus the flexible bag, the bottle with the pharmaceutical or nutritional substance and the coupling and perforation device for mixing the two products and reconstituting the desired drug or nutrient remain inside the sealed sterile casing, ensuring the implementation and maintenance of a completely sterile condition.

According to a variant described in EP 3158987 A1, the portion of flexible casing where the bottle is housed may be equipped with a connector with an openable and hermetically sealable cap, through which a mixture of a sterilizing gas and oxygen may flow into said portion of casing, thus ensuring an even higher sterility of the bottle and the entire package.

However, both solutions described above are limited to the reconstitution of a drug or nutrient comprising the total amount of pharmaceutical or nutritional substance contained in the bottle, and do not allow any dosing.

Such limitation makes both packages above completely useless when it is desired or even necessary to mix a dosed quantity of the medicinal or nutritional substance with the diluent contained in the bag in order to form a final drug or nutrient with a variable but precise dosing of substance.

On the other hand, a device for the dosed reconstitution of a drug or nutrient in a sterile bag with liquid diluent is known from EP 2399565 A1, in which a pharmaceutical or nutritional substance in powder, gel or other

material is withdrawn in a dosed quantity from a bottle provided with a cap that can be hooked and perforated.

5 Said device comprises a 3-way flow diverter – like, by way of example, a stopcock – housed halfway a tube extending from the flexible bag and ending with a device for the coupling and perforation of the cap of the bottle.

10 When adjusted to a first position, the flow diverter impedes any communication between the bottle and the bag, while when moved to a second position it allows the bag to be put in communication with a side opening for a syringe or other plunger device, and when rotated up to a third position it allows the bottle and said side opening to be connected.

15 However, the solution described above does not ensure the sterility of the bottle when the cap is perforated through the coupling and perforation device of the tube extending from the bag, nor upon the coupling and removal of the syringe.

20 Lastly, it is known from the Italian patent application for utility model No. 202016000058207, filed on 07/06/2016 in the name of the Applicant, a sterile flexible package comprising a sterile bag filled with liquid diluent, a bottle equipped with a pierceable cap to contain a medicinal or nutritional substance in powder, gel or other material, and a tube extending from the bag and provided with a device for the coupling and perforation of the cap of the bottle, where said bag is housed in a flexible, sterile and sealed casing, and said bottle and coupling and perforation device are accommodated in a second flexible, sterile and sealed casing. Said casings are separated and distanced, and said tube has a portion between the first and the second casing where an adjustable flow diverter is housed, which can be adjusted to a first position in which the bottle and the bag are prevented from being put in communication, a second position in which the bag communicates with an openable and hermetically sealable side opening for a syringe or other plunger device, or a third position in which the bottle is put in

25

30

communication with said side opening.

By means of this package, using the syringe plunger first to withdraw the diluent from the bag and insert it in the bottle for mixing the diluent with the substance contained in the bottle and then to withdraw a dosed quantity of mixture from the bottle and insert it in the liquid diluent left inside the bag, the drug or nutrient can be reconstituted and administered in any dose desired and suitable for the therapeutic treatment of the patient.

The object of this invention is to improve said package in order to avoid possible issues caused by the pressure exerted by the syringe plunger first on the diluent withdrawn from the bag while being inserted into the bottle, and then on the dosed mixture withdrawn from the bottle while being inserted in the diluent left inside the bag.

According to the invention the object described above is achieved by equipping the package with a pressure compensator consisting of a small tube with hydrophobic filter connecting another side access of the flow diverter facing the one designed for the syringe to one or the other of said sterile and sealed casings.

This way the pressure exerted by pushing the syringe plunger on the liquid diluent first and then on the dosed mixture is released into one or the other of the casings, thus avoiding overpressure issues.

The features of this invention will become apparent from the following detailed description of an embodiment of the invention with reference to the appended drawings, provided purely by way of a non-limited example, in which:

Fig. 1 illustrates the sterile and sealed package according to the invention and ready for use;

Figs. 2-5 show the same package during the withdrawal, mixing and reconstitution procedures carried out by means of a syringe;

Fig. 6 shows the package once the procedures are completed;

Fig. 7 is a sectional view of one end of the tube with hydrophobic filter

serving as a pressure compensator, on a magnified scale.

Fig. 1 shows two different casings 1 and 2, both sterile and sealed, that are aligned but distanced.

5 The lower casing 1 houses a flexible sterile bag 3 filled with a suitable liquid diluent and equipped with a flexible input tube 5 and a flexible output tube 6, both provided with caps 7 and 8.

10 The upper casing 2 accommodates a bottle 9 with a medicinal or nutritional substance 10 in powder, gel or other liquid material. The bottle is normally sealed with a cap 26. The cap 26 is of the type described in EP 2867132 A1 and can be opened by perforation with a syringe, luer or other piercing device, and is automatically airtight sealable once the perforation device is removed. The second casing 2 is also provided with a tube connector 11 with an airtight open/close cap 27 of the type described in EP 2867132 A1. The tube connector 11 can be used to deliver a mixture of
15 ozone or other sterilizing gas and oxygen into casing 2.

The bag 3 and the bottle 9 are connected by a flexible tube 12, which consists of an initial section 51 extending from the bag 3 and out of its casing 1 and including a frangible closure 50 of a known type, a middle portion 13 connecting casing 1 to casing 2, and a final portion 14
20 accommodated inside casing 2 and comprising a frangible closure 15 of a known type, and eventually ends with a coupling and perforation device 16 of the type described in EP 2962676 A1. Said coupling and perforation device is equipped with flaps 17 that can be coupled to the cap 26 of the bottle 9, and a perforation tip 28 to pierce the cap 26 of the bottle 9 after said
25 cap has been coupled to the flaps 17 and a further axial movement has been made through pressure exerted on the outer walls of casing 2 in order to bring the bottle 9 closer to the bag 3, as described in further detail in EP 2962676 A1. For the sake of simplicity, the bottle 9 in Fig. 1 is already perforated and in a coupling position, but the frangible element 15 is still
30 shown in a closed position.

The middle portion 13 of the flexible tube 12, located between casing 1 and 2, comprises a flow diverter 18, by way of example a 4-way stopcock, in which a side opening 19 is closed with a cap 20 that can be perforated with the luer 21 (with or without needle) of a syringe 22 with plunger 23 and automatically sealed once the luer 21 is removed. Another side opening 41 of the flow diverter 18 is connected to a flexible tube 42 with hydrophobic filter 43 (Fig. 7) ending into one or the other of the casings 1 and 2, as shown in Fig. 1 with a continuous and dash-dotted line respectively. For the sake of simplicity and purely by way of example, Figs 2-6 illustrate only a tentative insertion of the tube 22 into the casing 1 of the bag 3.

Fig. 1 shows the flow diverter 18 in a position where both the tube 12 and the side opening 19 are completely closed.

In order to trigger the reconstitution of the drug or nutrient inside the bag 3, the flow diverter 18 is to be adjusted to the position shown in Fig. 2, thus putting in communication the bag and the side opening 19, and then the luer 21 is inserted in the cap 20 in order to perforate it. Once the frangible closure 50 is broken, the syringe plunger 23, which is initially in a fully forward position, is pulled backwards to withdraw the desired quantity of diluent 4 from the bag 3.

The flow diverter 18 is then rotated up to the position shown in Fig. 3, thus enabling communication between the portion of tube 14 and the side opening 19 with the luer 21 inserted. By breaking the frangible element 15 and pushing forwards the plunger 23 of the syringe 22, the amount of diluent which was previously drawn up can be transferred into the bottle 3, where said diluent is mixed with the medicinal or nutritional substance 10 contained therein and thus forming a mixture 24. At this stage, the flexible tube 42 with hydrophobic filter 43 serves as a pressure compensator terminating into a sterile casing, avoiding any possible toxic contamination for both the professional handling the package and the syringe and the patient receiving the fluid mixed substance.

By pulling backwards the plunger 23 as in Fig. 4, the desired quantity of mixture 24 is sucked in the syringe 22, which mixture – once the flow diverter 18 is turned into the position shown in Fig. 5 (same as Fig. 2) – can be delivered into the bag 3 by pushing forwards the plunger 23 and thus creating a drug or nutrient 25 with the desired dosing. Also at this stage, the flexible tube 42 with hydrophobic filter 43 serves as a pressure compensator terminating into a sterile casing.

The flow diverter 18 is eventually adjusted as shown in Fig. 6, while the luer 21 of the syringe 22 is still inside the cap 20.

The process of dosed reconstitution of the drug or nutrient is complete and the cap 8 can be opened (Fig. 6) in order to supply said drug or nutrient to the patient.

CLAIMS

1. A package comprising a sterile bag (3) filled with liquid diluent, a bottle (9) equipped with a pierceable cap (26) to contain a medicinal or nutritional substance in powder, gel or other material, and a tube (12) extending from the bag (3) and ending with a coupling and perforation device (16) for the cap (26) of the bottle (9), where said bag (3) is housed in a flexible sterile sealed casing (1) and said bottle (9) and coupling and perforation device (16) are accommodated in a second flexible sterile sealed casing (2), in which said casings (1, 2) are separated and distanced and said tube (12) has a portion (13) between the first and second casing (1, 2) where an adjustable flow diverter (18) can be adjusted to a first position in which said diverter (18) impedes any communication between the bottle (9) and the bag (3), a second position in which said diverter (18) allows the bag (3) to be put in communication with a sealed side opening (19) equipped with an openable and hermetically sealable cap (20) for a syringe (22) or other plunger device, or a third position in which the diverter (18) allows the bottle (9) to be connected with said side opening (19), wherein a pressure compensator is included which consists in a flexible tube (42) with hydrophobic filter (43) connected to another side opening (41) of said flow diverter (18) and terminates in one or the other of said airtight sterile casings (1, 2).

2. A package according to claim 1, characterized in that said flow diverter (18) consists in a 4-way stopcock.

3. A package according to claim 1 or 2, characterized in that said coupling and perforation device (16) comprises flaps (17) that can be coupled to the cap (26) of the bottle (9) and a perforation tip (28) to pierce the cap (26) of the bottle (9) after said cap (26) has been coupled to the flaps (17) and a further axial movement has been made through pressure exerted on the outer walls of casing 2 (2) in order to bring the bottle (9) closer to the bag (3).

4. A package according to any one of the preceding claims, characterized in that said casing 2 (2) is equipped with a tube connector (11) to deliver a mixture of ozone or other sterilizing gas and oxygen into casing 2 (2).

5 5. A package according to any one of the preceding claims, characterized in that between said middle portion (13) and said coupling and perforation device (16) said tube (12) includes a final portion of tube (14) housing a frangible closure (15).

10 6. A package according to any one of the preceding claims, characterized in that said tube (12) includes an initial portion of tube (51) extending from said first casing (1) and terminating into said bag (3) in which a frangible closure (50) is housed.