
Claims

1. A compound of Formula (I'') or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein:



(I'')

=== is a single bond or a double bond;

X is selected from CH, CF, and N;

R^x is selected from hydrogen, C_1-C_6alkyl, halo, C_1-C_6alkoxyl, and C_3-C_8cycloalkyl;

R' is selected from hydrogen and C_1-C_6alkyl;

R^1 is selected from hydrogen and C_1-C_6alkyl;

each R^2 is independently selected from C_1-C_6alkyl, C_1-C_6haloalkyl, halo, and oxo, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{2a}; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a bridging ring;

R^{2a} is selected from C_1-C_6alkoxyl and hydroxyl;

R^3 is selected from hydrogen, C_1-C_8alkyl, C_2-C_6alkenyl, $–SO_2R^4$, C_1-C_6haloalkyl, –C(=O)-O-(R^5), –C(=O)-(R^6), C_3-C_{10}cycloalkyl, and a 4- to 10-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, wherein the C_1-C_8alkyl and C_1-C_6haloalkyl are each independently substituted with 0-3 occurrences of R^{3a}, and wherein the C_3-C_{10}cycloalkyl and 4- to 10-membered heterocyclyl are each independently substituted with 0-3 occurrences of R^{3b};

or

R^3 together with the nitrogen atom to which it is attached and R^2 together with the carbon atom to which it is attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O and S, which 5- or 6-membered heterocyclyl is substituted with 0-2 occurrences of an oxo group;

each R^{3a} is independently selected from C_3-C_{10}cycloalkyl, a 4- to 10-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, a 5- to 10-membered heteroaryl comprising 1-4 heteroatoms independently selected from N, O, and S, C_6-C_{10}aryl, C_1-C_6alkoxyl, hydroxyl, and –C(=O)-NR^7R^8, wherein the C_3-C_{10}cycloalkyl, 4- to 6-membered heterocyclyl, 5- to 10-membered heteroaryl and C_6-C_{10}aryl are substituted with 0-4 occurrences of R^{3b};

each R^{3b} is independently selected from C_1-C_6alkoxyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, C_1-C_6alkyl, -CN, $–SO_2NR^7R^8$, $–SO_2R^4$, and hydroxyl;

R^4 is selected from C_3-C_8cycloalkyl, C_1-C_6alkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, C_6-C_{10}aryl, and $–NR^{4b}R^{4c}$, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{4a};

R^{4a} is selected from C_3-C_8cycloalkyl, C_6-C_{10}aryl, and C_1-C_6alkoxyl;

R^{4b} is selected from hydrogen, and C_1-C_6alkyl;

R^{4c} is selected from hydrogen, C_1-C_6alkyl, and C_3-C_8cycloalkyl;

R^5 is selected from C_1-C_6alkyl, C_3-C_8cycloalkyl, and C_6-C_{10}aryl;

R^6 is selected from C_1-C_6alkyl, C_3-C_8cycloalkyl, C_6-C_{10}aryl, a 4- to 10-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, and and –$NR^{4b}R^{4c}$, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{6a}, the C_3-C_8cycloalkyl is substituted with 0-1 occurrence of R^{6b}, and the 4- to 10-membered heterocyclyl is substituted with 0-1 occurrence of C_1-C_6alkyl;

R^{6a} is selected from C_6-C_{10}aryl and C_3-C_8cycloalkyl;

R^{6b} is selected from halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, and C_1-C_6alkyl;

R^7 is selected from hydrogen and C_1-C_6alkyl;

R^8 is selected from hydrogen and C_1-C_6alkyl;

or

R^7 and R^8 together with the nitrogen atom to which they are attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O, and S;


n is 0, 1, 2, 3 or 4;

m is 0, 1 or 2; and

p is 0 or 1.

2. A compound of claim 1 having a Formula (I''), or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein R^x is selected from hydrogen, C_1-C_6alkyl, and halo.

3. The compound of any one of claims 1 and 2 having a Formula (I') or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein:



(I')

$\equiv$ is a single bond or a double bond;

X is selected from CH, CF, and N;

R' is selected from hydrogen and C_1-C_6alkyl;

R^1 is selected from hydrogen and C_1-C_6alkyl;

each R^2 is independently selected from C_1-C_6alkyl, C_1-C_6haloalkyl, halo, and oxo, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{2a}; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a bridging ring;

R^{2a} is selected from C_1-C_6alkoxyl and hydroxyl;

R^3 is selected from hydrogen, C_1-C_8alkyl, C_2-C_6alkenyl, $–SO_2R^4$, C_1-C_6haloalkyl, –C(=O)-O-(R^5) and –C(=O)-(R^6), wherein the C_1-C_8alkyl and C_1-C_6haloalkyl are independently substituted with 0-3 occurrences of R^{3a};

or

R^3 together with the nitrogen atom to which it is attached and R^2 together with the carbon atom to which it is attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O and S;

each R^{3a} is independently selected from C_3-C_{10}cycloalkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, a 5- to 10-membered heteroaryl comprising 1-4 heteroatoms independently selected from N, O, and S, C_6-C_{10}aryl, C_1-C_6alkoxyl, hydroxyl, and –C(=O)-NR^7R^8, wherein the C_3-C_{10}cycloalkyl, 4- to 6-membered heterocyclyl, 5- to 10-membered heteroaryl and C_6-C_{10}aryl are substituted with 0-4 occurrences of R^{3b};

each R^{3b} is independently selected from C_1-C_6alkoxyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, C_1-C_6alkyl, -CN, $–SO_2NR^7R^8$, $–SO_2R^4$, and hydroxyl;

R^4 is selected from C_3-C_8cycloalkyl, C_1-C_6alkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{4a};

R^{4a} is selected from C_3-C_8cycloalkyl, C_6-C_{10}aryl, and C_1-C_6alkoxyl;

R^5 is selected from C_1-C_6alkyl C_3-C_8cycloalkyl, and C_6-C_{10}aryl;

R^6 is selected from C_1-C_6alkyl, C_3-C_8cycloalkyl, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{6a} and the C_3-C_8cycloalkyl is substituted with 0-1 occurrence of R^{6b};

R^{6a} is selected from C_6-C_{10}aryl and C_3-C_8cycloalkyl;

R^{6b} is selected from halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, and C_1-C_6alkyl;

R^7 is selected from hydrogen and C_1-C_6alkyl;

R^8 is selected from hydrogen and C_1-C_6alkyl;

or


R^7 and R^8 together with the nitrogen atom to which they are attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O, and S;

n is 0, 1, 2, 3 or 4;

m is 0, 1 or 2; and

p is 0 or 1.

4. The compound of any one of claims 1 to 3 having a Formula (I) or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein:



(I)

X is selected from CH, CF, and N;

R' is selected from hydrogen and C_1-C_6alkyl;

R^1 is selected from hydrogen and C_1-C_6alkyl;

each R^2 is independently selected from C_1-C_6alkyl, C_1-C_6haloalkyl, halo, and oxo, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{2a}; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a bridging ring;

R^{2a} is selected from C_1-C_6alkoxyl and hydroxyl;

R^3 is selected from hydrogen, C_1-C_8alkyl, C_2-C_6alkenyl, $–SO_2R^4$, C_1-C_6haloalkyl, –C(=O)-O-(R^5) and –C(=O)-(R^6), wherein the C_1-C_8alkyl and C_1-C_6haloalkyl are independently substituted with 0-3 occurrences of R^{3a};

or

R^3 together with the nitrogen atom to which it is attached and R^2 together with the carbon atom to which it is attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O and S;

each R^{3a} is independently selected from C_3-C_{10}cycloalkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, a 5- to 10-membered heteroaryl comprising 1-4 heteroatoms independently selected from N, O, and S, C_6-C_{10}aryl, C_1-C_6alkoxyl, hydroxyl, and –C(=O)-NR^7R^8, wherein the C_3-C_{10}cycloalkyl, 4- to 6-membered heterocyclyl, 5- to 10-membered heteroaryl and C_6-C_{10}aryl are substituted with 0-4 occurrences of R^{3b};

each R^{3b} is independently selected from C_1-C_6alkoxyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, C_1-C_6alkyl, -CN, $–SO_2NR^7R^8$, $–SO_2R^4$, and hydroxyl;

R^4 is selected from C_3-C_8cycloalkyl, C_1-C_6alkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{4a};

R^{4a} is selected from C_3-C_8cycloalkyl, C_6-C_{10}aryl, and C_1-C_6alkoxyl;

R^5 is selected from C_1-C_6alkyl C_3-C_8cycloalkyl, and C_6-C_{10}aryl;

R^6 is selected from C_1-C_6alkyl, C_3-C_8cycloalkyl, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{6a} and the C_3-C_8cycloalkyl is substituted with 0-1 occurrence of R^{6b};

R^{6a} is selected from C_6-C_{10}aryl and C_3-C_8cycloalkyl;

R^{6b} is selected from halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, and C_1-C_6alkyl;

R^7 is selected from hydrogen and C_1-C_6alkyl;

R^8 is selected from hydrogen and C_1-C_6alkyl;

or

R^7 and R^8 together with the nitrogen atom to which they are attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O, and S;

n is 0, 1, 2, 3 or 4;

m is 0, 1 or 2; and

p is 0 or 1.

5. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein

X is selected from CH, CF, and N;

R' is selected from hydrogen and C_1-C_3alkyl;

R^1 is selected from hydrogen and C_1-C_3alkyl;

each R^2 is independently selected from unsubstituted C_1-C_6alkyl, C_1-C_6haloalkyl and halo; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a bridging ring;

R^3 is selected from hydrogen, C_1-C_8alkyl, C_2-C_6alkenyl, $–SO_2R^4$, C_1-C_6haloalkyl, $–C(=O)$-O-(R^5) and $–C(=O)$-(R^6), wherein the C_1-C_8alkyl and C_1-C_6haloalkyl are independently substituted with 0-3 occurrences of R^{3a};

or

R^3 together with the nitrogen atom to which it is attached and R^2 together with the carbon atom to which it is attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N and O;

each R^{3a} is independently selected from C_3-C_{10}cycloalkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, a 5- to 10-membered heteroaryl comprising 1-4 heteroatoms independently selected from N, O, and S, C_6-C_{10}aryl, C_1-C_6alkoxyl, hydroxyl, and $–C(=O)$-NR^7R^8, wherein the C_3-C_{10}cycloalkyl, 4- to 6-membered heterocyclyl, 5- to 10-membered heteroaryl and C_6-C_{10}aryl are substituted with 0-4 occurrences of R^{3b};

each R^{3b} is independently selected from C_1-C_6alkoxyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, C_1-C_6alkyl, -CN, $–SO_2NR^7R^8$, $–SO_2R^4$, and hydroxyl;

R^4 is selected from C_3-C_8cycloalkyl, C_1-C_6alkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{4a};

R^{4a} is selected from C_3-C_8cycloalkyl, C_6-C_{10}aryl, and C_1-C_6alkoxyl;

R^5 is selected from C_1-C_6alkyl C_3-C_8cycloalkyl, and C_6-C_{10}aryl;

R^6 is selected from C_1-C_6alkyl, C_3-C_8cycloalkyl, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{6a} and the C_3-C_8cycloalkyl is substituted with 0-1 occurrence of R^{6b};

R^{6a} is selected from C_6-C_{10}aryl and C_3-C_8cycloalkyl;

R^{6b} is selected from chloro, fluoro, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, and C_1-C_6alkyl;

R^7 is selected from hydrogen and C_1-C_6alkyl;

R^8 is selected from hydrogen and C_1-C_6alkyl;

or

R^7 and R^8 together with the nitrogen atom to which they are attached form a 5- or 6-membered heterocyclyl comprising 0-1 additional heteroatom selected from N, O, and S;

n is 0, 1, 2 or 3;

m is 0, 1 or 2; and

p is 0 or 1.

6. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein

X is selected from CH and N;

R' is hydrogen;

R^1 is hydrogen;

each R^2 is independently selected from unsubstituted C_1-C_6alkyl; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a C_1-C_3alkylene bridging ring;

R^3 is selected from C_1-C_8alkyl, C_2-C_6alkenyl, $–SO_2R^4$ and unsubstituted C_1-C_6haloalkyl, wherein the C_1-C_8alkyl is substituted with 0-2 occurrences of R^{3a};

each R^{3a} is independently selected from C_3-C_{10}cycloalkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N and O, a 5- to 6-membered heteroaryl comprising 1-3 heteroatoms independently selected from N, O, and S and phenyl, wherein the C_3-C_{10}cycloalkyl, 4- to 6-membered heterocyclyl, 5- to 6-membered heteroaryl and phenyl are substituted with 0-3 occurrences of R^{3b};

each R^{3b} is independently selected from halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxyl, C_1-C_6alkyl, and hydroxyl;

R^4 is selected from C_3-C_8cycloalkyl, C_1-C_6alkyl, a 4- to 6-membered heterocyclyl comprising 1-2 heteroatoms independently selected from N, O and S, and C_6-C_{10}aryl, wherein the C_1-C_6alkyl is substituted with 1 occurrence of R^{4a};

R^{4a} is selected from C_3-C_8cycloalkyl, C_6-C_{10}aryl, and C_1-C_6alkoxyl;


n is 0, 1 or 2;

m is 1 or 2; and

p is 1.

7. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein R^3 is selected from C_1-C_6alkyl and $–CH_2$-R^{3a}.

8. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, having a Formula (Ia):



(Ia).

9. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein X is CH.

10. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein R^2 is unsubstituted C_1-C_6alkyl, and n is 1.





11. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein m is 1.







12. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, wherein R^3 is selected from methyl, ethyl, *n*-propyl, *i*-propyl, 2-propanyl, butyl, *i*-butyl, 2-butanyl, 3-methyl-2-butanyl, *i*-pentyl, 3-pentanyl, neopentyl, 2,4-dimethylpentanyl, and $–CH_2$-$(CH_2)_{0-1}$-R^{3a}.







13. The compound of any one of claims 1 to 3, wherein ⎓ is a double bond.







14. The compound of any one of the preceding claims, wherein ⎓ is a single bond.







15. The compound of claim 1 or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, selected from:







 1-(5-((1-(((1s,4s)-4-methoxycyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(5-fluoro-2-methylbenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(((1r,4r)-4-methoxycyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(cyclohexylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 methyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-carboxylate
 1-(5-((1-(cyclohexylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-acetylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(4-methoxybenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(cyclopentylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 phenyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-carboxylate
 1-(5-((1-((tetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,5S)-8-isobutyl-8-azabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(cyclopentylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(thiazol-2-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((4,4-difluorocyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((3S,5S)-4-isobutyl-3,5-dimethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((tetrahydro-2H-pyran-4-yl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-methyl-4-(pyridin-3-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(cyclopropylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-ethyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2-oxo-2-(piperidin-1-yl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-cyclohexylethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-isobutyrylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(cyclohexylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-fluoro-1-isobutylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((cyclohexylmethyl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2-chlorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((cyclopropylmethyl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(2-methylbenzyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(cyclopentylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,5S)-8-(pyridin-3-ylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((tetrahydro-2H-pyran-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(4-fluorobenzyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(cyclohexylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(pyridin-2-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-((4,4-difluorocyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2-methoxybenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(2-(tetrahydro-2H-pyran-4-yl)propan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(cyclobutylmethyl)-4-fluoropiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((S)-4-(((1r,4S)-4-methoxycyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-ethyl-4-isobutylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	 1-(5-((4-(2-fluoro-2-methylpropyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







(S)-1-(5-((4-(cyclohexylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	
 1-(5-(((S)-4-(((1s,4R)-4-methoxycyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(3-methylbenzyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(cycloheptylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(thiazol-4-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-(((2S,4S)-1-(cyclohexylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	(S)-1-(5-((4-(cyclohexylmethyl)-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((3-methyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((4-(cyclohexylmethyl)-3-(methoxymethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-methylbutyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(3-fluorobenzyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-((1-(2-cyclohexylpropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-((4-(2,2,2-trifluoroethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-(tetrahydro-2H-pyran-4-yl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((4-isobutyl-3-(methoxymethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(cyclohexanecarbonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	







	(S)-1-(5-((2-methyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-(cyclopentylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(pyridin-3-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(heptan-4-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(3-hydroxy-2-(hydroxymethyl)propyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	 1-(5-((4-((1-methyl-1H-pyrazol-5-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-







1-(5-((1-(2-cyclobutylethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((1-((tetrahydrofuran-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((3,3-dimethyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-isopentyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(isopropylsulfonyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	





1-(5-((1-(2-cyclopentylethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	(S)-1-(5-((4-((3,3-difluorocyclobutyl)methyl)-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (R)-1-(5-((1-((tetrahydrofuran-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(cyclobutylmethyl)-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-((4,4-difluorocyclohexyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 tert-butyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-carboxylate
	






1-(5-((1-(isopropylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-((4-(3,3,3-trifluoro-2,2-dimethylpropyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-((3,3-difluorocyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 isobutyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-carboxylate
 1-(5-((4-(cycloheptylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,5S)-8-(cyclohexylmethyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-((4-(((1r,4r)-4-methoxycyclohexyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-(((1R,4R)-5-(cyclohexylmethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(pyridin-3-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-((1-(trifluoromethyl)cyclopropyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-isobutylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(2,2,3,3-tetrafluoropropyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(cyclobutylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(1-(trifluoromethyl)cyclopropane-1-carbonyl)piperidin-4-yl)methyl)pyrazolo[1,5-







	a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((3,3-difluorocyclobutyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 cyclohexyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-carboxylate
 1-(5-((1-(oxetan-3-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-((1-methyl-1H-imidazol-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((tetrahydrofuran-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-	 1-(5-((4-isobutyl-3,3-dimethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	
 1-(5-((4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(3-phenylpropanoyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(cyclobutylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(thiazol-4-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-((1-isopentylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-((4-(1-(pyridin-3-yl)ethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-(cyclobutylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-((1-methyl-1H-imidazol-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(((1s,4s)-4-methoxycyclohexyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(pyridin-4-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((4-((3,3-difluorocyclobutyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(piperidin-4-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(((1r,4r)-4-ethoxycyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,4R)-5-(pyridin-3-ylmethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(cyclopentylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	







 1-(5-((1-(sec-butylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(piperidin-4-ylmethyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(2-(tetrahydro-2H-pyran-4-yl)ethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-benzoylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2,2,2-trifluoroethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S)-2-methyl-4-((tetrahydrofuran-2-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((4-(2-cyclohexylethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(1-(trifluoromethyl)cyclopropane-1-carbonyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-((tetrahydro-2H-pyran-3-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(3-cyclohexylpropanoyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-isobutylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,5S)-8-(pyridin-3-ylmethyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(pentan-3-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((3-methyl-4-(pyridin-3-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-neopentylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1S,4S)-5-(isopropylsulfonyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(isobutylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,5S)-8-(3-fluorobenzyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((3S,5R)-3,5-dimethyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((3-(difluoromethyl)-4-isobutylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((3-methyl-4-(2-(tetrahydro-2H-pyran-4-yl)ethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(2-cyclohexylethyl)-3-oxopiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((1-fluorocyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(cyclohexylmethyl)-3-oxopiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(1-(pyridin-3-yl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1S,4S)-5-(pyridin-3-ylmethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(benzylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1S,4S)-5-(cyclohexylmethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(cyclobutylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-isobutyl-3-isopropylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(2-methyl-1-(tetrahydro-2H-pyran-4-yl)propan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((4-(cyclohexylmethyl)-3-(difluoromethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(3-fluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((1R,4R)-5-(isopropylsulfonyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(4-fluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-isobutyl-2-oxopiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(cyclopropylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-isopropyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(methylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(cyclohexylmethyl)-2-oxopiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-ethylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((3-methyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((4-((tetrahydrofuran-3-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((3r,5r,7r)-adamantan-1-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(3-(trifluoromethyl)benzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(cycloheptylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(1-phenylethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2-cyclobutylpropan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(3-(trifluoromethoxy)benzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((3S)-4-(((2R,6S)-2,6-dimethyltetrahydro-2H-pyran-4-yl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-propylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(cycloheptylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-phenethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 (R)-1-(5-((2-methyl-4-((tetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((3S)-3-methyl-4-((tetrahydrofuran-2-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(pyridin-4-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(((2R,6S)-2,6-dimethyltetrahydro-2H-pyran-4-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((3S,5R)-4-isobutyl-3,5-dimethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(1-(1-isobutylpiperidin-4-yl)ethyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione





 1-(5-((1-benzylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-benzyl-4-fluoropiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2,2,3,3-tetrafluoropropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-((3,3-difluorocyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(phenylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(((3r,5r,7r)-adamantan-1-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((5-fluoropyridin-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4R)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-methoxyethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((2R,6S)-2,6-dimethyltetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(3,3,3-trifluoro-2,2-dimethylpropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2,4-dimethylpentan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(2-hydroxyethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4S)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((5-methylpyridin-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4S)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((1R,5S)-8-(cyclohexylmethyl)-8-azabicyclo[3.2.1]octan-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((3S)-3-methyl-4-((tetrahydrofuran-2-yl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-isopropylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(cyclohexylmethyl)-3,3-dimethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-fluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4S)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-fluoro-2-methylpropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4S)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((tetrahydrofuran-2-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((hexahydropyrazino[2,1-c][1,4]oxazin-8(1H)-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(cyclopropylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4R)-1-(cyclohexylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (R)-1-(5-((4-(cyclohexylmethyl)-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-	 (S)-1-(5-((hexahydropyrazino[2,1-c][1,4]oxazin-8(1H)-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	
 1-(5-((1-(3-methoxybenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-methylbenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1r,4S)-4-hydroxycyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(3-fluoro-2-methylbenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(2-(4,4-difluorocyclohexyl)propan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2,2-difluoroethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4S)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(3,5-difluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4S)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(3,4-difluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(3-methylbutan-2-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(pentan-3-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(3-methylbutan-2-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((6-methylpyridin-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-((4,4-dimethylcyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(4-methylbenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(2-(tetrahydro-2H-pyran-4-yl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((2-methoxyethyl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2R,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((3S,5S)-4-(cyclohexylmethyl)-3,5-dimethylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(2-(4,4-difluorocyclohexyl)propan-2-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(cyclohexylmethyl)piperidin-4-yl)methyl)-4-methylpyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-((4,4-dimethylcyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-benzylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(pyridin-3-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(cyclohexylmethyl)-4-fluoropiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((1r,4r)-4-hydroxycyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 (S)-1-(5-((hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((1r,4S)-4-methoxycyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-methylallyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1,4-diazepan-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-hydroxy-2-methylpropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-isobutyl-1,4-diazepan-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 (S)-1-(5-((octahydro-2H-pyrido[1,2-a]pyrazin-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(cyclohexylmethyl)-1,4-diazepan-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(1-(3-fluorophenyl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(azetidin-3-ylmethyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((1-methyl-1H-pyrazol-5-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-isobutylazetidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((4-(2-(tetrahydro-2H-pyran-4-yl)propan-2-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(cyclohexylmethyl)azetidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(cyclohexylmethyl)pyrrolidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2,4-difluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(pyridin-3-ylmethyl)pyrrolidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 (R)-1-(5-((4-isobutyl-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(cyclobutylmethyl)pyrrolidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(3-fluoro-5-(trifluoromethyl)benzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(3-fluorobenzyl)pyrrolidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(2-(1H-imidazol-4-yl)ethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-isobutylpyrrolidin-3-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione









 1-(5-((1-(2-cyclohexyl-2,2-difluoroethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((3R,4S)-3,4-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-isopropylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((octahydro-2H-pyrido[1,2-a]pyrazin-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-isobutyl-2,2-dimethylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((4-(((1r,4r)-4-hydroxycyclohexyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(2,3-difluorobenzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(isopropylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (R)-1-(5-((4-(cyclohexylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-(2-hydroxy-2-methylpropyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(2,2,3,3-tetrafluoropropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-((6-(trifluoromethyl)pyridin-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((1s,3R)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((3-methyloxetan-3-yl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1s,3R)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-((1-(trifluoromethyl)cyclopropyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((1s,3s)-3-methoxycyclobutyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(2-methoxy-2-methylpropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((1r,3S)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-isobutyl-2-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1r,3S)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-(4-(trifluoromethoxy)benzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((3R,4S)-3,4-difluorocyclopentyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-((1-(4-(trifluoromethyl)benzyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((3S)-4-(((3R,4S)-3,4-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((9aR)-octahydro-2H-quinolizin-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(isopropylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-2-methyl-1-((tetrahydro-2H-pyran-4-yl)sulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(2,2,3,3-tetrafluoropropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-1-(((1r,3S)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((1s,3R)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((S)-4-(((1r,3S)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1s,3R)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(((R)-3,3-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((S)-3,3-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-(((S)-4-(((R)-3,3-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-(((S)-4-(((S)-3,3-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(((1r,3R,4S)-3,4-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1r,3R,4S)-3,4-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	 1-(5-(azepan-4-ylmethyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 tert-butyl 4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)azepane-1-carboxylate	 1-(5-((1-methylazepan-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione









 1-(5-((1-(cyclohexylmethyl)azepan-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(2,2,3,3-tetrafluoropropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(2,2-difluoroethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(2,2,2-trifluoroethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-2-methyl-1-(3,3,3-trifluoropropyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(oxetan-2-ylmethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-1-(2,2-difluoro-3-methoxypropyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(oxetan-3-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-cyclobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(oxetan-3-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-cyclobutylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(ethylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-2-methyl-1-(methylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(isopropylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(cyclopropylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(cyclopropanecarbonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-isobutyryl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(cyclobutanecarbonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-2-methyl-1-(1-methylpiperidine-4-carbonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(pyrrolidin-1-ylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (2S,4R)-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)-N,N,2-trimethylpiperidine-1-sulfonamide	 (2S,4R)-N-cyclopentyl-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)-2-methylpiperidine-1-sulfonamide
 (2S,4R)-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)-N,N,2-trimethylpiperidine-1-carboxamide	 1-(5-(((2S,4R)-2-methyl-1-(pyrrolidine-1-carbonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 (2S,4R)-N-cyclopentyl-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)-2-methylpiperidine-1-carboxamide	 1-(5-((1-(pyrrolidin-1-ylsulfonyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 N-cyclopentyl-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)piperidine-1-sulfonamide	 (2S,4R)-4-((3-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)pyrazolo[1,5-a]pyridin-5-yl)methyl)-N-ethyl-N,2-dimethylpiperidine-1-carboxamide
 1-(5-((1-(((1s,3s)-3-methoxycyclobutyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-((1-(((1r,3R,4S)-3,4-difluorocyclopentyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-1-(((1r,3S)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((1s,3R)-3-methoxycyclobutyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(((1r,3R,4S)-3,4-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-2-methyl-1-(((1r,4S)-4-(trifluoromethyl)cyclohexyl)methyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(((R)-3,3-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(((S)-3,3-difluorocyclopentyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
	







1-(5-(((2S,4S)-1-((4,4-difluorocyclohexyl)methyl)-4-fluoro-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-4-fluoro-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4S)-4-fluoro-2-methyl-1-(oxetan-3-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-4-fluoro-2-methyl-1-(oxetan-3-yl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((1-isobutyl-2-(trifluoromethyl)piperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (R)-1-(5-((octahydro-2H-pyrido[1,2-a]pyrazin-2-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (R)-1-(5-((4-oxohexahydropyrazino[2,1-c][1,4]oxazin-8(1H)-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((1,1-dioxidohexahydro-5H-isothiazolo[2,3-a]pyrazin-5-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione









 1-(5-(((S)-4-(((1r,3S)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((1s,3R)-3-methoxycyclobutyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((S)-4-(((1r,3R,4S)-3,4-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-4-(((R)-3,3-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((S)-4-(((S)-3,3-difluorocyclopentyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(cyclopropylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione









 (S)-1-(5-((3-methyl-4-((1-methylcyclobutyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(((S)-3-methyl-4-(((1r,4S)-4-(trifluoromethyl)cyclohexyl)methyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-(((3S)-3-methyl-4-(oxetan-2-ylmethyl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-((2-oxaspiro[3.3]heptan-6-yl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-((6,6-difluorospiro[3.3]heptan-2-yl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(2,2-difluoroethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione



 (S)-1-(5-((4-(2,2-difluoro-3-methoxypropyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-cyclobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((3-methyl-4-(tetrahydro-2H-pyran-4-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-methyl-4-(oxetan-3-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((3-methyl-4-(2-oxaspiro[3.3]heptan-6-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-cyclohexyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione

 (S)-1-(5-((4-(4,4-difluorocyclohexyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-methyl-4-(spiro[3.3]heptan-2-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((3-methyl-4-(2-methyl-2-azaspiro[3.3]heptan-6-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((3-methyl-4-(2-(methylsulfonyl)-2-azaspiro[3.3]heptan-6-yl)piperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 1-(5-((4-cyclohexylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(ethylsulfonyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione

 (S)-1-(5-((4-(cyclopropanecarbonyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-isobutyryl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-(cyclohexanecarbonyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-(cyclopentanecarbonyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-(cyclobutanecarbonyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione	 1-(5-(1-(4-isobutylpiperazin-1-yl)ethyl)pyrazolo[1,5-a]pyridin-3-yl)dihydropyrimidine-2,4(1H,3H)-dione







 1-(5-(((2S,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methylpyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(cyclopropylmethyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methylpyrimidine-2,4(1H,3H)-dione	 5-fluoro-1-(5-(((2S,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-fluoropyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methylpyrimidine-2,4(1H,3H)-dione
 5-chloro-1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-	 1-(5-(((2S,4R)-1-((4,4-difluorocyclohexyl)methyl)-2-methylpiperidin-


4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methoxypyrimidine-2,4(1H,3H)-dione
 5-cyclopropyl-1-(5-(((2S,4R)-1-isobutyl-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	 1-(5-(((2S,4R)-1-(cyclopropanecarbonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione
 1-(5-(((2S,4R)-1-(ethylsulfonyl)-2-methylpiperidin-4-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione
 (S)-5-fluoro-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methylpyrimidine-2,4(1H,3H)-dione
	

(S)-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methoxypyrimidine-2,4(1H,3H)-dione	(S)-5-cyclopropyl-1-(5-((4-isobutyl-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione
 (S)-1-(5-((4-(cyclopropylmethyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)-5-methylpyrimidine-2,4(1H,3H)-dione	 (S)-1-(5-((4-((4,4-difluorocyclohexyl)methyl)-3-methylpiperazin-1-yl)methyl)pyrazolo[1,5-a]pyridin-3-yl)pyrimidine-2,4(1H,3H)-dione

16. The compound of any one of the preceding claims, or a pharmaceutically acceptable salt, thereof, wherein the pharmaceutically acceptable salt is an acid addition salt.

17. The compound of claim 1, or a pharmaceutically acceptable salt thereof, selected from


,

,

,

,

, and

.

18. The compound of Claim 1, which is , or a pharmaceutically acceptable salt thereof.

19. A pharmaceutical composition comprising a therapeutically effective amount of a compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, and a pharmaceutically acceptable carrier or excipient.

20. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use as a medicament.

21. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use in the treatment of a disease or disorder selected from sickle cell disease and beta-thalassemia.

22. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use in inducing or promoting fetal hemoglobin.

23. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use in treating a hemoglobinopathy.

24. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use in treating a sickle cell disease.


25. A compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, for use in treating beta-thalassemia.

26. Use of a compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, in the manufacture of a medicament for treating a hemoglobinopathy.

27. The use of claim 26, wherein the hemoglobinopathy is selected from sickle cell disease and beta-thalassemia.

28. A pharmaceutical combination comprising a compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt, hydrate, solvate, stereoisomer, or tautomer thereof, and one or more additional therapeutic agent(s).

29. A compound of formula (X-1) or a salt thereof,



(X-1)

wherein:

$\equiv$ is a single bond or a double bond;

X is selected from CH, CF, and N;

Z is selected from hydrogen and 2,4-dimethoxybenzyl (DMB);

R^x is selected from hydrogen, C_1-C_6alkyl, halo, C_1-C_6alkoxyl, and C_3-C_8cycloalkyl;

R^N is selected from hydrogen and a nitrogen protecting group PG;

R' is selected from hydrogen and C_1-C_6alkyl;

R^1 is selected from hydrogen and C_1-C_6alkyl;

each R^2 is independently selected from C_1-C_6alkyl, C_1-C_6haloalkyl, halo, and oxo, wherein the C_1-C_6alkyl is substituted with 0-1 occurrence of R^{2a}; or 2 R^2 on non-adjacent carbon atoms together with the non-adjacent carbon atoms to which they are attached form a bridging ring;

R^{2a} is selected from C_1-C_6alkoxyl and hydroxyl;

n is 0, 1, 2, 3 or 4;

m is 0, 1 or 2; and

p is 0 or 1.