



(51) International Patent Classification:

C07B 61/00 (2006.01) C07H 19/073 (2006.01)
C07H 19/00 (2006.01) G01N 33/53 (2006.01)

(21) International Application Number:

PCT/US2019/038022

(22) International Filing Date:

19 June 2019 (19.06.2019)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/688,770 22 June 2018 (22.06.2018) US

(71) Applicant: **SOMALOGIC, INC.** [US/US]; 2945 Wilder-
ness Place, Boulder, Colorado 80301 (US).

(72) Inventors: **KRAEMER, Stephan**; 4780 West Moorhead
Circle, Boulder, Colorado 80305 (US). **KATILIUS, Eval-
das**; 2184 Jarosa Lane, Superior, Colorado 80027 (US).
ZICHI, Dominic; 2200 Kalmia Avenue, Boulder, Colorado
80304 (US).

(74) Agent: **ADSERO IP** et al.; 8210 Southpark Terrace, Little-
ton, Colorado 80120 (US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,


CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP,
KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,
SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,
TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: IMPROVED PROTEOMIC MULTIPLEX ASSAYS



(57) Abstract: Methods, devices, reagents and kits designed to improve the performance of proteomic based assays are provided. Such methods have a wide utility in proteomic applications for research and development, diagnostics and therapeutics by providing for a reduction or elimination of background signal and improved specificity for protein binding reagents in a multiplex assay formats.