
CLAIMS

1. A compound according to Formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein

R^1 is halogen or hydrogen;

R^2 is halogen or hydrogen;

R^3 is

optionally substituted $C_{1\text{-}3}$ alkyl, said alkyl is optionally substituted with one 4 to 6 membered heterocycloalkyl,

optionally substituted 5 to 6 membered heteroaryl, said heteroaryl is optionally substituted with one $C_{1\text{-}3}$ alkyl,

optionally substituted 4 to 6 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one -OH,

optionally substituted 4 to 6 membered cycloalkyl, said cycloalkyl is optionally substituted with one -OH, or

$-OR^4$;

R^4 is

optionally substituted $C_{1\text{-}5}$ alkyl, said alkyl is optionally substituted with one or two R^6,

optionally substituted 3 to 9 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two R^6, or

optionally substituted 4 to 6 membered cycloalkyl, said cycloalkyl is optionally substituted with one, two, or three R^6;

R^5 is halogen or hydrogen;

each R^6 is independently

halogen,

-OH,

$-OCH_3$,

$-C(CH_3)_2OH$,

$-CH_2OH$,

cyano,


optionally substituted C_1-C_4 alkyl, said alkyl is optionally substituted with -OH,

optionally substituted 4 to 7 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two substituents independently selected from the group consisting of halogen, -OH, $-OCH_3$, and C_{1-3} alkyl, or

optionally substituted 5 to 6 membered heteroaryl, said heteroaryl is optionally substituted with one C_{1-3} alkyl; and

R^7 is 5-membered heteroaryl.


2. The compound according to claim 1 of Formula (Ia)



(Ia)

or a pharmaceutically acceptable salt or stereoisomer thereof.

3. The compound according to claim 1 of Formula (Ib)



(Ib)

or a pharmaceutically acceptable salt or stereoisomer thereof.

4. The compound according to any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^1 is selected from the group consisting of H, chloro, and fluoro.









5. The compound according to any one of claims 1-4, or a pharmaceutically acceptable salt thereof, wherein R^1 is fluoro.

6. The compound according to any one of claims 1-5, or a pharmaceutically acceptable salt thereof, wherein R^2 is H or fluoro.

7. The compound according to any one of claims 1-6, or a pharmaceutically acceptable salt thereof, wherein R^5 is H or fluoro.

































8. The compound according to any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^1, R^2, and R^5 are H.


9. The compound according to any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^2 and R^5 are H.


10. The compound according to any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from the group consisting of: , , , , , , , and .

11. The compound according to any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein R^3 is $-OR^4$.



12. The compound according to any one of claims 1-11, or a pharmaceutically acceptable salt thereof, wherein R^4 is selected from the group consisting of CH_3, $-CH_2CH_2C(CH_3)_2OH$, $-CH_2CH_2C(CH_3)_2OCH_3$, $-CH_2CH_2OCH_3$, and $-CH_2C(CH_3)_2OH$.

13. The compound according to any one of claims 1-11, or a pharmaceutically acceptable salt thereof, wherein R^4 is selected from the group consisting of: , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , and .

14. The compound according to any one of claims 1-11, or a pharmaceutically acceptable salt thereof, wherein R^4 is C_1-C_5 alkyl and R^6 is independently cyano, -OH, $-OCH_3$, , , , , , , , , , .



and .

15. The compound according to any one of claims 1-14, or a pharmaceutically acceptable salt thereof, wherein R^7 is selected from the group consisting of: , , and .

16. A compound or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

ethyl 5-((S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-3-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2,2-dimethylpropanenitrile;

(S)-7-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((1,3-dioxan-5-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-4-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylbutan-2-ol;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-4-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-5-fluorophenoxy)-2-methylbutan-2-ol;

(S)-1-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;

(S)-7-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(pyrimidin-5-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(oxazol-2-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(5-methyl-1,3,4-oxadiazol-2-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((3-methyloxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((3-methylisoxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((3-methyloxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((R)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((S)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((3-ethyloxetan-3-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((5-ethyl-1,3,4-thiadiazol-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-3-((2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)methyl)oxetan-3-ol;

2-((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;

2-((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;

(S)-7-(4-(5-fluoro-2-((S)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((R)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(7S)-7-(4-(2-((3-oxabicyclo[3.1.0]hexan-6-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-3,5-difluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(3,5-difluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(3,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(3,5-difluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(3,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;

((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((tetrahydro-2H-pyran-4-yl)methyl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(1R,4s)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;

(1S,4r)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(oxazol-2-yl)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(oxazol-2-yl)-7-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(oxazol-2-yl)-7-(4-(2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(oxazol-2-yl)-7-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-1-(4-fluoro-2-(1-(2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;

(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-2-(oxazol-2-yl)-7-(4-(2-(pyrimidin-5-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

2-((1R,3s)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;

2-((1S,3r)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;

(S)-2-(oxazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;

(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylbutan-2-ol;

(S)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-1-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;

(S)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-5-fluorophenoxy)-2-methylbutan-2-ol;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;

(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane;


(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane; and

(R)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane.


17. The compound according to claim 16, wherein the compound is selected from the group consisting of:

(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




;

(R)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




;

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




; and


(S)-2-(oxazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




, or a pharmaceutically acceptable salt thereof.

18. The compound according to claim 16, wherein the compound is of the following structure:  , or a pharmaceutically acceptable salt thereof.


19. The compound according to claim 16, wherein the compound is of the following structure:

 , or a pharmaceutically acceptable salt thereof.

20. The compound according to claim 16, wherein the compound is of the following structure:

 , or a pharmaceutically acceptable salt thereof.

21. The compound according to claim 16, wherein the compound is of the following structure:



, or a pharmaceutically acceptable salt thereof.

22. A pharmaceutical composition comprising a compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof.

23. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

24. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

25. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

26. The compound or a pharmaceutically acceptable salt thereof, for use according to claim 25, wherein the psychosis is associated with schizophrenia, schizoaffective disorder, psychotic

depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia.

27. The compound or a pharmaceutically acceptable salt thereof, for use according to claim 26, wherein the psychosis is associated with Alzheimer's disease.

28. The compound or a pharmaceutically acceptable salt thereof, for use according to claim 26, wherein the psychosis is associated with schizophrenia.

29. The compound or a pharmaceutically acceptable salt thereof, for use according to claim 26, wherein the psychosis is associated with bipolar disorder with psychotic features.

30. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

31. The use according to claim 30, wherein the psychosis is associated with schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia.

32. The use according to claim 31, wherein the psychosis is associated with Alzheimer's disease.

33. The use according to claim 31, wherein the psychosis is associated with schizophrenia.

34. The use according to claim 31, wherein the psychosis is associated with bipolar disorder with psychotic features.

35. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of cognitive dysfunction, wherein a therapeutically effective

amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

36. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

37. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

38. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

39. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

40. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

41. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant for use in the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features,

Alzheimer's disease, or frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

42. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant in the manufacture of a medicament for the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

43. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.

44. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia, alcohol use disorder, tobacco use disorder, cannabis use disorder, stimulant use disorder, hallucinogen use disorder, or opioid use disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.