PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
C07D 401/12, 417/12, 401/14, 413/14, A61K 31/505, A61P 9/00

A1

(11) International Publication Number: WO 00/42035

(43) International Publication Date: 20 July 2000 (20.07.00)

(21) International Application Number: PCT/EP00/00103

(22) International Filing Date: 10 January 2000 (10.01.00)

(30) Priority Data:
99100784.0 18 January 1999 (18.01.99) EP

(71) Applicant: F. HOFFMANN-LA ROCHE AG [CH/CH]; Grenzacherstrasse 124, CH-4070 Basle (CH).


(72) Inventors: BREU, Volker; Belchenstrasse 7, D-79418 Schliengen (DE). COASSOLO, Philippe; 25, rue du Cantal, F-68270 Wittenheim (FR). HUBER, Rolf; Kuttelgasse 13, CH-4310 Rheinfelden (CH). NEIDHART, Werner; 9, rue du Steinler, F-68220 Hagenthal-le-Bas (FR). RAMUZ, Henri; Rheinparkstrasse 3, CH-4127 Birsfelden (CH). ROUX, Sébastien; Missionsstrasse 21b, CH-4055 Basle (CH). WESSEL, Hans, Peter; Im Bachacker 7, D-79423 Heitersheim (DE).

(74) Agent: WITTE, Hubert; Grenzacherstrasse 124, CH-4070 Basle (CH).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: 4-(HETEROCYCLYLSULFONAMIDO) -5-METHOXY-6- (2-METHOXYPHENOXY) -2-PHENYL- OR PYRIDYLPYRIMIDINES AS ENDOTHELIN RECEPTOR ANTAGONISTS



(I)

(57) Abstract

The compounds of formula (I) wherein R^1, R^2 and X have the significance as given in the description, are inhibitors of endothelin receptors and can therefore be used for the treatment of disorders which are associated with abnormal vascular tone and endothelial dysfunction.