

0419250488seqlist
SEQUENCE LISTING

<110> Bezemer, Jeroen
Chen, Ying
Crockett, Richard
Crossley, Kevin
Cui, Sheng
Huang, Liang
Jones, Sian
Lower, Asher
Ranganathan, Krishnakumar

<120> Method for Preparing AMG 416

<130> 041925-0488.W000

<140> Not yet assigned
<141> Filed Herewith

<150> US 61/974,899
<151> 2014-04-03

<160> 4

<170> PatentIn version 3.4

<210> 1
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bond to Cys

```

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                      5

<210> 2
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys(trt)

<220>
<221> MOD_RES
<222> (1)..(1)
<223> attached to Fmoc

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg(Pfb)

```

```

<220>
<221> MOD_RES
<222> (7)
<223> attached to resin

<400> 2
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5

<210> 3
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys(Trt)

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg(Pbf)

<220>
<221> MOD_RES
<222> (7)
<223> attached to resin

<400> 3
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5

<210> 4
<211> 7

```

```

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys(SPy)

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 4
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1               5

```