




FIG. 1




FIG. 2





FIG. 3

SUBSTITUTE SHEET (RULE 26)

|                                                          |                                              |                                | DAXI 400U (8U / 0.1mL) |
|----------------------------------------------------------|----------------------------------------------|--------------------------------|------------------------|
| Injectable Vicinity                                      | Official Targets/Electrode Naming Convention | Injection Volume (mL) per site | Dose range (U)         |
| Forehead x 3                                             | FP1/FP2/FPz                                  | 0.1 x 3                        | 8U each site (24U)     |
| Proximal Eyebrow x 2                                     | Ground                                       | 0.1 x 2                        | 8U/site (16U)          |
| Lateral Orbital Region x 2                               | F7/8                                         | 0.1 x 2                        | 8U/site (16U)          |
| Temple x 2                                               | T3/T4                                        | 0.4 x 2                        | 32U/site (64U)         |
| Vertex x 4                                               | F3/4 & P3/4                                  | 0.4 x 4                        | 32U each site (128U)   |
| Above Occipital Ridge x 4                                | T5/6 & O1/2                                  | 0.2 x 4                        | 16U each site (64U)    |
| Shoulder x 2<br>Masseter (Only if pain or hypertrophy) * | Trapezius/Masseter *                         | 0.4 x 2 or (4) * sites         | 32U/site (64U)         |

Total volume: 4.8 mL      Total Units: 376U

FIG. 4