CLAIMS

1. A pair of socks designed for an applicator for applying lash extensions to natural eyelashes, each sock of the pair of socks comprising:

a tubular body comprising:

a first end portion and a second end portion opposite the first end portion; and

an inner channel, wherein the first end portion comprises an opening to the inner channel, wherein the tubular body is longitudinally non-rectilinear from the first end portion to the second end portion, wherein a lateral cross-section of the tubular body is rectangular, and wherein each sock is configured to mount on a respective grasping portion of the applicator.

2. The pair of socks of claim 1, wherein the tubular body further comprises an outer surface having an interior side, an exterior side opposite the interior side, a top side, and a bottom side opposite the top side.

3. The pair of socks of claim 2, wherein the interior side of the outer surface of the tubular body is substantially flat.

4. The pair of socks of claim 2, wherein the outer surface of the tubular body is longitudinally arcuate.

5. The pair of socks of claim 4, wherein the bottom side of the outer surface has a concave curvature and the top side of the outer surface has a convex curvature.

6. The pair of socks of claim 2, wherein the inner channel of the tubular body is longitudinally arcuate.

7. The pair of socks of claim 1, wherein the second end portion comprises a closed end.

8. The pair of socks of claim 1, wherein ~~a~~ the lateral cross-section of the tubular body is symmetrical.

~~9. The pair of socks of claim 1, wherein a lateral cross-section of the tubular body is polygonal.~~

~~10~~9. The pair of socks of claim 1, wherein each sock is configured to removably mount onto the respective grasping portion of the applicator.

~~11~~10. The pair of socks of claim ~~10~~9, wherein each sock is configured to secure onto the respective grasping portion using a friction fit.

~~12~~11. The pair of socks of claim ~~10~~9, wherein the inner channel of the tubular body is configured such that at least part of the respective grasping portion of the applicator is insertable into the inner channel from the opening.

~~13~~12. The pair of socks of claim 1, wherein each sock is monolithically formed of a same material.

~~14~~13. The pair of socks of claim 1, wherein each sock comprising a pliable material that adjusts to a misalignment of the respective grasping portions of the applicator.

~~15~~14. The pair of socks of claim ~~14~~13, wherein the pliable material comprises at least one of silicone, rubber, or other polymer.

~~16~~15. A kit for applying lash extensions to natural eyelashes, comprising:

an applicator comprising a pair of opposing arms, each arm comprising a grasping portion; and

a pair of socks, each sock configured to mount on the respective grasping portion of the applicator, each sock having a tubular body comprising:

a first end portion and a second end portion opposite the first end portion; and

an inner channel, wherein the first end portion comprises an opening to the inner channel, and wherein the tubular body is longitudinally non-rectilinear from the first end portion to the second end portion, wherein a lateral cross-section of the tubular body is rectangular.

~~17~~16. The kit of claim ~~16~~15, wherein each arm of the applicator further comprises:

an end, wherein the pair of opposing arms are joined to each other at the respective end to form a common end of the applicator; and

a medial portion positioned between and connected to the end and the grasping portion, and

wherein the grasping portion has a concave shape.

~~18~~17. The kit of claim ~~17~~16, wherein for each arm of the applicator the medial portion and the grasping portion longitudinally extend toward the end.

~~19~~18. The kit of claim ~~17~~16, wherein the tubular body further comprises an outer surface having an interior side, an exterior side opposite the interior side, a top side, and a bottom side opposite the top side.

~~20~~19. The kit of claim ~~19~~18, wherein the interior side of the outer surface of the tubular body is substantially flat.

~~21~~20. The kit of claim ~~19~~18, wherein the outer surface of the tubular body is longitudinally arcuate.

~~22~~21. The kit of claim ~~21~~20, wherein the bottom side of the outer surface has a concave curvature and the top side of the outer surface has a convex curvature.

~~23~~22. The kit of claim ~~19~~18, wherein the inner channel of the tubular body is longitudinally arcuate.

~~24~~23. The kit of claim ~~17~~16, wherein the second end portion comprises a closed end.

~~25~~24. The kit of claim ~~17~~16, wherein ~~a~~ the lateral cross-section of the tubular body is symmetrical.

~~26. The kit of claim 17, wherein a lateral cross-section of the tubular body is polygonal.~~

~~27~~25. The kit of claim ~~17~~16, wherein each sock is configured to removably mount onto the respective grasping portion of the applicator.

~~28~~26. The kit of claim ~~27~~25, wherein each sock is configured to secure onto the respective grasping portion using a friction fit.

~~29~~27. The kit of claim ~~27~~25, wherein the inner channel of the tubular body is configured such that at least part of the respective grasping portion of the applicator is insertable into the inner channel from the opening.

~~30~~28. The kit of claim ~~17~~16, wherein each sock is monolithically formed of a same material.

~~31~~29. The kit of claim ~~17~~16, wherein each sock comprising a pliable material that adjusts to a misalignment of the respective grasping portions of the applicator.

~~32~~30. The kit of claim ~~31~~29, wherein the pliable material comprises at least one of silicone, rubber, or other polymer.

~~33. An applicator for applying lash extensions to natural eyelashes, comprising:~~

a pair of opposing arms, each arm comprising:

an end, wherein the pair of opposing arms are joined to each other at the respective end to form a common end of the applicator

a grasping portion having a concave shape and configured to grasp one or more of the lash extensions;

a medial portion positioned between and connected to the end and the grasping portion; and

a coating disposed on at least part of an outer surface of the grasping portion.

34. The applicator of claim 33, wherein the coating comprises a non-stick coating.

35. The applicator of claim 33, wherein for each arm of the applicator the medial portion and the grasping portion longitudinally extend toward the end.

36. The applicator of claim 33, wherein each arm comprises a first side opposite a second side, and an interior surface opposite an exterior surface, wherein the interior surface and the exterior surface extend between the first side and the second side.

37. The applicator of claim 36, wherein the coating is disposed on at least part of the first side, the second side, the exterior surface, and the interior surface of the grasping portion.

38. The applicator of claim 36, wherein the coating is disposed on the interior surface of the grasping portion and not disposed on at least a part of the exterior surface of the grasping portion.

39. The applicator of claim 36, wherein at least part of the grasping portion is convex on the first side and concave on the second side.

~~40. The applicator of claim 34, wherein the non-stick coating comprises at least one of rubber, silicone, or polytetrafluoroethylene (PTFE).~~

~~41. The applicator of claim 33, wherein the coating is disposed only on the grasping portion.~~

~~42. The applicator of claim 33, wherein the coating is configured to provide a friction enhancement to grasp the one or more lash extensions.~~