




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3

## Mobile phone 400




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10




FIG. 11




FIG. 12A




FIG. 12B




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 14




FIG. 15





FIG. 16A

CONT. FROM  
FIG. 16A



CONT. FROM  
FIG. 16A

Step 1607: The terminal apparatus sends service provisioning request information to the first ECS, where the service provisioning request information includes identification information of a PLMN currently accessed by the terminal apparatus

Step 1608: The first ECS determines, based on the identification information of the PLMN currently accessed by the terminal apparatus, an EES serving the terminal apparatus

Step 1609: The first ECS sends service provisioning response information to the terminal apparatus, where the service provisioning response information includes information about the EES serving the terminal apparatus

FIG. 16B




FIG. 17A




FIG. 17B




FIG. 18




FIG. 19




FIG. 20





FIG. 21A

CONT. FROM  
FIG. 21A



CONT. FROM  
FIG. 21A

Step 2107: The terminal apparatus sends service provisioning request information to the first ECS, where the service provisioning request information includes identification information of a PLMN currently accessed by the terminal apparatus

Step 2108: The first ECS determines, based on the identification information of the PLMN currently accessed by the terminal apparatus, an EES serving the terminal apparatus

Step 2109: The first ECS sends service provisioning response information to the terminal apparatus, where the service provisioning response information includes information about the EES serving the terminal apparatus

FIG. 21B




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27