




FIG. 1




FIG. 2




FIG. 3




FIG. 4B




FIG. 4A

5/16




FIG. 4C

6/16




FIG. 5A

7/16

Injection	Dilution	Calculated Mass (μg)	Calculated Concentration (mg/mL)
1	N/A	71.2	1.42
2	N/A	71.3	1.43
3	N/A	71.6	1.43
4	N/A	71.5	1.43
5	N/A	71.6	1.43
6	N/A	69.6	1.39
1	1:2	37.1	1.48
2	1:2	37.0	1.48
3	1:2	37.1	1.48
4	1:2	37.1	1.48
5	1:2	37.2	1.49
6	1:2	37.7	1.51

FIG. 5B




FIG. 6A

9/16

Neat SEC Results

Injection	Dilution	HMW	Peak % Main	LMW
1	N/A	1.0	98.6	0.3
2	N/A	1.2	98.6	0.2
3	N/A	1.1	98.6	0.3
4	N/A	1.5	97.8	0.4
5	N/A	1.5	97.8	0.4
6	N/A	1.5	97.9	0.3
	<u>Average</u>	1.3	98.2	0.3

1:2 Diluted SEC Results

Injection	Dilution	HMW	Peak % Main	LMW
1	1:2	0.7	98.9	0.3
2	1:2	0.7	98.7	0.6
3	1:2	0.6	98.9	0.5
4	1:2	0.5	99.0	0.5
5	1:2	0.6	98.9	0.5
6	1:2	0.5	99.0	0.5
	<u>Average</u>	0.6	98.9	0.5

FIG. 6B




FIG. 7




FIG. 8




FIG. 9




FIG. 10







FIG. 11








FIG. 16