





*FIG. 1* X-ray powder diffraction pattern of Form I

2/22



**FIG. 2**  
Digital Scanning Calorimetry Results for Form I

3/22




FIG. 3 Thermogravimetric Gravimetric/Differential Thermal Analysis of Form I

4/22





FIG. 4 <sup>1</sup>H nuclear magnetic resonance spectrum obtained from Form I


5/22



Dynamic Vapor Sorption Results for Form I

FIG. 5

6/22



X-ray powder diffraction pattern of Form II

FIG. 6

7/22




FIG. 7  
Digital Scanning Calorimetry Results for Form II

8/22




FIG. 8 Thermogravimetric Gravimetric/Differential Thermal Analysis of Form II

9/22




FIG. 9 <sup>1</sup>H nuclear magnetic resonance spectrum obtained from Form II

10/22




FIG. 10  
Dynamic Vapor Sorption Results for Form II

11/22




FIG. 11

*X-ray powder diffraction pattern of Form III*

12/22




FIG. 12  
Digital Scanning Calorimetry Results for Form III

13/22




FIG. 13

Thermogravimetric Gravimetric/Differential Thermal Analysis of Form III

14/22






FIG. 14 <sup>1</sup>H nuclear magnetic resonance spectrum obtained from Form III



Dynamic Vapor Sorption Results for Form III

FIG. 15

16/22



X-ray powder diffraction pattern of Form V

FIG. 16

17/22





FIG. 17 Digital Scanning Calorimetry Results for Form V

FIG. 18  
Thermogravimetric Gravimetric/Differential Thermal Analysis of Form V





FIG. 19 <sup>1</sup>H nuclear magnetic resonance spectrum obtained from Form V

20/22



Dynamic Vapor Sorption Results for Form V

FIG. 20

21/22





FIG. 21 Representative <sup>1</sup>H Spectra of L-ornithine benzoate

22/22



Representative <sup>1</sup>H Spectra of L-ornithine phenyl acetate

FIG. 22