

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau

(43) International Publication Date
13 March 2025 (13.03.2025)



(10) International Publication Number
WO 2025/052257 A4

(51) International Patent Classification:

A61K 8/06 (2006.01) A61K 8/64 (2006.01)
A61K 8/11 (2006.01) A61Q 19/00 (2006.01)
A61K 8/46 (2006.01)

(72) Inventors: JANCZEWSKA, Magdalena; 02-934 Warsaw (PL). DABROWA, Kajetan; 01-229 Warsaw (PL). STEFANEK, Agata; 03-735 Warsaw (PL). TRZASKOWSKA, Paulina; 00-713 Warsaw (PL). CIACH, Tomasz; 02-765 Warsaw (PL).

(21) International Application Number:

PCT/IB2024/058578

(22) International Filing Date:

04 September 2024 (04.09.2024)

(25) Filing Language:

Polish

(26) Publication Language:

English

(30) Priority Data:

23195443.9 05 September 2023 (05.09.2023) EP

(71) Applicant: SCIENCE4BEAUTY SP. Z O.O. [PL/PL];
Zabkowska 30/6, 03-735 Warsaw (PL).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CV, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IQ, IR, IS, IT, JM, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, MG, MK, MN, MU, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(54) Title: THE ACTIVE MODULATOR OF LIPOPHILICITY IN THE FORM OF DIMETHYLSULFONE FOR USE AS A TRANSITION PROMOTER OF ACTIVE SUBSTANCES, THE COMPOSITION CONTAINING IT AND THE METHOD OF ITS PRODUCTION




Fig. 11

(57) Abstract: An object of the invention is an active lipophilicity modulator in the form of dimethylsulfone (MSM) for use as a transition promoter for high molecular weight active substances with Mw > 500 Da. Another object of the invention is a cosmetic composition for transdermal administration comprising an active substance and a transition promoter, characterised in that the active substance is encapsulated by a transition promoter which is an active lipophilicity modulator according to claim. 1, while the active substance is a high molecular weight active substance with Mw > 500 Da. A further object of the invention is a method for producing a composition according to the invention, characterised in that it is carried out by either hot emulsification or cold emulsification, hot emulsification comprising the following steps: (a) mixing the dimethylsulfone with the diluent in a reaction vessel; (b) bringing the mixture to 70-85 °C; (c) stirring the mixture at 70-85 °C; with the onset of homogenisation depending on the phase combination steps; (d) cooling the mixture to 20-40 °C, preferably 30 °C; (e) adding a high- molecular-weight active substance with Mw > 500 Da and homogenising the mixture, preferably for 1- 3 min; while cold emulsification comprises the following steps: (a) mixing the

[Continued on next page]

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, CV, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SC, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, ME, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *with amended claims (Art. 19(1))*
- *with sequence listing part of description (Rule 5.2(a))*
- *in black and white; the international application as filed contained color or greyscale and is available for download from PATENTSCOPE*

Date of publication of the amended claims:

19 June 2025 (19.06.2025)

dimethylsulfone with the diluent in a reaction vessel and dissolving while maintaining a temperature of 20-25 °C; (b) bringing the mixture to a temperature of 15 - 35 °C, preferably ambient or 25 °C; (c) stirring the mixture at a temperature of 15 - 80 °C, preferably 25 °C; with the onset of homogenisation depending on the phase combination steps; (d) adding a high molecular weight active substance with Mw > 500 Da and homogenising the mixture, preferably for 1-3 min.