CLAIMS

1. A dermal composition comprising:
- a tar extract;
- a corticosteroid;
- an antipruritic;
- an antibiotic;
- urea;
- an absorption base;
- water;
- lanolin; and
- propylene glycol.

2. The composition according to claim 1, wherein:
- the tar extract is saponified coal tar;
- the antipruritic is an antihistamine; and /or
- the antibiotic is an anti-fungal agent

3. The composition according to claim 2, wherein
- the corticosteroid is selected from the group consisting of: clobetasol propionate, betamethasone dipropionate, halobetasol propionate, fluocinonide, diflorasone diacetate, mometasone furoate, halcinonide, and desoximetasone;
- the antihistamine is selected from the group consisting of: chlorpheniramine, diphenhydramine, thonzylamine, mepyramine, tenalidine, tripelenamine, chloropyramine, promethazine, tolpropamine, isothipendyl, and chlorphenoxamine; and/or
- the anti-fungal agent is selected from the group consisting of: tolnaftate, amorolfin, butenafine, naftifine, and terbinafine.

4. The composition according to claim 3, wherein the corticosteroid is clobetasol propionate.

5. The composition according to any one of the claim1 1 to 4, wherein the absorption base is a self emulsifying oil/water absorption base.

6. The composition according to any one of the preceding claims, wherein the composition further comprises glycerin, a vegetable oil, such as sweet almond oil, ammonium lactate, and/or a preservative.

7. The composition according to any one of the preceding claims, wherein the composition comprises:

- 5 to 10 wt% of the tar extract;
- 0.01 to 2 wt% of the corticosteroid;
- 0.01 to 2 wt% of the antipruritic;
- 0.5 to 5 wt% of the antibiotic;
- 5 to 15 wt% urea;
- 10 to 30 wt% of the absorption base;
- 30 to 50 wt% water; 1 to 5 wt% lanolin; and
- 1 to 10 wt% propylene glycol;

8. The composition according to claim 7, wherein the composition further comprises:

- 1 to 10 wt% of a vegetable oil;
- 5 to 15 wt% of an aqueous solution of ammonium lactate; and/or
- 1 to 10 wt% glycerin.

9. The composition according to any one of the preceding claims, wherein the composition further comprises a preservative.

10. The composition according to claim 9, wherein said preservative is a paraben, such as propyl 4-hydroxybenzoate or methyl 4-hydroxybenzoate.

11. A composition according to any one of the preceding claims for use in treating or soothing psoriasis lesions by applying the composition to areas of the skin affected by psoriasis.

12. A composition according to any one of the claims 1 to 10 for use in treating or soothing psoriasis lesions by applying the composition to areas of the skin affected by psoriasis, wherein the composition is to be applied once a day in the evening prior to sleep.

13. A kit comprising two distinct compositions, wherein the first composition is a composition according to any one of the claims 1 to 10, and the second composition is a composition comprising aqueous hyaluronic acid, an absorption base, and vegetable oil.

14. The kit according to claim 13, wherein the second composition further comprises vitamin E, and optionally a fragrance, such as peach essence, and wherein said vegetable oil comprises almond oil, argan oil, and/or macadamia oil.

15. The kit according to claim 13 or 14, wherein the kit is for use in treating or soothing psoriasis lesions by separately applying the two compositions to a subject suffering from psoriasis;

the first composition is to be applied to areas of the skin affected by psoriasis; and

the first composition is to be administered once a day in the evening prior to sleep and the second one once a day in the morning.

CLAIMS

1. A dermal composition comprising:
- a tar extract, such as saponified coal tar;
- a corticosteroid, such as clobetasol propionate;
- an antipruritic, such as an antihistamine, e.g. Chlorpheniramine;
- an antibiotic, such as an anti-fungal agent, e.g. tolnaftate;
- urea;
- an absorption base;
- water;
- lanolin; and
- propylene glycol.

2. The composition according to claim 1, wherein
- the corticosteroid is selected from the group consisting of: clobetasol propionate, betamethasone dipropionate, halobetasol propionate, fluocinonide, diflorasone diacetate, mometasone furoate, halcinonide, and desoximetasone;
- the antipruritic is an antihistamine selected from the group consisting of: chlorpheniramine, diphenhydramine, thonzylamine, mepyramine, tenalidine, tripelenamine, chloropyramine, promethazine, tolpropamine, isothipendyl, and chlorphenoxamine; and/or
- the antibiotic is an anti-fungal agent selected from the group consisting of: tolnaftate, amorolfin, butenafine, naftifine, and terbinafine.

3. The composition according to claim 1 or 2, wherein the absorption base is a self emulsifying oil/water absorption base.

4. The composition according to any one of the preceding claims, wherein the composition further comprises glycerin, a vegetable oil, such as sweet almond oil, ammonium lactate, and/or a preservative.

5. The composition according to any one of the preceding claims, wherein the composition comprises 5 to 10 wt% of the tar extract; 0.01 to 2 wt% of the corticosteroid; 0.01 to 2 wt% of the antipruritic; 0.5 to 5 wt% of the antibiotic; 5 to 15 wt% urea; 10 to 30 wt% of the absorption base; 30 to 50 wt% water; 1 to 5 wt% lanolin;

1 to 10 wt% propylene glycol; optionally, 1 to 10 wt% of a vegetable oil; optionally 5 to 15 wt% of an aqueous solution of ammonium lactate comprising 70 wt% ammonium lactate; and optionally 1 to 10 wt% glycerin.

6. The composition according to any one of the preceding claims, wherein the composition further comprises a preservative, wherein said preservative preferably is a paraben, such as propyl 4-hydroxybenzoate or methyl 4-hydroxybenzoate.

7. A composition according to any one of the preceding claims for use in treating or soothing psoriasis lesions by applying the composition to areas of the skin affected by psoriasis.

8. A composition according to any one of the preceding claims for use in treating or soothing psoriasis lesions by applying the composition to areas of the skin affected by psoriasis, wherein the composition is to be applied once a day in the evening prior to sleep.

9. A kit comprising two distinct compositions, wherein the first composition is a composition according to any one of the claims 1 to 6, and the second composition is a composition comprising aqueous hyaluronic acid, an absorption base, and vegetable oil.

10. The kit according to claim 9, wherein the second composition further comprises vitamin E, and optionally a fragrance, such as peach essence, and wherein said vegetable oil comprises almond oil, argan oil, and/or macadamia oil.

11. The kit according to claim 9 or 10, wherein:

the kit is for use in treating or soothing psoriasis lesions by separately applying the two compositions to a subject suffering from psoriasis;

the first composition is to be applied to areas of the skin affected by psoriasis; and

the first composition is to be administered once a day in the evening prior to sleep and the second one once a day in the morning.