

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

PRIORITY INFORMATION	TARGET OBJECT INFORMATION	FIRST POSITION	SECOND POSITION
0001	P1	A1	A2
0002	P11	A11	A3
0003	P21	A21	A4
0004	P2	A31	A5
0005	P31	A41	A6

FIG. 6

PRIORITY INFORMATION	TARGET OBJECT INFORMATION	FIRST POSITION	SECOND POSITION	MOBILE BODY	WAYPOINT
0001	P1	A1	A2	10A	...A1...
0002	P11	A11	A3	10B	...A11...
0003	P21	A21	A4	10C	...A21...
0004	P2	A31	A5	10A	...A31...
0005	P31	A41	A6	10B	...A41...

FIG. 7

PRIORITY INFORMATION	TARGET OBJECT INFORMATION	FIRST POSITION	SECOND POSITION	MOBILE BODY	SECOND ESTIMATED POWER CONSUMPTION (FIRST POSITION TO SECOND POSITION)	THIRD ESTIMATED POWER CONSUMPTION (SECOND POSITION TO CHARGING POINT)
0001	P1	A1	A2	10A	5%	2%
0002	P11	A11	A3	10B	7%	3%
0003	P21	A21	A4	10C	6%	2%
0004	P2	A31	A5	10A	2%	1%
0005	P31	A41	A6	10B	4%	3%

FIG. 8




FIG. 9

PRIORITY INFORMATION	TARGET OBJECT INFORMATION	FIRST POSITION	SECOND POSITION	MOBILE BODY	SECOND ESTIMATED POWER CONSUMPTION (FIRST POSITION TO SECOND POSITION)	THIRD ESTIMATED POWER CONSUMPTION (SECOND POSITION TO CHARGING POINT)
0001	P1	A1	A2	10A	5%	2%
0002	P11	A11	A3	10B	7%	3%
0003	P21	A21	A4	10C	6%	2%
0004	P2	A31	A5	10A→10B	5%	2%
0005	P31	A41	A6	10B→10A	2%	0.5%

FIG. 10





PRIORITY INFORMATION	TARGET OBJECT INFORMATION	FIRST POSITION	SECOND POSITION	MOBILE BODY	REFERENCE THRESHOLD VALUE
0001	P1	A1	A2	10A	15%
0002	P11	A11	A3	10B	10%
0003	P21	A21	A4	10C	13%
0004	P2	A31	A5	10A	10%
0005	P31	A41	A6	10B	20%

FIG. 13