


Patent claims

1. Compounds of the general formula (I)



(I)

5 in which:

R^0 represents hydrogen or C_1 - C_4 -alkyl, where the C_1 - C_4 -alkyl radical may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy and halogen;

10

R^1 represents hydrogen, halogen, cyano, $C(=O)OH$, $C(=O)OR^a$, $C(=O)NH_2$, $C(=O)N(H)R^a$, $C(=O)N(R^a)R^b$, $C(=O)R^d$, hydroxy or C_1 - C_6 -alkyl, where the C_1 - C_6 -alkyl radical is optionally mono- or polysubstituted by identical or different radicals from the group consisting of

15

hydroxy, halogen, cyano, $C(=O)OH$, $C(=O)OR^a$, $S(=O)_2$ - C_1 - C_6 -alkyl, NH_2 , NHR^a , $N(R^a)R^b$, C_1 - C_6 -alkoxy which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of halogen, C_3 - C_8 -cycloalkoxy which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of halogen, heterocycloalkyl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c ,

20

or represents C_1 - C_6 -alkoxy, where the C_1 - C_6 -alkoxy radical may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of

25

hydroxy, halogen, cyano, $C(=O)OH$, $C(=O)OR^a$, $S(=O)_2$ - C_1 - C_6 -alkyl, NH_2 , NHR^a , $N(R^a)R^b$, C_3 - C_8 -cycloalkyl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of halogen, C_1 - C_6 -alkoxy which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of halogen, C_3 - C_8 -cycloalkoxy which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of halogen, heterocycloalkyl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c , aryl which is optionally mono- or

30

- polysubstituted by identical or different radicals from the group consisting of R^c, or 5- or 6-membered heteroaryl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c,
- 5 or represents C₃-C₈-cycloalkoxy or heterocycloalkoxy which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl,
- or represents aryloxy or 5- or 6-membered heteroaryloxy in which aryloxy and 5- or 6-membered heteroaryloxy may optionally be mono- or polysubstituted by
 10 identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, C₁-C₆-alkyl and C₁-C₆-alkoxy,
- or represents C₃-C₈-cycloalkyl or heterocycloalkyl which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl,
- 15 or represents C₂-C₆-alkenyl or C₂-C₆-alkynyl,
- or represents aryl, 5- to 10-membered heteroaryl, aryl-C₁-C₄-alkyl or 5- or 6-membered heteroaryl-C₁-C₄-alkyl, where aryl and heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, hydroxy, cyano, C(=O)OH, C(=O)OR^a, C₁-C₆-alkyl, C₃-C₈-
 20 cycloalkyl and C₁-C₆-alkoxy;
- R^a represents C₁-C₆-alkyl, C₃-C₁₀-cycloalkyl, heterocycloalkyl, aryl or heteroaryl, where alkyl, cycloalkyl, heterocycloalkyl, aryl and heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group
 25 consisting of halogen, hydroxy, cyano, C₁-C₃-alkyl, C₁-C₃-alkoxy, heterocycloalkyl, -C(=O)O-C₁-C₆-alkyl and S(=O)₂-C₁-C₆-alkyl;
- R^b represents C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl;
- 30 or R^a and R^b together with the nitrogen atom form a 5- or 6-membered heterocycle which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, and C₁-C₆-alkyl;
- R^c represents hydroxy, halogen, cyano, C₁-C₃-alkyl or C₁-C₃-alkoxy;
- 35 R^d represents hydrogen, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl;

- 5 R^2 represents hydrogen, C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl;
- R^{13} represents hydrogen or C_1 - C_6 -alkyl;
- W represents 5-membered heteroaryl which contains one to three heteroatoms selected from the group consisting of N, O and S and may optionally be monosubstituted by R^3 and optionally be mono- or polysubstituted by identical or different radicals R^4 or
- 10 W represents pyridyl, pyrazinyl, pyridazinyl, 1,2,4-triazinyl or 1,3,5-triazinyl which may optionally be monosubstituted by R^3 and optionally be mono- or polysubstituted by identical or different radicals R^4 ;
- 15 R^3 represents hydrogen, halogen, cyano, $C(=O)R^a$, NH_2 , NHR^a , $N(R^a)R^b$, $N(H)C(=O)R^a$ or C_1 - C_6 -alkyl, where
- C_1 - C_6 -alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, $C(=O)R^a$, $C(=O)OH$, $C(=O)OR^a$, $S(=O)_2$ - C_1 - C_6 -alkyl, NH_2 , NHR^a ,
- 20 $N(R^a)R^b$, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy,
- where C_1 - C_6 -alkoxy and C_3 - C_8 -cycloalkoxy may optionally be mono- or polysubstituted by identical or different halogen radicals; or C_1 - C_6 -alkyl is optionally mono- or polysubstituted by identical or radicals from the group consisting of C_3 - C_6 -cycloalkyl and
- 25 heterocycloalkyl,
- where C_3 - C_6 -cycloalkyl and heterocycloalkyl may optionally be mono-, di- or trisubstituted by identical or different radicals from the group consisting of halogen, cyano, C_1 - C_3 -alkyl and C_1 - C_3 -alkoxy,
- 30 or C_1 - C_6 -alkyl is optionally mono- or polysubstituted by identical or different radicals from the group consisting of aryl and 5- or 6-membered heteroaryl,
- where aryl and 5- or 6-membered heteroaryl may optionally be mono-, di- or trisubstituted by identical or different radicals from
- 35 the group consisting of halogen, cyano, C_1 - C_3 -alkyl and C_1 - C_3 -alkoxy,

or


R^3 represents C_1 - C_6 -alkoxy, where
 C_1 - C_6 -alkoxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, $C(=O)OR^a$, $S(=O)_2$ - C_1 - C_6 -alkyl, $N(R^a)R^b$, C_3 - C_8 -cycloalkyl, C_1 - C_4 -alkoxy, C_3 - C_8 -cycloalkoxy,
 or represents C_3 - C_6 -cycloalkyl, heterocycloalkyl or C_5 - C_{11} -spirocycloalkyl, where
 cycloalkyl, heterocycloalkyl and spirocycloalkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, $C(=O)R^a$, $C(=O)OH$, $C(=O)OR^a$, C_1 - C_6 -alkyl and C_1 - C_4 -alkoxy;
 or represents aryl or 5- to 10-membered heteroaryl, where
 aryl and heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, hydroxy, cyano, $C(=O)OR^a$, $S(=O)_2$ - C_1 - C_6 -alkyl, NO_2 , NH_2 , NHR^a , $N(R^a)R^b$, $N(H)C(=O)R^a$, C_3 - C_8 -cycloalkyl, C_1 - C_3 -alkoxy and C_1 - C_3 -alkyl, where
 C_1 - C_3 -alkyl may optionally be mono- or polysubstituted by identical or different halogen radicals;
 R^4 represents halogen, hydroxy, cyano or C_1 - C_6 -alkyl, where C_1 - C_6 -alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, C_1 - C_6 -alkoxy, where C_1 - C_6 -alkoxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_3 - C_{10} -cycloalkyl, 3- to 10-membered heterocycloalkyl and aryl, where aryl may optionally be mono- or polysubstituted by identical or different radicals R ,
 or
 R^4 represents aryl or heteroaryl which may optionally be mono- or polysubstituted by identical or different radicals R ,
 or
 R^4 represents $C(=O)R^a$, $C(=O)NH_2$, $C(=O)N(H)R^a$, $C(=O)N(R^a)R^b$, $C(=O)OR^a$, NH_2 , NHR^a , $N(R^a)R^b$, $N(H)C(=O)R^a$, $N(R^a)C(=O)R^a$, $N(H)C(=O)NH_2$, $N(H)C(=O)NHR^a$, $N(H)C(=O)N(R^a)R^b$, $N(R^a)C(=O)NH_2$, $N(R^a)C(=O)NHR^a$, $N(R^a)C(=O)N(R^a)R^b$, $N(H)C(=O)OR^a$, $N(R^a)C(=O)OR^a$, NO_2 , $N(H)S(=O)R^a$, $N(R^a)S(=O)R^a$, $N(H)S(=O)_2R^a$, $N(R^a)S(=O)_2R^a$, $N=S(=O)(R^a)R^b$, $OC(=O)R^a$, $OC(=O)NH_2$, $OC(=O)NHR^a$, $OC(=O)N(R^a)R^b$, SH , SR^a , $S(=O)R^a$, $S(=O)_2R^a$, $S(=O)_2NH_2$, $S(=O)_2NHR^a$, $S(=O)_2N(R^a)R^b$ or $S(=O)(=N-R^a)R^b$;

R represents halogen, cyano, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₁₀-cycloalkyl, 3- to 10-membered heterocycloalkyl, aryl, heteroaryl, C(=O)R^a, C(=O)NH₂, C(=O)N(H)R^a, C(=O)N(R^a)R^b, C(=O)OR^a, NH₂, NHR^a, N(R^a)R^b, N(H)C(=O)R^a, N(R^a)C(=O)R^a, N(H)C(=O)NH₂, N(H)C(=O)NHR^a, N(H)C(=O)N(R^a)R^b, N(R^a)C(=O)NH₂, N(R^a)C(=O)NHR^a, N(R^a)C(=O)N(R^a)R^b, N(H)C(=O)OR^a, N(R^a)C(=O)OR^a, NO₂, N(H)S(=O)R^a, N(R^a)S(=O)R^a, N(H)S(=O)₂R^a, N(R^a)S(=O)₂R^a, N=S(=O)(R^a)R^b, OH, C₁-C₆-alkoxy, OC(=O)R^a, OC(=O)NH₂, OC(=O)NHR^a, OC(=O)N(R^a)R^b, SH, SR^a, S(=O)R^a, S(=O)₂R^a, S(=O)₂NH₂, S(=O)₂NHR^a, S(=O)₂N(R^a)R^b or S(=O)(=NR^a)R^b;

10

n represents 0 or 1;

Y represents a group selected from:



15

where * represents the point of attachment of the group to the remainder of the molecule;

R⁵ represents hydrogen, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl, where C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy and C₃-C₈-cycloalkyl;

20

R⁶ represents hydrogen or C₁-C₆-alkyl, where C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C₃-C₁₀-cycloalkyl, C(=O)R^a, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy and C₃-C₈-cycloalkoxy,

25

or represents C₃-C₁₀-cycloalkyl, where

C₃-C₁₀-cycloalkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl, where

30

C₁-C₆-alkyl may optionally be substituted by hydroxy,
or represents heterocycloalkyl, where

heterocycloalkyl may optionally be mono- or polysubstituted by identical
or different radicals from the group consisting of halogen, cyano, C₁-C₃-
alkyl and C₁-C₃-alkoxy,

or represents aryl or 5- or 6-membered heteroaryl, where

aryl and 5- or 6-membered heteroaryl may optionally be mono- or
polysubstituted by identical or different radicals from the group consisting
of halogen, cyano, C₁-C₃-alkyl, C₁-C₃-alkoxy, S(=O)₂NH₂, S(=O)₂NHR^a
and S(=O)₂N(R^a)R^b;

R^{7a} represents hydrogen, halogen, N(R^a)R^b, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl, where
C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or
different radicals from the group consisting of hydroxy, halogen, cyano,
C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-
cycloalkyl and heterocycloalkyl;

R^{7b} represents hydrogen, halogen or C₁-C₆-alkyl, where
C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or
different radicals from the group consisting of hydroxy, halogen, cyano,
C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-
cycloalkyl and heterocycloalkyl;

or R^{7a} and R^{7b} together with the carbon atom form C₃-C₆-cycloalkyl which may optionally
be mono- or polysubstituted by identical or different radicals from the group consisting of
hydroxy, halogen, cyano and C₁-C₆-alkyl,

or R^{7a} and R^{7b} together represent an oxo group;

R^{7c} represents hydrogen, halogen, N(R^a)R^b, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl, where
C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or
different radicals from the group consisting of hydroxy, halogen, cyano,
C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-
cycloalkyl and heterocycloalkyl;

R^{7d} represents hydrogen, halogen or C₁-C₆-alkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-cycloalkyl and heterocycloalkyl;

5

or R^{7c} and R^{7d} together with the carbon atom form C₃-C₆-cycloalkyl which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl,

10

or R^{7c} and R^{7d} together represent an oxo group;

R^{8a} represents hydrogen, halogen, N(R^a)R^b, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-cycloalkyl and heterocycloalkyl;

15

R^{8b} represents hydrogen, halogen or C₁-C₆-alkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-cycloalkyl and heterocycloalkyl;

20

or R^{8a} and R^{8b} together with the carbon atom form C₃-C₆-cycloalkyl which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl,

25

R^{8c} represents hydrogen, halogen, N(R^a)R^b, C₁-C₆-alkyl or C₃-C₁₀-cycloalkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-cycloalkyl and heterocycloalkyl;

30

R^{8d} represents hydrogen, halogen or C₁-C₆-alkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy, C₃-C₈-cycloalkyl and heterocycloalkyl;

35

- or R^{8c} and R^{8d} together with the carbon atom form C₃-C₆-cycloalkyl which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano and C₁-C₆-alkyl,
- 5 or R^{8c} and R^{8d} together represent an oxo group;
- o represents 0, 1 or 2,
 p represents 0, 1 or 2,
 10 q represents 0, 1 or 2,
 r represents 0, 1 or 2,
 s represents 0, 1 or 2,
 where o, p, q, r and s do not simultaneously represent 0;
- 15 Z represents a group selected from C(=O), CR⁹R¹⁰, NR¹¹, O, S, S(=O) and S(=O)₂;
- R⁹ represents hydrogen or C₁-C₆-alkyl,
- 20 R¹⁰ represents hydrogen, halogen, cyano, C(=O)R^a, C(=O)OH, C(=O)OR^a, C(=O)NH₂, C(=O)N(H)R^a, C(=O)N(R^a)R^b, N(H)C(=O)R^a, N(R^b)C(=O)R^a, S(=O)₂R^a, hydroxy, N(R^a)R^b and C₁-C₆-alkyl, where
- 25 C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)R^a, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₁-C₄-alkoxy and C₃-C₈-cycloalkoxy,
- or represents C₁-C₆-alkoxy, where
- 30 C₁-C₆-alkoxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₃-C₈-cycloalkyl, C₁-C₄-alkoxy, C₃-C₈-cycloalkoxy, heterocycloalkyl, aryl and 5- or 6-membered heteroaryl, where
- aryl and 5- or 6-membered heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, cyano, C₁-C₃-alkyl and C₁-C₃-alkoxy,
- 35 or represents aryloxy or 5- or 6-membered heteroaryloxy in which
- aryloxy and 5- or 6-membered heteroaryloxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting

of hydroxy, halogen, cyano, C(=O)OH, C(=O)OR^a, C₁-C₃-alkyl and C₁-C₃-alkoxy,

or represents C₃-C₈-cycloalkyl, C₃-C₈-cycloalkyl-C₁-C₄-alkyl, heterocycloalkyl or heterocycloalkyl-C₁-C₄-alkyl, which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)R^a, C(=O)OH, C(=O)OR^a, C₁-C₆-alkyl and C₁-C₆-alkoxy, where

C₁-C₆-alkoxy may optionally be mono- or polysubstituted by identical or different halogen radicals or an oxo group;

or represents C₂-C₆-alkenyl or C₂-C₆-alkynyl,

or represents aryl, 5- to 10-membered heteroaryl, aryl-C₁-C₄-alkyl or 5- or 6-membered heteroaryl-C₁-C₄-alkyl, where

aryl and heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, hydroxy, cyano, C(=O)OH, C(=O)OR^a, NHR^a, N(R^a)R^b, C₁-C₃-alkyl, C₃-C₈-cycloalkyl and C₁-C₃-alkoxy;

or R⁹ and R¹⁰ together with the carbon atom form C₃-C₈-cycloalkyl or a 4- to 6-membered heterocycle, where

the C₃-C₈-cycloalkyl radical or the 4- to 6-membered heterocycle may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C₁-C₆-alkyl, C(=O)R^a and an oxo group;

R¹¹ represents hydrogen, C(=O)R^a, C(=O)OR^a, C(=O)NH₂, C(=O)N(H)R^a, C(=O)N(R^a)R^b, S(=O)₂R^a, S(=O)₂N(R^a)R^b or C₁-C₆-alkyl, where

C₁-C₆-alkyl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C(=O)R^a, C(=O)OR^a, C(=O)NH₂, C(=O)N(H)R^a, C(=O)N(R^a)R^b, S(=O)₂-C₁-C₆-alkyl, N(R^a)R^b, C₃-C₈-cycloalkyl, C₁-C₄-alkoxy and C₃-C₈-cycloalkoxy, where

C₃-C₈-cycloalkyl, C₁-C₄-alkoxy and C₃-C₈-cycloalkoxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy and halogen;

or represents C₃-C₈-cycloalkyl, heterocycloalkyl or heterocycloalkyl-C₁-C₄-alkyl which may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of hydroxy, halogen, cyano, C₁-C₆-alkyl, C₁-C₆-alkoxy,

where alkyl and alkoxy may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen and an oxo group,

or represents C₂-C₆-alkenyl or C₂-C₆-alkynyl,


or represents aryl, 5- to 10-membered heteroaryl, aryl-C₁-C₄-alkyl or 5- or 6-membered heteroaryl-C₁-C₄-alkyl, where

aryl and heteroaryl may optionally be mono- or polysubstituted by identical or different radicals from the group consisting of halogen, hydroxy, cyano, C(=O)OH, C(=O)OR^a, C₁-C₃-alkyl, C₃-C₈-cycloalkyl and C₁-C₃-alkoxy;


and their diastereomers, enantiomers, their salts, their solvates or the solvates of their salts.

2. Compounds according to Claim 1 in which R¹ represents hydrogen, halogen, hydroxy, cyano, C₁-C₆-alkyl, C₁-C₅-alkyl substituted by hydroxy, C₁-C₆-alkoxy, C₁-C₆-alkoxy substituted by C₃-C₈-cycloalkyl, C₁-C₆-alkoxy substituted by up to three fluorine atoms, C₁-C₆-alkoxy substituted by aryl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c or represents 5- or 6-membered heteroaryl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c.


3. Compounds according to Claim 1 in which W represents a group selected from formulae (III) to (IX):




III




IV




V




VI



VII



VIII



IX

in which

R¹² represents hydrogen, halogen, C₁-C₆-alkyl which is optionally mono- or polysubstituted by identical or different halogen radicals, C₃-C₆-cycloalkyl which is optionally mono- or polysubstituted by identical or different halogen radicals, aryl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c or 5- or 6-


membered heteroaryl which is optionally mono- or polysubstituted by identical or different radicals from the group consisting of R^c or represents NHR^a ;

m represents 0, 1, 2 or 3 and

R^3 and R^4 have the meanings given above and


* represents the point of attachment of the group to the remainder of the molecule.

4. Compounds according to Claim 1 in which W represents a group of the general formula (X)




and R^3 and R^4 have the meaning given in Claim 1.

5. Compounds according to Claim 1 in which Y is a group of the general formula (II) where R^{7a} , R^{7b} , R^{7c} , R^{7d} , R^{8a} , R^{8b} , R^{8c} and R^{8d} are as defined in Claim 1:



6. Compounds according to Claim 1 in which Y is a radical NR^5R^6 where R^5 and R^6 are as defined in Claim 1.

7. Compounds according to Claim 1 in which W represents a group of the general formula (IX)



in which

m represents 0 and R^2 , R^0 and R^{13} all represent hydrogen and R^3 represents trifluoromethyl, ethyl, methyl, cyclopropyl, 2,2,2-trifluoro-1-hydroxyethyl or 1-hydroxyethyl; Y represents

4-methylpiperazin-1-yl, 4-ethylpiperazin-1-yl or morpholin-4-yl, n represents 0 and R¹ represents cyclopropylmethoxy, trifluoromethoxy, 2,2,2-trifluoroethoxy, chlorine, ethoxy, methoxy, 2-hydroxypropan-2-yl or 3-hydroxypentan-3-yl.

- 5 8. Compounds according to Claim 7 in which R¹ represents cyclopropylmethoxy, methoxy, ethoxy or 2-hydroxypropan-2-yl.
9. Compounds according to Claim 7 in which R³ is a trifluoromethyl or a cyclopropyl radical.
- 10 10. Compounds according to Claim 1, specifically
N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-methyl-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
6-ethyl-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
5-fluoro-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
N-(2-{2-[4-(3-hydroxy-2,2-dimethylpropanoyl)piperazin-1-yl]-2-oxoethyl}-6-methyl-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
N-(2-{2-[4-(methoxyacetyl)piperazin-1-yl]-2-oxoethyl}-6-methyl-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide
N-(2-{2-[4-(cyclopropylmethyl)piperazin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
N-(2-{2-[4-(cyclopropylmethyl)piperazin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide
N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-methoxy-2H-indazol-5-yl}-6-cyclopropylpyridine-2-carboxamide
N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-methoxy-2H-indazol-5-yl}-6-(1-hydroxyethyl)pyridine-2-carboxamide
N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
6-methyl-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl}pyridine-2-carboxamide
tert-butyl 3-{[4-({2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl} carbamoyl)-1,3-thiazol-2-yl]amino}azetidine-1-carboxylate

N-{6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide
 N-{6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-cyclopropyl-1,3-oxazole-4-carboxamide
 tert-butyl 3-{[4-({6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}carbonyl)-1,3-thiazol-2-yl]amino}azetidine-1-carboxylate
 2-(azetidin-3-ylamino)-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl}-1,3-thiazole-4-carboxamide
 N-{6-cyano-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 6'-methyl-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 5'-methyl-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 4'-methyl-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 6'-methoxy-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 6'-acetamido-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6'-nitro-2,3'-bipyridine-6-carboxamide
 6'-amino-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,3'-bipyridine-6-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-fluoro-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-fluoro-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-fluoro-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-fluoro-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide
 N-{6-fluoro-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-fluoro-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-fluoro-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{6-fluoro-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-fluoro-2H-indazol-5-yl}-5-fluoro-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-fluoro-2H-indazol-5-yl)-5-fluoro-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-fluoro-2H-indazol-5-yl}-6-(morpholin-4-yl)pyridine-2-carboxamide

N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-fluoro-2H-indazol-5-yl)-6-(morpholin-4-yl)pyridine-2-carboxamide

N-{6-fluoro-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(morpholin-4-yl)pyridine-2-carboxamide

N-{6-(benzyloxy)-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-isobutoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-isobutoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-isobutoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-6-isobutoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(cyclopropylmethoxy)-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(cyclopropylmethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-[6-(cyclopropylmethoxy)-2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

N-[6-(cyclopropylmethoxy)-2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(pyridin-2-ylmethoxy)-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-6-(pyridin-2-ylmethoxy)-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-(pyridin-2-ylmethoxy)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-6-(pyridin-2-ylmethoxy)-
 2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-chloro-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-{6-chloro-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 ethyl 4-[[6-chloro-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-2-
 yl]acetyl]piperazine-1-carboxylate
 N-(6-chloro-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-
 yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-[4-(3-hydroxy-2,2-dimethylpropanoyl)piperazin-1-yl]-2-oxoethyl}-
 2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-[3-(dimethylamino)azetidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-oxo-2-[3-(piperidin-1-yl)azetidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-[4-(2-hydroxy-2-methylpropyl)piperidin-1-yl]-2-oxoethyl}-2H-
 indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-chloro-2-[2-(4-hydroxy-1,4'-bipiperidin-1'-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(dimethylamino)piperidin-1-yl]-2-oxoethyl}-6-ethoxy-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-ethoxy-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-ethoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-ethoxy-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(6-ethoxy-2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-
 yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(6-ethoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-3-methyl-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[3-(4-benzoylpiperazin-1-yl)-3-oxopropyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-2-(pyridin-3-yl)-1,3-thiazole-4-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-2-(pyridin-4-yl)-1,3-thiazole-4-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 6-(azetidin-3-ylamino)-N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
 N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(pyridin-3-yl)-1,3-thiazole-4-carboxamide
 N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1H-pyrazol-4-yl)pyridine-2-carboxamide
 6-(1,3-dimethyl-1H-pyrazol-4-yl)-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide
 N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-[3-(trifluoromethyl)-1H-pyrazol-4-yl]pyridine-2-carboxamide
 6-ethyl-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide
 6-(1-methyl-1H-pyrazol-4-yl)-N-(2-{2-oxo-2-[4-(2,2,2-trifluoroethyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(2,2,2-trifluoroethyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-ethyl-3-oxopiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(morpholin-4-yl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(pyridin-4-yl)-1,3-thiazole-4-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-chloropyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-methyl-1,3-oxazole-5-carboxamide

6-amino-N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-methyl-1,3-oxazole-4-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methoxypyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-cyclopropyl-1,3-oxazole-4-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(4H-1,2,4-triazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-phenyl-2H-1,2,3-triazole-4-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-5-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(trifluoromethyl)-1,3-thiazole-4-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1H-pyrazol-1-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-1-ethyl-1H-pyrazole-3-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(4-chloro-1H-pyrazol-1-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-4-(trifluoromethyl)-1,3-thiazole-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1,3-dimethyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2,4'-bipyridine-6-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-5-fluoro-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(3-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1H-1,2,4-triazol-1-yl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-[3-(trifluoromethyl)-1H-pyrazol-4-yl]pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-ethoxypyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(cyclopropylmethoxy)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-ethylpyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(4-methoxyphenyl)-1,3-thiazole-4-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-bromo-1,3-thiazole-4-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(4-fluorophenyl)-1,3-thiazole-4-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-fluoropyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-bromopyridine-2-carboxamide
 N-(2-{2-[4-(4-fluorobenzoyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyridin-2-yl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(methoxyacetyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-cyclopentyl-3-oxopiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-oxo-2-(3-oxo-4-phenylpiperazin-1-yl)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(2,2-dimethylpropanoyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylmethyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-oxo-2-(pyridazin-4-ylamino)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[4-(2-hydroxy-2-methylpropanoyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-oxo-2-[4-(1-phenylethyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-oxo-2-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(4-isonicotinoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[4-(morpholin-4-ylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-(2-{4-[2-(methylamino)-2-oxoethyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-oxo-2-[4-(pyrazin-2-yl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[4-(1-hydroxyethyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(2-methyl-2,8-diazaspiro[4.5]dec-8-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(6-acetyl-2,6-diazaspiro[3.3]hept-2-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-oxo-2-(3-oxo-2,8-diazaspiro[4.5]dec-8-yl)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(6-methyl-2,6-diazaspiro[3.5]non-2-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(7-oxa-2-azaspiro[3.5]non-2-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(1,4'-bipiperidin-1'-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[2-(hydroxymethyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[3-(hydroxymethyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(4-carbamoylpiperidin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[3-(dimethylamino)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-[3-(morpholin-4-ylmethyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-(2-{4-[(cyclopropylcarbonyl)amino]piperidin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-
 6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(3-ethyl-1,2,4-oxadiazol-5-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-
 6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(5-cyclopropyl-1,2,4-oxadiazol-3-yl)methyl]piperidin-1-yl}-2-oxoethyl)-
 2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyrrolidin-1-ylcarbonyl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[2-(morpholin-4-yl)ethyl]piperidin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]piperidin-1-yl}-2-oxoethyl)-2H-
 indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[3-(pyrrolidin-1-ylmethyl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{[3-(dimethylsulphamoyl)phenyl]amino}-2-oxoethyl)-2H-indazol-5-yl]-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(1,2-oxazol-4-ylamino)-2-oxoethyl]-2H-indazol-5-yl}-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(methylsulphonyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-oxo-2-{4-[2-oxo-2-(pyrrolidin-1-yl)ethyl]piperazin-1-yl}ethyl)-2H-indazol-5-
 yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(phenylsulphonyl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[(3-sulphamoylphenyl)amino]ethyl}-2H-indazol-5-yl)-6-
 (trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[isonicotinoyl(methyl)amino]piperidin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-
 6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[2-(isopropylamino)-2-oxoethyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-
 yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(1,1-dioxidotetrahydrothiophen-3-yl)piperazin-1-yl]-2-oxoethyl}-2H-
 indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(methoxyacetyl)(methyl)amino]piperidin-1-yl}-2-oxoethyl)-2H-indazol-5-
 yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 ethyl 4-{[5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-2-
 yl]acetyl}piperazine-1-carboxylate

N-(2-{2-[4-(cyclohexylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[2-(cyclopropylamino)-2-oxoethyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[2-(2-hydroxyethyl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(1H-pyrrol-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(3-hydroxypropyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 4-{[5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-2-yl]acetyl}piperazine-1-carboxamide
 N-(2-{2-oxo-2-[4-(2-oxopyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(2-amino-2-oxoethyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(1,1-dioxidothiomorpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-isopropylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(2-thienylcarbonyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(2-cyclopropyl-2-oxoethyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(1-methyl-1H-pyrazol-4-yl)methyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N,N-diethyl-4-{[5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-2-yl]acetyl}piperazine-1-carboxamide
 N-{2-[2-oxo-2-(thiomorpholin-4-yl)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(2-furylmethyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-(2-{2-oxo-2-[4-(3-thienylmethyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4'-methyl-1,4'-bipiperidin-1'-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(6-methyl-2,6-diazaspiro[3.3]hept-2-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-cyclopentylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyridin-4-ylmethyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(dimethylsulphamoyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyridin-4-yl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(methylsulphonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 formic acid N-[2-(2-{4-[2-(1H-imidazol-1-yl)ethyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide (1:1)
 N-(2-{2-[4-(diethylsulphamoyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(pyridin-3-yl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-oxo-2-[4-(piperidin-1-ylsulphonyl)piperazin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-[2-(2-{4-[(1,5-dimethyl-1H-pyrazol-4-yl)sulphonyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylmethyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 6-(1-methyl-1H-pyrazol-4-yl)-N-(2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
 N-{2-[2-(4-ethylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide
 N-(2-{2-[4-(dimethylamino)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)pyridine-2-carboxamide

N-(2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide
 N-(2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-6-ethoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[(cyclopropylmethyl)(methyl)amino]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 6-cyclopropyl-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide
 6-(1-hydroxyethyl)-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide
 6-(azetidin-3-ylamino)-N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide
 6-[(azetidin-2-ylmethyl)amino]-N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(3-hydroxyazetidin-1-yl)pyridine-2-carboxamide
 6-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide
 N-[2-(2-{4-methyl-4-[(4-methylpiperazin-1-yl)carbonyl]piperidin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(6-chloro-2-{2-oxo-2-[(3R)-piperidin-3-ylamino]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-isopropoxy-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide
 N-(2-{2-[4-(cyclopropylcarbonyl)piperazin-1-yl]-2-oxoethyl}-6-isopropoxy-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-isopropoxy-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide
 N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-6-isopropoxy-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-isopropoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-isopropoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide
 N-(2-{2-[4-(cyclobutylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide
 N-(2-{2-[4-(cyclopentylcarbonyl)piperazin-1-yl]-2-oxoethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-(2-{4-[3-(methylsulphonyl)benzoyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

N-[2-(2-{4-[2-methoxy-5-(methylsulphonyl)benzoyl]piperazin-1-yl}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

6-bromo-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)pyridine-2-carboxamide

2-(4-methoxyphenyl)-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-1,3-thiazole-4-carboxamide

2-(4-fluorophenyl)-N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-1,3-thiazole-4-carboxamide

N-(6-methyl-2-{2-oxo-2-[4-(pyrrolidin-1-yl)piperidin-1-yl]ethyl}-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

6-bromo-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-bromo-N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl}pyridine-2-carboxamide

N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-6-(trifluoromethoxy)-2H-indazol-5-yl}-6-(4H-1,2,4-triazol-4-yl)pyridine-2-carboxamide

2-bromo-N-{6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-1,3-thiazole-4-carboxamide

N-{6-hydroxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-[6-(benzyloxy)-2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-2H-indazol-5-yl]-6-methylpyridine-2-carboxamide

6-bromo-N-{6-bromo-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{6-(benzyloxy)-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide

2-(azetidin-3-ylamino)-N-{2-[2-(4-benzoylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-1,3-thiazole-4-carboxamide

6-acetamido-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-(dimethylamino)-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide

6-(dimethylamino)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-acetamido-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide

6-(dimethylamino)-N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-[3-(methylsulphonyl)phenyl]pyridine-2-carboxamide

N-{2-[1-(4-benzoylpiperazin-1-yl)-1-oxopropan-2-yl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-[6-chloro-2-(2-{[trans-4-(2-hydroxypropan-2-yl)cyclohexyl]amino}-2-oxoethyl)-2H-indazol-5-yl]-6-(trifluoromethyl)pyridine-2-carboxamide

6-(2-hydroxypropan-2-yl)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{6-chloro-2-[2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-chloro-2-[2-oxo-2-(pyrrolidin-1-yl)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-chloro-2-[2-(2-oxa-7-azaspiro[3.5]non-7-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-(6-chloro-2-[2-[4-(2-hydroxy-2-methylpropyl)piperazin-1-yl]-2-oxoethyl]-2H-indazol-5-yl)-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-methoxy-2-[2-oxo-2-(pyrrolidin-1-yl)ethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl]-6-methoxy-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

6-(difluoromethyl)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{2-[2-(3,3-difluoropyrrolidin-1-yl)-2-oxoethyl]-6-methoxy-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide

N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-methylpyridine-2-carboxamide

N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-2-(tetrahydro-2H-pyran-4-yl)-1,3-oxazole-4-carboxamide

N-{2-[2-(1,1-dioxido-1-thia-6-azaspiro[3.3]hept-6-yl)-2-oxoethyl]-6-methoxy-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-methoxy-2-[2-(2-oxa-6-azaspiro[3.3]hept-6-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(3-hydroxy-2,2-dimethylpropoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

6-ethyl-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-isobutyl-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

methyl 2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazole-6-carboxylate

methyl 5-({[6-methylpyridin-2-yl]carbonyl}amino)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazole-6-carboxylate

N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(pyrrolidin-1-yl)pyridine-2-carboxamide

N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(morpholin-4-yl)pyridine-2-carboxamide

6-(cyclopropylamino)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-(butylamino)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(propylamino)pyridine-2-carboxamide

6-(isobutylamino)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

R-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(2,2,2-trifluoro-1-hydroxyethyl)pyridine-2-carboxamide

S-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(2,2,2-trifluoro-1-hydroxyethyl)pyridine-2-carboxamide

6-(1-hydroxyethyl)-N-{6-methoxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-(cyclopropylamino)-N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(propylamino)pyridine-2-carboxamide

6-(isobutylamino)-N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

6-(1-hydroxyethyl)-N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}pyridine-2-carboxamide

N-{6-methoxy-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-4-methyl-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(benzyloxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

6-(cyclopropylamino)-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide

6-(butylamino)-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)pyridine-2-carboxamide

N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-[(2-methoxyethyl)amino]pyridine-2-carboxamide

N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-(propylamino)pyridine-2-carboxamide

N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-(isobutylamino)pyridine-2-carboxamide

5-fluoro-N-(2-{2-[4-(2-hydroxypropan-2-yl)piperidin-1-yl]-2-oxoethyl}-6-methoxy-2H-indazol-5-yl)-6-methylpyridine-2-carboxamide

N-{6-hydroxy-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(3-cyanopropoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-6-(2,2,2-trifluoroethoxy)-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(cyclohexylmethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(2,2-dimethylpropoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-6-(tetrahydrofuran-2-ylmethoxy)-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(cyclopentyloxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(cyanomethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)acetic acid

N-{6-(cyclobutylmethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-6-[2-(pyrrolidin-1-yl)ethoxy]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-[2-(morpholin-4-yl)ethoxy]-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{2-[2-(morpholin-4-yl)-2-oxoethyl]-6-[2-(piperidin-1-yl)ethoxy]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide


N-{6-(3-hydroxypropoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide

N-{6-(2-hydroxypropoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-(2-hydroxyethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-(2-methoxyethoxy)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 ethyl ({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)acetate
 methyl 4-({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)butanoate
 ethyl 2-({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)propanoate
 ethyl 3-methyl-2-({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)butanoate
 2-({2-[2-(morpholin-4-yl)-2-oxoethyl]-5-({[6-(trifluoromethyl)pyridin-2-yl]carbonyl}amino)-2H-indazol-6-yl}oxy)propanoic acid
 N-{6-(2-hydroxypropan-2-yl)-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(trifluoromethyl)pyridine-2-carboxamide
 N-{6-chloro-2-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(difluoromethyl)pyridine-2-carboxamide
 N-{6-chloro-2-[2-(morpholin-4-yl)-2-oxoethyl]-2H-indazol-5-yl}-6-(difluoromethyl)pyridine-2-carboxamide.

11. Compound of the formula (I) as defined in any of Claims 1 to 10 for use as a medicament.
12. Compound of the formula (I) as defined in any of Claims 1 to 10 for use in the treatment and/or prophylaxis of
 - tumour disorders selected from the group consisting of lymphomas, chronic lymphatic leukaemia, melanomas and liver cell carcinoma, Ras-dependent tumours,
 - dermatological disorders selected from the group consisting of psoriasis, atopic dermatitis, allergic contact dermatitis,
 - cardiovascular disorders selected from the group consisting of arteriosclerosis, myocardial reperfusion damage, myocardial infarction, hypertension,
 - pulmonary disorders selected from the group consisting of pulmonary fibrosis, chronic obstructive pulmonary disease (COPD), acute respiratory distress syndrome (ARDS), acute lung injury (ALI), interstitial lung disease (ILD), sarcoidosis, pulmonary hypertension, asthma, idiopathic interstitial pneumonia,
 - ophthalmological disorders selected from the group consisting of ceratitis, allergic conjunctivitis, keratoconjunctivitis sicca, macular degeneration, uveitis,


- neurological disorders selected from the group consisting of Alzheimer's disease, stroke, Parkinson's disease, skull-brain trauma,
inflammatory disorders selected from the group consisting of Crohn's disease, ulcerative colitis, and
- 5 pain selected from the group consisting of cancer pain, postoperative pain and inflammation-induced and chronic pain.
13. Compound of the formula (I) as defined in any of Claims 1 to 10 for use in the treatment and/or prophylaxis of lymphomas, macular degeneration, endometriosis, psoriasis, lupus erythematosus, multiple sclerosis, COPD, rheumatoid arthritis.
- 10
14. The use of a compound of the formula (I) as defined in any of Claims 1 to 10 in the manufacture of a medicament for the treatment and/or prophylaxis of
- tumour disorders selected from the group consisting of lymphomas, chronic lymphatic leukaemia, melanomas and liver cell carcinoma, Ras-dependent tumours,
- 15 dermatological disorders selected from the group consisting of psoriasis, atopic dermatitis, allergic contact dermatitis,
- cardiovascular disorders selected from the group consisting of arteriosclerosis, myocardial reperfusion damage, myocardial infarction, hypertension,
- pulmonary disorders selected from the group consisting of pulmonary fibrosis, chronic obstructive pulmonary disease (COPD), acute respiratory distress syndrome (ARDS), acute lung injury (ALI), interstitial lung disease (ILD), sarcoidosis, pulmonary hypertension, asthma, idiopathic interstitial pneumonia,
- 20 ophthalmological disorders selected from the group consisting of ceratitis, allergic conjunctivitis, keratoconjunctivitis sicca, macular degeneration, uveitis,
- 25 neurological disorders selected from the group consisting of Alzheimer's disease, stroke, Parkinson's disease, skull-brain trauma,
- inflammatory disorders selected from the group consisting of Crohn's disease, ulcerative colitis, and
- pain selected from the group consisting of cancer pain, postoperative pain and
- 30 inflammation-induced and chronic pain.
15. The use of a compound of the formula (I) as defined in any of Claims 1 to 10 in the manufacture of a medicament for the treatment and/or prophylaxis of lymphomas, macular degeneration, endometriosis, psoriasis, lupus erythematosus, multiple sclerosis, COPD, rheumatoid arthritis.
- 35

16. Medicament comprising a compound of the formula (I) as defined in any of Claims 1 to 10 in combination with an inert, non-toxic, pharmaceutically suitable excipient.
17. Process for preparing compounds of the general formula (III) from the compounds of the general formula (II)



in which R^{14} is either a methyl or an ethyl radical by Grignard reaction with methyl- or ethylmagnesium bromide.

18. Compounds of the general formula (III)



in which R^{14} is either a methyl or an ethyl radical.