

Methods Of Treating A Metabolic Disorder With Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) Inhibitors

Reference To Sequence Listing

5 This application includes a Sequence Listing filed electronically as a text file named 18923807802SEQ, created on June 25, 2022, with a size of 297 kilobytes. The Sequence Listing is incorporated herein by reference.

Field

10 The present disclosure relates generally to the treatment of subjects having a metabolic disorder or at risk of developing a metabolic disorder with Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) inhibitors, and methods of identifying subjects having an increased risk of developing a metabolic disorder.

Background

15 The global epidemic of Type-2 diabetes is a major public health problem, as this disease is the fifth leading cause of death worldwide and a leading cause of morbidity, premature coronary heart disease, stroke, peripheral vascular disease, renal failure, and amputation. The number of individuals living with diabetes worldwide is predicted to increase
20 from 366 million in 2011 to 552 million by 2030. Type-2 diabetes is a non-insulin-dependent diabetes that is characterized by hyperglycemia due to impaired insulin secretion and insulin resistance in target tissues. Type-2 diabetes is typically diagnosed after the age of 40 years and is caused by the combined action of genetic susceptibility and environmental factors. Type-2 diabetes is associated with obesity, and it is also a polygenic disease.

25 Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) encodes a ubiquitously expressed, mitogen-activated protein kinase involved in apoptotic cell-death (Kaji et al., Biochem. Biophys. Res. Commun., 2010, 395, 213-218), not previously implicated in type-2 diabetes.

30

Summary

The present disclosure provides methods of treating a subject having a metabolic disorder or at risk of developing a metabolic disorder, the methods comprising administering a MAP3K15 inhibitor to the subject.

5 The present disclosure also provides methods of treating a subject having Type-2 diabetes or at risk of developing Type-2 diabetes, the methods comprising administering a MAP3K15 inhibitor to the subject.

10 The present disclosure also provides methods of treating a subject having increased hemoglobin A1c or at risk of developing increased hemoglobin A1c, the methods comprising administering a MAP3K15 inhibitor to the subject.

 The present disclosure also provides methods of treating a subject having increased serum glucose or at risk of developing increased serum glucose, the methods comprising administering a MAP3K15 inhibitor to the subject.

15 Disclosed herein is the use of a MAP3K15 inhibitor in the preparation of a medicament for treating a subject having a metabolic disorder or at risk of developing a metabolic disorder, having Type-2 diabetes or at risk of developing Type-2 diabetes, having increased hemoglobin A1c or at risk of developing increased hemoglobin A1c, or having increased serum glucose or at risk of developing increased serum glucose.

20 The present disclosure also provides methods of treating a subject with a therapeutic agent that treats or prevents a metabolic disorder, wherein the subject has a metabolic disorder or is at risk of developing a metabolic disorder, the methods comprising the steps of: determining whether the subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide by: obtaining or having obtained a biological sample from the subject; and performing or having performed a sequence analysis on
25 the biological sample to determine if the subject has a genotype comprising the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; and: i) administering or continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in a standard dosage amount to a subject that is MAP3K15 reference, and/or administering a MAP3K15 inhibitor to the subject; ii) administering or
30 continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than a standard dosage amount to a subject that is heterozygous for the MAP3K15 missense variant nucleic acid molecule, and/or administering a

MAP3K15 inhibitor to the subject; or iii) administering or continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than a standard dosage amount to a subject that is homozygous for the MAP3K15 missense variant nucleic acid molecule; wherein the presence of a genotype having the
5 MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder.

Disclosed herein is the use of a therapeutic agent that treats a metabolic disorder in the preparation of a medicament for treating a subject that has a metabolic disorder or is at
10 risk of developing a metabolic disorder, wherein the subject has been determined to have a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide by: performing or having performed a sequence analysis on a biological sample obtained or having been obtained from the subject to determine if the subject has a genotype comprising the MAP3K15 missense variant nucleic acid molecule; and wherein the
15 therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in a standard dosage amount to a subject that is MAP3K15 reference, and/or a MAP3K15 inhibitor is to be administered to the subject; wherein the therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in an amount that is the same as or less than a standard dosage
20 amount to a subject that is heterozygous for the MAP3K15 missense variant nucleic acid molecule, and/or a MAP3K15 inhibitor is to be administered to the subject; or wherein the therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in an amount that is the same as or less than a standard dosage amount to a subject that is homozygous for the MAP3K15 missense variant nucleic acid
25 molecule; wherein the presence of a genotype having the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder.

Disclosed herein is a method of identifying a subject having an increased risk of developing a metabolic disorder, the method comprising: determining or having determined
30 the presence or absence of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample obtained from the subject; when the subject is MAP3K15 reference, then the subject has an increased risk of

developing the metabolic disorder; and when the subject is heterozygous or homozygous for the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide, then the subject has a decreased risk of developing the metabolic disorder.

5 The present disclosure also provides therapeutic agents that treat or prevent a metabolic disorder for use in the treatment or prevention of the metabolic disorder in a subject having: a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or a MAP3K15 missense variant cDNA
10 molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

 Disclosed herein is the use of a therapeutic agent that treats a metabolic disorder in the preparation of a medicament for treating the metabolic disorder in a subject having: a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; a MAP3K15 missense variant mRNA molecule encoding a MAP3K15
15 predicted loss-of-function polypeptide; or a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

 The present disclosure also provides MAP3K15 inhibitors for use in the treatment or prevention of a metabolic disorder in a subject that: a) is reference for a MAP3K15 genomic nucleic acid molecule, a MAP3K15 mRNA molecule, or a MAP3K15 cDNA molecule; or b) is
20 heterozygous for: i) a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; ii) a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or iii) a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

 Disclosed herein is the use of a MAP3K15 inhibitor in the preparation of a medicament
25 for treating a metabolic disorder in a subject that: a) is reference for a MAP3K15 genomic nucleic acid molecule, a MAP3K15 mRNA molecule, or a MAP3K15 cDNA molecule; or b) is heterozygous for: i) a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; ii) a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or iii) a MAP3K15
30 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

Description

Various terms relating to aspects of the present disclosure are used throughout the specification and claims. Such terms are to be given their ordinary meaning in the art, unless otherwise indicated. Other specifically defined terms are to be construed in a manner consistent with the definitions provided herein.

5 Unless otherwise expressly stated, it is in no way intended that any method or aspect set forth herein be construed as requiring that its steps be performed in a specific order. Accordingly, where a method claim does not specifically state in the claims or descriptions that the steps are to be limited to a specific order, it is in no way intended that an order be inferred, in any respect. This holds for any possible non-expressed basis for interpretation, including
10 matters of logic with respect to arrangement of steps or operational flow, plain meaning derived from grammatical organization or punctuation, or the number or type of aspects described in the specification.

As used herein, the singular forms “a,” “an” and “the” include plural referents unless the context clearly dictates otherwise.

15 As used herein, the term “about” means that the recited numerical value is approximate and small variations would not significantly affect the practice of the disclosed embodiments. Where a numerical value is used, unless indicated otherwise by the context, the term “about” means the numerical value can vary by $\pm 10\%$ and remain within the scope of the disclosed embodiments.

20 As used herein, the term “comprising” may be replaced with “consisting” or “consisting essentially of” in particular embodiments as desired.

As used herein, the term “isolated”, in regard to a nucleic acid molecule or a polypeptide, means that the nucleic acid molecule or polypeptide is in a condition other than its native environment, such as apart from blood and/or animal tissue. In some embodiments, an
25 isolated nucleic acid molecule or polypeptide is substantially free of other nucleic acid molecules or other polypeptides, particularly other nucleic acid molecules or polypeptides of animal origin. In some embodiments, the nucleic acid molecule or polypeptide can be in a highly purified form, i.e., greater than 95% pure or greater than 99% pure. When used in this context, the term “isolated” does not exclude the presence of the same nucleic acid molecule
30 or polypeptide in alternative physical forms, such as dimers or Alternately phosphorylated or derivatized forms.

As used herein, the terms “nucleic acid”, “nucleic acid molecule”, “nucleic acid sequence”, “polynucleotide”, or “oligonucleotide” can comprise a polymeric form of nucleotides of any length, can comprise DNA and/or RNA, and can be single-stranded, double-stranded, or multiple stranded. One strand of a nucleic acid also refers to its complement.

5 As used herein, the term “subject” includes any animal, including mammals. Mammals include, but are not limited to, farm animals (such as, for example, horse, cow, pig), companion animals (such as, for example, dog, cat), laboratory animals (such as, for example, mouse, rat, rabbits), and non-human primates. In some embodiments, the subject is a human. In some embodiments, the human is a patient under the care of a physician.

10 It has been observed in accordance with the present disclosure that MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides (whether these variations are homozygous or heterozygous in a particular subject) associate with a decreased risk of developing a metabolic disorder. It is believed that the MAP3K15 missense variant nucleic acid molecules encoding the MAP3K15 predicted loss-of-
15 function polypeptides have not been associated with metabolic disorders, such as Type-2 diabetes. Moreover, the identification by the present disclosure of the association between additional variants and gene burden masks indicates that MAP3K15 itself (rather than linkage disequilibrium with variants in another gene) is responsible for a protective effect in a metabolic disorder, such as Type-2 diabetes. Therefore, subjects that are MAP3K15 reference
20 or heterozygous for MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides may be treated with a MAP3K15 inhibitor such that metabolic disorder is inhibited or prevented, the symptoms thereof are reduced or prevented, and/or development of symptoms is repressed or prevented. It is also believed that such subjects having a metabolic disorder may further be treated with therapeutic agents that treat
25 or prevent the metabolic disorder.

For purposes of the present disclosure, any particular subject, such as a human, can be categorized as having one of three MAP3K15 genotypes: i) MAP3K15 reference; ii) heterozygous for MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides; or iii) homozygous for MAP3K15 missense variant
30 nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides. A subject is MAP3K15 reference when the subject does not have a copy of a MAP3K15 missense variant nucleic acid molecules encoding a MAP3K15 predicted loss-of-function polypeptide. A subject is

heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide when the subject has a single copy of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide. A MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is any nucleic acid molecule (such as, a genomic nucleic acid molecule, an mRNA molecule, or a cDNA molecule) encoding a variant MAP3K15 polypeptide having a partial loss-of-function, a complete loss-of-function, a predicted partial loss-of-function, or a predicted complete loss-of-function. A subject who has a MAP3K15 polypeptide having a partial loss-of-function (or predicted partial loss-of-function) is hypomorphic for MAP3K15. A subject is homozygous for MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides when the subject has two copies (same or different) of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

For subjects that are genotyped or determined to be MAP3K15 reference, such subjects have an increased risk of developing a metabolic disorder, such as Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose. For subjects that are genotyped or determined to be either MAP3K15 reference or heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, such subjects can be treated with a MAP3K15 inhibitor.

In any of the embodiments described herein, the MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides can be any nucleic acid molecule (such as, for example, genomic nucleic acid molecule, mRNA molecule, or cDNA molecule) encoding a MAP3K15 variant polypeptide having a partial loss-of-function, a complete loss-of-function, a predicted partial loss-of-function, or a predicted complete loss-of-function. In some embodiments, the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is associated with a reduced *in vitro* response to MAP3K15 ligands compared with reference MAP3K15. In some embodiments, the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide is a MAP3K15 variant that results or is predicted to result in a premature truncation of a MAP3K15 polypeptide compared to the human reference genome sequence. In some embodiments, the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is a variant that is predicted to be damaging by *in vitro*

prediction algorithms such as Polyphen, SIFT, or similar algorithms. In some embodiments, the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is a variant that causes or is predicted to cause a nonsynonymous amino-acid substitution in MAP3K15 and whose allele frequency is less than 1/100 alleles in the
5 population from which the subject is selected. In some embodiments, the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is any rare missense variant (allele frequency < 0.1%; or 1 in 1,000 alleles), or any splice-site, stop-gain, start-loss, stop-loss, frameshift, or in-frame indel, or other frameshift MAP3K15 variant.

In any of the embodiments described herein, the MAP3K15 predicted loss-of-function
10 polypeptide can be any MAP3K15 polypeptide having a partial loss-of-function, a complete loss-of-function, a predicted partial loss-of-function, or a predicted complete loss-of-function.

In any of the embodiments described herein, the MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide can include variations at any positions of the X chromosome using the nucleotide sequence of the
15 MAP3K15 reference genomic nucleic acid molecule (SEQ ID NO:1; ENSG00000180815.14 in the GRCh38/hg38 human genome assembly) as a reference sequence.

Any one or more (i.e., any combination) of MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides can be used within any of the methods described herein to determine whether a subject has an increased risk of
20 developing a metabolic disorder, such as Type-2 diabetes. The combinations of particular variants can form a mask used for statistical analysis of the particular correlation of MAP3K15 and decreased risk of developing a metabolic disorder, such as Type-2 diabetes.

In any of the embodiments described herein, the metabolic disorder is Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose. In some embodiments, the
25 metabolic disorder is Type-2 diabetes. In some embodiments, the metabolic disorder is increased hemoglobin A1c. In some embodiments, the metabolic disorder is increased serum glucose.

Symptoms of Type-2 diabetes include, but are not limited to, any one or more of high blood sugar, insulin resistance, and low insulin levels, or any combination thereof. In some
30 embodiments, the Type-2 diabetes symptoms further comprise polyuria, polydipsia, polyphagia, weight loss, blurred vision, itchiness, peripheral neuropathy, recurrent vaginal infections, and fatigue, or any combination thereof.

The present disclosure provides methods of treating a subject having a metabolic disorder or at risk of developing a metabolic disorder, the methods comprising administering a MAP3K15 inhibitor to the subject.

5 The present disclosure also provides methods of treating a subject having Type-2 diabetes or at risk of developing Type-2 diabetes, the methods comprising administering a MAP3K15 inhibitor to the subject.

The present disclosure also provides methods of treating a subject having increased hemoglobin A1c or at risk of developing increased hemoglobin A1c, the methods comprising administering a MAP3K15 inhibitor to the subject.

10 The present disclosure also provides methods of treating a subject having increased serum glucose or at risk of developing increased serum glucose, the methods comprising administering a MAP3K15 inhibitor to the subject.

The present disclosure also provides methods of preventing a subject from developing a metabolic disorder, the methods comprising administering a MAP3K15 inhibitor to the
15 subject.

The present disclosure also provides methods of preventing a subject from developing Type-2 diabetes, the methods comprising administering a MAP3K15 inhibitor to the subject.

The present disclosure also provides methods of preventing a subject from developing increased hemoglobin A1c, the methods comprising administering a MAP3K15 inhibitor to the
20 subject.

The present disclosure also provides methods of preventing a subject from developing increased serum glucose, the methods comprising administering a MAP3K15 inhibitor to the subject.

In some embodiments, the MAP3K15 inhibitor comprises an inhibitory nucleic acid
25 molecule. Examples of inhibitory nucleic acid molecules include, but are not limited to, antisense nucleic acid molecules, small interfering RNAs (siRNAs), and short hairpin RNAs (shRNAs). Such inhibitory nucleic acid molecules can be designed to target any region of a MAP3K15 nucleic acid molecule. In some embodiments, the antisense RNA, siRNA, or shRNA hybridizes to a sequence within a MAP3K15 genomic nucleic acid molecule or mRNA molecule
30 and decreases expression of the MAP3K15 polypeptide in a cell in the subject. In some embodiments, the MAP3K15 inhibitor comprises an antisense molecule that hybridizes to a MAP3K15 genomic nucleic acid molecule or mRNA molecule and decreases expression of the

MAP3K15 polypeptide in a cell in the subject. In some embodiments, the MAP3K15 inhibitor comprises an siRNA that hybridizes to a MAP3K15 genomic nucleic acid molecule or mRNA molecule and decreases expression of the MAP3K15 polypeptide in a cell in the subject. In some embodiments, the MAP3K15 inhibitor comprises an shRNA that hybridizes to a MAP3K15 genomic nucleic acid molecule or mRNA molecule and decreases expression of the MAP3K15 polypeptide in a cell in the subject.

The inhibitory nucleic acid molecules can comprise RNA, DNA, or both RNA and DNA. The inhibitory nucleic acid molecules can also be linked or fused to a heterologous nucleic acid sequence, such as in a vector, or a heterologous label. For example, the inhibitory nucleic acid molecules can be within a vector or as an exogenous donor sequence comprising the inhibitory nucleic acid molecule and a heterologous nucleic acid sequence. The inhibitory nucleic acid molecules can also be linked or fused to a heterologous label. The label can be directly detectable (such as, for example, fluorophore) or indirectly detectable (such as, for example, hapten, enzyme, or fluorophore quencher). Such labels can be detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. Such labels include, for example, radiolabels, pigments, dyes, chromogens, spin labels, and fluorescent labels. The label can also be, for example, a chemiluminescent substance; a metal-containing substance; or an enzyme, where there occurs an enzyme-dependent secondary generation of signal. The term "label" can also refer to a "tag" or hapten that can bind selectively to a conjugated molecule such that the conjugated molecule, when added subsequently along with a substrate, is used to generate a detectable signal. For example, biotin can be used as a tag along with an avidin or streptavidin conjugate of horseradish peroxidase (HRP) to bind to the tag, and examined using a calorimetric substrate (such as, for example, tetramethylbenzidine (TMB)) or a fluorogenic substrate to detect the presence of HRP. Exemplary labels that can be used as tags to facilitate purification include, but are not limited to, myc, HA, FLAG or 3XFLAG, 6XHis or polyhistidine, glutathione-S-transferase (GST), maltose binding protein, an epitope tag, or the Fc portion of immunoglobulin. Numerous labels include, for example, particles, fluorophores, haptens, enzymes and their calorimetric, fluorogenic and chemiluminescent substrates and other labels.

The inhibitory nucleic acid molecules can comprise, for example, nucleotides or non-natural or modified nucleotides, such as nucleotide analogs or nucleotide substitutes. Such nucleotides include a nucleotide that contains a modified base, sugar, or phosphate group, or that incorporates a non-natural moiety in its structure. Examples of non-natural nucleotides

include, but are not limited to, dideoxynucleotides, biotinylated, aminated, deaminated, alkylated, benzylated, and fluorophor-labeled nucleotides.

The inhibitory nucleic acid molecules can also comprise one or more nucleotide analogs or substitutions. A nucleotide analog is a nucleotide which contains a modification to either the base, sugar, or phosphate moieties. Modifications to the base moiety include, but are not limited to, natural and synthetic modifications of A, C, G, and T/U, as well as different purine or pyrimidine bases such as, for example, pseudouridine, uracil-5-yl, hypoxanthin-9-yl (I), and 2-aminoadenin-9-yl. Modified bases include, but are not limited to, 5-methylcytosine (5-me-C), 5-hydroxymethyl cytosine, xanthine, hypoxanthine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 2-thiouracil, 2-thiothymine and 2-thiocytosine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 8-halo, 8-amino, 8-thiol, 8-thioalkyl, 8-hydroxyl and other 8-substituted adenines and guanines, 5-halo (such as, for example, 5-bromo), 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 7-methyladenine, 8-azaguanine, 8-azaadenine, 7-deazaguanine, 7-deazaadenine, 3-deazaguanine, and 3-deazaadenine.

Nucleotide analogs can also include modifications of the sugar moiety. Modifications to the sugar moiety include, but are not limited to, natural modifications of the ribose and deoxy ribose as well as synthetic modifications. Sugar modifications include, but are not limited to, the following modifications at the 2' position: OH; F; O-, S-, or N-alkyl; O-, S-, or N-alkenyl; O-, S- or N-alkynyl; or O-alkyl-O-alkyl, wherein the alkyl, alkenyl, and alkynyl may be substituted or unsubstituted C₁₋₁₀alkyl or C₂₋₁₀alkenyl, and C₂₋₁₀alkynyl. Exemplary 2' sugar modifications also include, but are not limited to, -O[(CH₂)_nO]_mCH₃, -O(CH₂)_nOCH₃, -O(CH₂)_nNH₂, -O(CH₂)_nCH₃, -O(CH₂)_n-ONH₂, and -O(CH₂)_nON[(CH₂)_nCH₃]₂, where n and m, independently, are from 1 to about 10. Other modifications at the 2' position include, but are not limited to, C₁₋₁₀alkyl, substituted lower alkyl, alkaryl, aralkyl, O-alkaryl or O-aralkyl, SH, SCH₃, OCN, Cl, Br, CN, CF₃, OCF₃, SOCH₃, SO₂CH₃, ONO₂, NO₂, N₃, NH₂, heterocycloalkyl, heterocycloalkaryl, aminoalkylamino, polyalkylamino, substituted silyl, an RNA cleaving group, a reporter group, an intercalator, a group for improving the pharmacokinetic properties of an oligonucleotide, or a group for improving the pharmacodynamic properties of an oligonucleotide, and other substituents having similar properties. Similar modifications may also be made at other positions on the sugar, particularly the 3' position of the sugar on the 3' terminal nucleotide or

in 2'-5' linked oligonucleotides and the 5' position of 5' terminal nucleotide. Modified sugars can also include those that contain modifications at the bridging ring oxygen, such as CH₂ and S. Nucleotide sugar analogs can also have sugar mimetics, such as cyclobutyl moieties in place of the pentofuranosyl sugar.

5 Nucleotide analogs can also be modified at the phosphate moiety. Modified phosphate moieties include, but are not limited to, those that can be modified so that the linkage between two nucleotides contains a phosphorothioate, chiral phosphorothioate, phosphorodithioate, phosphotriester, aminoalkylphosphotriester, methyl and other alkyl phosphonates including 3'-alkylene phosphonate and chiral phosphonates, phosphinates, phosphoramidates including 10 3'-amino phosphoramidate and aminoalkylphosphoramidates, thionophosphoramidates, thionoalkylphosphonates, thionoalkylphosphotriesters, and boranophosphates. These phosphate or modified phosphate linkage between two nucleotides can be through a 3'-5' linkage or a 2'-5' linkage, and the linkage can contain inverted polarity such as 3'-5' to 5'-3' or 2'-5' to 5'-2'. Various salts, mixed salts, and free acid forms are also included. Nucleotide 15 substitutes also include peptide nucleic acids (PNAs).

 In some embodiments, the antisense nucleic acid molecules are gapmers, whereby the first one to seven nucleotides at the 5' and 3' ends each have 2'-methoxyethyl (2'-MOE) modifications. In some embodiments, the first five nucleotides at the 5' and 3' ends each have 2'-MOE modifications. In some embodiments, the first one to seven nucleotides at the 5' and 3' 20 ends are RNA nucleotides. In some embodiments, the first five nucleotides at the 5' and 3' ends are RNA nucleotides. In some embodiments, each of the backbone linkages between the nucleotides is a phosphorothioate linkage.

 In some embodiments, the siRNA molecules have termini modifications. In some embodiments, the 5' end of the antisense strand is phosphorylated. In some embodiments, 25 5'-phosphate analogs that cannot be hydrolyzed, such as 5'-(E)-vinyl-phosphonate are used.

 In some embodiments, the siRNA molecules have backbone modifications. In some embodiments, the modified phosphodiester groups that link consecutive ribose nucleosides have been shown to enhance the stability and *in vivo* bioavailability of siRNAs. The non-ester groups (-OH, =O) of the phosphodiester linkage can be replaced with sulfur, boron, or acetate 30 to give phosphorothioate, boranophosphate, and phosphonoacetate linkages. In addition, substituting the phosphodiester group with a phosphotriester can facilitate cellular uptake of siRNAs and retention on serum components by eliminating their negative charge. In some

embodiments, the siRNA molecules have sugar modifications. In some embodiments, the sugars are deprotonated (reaction catalyzed by exo- and endonucleases) whereby the 2'-hydroxyl can act as a nucleophile and attack the adjacent phosphorous in the phosphodiester bond. Such alternatives include 2'-O-methyl, 2'-O-methoxyethyl, and 2'-fluoro modifications.

5 In some embodiments, the siRNA molecules have base modifications. In some embodiments, the bases can be substituted with modified bases such as pseudouridine, 5'-methylcytidine, N6-methyladenosine, inosine, and N7-methylguanosine.

In some embodiments, the siRNA molecules are conjugated to lipids. Lipids can be conjugated to the 5' or 3' termini of siRNA to improve their *in vivo* bioavailability by allowing
10 them to associate with serum lipoproteins. Representative lipids include, but are not limited to, cholesterol and vitamin E, and fatty acids, such as palmitate and tocopherol.

In some embodiments, a representative siRNA has the following formula:

Sense: mN*mN*/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/
i2FN/*mN*/32FN/

15 Antisense: /52FN*/i2FN/*mN/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/i2FN/mN/
i2FN/mN/i2FN/mN*N*N

wherein: "N" is the base; "2F" is a 2'-F modification; "m" is a 2'-O-methyl modification, "I" is an internal base; and "*" is a phosphorothioate backbone linkage.

The present disclosure also provides vectors comprising any one or more of the
20 inhibitory nucleic acid molecules. In some embodiments, the vectors comprise any one or more of the inhibitory nucleic acid molecules and a heterologous nucleic acid. The vectors can be viral or nonviral vectors capable of transporting a nucleic acid molecule. In some embodiments, the vector is a plasmid or cosmid (such as, for example, a circular double-stranded DNA into which additional DNA segments can be ligated). In some embodiments, the vector is a viral
25 vector, wherein additional DNA segments can be ligated into the viral genome. Expression vectors include, but are not limited to, plasmids, cosmids, retroviruses, adenoviruses, adeno-associated viruses (AAV), plant viruses such as cauliflower mosaic virus and tobacco mosaic virus, yeast artificial chromosomes (YACs), Epstein-Barr (EBV)-derived episomes, and other expression vectors known in the art.

30 The present disclosure also provides compositions comprising any one or more of the inhibitory nucleic acid molecules. In some embodiments, the composition is a pharmaceutical composition. In some embodiments, the compositions comprise a carrier and/or excipient.

Examples of carriers include, but are not limited to, poly(lactic acid) (PLA) microspheres, poly(D,L-lactic-co-glycolic-acid) (PLGA) microspheres, liposomes, micelles, inverse micelles, lipid cochleates, and lipid microtubules. A carrier may comprise a buffered salt solution such as PBS, HBSS, etc.

5 In some embodiments, the MAP3K15 inhibitor comprises a nuclease agent that induces one or more nicks or double-strand breaks at a recognition sequence(s) or a DNA-binding protein that binds to a recognition sequence within a MAP3K15 genomic nucleic acid molecule. The recognition sequence can be located within a coding region of the MAP3K15 gene, or within regulatory regions that influence the expression of the gene. A recognition
10 sequence of the DNA-binding protein or nuclease agent can be located in an intron, an exon, a promoter, an enhancer, a regulatory region, or any non-protein coding region. The recognition sequence can include or be proximate to the start codon of the MAP3K15 gene. For example, the recognition sequence can be located about 10, about 20, about 30, about 40, about 50, about 100, about 200, about 300, about 400, about 500, or about 1,000 nucleotides from the
15 start codon. As another example, two or more nuclease agents can be used, each targeting a nuclease recognition sequence including or proximate to the start codon. As another example, two nuclease agents can be used, one targeting a nuclease recognition sequence including or proximate to the start codon, and one targeting a nuclease recognition sequence including or proximate to the stop codon, wherein cleavage by the nuclease agents can result in deletion of
20 the coding region between the two nuclease recognition sequences. Any nuclease agent that induces a nick or double-strand break into a desired recognition sequence can be used in the methods and compositions disclosed herein. Any DNA-binding protein that binds to a desired recognition sequence can be used in the methods and compositions disclosed herein.

 Suitable nuclease agents and DNA-binding proteins for use herein include, but are not
25 limited to, zinc finger protein or zinc finger nuclease (ZFN) pair, Transcription Activator-Like Effector (TALE) protein or Transcription Activator-Like Effector Nuclease (TALEN), or Clustered Regularly Interspersed Short Palindromic Repeats (CRISPR)/CRISPR-associated (Cas) systems. The length of the recognition sequence can vary, and includes, for example, recognition sequences that are about 30-36 bp for a zinc finger protein or ZFN pair, about 15-18 bp for each
30 ZFN, about 36 bp for a TALE protein or TALEN, and about 20 bp for a CRISPR/Cas guide RNA.

 In some embodiments, CRISPR/Cas systems can be used to modify a MAP3K15 genomic nucleic acid molecule within a cell. The methods and compositions disclosed herein

can employ CRISPR-Cas systems by utilizing CRISPR complexes (comprising a guide RNA (gRNA) complexed with a Cas protein) for site-directed cleavage of MAP3K15 nucleic acid molecules.

Cas proteins generally comprise at least one RNA recognition or binding domain that can interact with gRNAs. Cas proteins can also comprise nuclease domains (such as, for example, DNase or RNase domains), DNA binding domains, helicase domains, protein-protein interaction domains, dimerization domains, and other domains. Suitable Cas proteins include, for example, a wild type Cas9 protein and a wild type Cpf1 protein (such as, for example, FnCpf1). A Cas protein can have full cleavage activity to create a double-strand break in a MAP3K15 genomic nucleic acid molecule or it can be a nickase that creates a single-strand break in a MAP3K15 genomic nucleic acid molecule. Additional examples of Cas proteins include, but are not limited to, Cas1, Cas1B, Cas2, Cas3, Cas4, Cas5, Cas5e (CasD), Cas6, Cas6e, Cas6f, Cas7, Cas8a1, Cas8a2, Cas8b, Cas8c, Cas9 (Csn1 or Csx12), Cas10, Cas10d, CasF, CasG, CasH, Csy1, Csy2, Csy3, Cse1 (CasA), Cse2 (CasB), Cse3 (CasE), Cse4 (CasC), Csc1, Csc2, Csa5, Csn2, Csm2, Csm3, Csm4, Csm5, Csm6, Cmr1, Cmr3, Cmr4, Cmr5, Cmr6, Csb1, Csb2, Csb3, Csx17, Csx14, Csx10, Csx16, CsaX, Csx3, Csx1, Csx15, Csf1, Csf2, Csf3, Csf4, and Cu1966, and homologs or modified versions thereof. Cas proteins can also be operably linked to heterologous polypeptides as fusion proteins. For example, a Cas protein can be fused to a cleavage domain, an epigenetic modification domain, a transcriptional activation domain, or a transcriptional repressor domain. Cas proteins can be provided in any form. For example, a Cas protein can be provided in the form of a protein, such as a Cas protein complexed with a gRNA. Alternately, a Cas protein can be provided in the form of a nucleic acid molecule encoding the Cas protein, such as an RNA or DNA.

In some embodiments, targeted genetic modifications of MAP3K15 genomic nucleic acid molecules can be generated by contacting a cell with a Cas protein and one or more gRNAs that hybridize to one or more gRNA recognition sequences within a target genomic locus in the MAP3K15 genomic nucleic acid molecule. For example, a gRNA recognition sequence can be located within a region of SEQ ID NO:1. The gRNA recognition sequence can include or be proximate to the start codon of a MAP3K15 genomic nucleic acid molecule or the stop codon of a MAP3K15 genomic nucleic acid molecule. For example, the gRNA recognition sequence can be located from about 10, from about 20, from about 30, from about 40, from about 50, from about 100, from about 200, from about 300, from about 400, from about 500, or from about 1,000 nucleotides of the start codon or the stop codon.

The gRNA recognition sequences within a target genomic locus in a MAP3K15 genomic nucleic acid molecule are located near a Protospacer Adjacent Motif (PAM) sequence, which is a 2-6 base pair DNA sequence immediately following the DNA sequence targeted by the Cas9 nuclease. The canonical PAM is the sequence 5'-NGG-3' where "N" is any nucleobase followed by two guanine ("G") nucleobases. gRNAs can transport Cas9 to anywhere in the genome for gene editing, but no editing can occur at any site other than one at which Cas9 recognizes PAM. In addition, 5'-NGA-3' can be a highly efficient non-canonical PAM for human cells. Generally, the PAM is about 2-6 nucleotides downstream of the DNA sequence targeted by the gRNA. The PAM can flank the gRNA recognition sequence. In some embodiments, the gRNA recognition sequence can be flanked on the 3' end by the PAM. In some embodiments, the gRNA recognition sequence can be flanked on the 5' end by the PAM. For example, the cleavage site of Cas proteins can be about 1 to about 10, about 2 to about 5 base pairs, or three base pairs upstream or downstream of the PAM sequence. In some embodiments (such as when Cas9 from *S. pyogenes* or a closely related Cas9 is used), the PAM sequence of the non-complementary strand can be 5'-NGG-3', where N is any DNA nucleotide and is immediately 3' of the gRNA recognition sequence of the non-complementary strand of the target DNA. As such, the PAM sequence of the complementary strand would be 5'-CCN-3', where N is any DNA nucleotide and is immediately 5' of the gRNA recognition sequence of the complementary strand of the target DNA.

A gRNA is an RNA molecule that binds to a Cas protein and targets the Cas protein to a specific location within a MAP3K15 genomic nucleic acid molecule. An exemplary gRNA is a gRNA effective to direct a Cas enzyme to bind to or cleave a MAP3K15 genomic nucleic acid molecule, wherein the gRNA comprises a DNA-targeting segment that hybridizes to a gRNA recognition sequence within the MAP3K15 genomic nucleic acid molecule. Exemplary gRNAs comprise a DNA-targeting segment that hybridizes to a gRNA recognition sequence present within a MAP3K15 genomic nucleic acid molecule that includes or is proximate to the start codon or the stop codon. For example, a gRNA can be selected such that it hybridizes to a gRNA recognition sequence that is located from about 5, from about 10, from about 15, from about 20, from about 25, from about 30, from about 35, from about 40, from about 45, from about 50, from about 100, from about 200, from about 300, from about 400, from about 500, or from about 1,000 nucleotides of the start codon or located from about 5, from about 10, from about 15, from about 20, from about 25, from about 30, from about 35, from about 40, from about

45, from about 50, from about 100, from about 200, from about 300, from about 400, from about 500, or from about 1,000 nucleotides of the stop codon. Suitable gRNAs can comprise from about 17 to about 25 nucleotides, from about 17 to about 23 nucleotides, from about 18 to about 22 nucleotides, or from about 19 to about 21 nucleotides. In some embodiments, the gRNAs can comprise 20 nucleotides.

Examples of suitable gRNA recognition sequences located within the human MAP3K15 reference gene are set forth in Table 1 as SEQ ID NOs:19-38.

Table 1: Guide RNA Recognition Sequences Within the MAP3K15 Gene

Strand	gRNA Recognition Sequence	SEQ ID NO:
-	TGATCGGCCAAATCACACGT	19
+	GCACCTGAGATAATTGACCA	20
+	ATGGTGAGAGAGTTGTCTTG	21
-	TCACCAAGCTCATGGAACGG	22
-	GAACCTCAGTATTATCCATG	23
-	GGCAGATGGGAATTACCATG	24
+	GGTGAACACCTACAGCGGAG	25
+	CAATACAGCAGGCAGTACGG	26
-	GGAATTACCATGAGGTCACG	27
-	CAGCAAAAATAATCAGCGCA	28
+	ATAATTGACCAAGGGCCTCG	29
+	AGTCCGAGAAAGCTTTGACA	30
+	CGAGTACATGCAGCCCAACT	31
-	TCCACCAAAGGCATGCACAG	32
-	GCTGAGGGTTTACCACTCAA	33
+	CTCTTCTGCGATCCAAATGG	34
+	CCAACAGGACTATGATGCGA	35
-	AGTTCTGAACTAATGATCGC	36
+	TTCCATAAACAATGAAGCCG	37
+	GTGCGCAGTGAGAGCTCCCA	38

The Cas protein and the gRNA form a complex, and the Cas protein cleaves the target MAP3K15 genomic nucleic acid molecule. The Cas protein can cleave the nucleic acid molecule at a site within or outside of the nucleic acid sequence present in the target MAP3K15 genomic nucleic acid molecule to which the DNA-targeting segment of a gRNA will bind. For example, formation of a CRISPR complex (comprising a gRNA hybridized to a gRNA recognition sequence and complexed with a Cas protein) can result in cleavage of one or both strands in or near (such as, for example, within 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 20, 50, or more base pairs from) the nucleic acid sequence present in the MAP3K15 genomic nucleic acid molecule to which a DNA-targeting segment of a gRNA will bind.

Such methods can result, for example, in a MAP3K15 genomic nucleic acid molecule in which a region of SEQ ID NO:1 is disrupted, the start codon is disrupted, the stop codon is disrupted, or the coding sequence is disrupted or deleted. Optionally, the cell can be further contacted with one or more additional gRNAs that hybridize to additional gRNA recognition sequences within the target genomic locus in the MAP3K15 genomic nucleic acid molecule. By contacting the cell with one or more additional gRNAs (such as, for example, a second gRNA that hybridizes to a second gRNA recognition sequence), cleavage by the Cas protein can create two or more double-strand breaks or two or more single-strand breaks.

In some embodiments, the methods of treatment or prevention further comprise detecting the presence or absence of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample from the subject. As used throughout the present disclosure, a "MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide" is any MAP3K15 nucleic acid molecule (such as, for example, genomic nucleic acid molecule, mRNA molecule, or cDNA molecule) encoding a MAP3K15 polypeptide having a partial loss-of-function, a complete loss-of-function, a predicted partial loss-of-function, or a predicted complete loss-of-function.

The present disclosure also provides methods of treating a subject with a therapeutic agent that treats or prevents a metabolic disorder, wherein the subject has the metabolic disorder or is at risk of developing the metabolic disorder. In some embodiments, the subject has the metabolic disorder. In some embodiments, the subject is at risk of developing the metabolic disorder. The present disclosure also provides methods of preventing a subject from developing a metabolic disorder by administering a therapeutic agent that prevents the metabolic disorder. In some embodiments, the methods comprise determining whether the

subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide by obtaining or having obtained a biological sample from the subject, and performing or having performed a sequence analysis on the biological sample to determine if the subject has a genotype comprising the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide. In some embodiments, the methods further comprise administering or continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in a standard dosage amount to a subject that is MAP3K15 reference, and/or administering a MAP3K15 inhibitor to the subject. In some embodiments, the methods further comprise administering or continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than a standard dosage amount to a subject that is heterozygous for the MAP3K15 missense variant nucleic acid molecule, and/or administering a MAP3K15 inhibitor to the subject. In some embodiments, the methods further comprise administering or continuing to administer the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than a standard dosage amount to a subject that is homozygous for the MAP3K15 missense variant nucleic acid molecule. The presence of a genotype having the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder, such as Type-2 diabetes. In some embodiments, the subject is MAP3K15 reference. In some embodiments, the subject is heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

For subjects that are genotyped or determined to be either MAP3K15 reference or heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, such subjects can be administered a MAP3K15 inhibitor, as described herein.

Detecting the presence or absence of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample from a subject and/or determining whether a subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide can be carried out by any of the methods described herein. In some embodiments, these methods can be carried out *in vitro*. In some embodiments, these methods can be carried out *in situ*. In some

embodiments, these methods can be carried out *in vivo*. In any of these embodiments, the nucleic acid molecule can be present within a cell obtained from the subject.

In some embodiments, when the subject is MAP3K15 reference, the subject is administered a therapeutic agent that treats or prevents a metabolic disorder in a standard dosage amount. In some embodiments, when the subject is heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, the subject is administered a therapeutic agent that treats or prevents a metabolic disorder in a dosage amount that is the same as or less than a standard dosage amount.

In some embodiments, the treatment or prevention methods further comprise detecting the presence or absence of a MAP3K15 predicted loss-of-function polypeptide in a biological sample from the subject. In some embodiments, when the subject does not have a MAP3K15 predicted loss-of-function polypeptide, the subject is administered a therapeutic agent that treats or prevents a metabolic disorder in a standard dosage amount. In some embodiments, when the subject has a MAP3K15 predicted loss-of-function polypeptide, the subject is administered a therapeutic agent that treats or prevents a metabolic disorder in a dosage amount that is the same as or less than a standard dosage amount.

The present disclosure also provides methods of treating a subject with a therapeutic agent that treats or prevents a metabolic disorder, wherein the subject has the metabolic disorder or is at risk of developing a metabolic disorder. In some embodiments, the method comprises determining whether the subject has a MAP3K15 predicted loss-of-function polypeptide by obtaining or having obtained a biological sample from the subject, and performing or having performed an assay on the biological sample to determine if the subject has a MAP3K15 predicted loss-of-function polypeptide. When the subject does not have a MAP3K15 predicted loss-of-function polypeptide, the therapeutic agent that treats or prevents the metabolic disorder is administered or continued to be administered to the subject in a standard dosage amount, and/or a MAP3K15 inhibitor is administered to the subject. When the subject has a MAP3K15 predicted loss-of-function polypeptide, the therapeutic agent that treats or prevents the metabolic disorder is administered or continued to be administered to the subject in an amount that is the same as or less than a standard dosage amount, and/or a MAP3K15 inhibitor is administered to the subject. The presence of a MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder. In some embodiments, the subject has a MAP3K15 predicted loss-of-function

polypeptide. In some embodiments, the subject does not have a MAP3K15 predicted loss-of-function polypeptide.

The present disclosure also provides methods of preventing a subject from developing a metabolic disorder by administering a therapeutic agent that prevents the metabolic disorder. In some embodiments, the method comprises determining whether the subject has a MAP3K15 predicted loss-of-function polypeptide by obtaining or having obtained a biological sample from the subject, and performing or having performed an assay on the biological sample to determine if the subject has a MAP3K15 predicted loss-of-function polypeptide. When the subject does not have a MAP3K15 predicted loss-of-function polypeptide, the therapeutic agent that prevents the metabolic disorder is administered or continued to be administered to the subject in a standard dosage amount, and/or a MAP3K15 inhibitor is administered to the subject. When the subject has a MAP3K15 predicted loss-of-function polypeptide, the therapeutic agent that prevents the metabolic disorder is administered or continued to be administered to the subject in an amount that is the same as or less than a standard dosage amount, and/or a MAP3K15 inhibitor is administered to the subject. The presence of a MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder. In some embodiments, the subject has a MAP3K15 predicted loss-of-function polypeptide. In some embodiments, the subject does not have a MAP3K15 predicted loss-of-function polypeptide.

Detecting the presence or absence of a MAP3K15 predicted loss-of-function polypeptide in a biological sample from a subject and/or determining whether a subject has a MAP3K15 predicted loss-of-function polypeptide can be carried out by any of the methods described herein. In some embodiments, these methods can be carried out *in vitro*. In some embodiments, these methods can be carried out *in situ*. In some embodiments, these methods can be carried out *in vivo*. In any of these embodiments, the polypeptide can be present within a cell obtained from the subject.

In some embodiments, the MAP3K15 inhibitor is a small molecule. In some embodiments, the MAP3K15 inhibitor is staurosporine, lestaurtinib, NVP-TAE684, ruxolitinib, SU-14813, sunitinib, JNJ-28312141, crizotinib, linifanib, quizartinib, axitinib, motesanib, AST-487, AT-7519, barasertib-hQPA, cediranib, selumetinib, BI-2536, afatinib, doramapimod, BMS-345541, BMS-387032, brivanib, CHIR-265, canertinib, CI-1040, tofacitinib, dasatinib, foretinib, alvocidib, GDC-0879, pictilisib, GSK-1838705A, GSK-461364A, GW-2580, neratinib, imatinib, Ki-

20227, KW-2449, lapatinib, enzastaurin, MLN-120B, tandutinib, MLN-8054, nilotinib, pazopanib, PD-173955, PHA-665752, PI-103, midostaurin, PLX-4720, vatalanib, tamatinib, R547, SGX-523, bosutinib, sorafenib, TG-100-115, fedratinib, vandetanib, tozasertib, neflamapimod, dovitinib, erlotinib, gefitinib, GSK690693, ruboxistaurin, SB203580, A-674563, or masitinib. In some
5 embodiments, the MAP3K15 inhibitor is staurosporine, lestaurtinib, NVP-TAE684, ruxolitinib, SU-14813, sunitinib, JNJ-28312141, crizotinib, SB203580, or ruboxistaurin. In some
embodiments, the MAP3K15 inhibitor is staurosporine. In some embodiments, the MAP3K15
inhibitor is lestaurtinib. In some embodiments, the MAP3K15 inhibitor is NVP-TAE684. In some
embodiments, the MAP3K15 inhibitor is ruxolitinib. In some embodiments, the MAP3K15
10 inhibitor is SU-14813. In some embodiments, the MAP3K15 inhibitor is sunitinib. In some
embodiments, the MAP3K15 inhibitor is JNJ-28312141. In some embodiments, the MAP3K15
inhibitor is crizotinib. In some embodiments, the MAP3K15 inhibitor is linifanib. In some
embodiments, the MAP3K15 inhibitor is quizartinib. In some embodiments, the MAP3K15
inhibitor is axitinib. In some embodiments, the MAP3K15 inhibitor is motesanib. In some
15 embodiments, the MAP3K15 inhibitor is AST-487. In some embodiments, the MAP3K15
inhibitor is AT-7519. In some embodiments, the MAP3K15 inhibitor is barasertib-hQPA. In some
embodiments, the MAP3K15 inhibitor is cediranib. In some embodiments, the MAP3K15
inhibitor is selumetinib. In some embodiments, the MAP3K15 inhibitor is BI-2536. In some
embodiments, the MAP3K15 inhibitor is afatinib. In some embodiments, the MAP3K15 inhibitor
20 is doramapimod. In some embodiments, the MAP3K15 inhibitor is BMS-345541. In some
embodiments, the MAP3K15 inhibitor is BMS-387032. In some embodiments, the MAP3K15
inhibitor is brivanib. In some embodiments, the MAP3K15 inhibitor is CHIR-265. In some
embodiments, the MAP3K15 inhibitor is canertinib. In some embodiments, the MAP3K15
inhibitor is CI-1040. In some embodiments, the MAP3K15 inhibitor is tofacitinib. In some
25 embodiments, the MAP3K15 inhibitor is dasatinib. In some embodiments, the MAP3K15
inhibitor is foretinib. In some embodiments, the MAP3K15 inhibitor is alvocidib. In some
embodiments, the MAP3K15 inhibitor is GDC-0879. In some embodiments, the MAP3K15
inhibitor is pictilisib. In some embodiments, the MAP3K15 inhibitor is GSK-1838705A. In some
embodiments, the MAP3K15 inhibitor is GSK-461364A. In some embodiments, the MAP3K15
30 inhibitor is GW-2580. In some embodiments, the MAP3K15 inhibitor is neratinib. In some
embodiments, the MAP3K15 inhibitor is imatinib. In some embodiments, the MAP3K15
inhibitor is Ki-20227. In some embodiments, the MAP3K15 inhibitor is KW-2449. In some

embodiments, the MAP3K15 inhibitor is lapatinib. In some embodiments, the MAP3K15 inhibitor is enzastaurin. In some embodiments, the MAP3K15 inhibitor is MLN-120B. In some embodiments, the MAP3K15 inhibitor is tandutinib. In some embodiments, the MAP3K15 inhibitor is MLN-8054. In some embodiments, the MAP3K15 inhibitor is nilotinib. In some
5 embodiments, the MAP3K15 inhibitor is pazopanib. In some embodiments, the MAP3K15 inhibitor is PD-173955. In some embodiments, the MAP3K15 inhibitor is PHA-665752. In some embodiments, the MAP3K15 inhibitor is PI-103. In some embodiments, the MAP3K15 inhibitor is midostaurin. In some embodiments, the MAP3K15 inhibitor is PLX-4720. In some
10 embodiments, the MAP3K15 inhibitor is vatalanib. In some embodiments, the MAP3K15 inhibitor is tamatinib. In some embodiments, the MAP3K15 inhibitor is R547. In some embodiments, the MAP3K15 inhibitor is SGX-523. In some embodiments, the MAP3K15 inhibitor is bosutinib. In some embodiments, the MAP3K15 inhibitor is sorafenib. In some
15 embodiments, the MAP3K15 inhibitor is TG-100-115. In some embodiments, the MAP3K15 inhibitor is fedratinib. In some embodiments, the MAP3K15 inhibitor is vandetanib. In some embodiments, the MAP3K15 inhibitor is tozasertib. In some embodiments, the MAP3K15 inhibitor is neflamapimod. In some embodiments, the MAP3K15 inhibitor is dovitinib. In some
20 embodiments, the MAP3K15 inhibitor is erlotinib. In some embodiments, the MAP3K15 inhibitor is gefitinib. In some embodiments, the MAP3K15 inhibitor is GSK690693. In some embodiments, the MAP3K15 inhibitor is ruboxistaurin. In some embodiments, the MAP3K15 inhibitor is SB203580. In some embodiments, the MAP3K15 inhibitor is A-674563. In some
embodiments, the MAP3K15 inhibitor is masitinib.

Examples of therapeutic agents that treat or prevent Type-2 diabetes, treat or prevent increased hemoglobin A1c include, and/or treat or prevent increased serum glucose include, but are not limited to: metformin, insulin, sulfonylureas (such as glyburide, glipizide, and
25 glimepiride), meglitinides (such as repaglinide and nateglinide), thiazolidinediones (such as rosiglitazone and pioglitazone), DPP-4 inhibitors (such as sitagliptin, saxagliptin, and linagliptin), GLP-1 receptor agonists (such as exenatide, liraglutide, and semaglutide), and SGLT2 inhibitors (such as canagliflozin, dapagliflozin, and empagliflozin). In some embodiments, the therapeutic agent is metformin, insulin, glyburide, glipizide, glimepiride, repaglinide, nateglinide,
30 rosiglitazone, pioglitazone, sitagliptin, saxagliptin, linagliptin, exenatide, liraglutide, semaglutide, canagliflozin, dapagliflozin, or empagliflozin. In some embodiments, the therapeutic agent is metformin. In some embodiments, the therapeutic agent is insulin. In

some embodiments, the therapeutic agent is glyburide. In some embodiments, the therapeutic agent is glipizide. In some embodiments, the therapeutic agent is glimepiride. In some embodiments, the therapeutic agent is repaglinide. In some embodiments, the therapeutic agent is nateglinide. In some embodiments, the therapeutic agent is rosiglitazone. In some
5 embodiments, the therapeutic agent is pioglitazone. In some embodiments, the therapeutic agent is sitagliptin. In some embodiments, the therapeutic agent is saxagliptin. In some embodiments, the therapeutic agent is linagliptin. In some embodiments, the therapeutic agent is exenatide. In some embodiments, the therapeutic agent is liraglutide. In some embodiments, the therapeutic agent is semaglutide. In some embodiments, the therapeutic agent is
10 canagliflozin. In some embodiments, the therapeutic agent is dapagliflozin. In some embodiments, the therapeutic agent is empagliflozin.

 In some embodiments, the therapeutic agent is GLUCOPHAGE® or GLUMETZA® (metformin), a sulfonylurea (DIABETA® or GLYNASE® (glyburide), GLUCOTROL® (glipizide), and AMARYL® (glimepiride)), a meglitinide (PRANDIN® (repaglinide) and STARLIX® (nateglinide)), a
15 thiazolidinediones (AVANDIA® (rosiglitazone) and ACTOS® (pioglitazone)), a dipeptidyl peptidase-4 (DPP-4) inhibitor (JANUVIA® (sitagliptin), ONGLYZA® (saxagliptin) and TRADJENTA® (linagliptin)), a glucagon-like peptide-1 (GLP-1) receptor agonist (BYETTA® (exenatide) and VICTOZA® (liraglutide)), an SGLT2 inhibitor (INVOKANA® (canagliflozin) and FARXIGA® (dapagliflozin)), or APIDRA® (insulin glulisine), HUMALOG® (insulin lispro), NOVOLOG® (insulin
20 aspart), LANTUS® (insulin glargine), LEVEMIR® (insulin detemir), or HUMULIN® N or NOVOLIN® N (insulin isophane), PRALUENT® (alirocumab), or any combination thereof. In some embodiments, the therapeutic agent is PRALUENT® (alirocumab).

 In some embodiments, the therapeutic agent is metformin, a sulfonylurea (glyburide, glipizide, or glimepiride), a meglitinide (repaglinide or nateglinide), a thiazolidinediones
25 (rosiglitazone or pioglitazone), a dipeptidyl peptidase-4 (DPP-4) inhibitor (sitagliptin, saxagliptin, or linagliptin), a glucagon-like peptide-1 (GLP-1) receptor agonist (exenatide or liraglutide), an SGLT2 inhibitor (canagliflozin or dapagliflozin), or an insulin (glulisine, insulin lispro, insulin aspart, insulin glargine, insulin detemir, or insulin isophane), or alirocumab, or any combination thereof. In some embodiments, the therapeutic agent is alirocumab.

30 In some embodiments, the dose of the therapeutic agents that treat or prevent a metabolic disorder can be decreased by about 10%, by about 20%, by about 30%, by about 40%, by about 50%, by about 60%, by about 70%, by about 80%, or by about 90% for subjects

that are heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (i.e., a less than the standard dosage amount) compared to subjects that are MAP3K15 reference (who may receive a standard dosage amount). In some embodiments, the dose of the therapeutic agents that treat or prevent a metabolic disorder can be decreased by about 10%, by about 20%, by about 30%, by about 40%, or by about 50%. In addition, the subjects that are heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide can be administered less frequently compared to subjects that are MAP3K15 reference.

In some embodiments, the dose of the therapeutic agents that treat or prevent a metabolic disorder can be decreased by about 10%, by about 20%, by about 30%, by about 40%, by about 50%, for subjects that are homozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide compared to subjects that are heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide. In some embodiments, the dose of the therapeutic agents that treat or prevent a metabolic disorder can be decreased by about 10%, by about 20%, by about 30%, by about 40%, or by about 50%. In addition, the dose of therapeutic agents that treat or prevent a metabolic disorder in subjects that are homozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide can be administered less frequently compared to subjects that are heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

Administration of the therapeutic agents that treat or prevent a metabolic disorder and/or MAP3K15 inhibitors can be repeated, for example, after one day, two days, three days, five days, one week, two weeks, three weeks, one month, five weeks, six weeks, seven weeks, eight weeks, two months, or three months. The repeated administration can be at the same dose or at a different dose. The administration can be repeated once, twice, three times, four times, five times, six times, seven times, eight times, nine times, ten times, or more. For example, according to certain dosage regimens a subject can receive therapy for a prolonged period of time such as, for example, 6 months, 1 year, or more.

Administration of the therapeutic agents that treat or prevent a metabolic disorder and/or MAP3K15 inhibitors can occur by any suitable route including, but not limited to, parenteral, intravenous, oral, subcutaneous, intra-arterial, intracranial, intrathecal,

intraperitoneal, topical, intranasal, or intramuscular. Pharmaceutical compositions for administration are desirably sterile and substantially isotonic and manufactured under GMP conditions. Pharmaceutical compositions can be provided in unit dosage form (i.e., the dosage for a single administration). Pharmaceutical compositions can be formulated using one or more
5 physiologically and pharmaceutically acceptable carriers, diluents, excipients or auxiliaries. The formulation depends on the route of administration chosen. The term “pharmaceutically acceptable” means that the carrier, diluent, excipient, or auxiliary is compatible with the other ingredients of the formulation and not substantially deleterious to the recipient thereof.

The terms “treat”, “treating”, and “treatment” and “prevent”, “preventing”, and
10 “prevention” as used herein, refer to eliciting the desired biological response, such as a therapeutic and prophylactic effect, respectively. In some embodiments, a therapeutic effect comprises one or more of a decrease/reduction in a metabolic disorder, a decrease/reduction in the severity of a metabolic disorder (such as, for example, a reduction or inhibition of development of a metabolic disorder), a decrease/reduction in symptoms and metabolic
15 disorder-related effects, delaying the onset of symptoms and metabolic disorder-related effects, reducing the severity of symptoms of metabolic disorder-related effects, reducing the number of symptoms and metabolic disorder-related effects, reducing the latency of symptoms and metabolic disorder-related effects, an amelioration of symptoms and metabolic disorder-related effects, reducing secondary symptoms, reducing secondary infections, preventing
20 relapse to a metabolic disorder, decreasing the number or frequency of relapse episodes, increasing latency between symptomatic episodes, increasing time to sustained progression, speeding recovery, or increasing efficacy of or decreasing resistance to alternative therapeutics, and/or an increased survival time of the affected host animal, following administration of the agent or composition comprising the agent. A prophylactic effect may comprise a complete or
25 partial avoidance/inhibition or a delay of metabolic disorder development/progression (such as, for example, a complete or partial avoidance/inhibition or a delay), and an increased survival time of the affected host animal, following administration of a therapeutic protocol. Treatment of metabolic disorder, such as Type-2 diabetes, encompasses the treatment of a subject already diagnosed as having any form of the metabolic disorder at any clinical stage or manifestation,
30 the delay of the onset or evolution or aggravation or deterioration of the symptoms or signs of the metabolic disorder, and/or preventing and/or reducing the severity of the metabolic

disorder. In some embodiments, the metabolic disorder is Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose.

The present disclosure also provides methods of identifying a subject having an increased risk of developing a metabolic disorder. In some embodiments, the method
5 comprises determining or having determined in a biological sample obtained from the subject the presence or absence of a MAP3K15 missense variant nucleic acid molecule (such as a genomic nucleic acid molecule, mRNA molecule, and/or cDNA molecule) encoding a MAP3K15 predicted loss-of-function polypeptide. When the subject lacks a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (i.e., the
10 subject is genotypically categorized as a MAP3K15 reference), then the subject has an increased risk of developing the metabolic disorder. When the subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (i.e., the subject is heterozygous or homozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide), then the subject has a decreased
15 risk of developing the metabolic disorder.

Having a single copy of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide is more protective of a subject from developing a metabolic disorder than having no copies of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Without intending
20 to be limited to any particular theory or mechanism of action, it is believed that a single copy of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (i.e., heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide) is protective of a subject from developing a metabolic disorder, and it is also believed that having two copies of a MAP3K15
25 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (i.e., homozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide) may be more protective of a subject from developing a metabolic disorder, relative to a subject with a single copy. Thus, in some
30 embodiments, a single copy of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide may not be completely protective, but instead, may be partially or incompletely protective of a subject from developing a metabolic disorder. While not desiring to be bound by any particular theory, there may be additional

factors or molecules involved in the development of a metabolic disorder that are still present in a subject having a single copy of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, thus resulting in less than complete protection from the development of a metabolic disorder.

5 Determining whether a subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample from a subject and/or determining whether a subject has a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide can be carried out by any of the methods described herein. In some embodiments, these methods can be carried out *in*
10 *vitro*. In some embodiments, these methods can be carried out *in situ*. In some embodiments, these methods can be carried out *in vivo*. In any of these embodiments, the nucleic acid molecule can be present within a cell obtained from the subject.

 In some embodiments, when a subject is identified as having an increased risk of developing a metabolic disorder, the subject is administered a therapeutic agent that treats or
15 prevents the metabolic disorder, and/or a MAP3K15 inhibitor, as described herein. For example, when the subject is MAP3K15 reference, and therefore has an increased risk of developing the metabolic disorder, the subject is administered a MAP3K15 inhibitor. In some embodiments, such a subject is also administered a therapeutic agent that treats or prevents the metabolic disorder. In some embodiments, when the subject is heterozygous for a
20 MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, the subject is administered the therapeutic agent that treats or prevents the metabolic disorder in a dosage amount that is the same as or less than a standard dosage amount, and is also administered a MAP3K15 inhibitor. In some embodiments, such a subject is also administered a therapeutic agent that treats or prevents the metabolic disorder. In some
25 embodiments, when the subject is homozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, the subject is administered the therapeutic agent that treats or prevents the metabolic disorder in a dosage amount that is the same as or less than a standard dosage amount. In some embodiments, the subject is MAP3K15 reference. In some embodiments, the subject is heterozygous for a
30 MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide. In some embodiments, the subject is homozygous for a MAP3K15

missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

In some embodiments, any of the methods described herein can further comprise determining the subject's aggregate burden of having a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, and/or a MAP3K15 predicted loss-of-function variant polypeptide associated with a decreased risk of developing a metabolic disorder. The aggregate burden is the sum of all variants in the MAP3K15 gene, which can be carried out in an association analysis with a metabolic disorder. In some embodiments, the subject is homozygous for one or more MAP3K15 missense variant nucleic acid molecules encoding a MAP3K15 predicted loss-of-function polypeptide associated with a decreased risk of developing a metabolic disorder. In some embodiments, the subject is heterozygous for one or more MAP3K15 missense variant nucleic acid molecules encoding a MAP3K15 predicted loss-of-function polypeptide associated with a decreased risk of developing a metabolic disorder. The result of the association analysis suggests that MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides are associated with decreased risk of developing a metabolic disorder. When the subject has a lower aggregate burden, the subject is at a higher risk of developing the metabolic disorder and the subject is administered or continued to be administered the therapeutic agent that treats or prevents the metabolic disorder in a standard dosage amount, and/or a MAP3K15 inhibitor. When the subject has a greater aggregate burden, the subject is at a lower risk of developing the metabolic disorder and the subject is administered or continued to be administered the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than the standard dosage amount. The greater the aggregate burden, the lower the risk of developing the metabolic disorder.

MAP3K15 variants that can be used in the aggregate burden analysis include any one or more, or any combination, of the following:

Variant	rsID	Transcript IDs
23:19360753:G:C		ENST00000338883
23:19360753:G:T		ENST00000338883
23:19360754:C:G		ENST00000338883
23:19360754:C:T		ENST00000338883
23:19360754:C:A		ENST00000338883

23:19360757:T:C		ENST00000338883
23:19360758:G:GTC		ENST00000338883
23:19360758:G:T		ENST00000338883
23:19360758:G:GTCTT	rs1199427438	ENST00000338883
23:19360758:G:C	rs758692867	ENST00000338883
23:19360759:T:G		ENST00000338883
23:19360760:CTT:C		ENST00000338883
23:19360760:C:CTT	rs762409221	ENST00000338883
23:19360763:T:C		ENST00000338883
23:19360765:G:GT		ENST00000338883
23:19360765:G:T		ENST00000338883
23:19360766:T:TTTCTGAGGCC		ENST00000338883
23:19360768:T:G	rs1407334158	ENST00000338883
23:19360770:TG:T	rs1165543621	ENST00000338883
23:19360771:G:A		ENST00000338883
23:19360772:A:G	rs1434269786	ENST00000338883
23:19360774:G:A		ENST00000338883
23:19360775:C:A		ENST00000338883
23:19360778:C:T		ENST00000338883
23:19360781:G:C		ENST00000338883
23:19360783:G:T		ENST00000338883
23:19360785:C:A		ENST00000338883
23:19360785:C:G	rs145675672	ENST00000338883
23:19360786:CT:C		ENST00000338883
23:19360786:C:T	rs61744590	ENST00000338883
23:19360790:T:C		ENST00000338883
23:19360793:A:T		ENST00000338883
23:19360795:T:C	rs778346850	ENST00000338883
23:19360804:G:T		ENST00000338883
23:19360804:G:A	rs756039907	ENST00000338883
23:19360805:C:T	rs147753175	ENST00000338883
23:19360806:A:T		ENST00000338883
23:19360807:C:A		ENST00000338883
23:19360809:C:T		ENST00000338883

23:19360810:C:T	rs766954168	ENST00000338883
23:19360811:A:AGAGT		ENST00000338883
23:19360814:G:A	rs1404016169	ENST00000338883
23:19360816:C:G	rs1270522443	ENST00000338883
23:19360819:CA:C	rs761048720	ENST00000338883
23:19360819:C:T	rs747270244	ENST00000338883
23:19360820:A:T		ENST00000338883
23:19360823:G:T		ENST00000338883
23:19360831:C:T		ENST00000338883
23:19360831:C:G		ENST00000338883
23:19361336:T:TA	rs1184403880	ENST00000338883
23:19361338:C:G	rs377382652	ENST00000338883
23:19361338:C:T	rs377382652	ENST00000338883
23:19361339:C:G		ENST00000338883
23:19361339:C:A	rs753516995	ENST00000338883
23:19361339:C:T	rs753516995	ENST00000338883
23:19361340:G:A	rs748198804	ENST00000338883
23:19361341:TA:T	rs762188631	ENST00000338883
23:19361345:C:A		ENST00000338883
23:19361345:C:T		ENST00000338883
23:19361345:C:G		ENST00000338883
23:19361346:G:A	rs148399187	ENST00000338883
23:19361346:GA:G		ENST00000338883
23:19361349:G:T		ENST00000338883
23:19361349:G:A	rs1448313019	ENST00000338883
23:19361350:G:T	rs763409232	ENST00000338883
23:19361354:C:T	rs977795204	ENST00000338883
23:19361357:A:G	rs142533585	ENST00000338883
23:19361358:G:T		ENST00000338883
23:19361359:A:C	rs1371710222	ENST00000338883
23:19361361:C:A		ENST00000338883
23:19361362:T:G		ENST00000338883
23:19361364:C:G		ENST00000338883
23:19361367:T:G		ENST00000338883

23:19361369:G:A	rs774659644	ENST00000338883
23:19361370:T:G	rs150957359	ENST00000338883
23:19361370:T:C		ENST00000338883
23:19361376:CAT:C		ENST00000338883
23:19361388:C:A	rs750874490	ENST00000338883
23:19361390:G:A	rs1274425240	ENST00000338883
23:19361390:GA:G		ENST00000338883
23:19361390:G:C		ENST00000338883
23:19361391:A:T		ENST00000338883
23:19361394:G:A		ENST00000338883
23:19361394:G:C	rs1207639901	ENST00000338883
23:19361396:G:A		ENST00000338883
23:19361399:TA:T		ENST00000338883
23:19361402:C:A		ENST00000338883
23:19361403:C:T	rs144734730	ENST00000338883
23:19361404:CT:C	rs751563348	ENST00000338883
23:19361408:T:C		ENST00000338883
23:19361416:C:G		ENST00000338883
23:19361416:C:T	rs780260798	ENST00000338883
23:19361416:C:A	rs780260798	ENST00000338883
23:19361491:A:G		ENST00000338883
23:19361492:C:T		ENST00000338883
23:19361493:CT:C		ENST00000338883
23:19361493:C:G	rs781517592	ENST00000338883
23:19361494:T:A	rs989329615	ENST00000338883
23:19361495:T:C		ENST00000338883
23:19361497:T:A		ENST00000338883
23:19361498:C:T		ENST00000338883
23:19361500:A:G	rs759883184	ENST00000338883
23:19361501:T:C	rs1269336518	ENST00000338883
23:19361503:G:C		ENST00000338883
23:19361503:G:A		ENST00000338883
23:19361505:C:G		ENST00000338883
23:19361505:CTT:C		ENST00000338883

23:19361509:G:C		ENST00000338883
23:19361511:A:T		ENST00000338883
23:19361511:A:C	rs772494786	ENST00000338883
23:19361516:C:T		ENST00000338883
23:19361519:C:T	rs1490120645	ENST00000338883
23:19361522:G:A		ENST00000338883
23:19361522:G:C	rs15943	ENST00000338883
23:19361527:C:T	rs760297711	ENST00000338883
23:19361527:C:G		ENST00000338883
23:19361528:G:A	rs763826263	ENST00000338883
23:19361530:A:C		ENST00000338883
23:19361533:C:T		ENST00000338883
23:19361534:A:T		ENST00000338883
23:19361536:T:A		ENST00000338883
23:19361536:TCTATAAG:T		ENST00000338883
23:19361537:CTA:C		ENST00000338883
23:19361539:A:C		ENST00000338883
23:19361539:A:G		ENST00000338883
23:19361543:G:T		ENST00000338883
23:19361545:T:C		ENST00000338883
23:19361546:C:CT		ENST00000338883
23:19361546:C:G	rs1350886167	ENST00000338883
23:19361546:CTT:C		ENST00000338883
23:19361548:T:C	rs753243729	ENST00000338883
23:19361549:T:C		ENST00000338883
23:19361551:T:G		ENST00000338883
23:19361552:C:T	rs761409953	ENST00000338883
23:19361554:G:C		ENST00000338883
23:19361554:G:A		ENST00000338883
23:19361556:T:A		ENST00000338883
23:19361557:C:T		ENST00000338883
23:19361561:G:A		ENST00000338883
23:19361564:C:A	rs368526609	ENST00000338883
23:19361564:C:T	rs368526609	ENST00000338883

23:19361565:GT:G		ENST00000338883
23:19361565:G:T	rs372102191	ENST00000338883
23:19361566:T:G		ENST00000338883
23:19361567:A:C		ENST00000338883
23:19361569:G:C	rs140380348	ENST00000338883
23:19361570:G:C		ENST00000338883
23:19361572:C:T		ENST00000338883
23:19361575:G:A		ENST00000338883
23:19361576:C:T		ENST00000338883
23:19361577:TG:T		ENST00000338883
23:19361579:G:C	rs778062708	ENST00000338883
23:19361580:G:T		ENST00000338883
23:19361583:C:G	rs749306111	ENST00000338883
23:19361585:CTG:C		ENST00000338883
23:19361585:C:T		ENST00000338883
23:19361587:G:T		ENST00000338883
23:19361587:G:A		ENST00000338883
23:19361587:G:C	rs1296783815	ENST00000338883
23:19361588:TA:T		ENST00000338883
23:19361591:T:TA	rs1385917519	ENST00000338883
23:19361592:A:AC		ENST00000338883
23:19361593:C:T		ENST00000338883
23:19362736:AC:A		ENST00000338883
23:19362736:A:G		ENST00000338883
23:19362736:A:T		ENST00000338883
23:19362737:C:T		ENST00000338883
23:19362743:G:A	rs952016428	ENST00000338883
23:19362743:G:T		ENST00000338883
23:19362743:G:C		ENST00000338883
23:19362744:AT:A		ENST00000338883
23:19362744:A:T		ENST00000338883
23:19362744:A:G		ENST00000338883
23:19362748:TA:T		ENST00000338883
23:19362749:A:G		ENST00000338883

23:19362749:A:T		ENST00000338883
23:19362752:T:G	rs1277278348	ENST00000338883
23:19362754:T:A		ENST00000338883
23:19362758:T:C	rs754813662	ENST00000338883
23:19362759:G:T		ENST00000338883
23:19362759:GA:G		ENST00000338883
23:19362762:G:T		ENST00000338883
23:19362762:G:A	rs764208000	ENST00000338883
23:19362763:G:T	rs149055708	ENST00000338883
23:19362764:T:C		ENST00000338883
23:19362765:G:T		ENST00000338883
23:19362767:T:C		ENST00000338883
23:19362769:C:G	rs201314812	ENST00000338883
23:19362772:T:A		ENST00000338883
23:19362773:T:G		ENST00000338883
23:19362779:G:A		ENST00000338883
23:19362779:G:T		ENST00000338883
23:19362786:G:T		ENST00000338883
23:19362786:G:A	rs745964693	ENST00000338883
23:19362787:TTC:T		ENST00000338883
23:19362789:C:T		ENST00000338883
23:19362789:C:A	rs758795249	ENST00000338883
23:19362792:G:C	rs1161578178	ENST00000338883
23:19362796:T:A		ENST00000338883
23:19362798:G:T		ENST00000338883
23:19362800:C:T	rs372854064	ENST00000338883
23:19362801:G:A	rs774477994	ENST00000338883
23:19362803:A:T		ENST00000338883
23:19362803:A:G		ENST00000338883
23:19362806:A:G		ENST00000338883
23:19362807:G:C	rs747281853	ENST00000338883
23:19362808:AT:A		ENST00000338883
23:19362809:T:C	rs1364371261	ENST00000338883
23:19362810:T:C	rs1315221917	ENST00000338883

23:19362811:C:G	rs769125014	ENST00000338883
23:19362812:TG:T		ENST00000338883
23:19362813:G:T		ENST00000338883
23:19362814:G:T		ENST00000338883
23:19362814:G:C	rs145535604	ENST00000338883
23:19362814:GT:G		ENST00000338883
23:19362816:ACTCT:A	rs774006713	ENST00000338883
23:19362816:ACT:A	rs1491461563	ENST00000338883
23:19362816:A:ACT	rs747607452	ENST00000338883
23:19362818:T:C		ENST00000338883
23:19362818:T:A	rs747844024	ENST00000338883
23:19362818:T:G		ENST00000338883
23:19362819:C:T		ENST00000338883
23:19362820:T:G		ENST00000338883
23:19362821:C:A		ENST00000338883
23:19362821:C:G		ENST00000338883
23:19362823:CTCTT:C	rs760983657	ENST00000338883
23:19362824:T:A		ENST00000338883
23:19362825:CT:C	rs1231757389	ENST00000338883
23:19362825:C:T		ENST00000338883
23:19362834:CT:C		ENST00000338883
23:19362834:C:T		ENST00000338883
23:19362836:AG:A		ENST00000338883
23:19362836:A:T		ENST00000338883
23:19362837:G:T		ENST00000338883
23:19362837:G:C	rs772800110	ENST00000338883
23:19362839:T:G		ENST00000338883
23:19362840:G:T		ENST00000338883
23:19362840:GT:G		ENST00000338883
23:19362842:TC:T		ENST00000338883
23:19362844:C:A	rs1281522700	ENST00000338883
23:19362844:CA:C	rs868296960	ENST00000338883
23:19362849:G:T		ENST00000338883
23:19362849:G:A	rs762556289	ENST00000338883

23:19362851:C:T	rs1230820520	ENST00000338883
23:19369053:C:A		ENST00000338883
23:19369053:C:T	rs1436613793	ENST00000338883
23:19369055:T:A		ENST00000338883
23:19369067:G:A		ENST00000338883
23:19369067:G:T		ENST00000338883
23:19369069:C:T		ENST00000338883
23:19369070:T:C	rs894813705	ENST00000338883
23:19369070:T:A		ENST00000338883
23:19369073:G:A	rs780414578	ENST00000338883
23:19369076:C:T	rs747620273	ENST00000338883
23:19369079:C:T		ENST00000338883
23:19369081:A:G		ENST00000338883
23:19369083:C:G		ENST00000338883
23:19369085:G:A	rs1449183471	ENST00000338883
23:19369090:C:T		ENST00000338883
23:19369093:A:C		ENST00000338883
23:19369095:G:C		ENST00000338883
23:19369098:C:CT		ENST00000338883
23:19369100:G:A		ENST00000338883
23:19369101:C:G		ENST00000338883
23:19369102:T:C		ENST00000338883
23:19369104:G:C		ENST00000338883
23:19369106:G:A	rs1164149506	ENST00000338883
23:19369109:G:A	rs769504223	ENST00000338883
23:19369111:T:C	rs763685191	ENST00000338883
23:19369114:G:C		ENST00000338883
23:19369115:C:G	rs748733061	ENST00000338883
23:19369115:C:A		ENST00000338883
23:19369116:C:A		ENST00000338883
23:19369116:C:CTCCT		ENST00000338883
23:19369118:C:T		ENST00000338883
23:19369120:T:C	rs770538660	ENST00000338883
23:19369124:C:T	rs369366467	ENST00000338883

23:19369126:G:A	rs759563426	ENST00000338883
23:19369127:G:A		ENST00000338883
23:19369128:TC:T		ENST00000338883
23:19369129:C:T		ENST00000338883
23:19369130:C:A		ENST00000338883
23:19369130:C:T	rs771921808	ENST00000338883
23:19369132:G:C		ENST00000338883
23:19369138:G:A		ENST00000338883
23:19369139:G:A	rs1331944995	ENST00000338883
23:19369141:G:A		ENST00000338883
23:19369141:G:C		ENST00000338883
23:19369142:G:A	rs1193093159	ENST00000338883
23:19369147:C:A	rs1215035447	ENST00000338883
23:19369154:C:T	rs760471862	ENST00000338883
23:19369156:G:A	rs201603186	ENST00000338883
23:19369156:G:C		ENST00000338883
23:19369156:G:T		ENST00000338883
23:19369157:C:T		ENST00000338883
23:19369160:C:T	rs988090325	ENST00000338883
23:19369170:CT:C		ENST00000338883
23:19369171:T:G	rs370097132	ENST00000338883
23:19369171:T:C	rs370097132	ENST00000338883
23:19369172:T:C	rs138105109	ENST00000338883
23:19369177:A:G		ENST00000338883
23:19369180:C:A		ENST00000338883
23:19369182:T:A		ENST00000338883
23:19369182:T:TG		ENST00000338883
23:19369184:C:T		ENST00000338883
23:19369195:G:A		ENST00000338883
23:19369195:G:T		ENST00000338883
23:19369196:T:A		ENST00000338883
23:19369198:G:T		ENST00000338883
23:19369198:G:A	rs1165786720	ENST00000338883
23:19369199:G:T		ENST00000338883

23:19369200:C:A	rs1395086883	ENST00000338883
23:19369201:T:C		ENST00000338883
23:19369202:C:G		ENST00000338883
23:19369206:G:C		ENST00000338883
23:19369211:C:A		ENST00000338883
23:19369213:C:T	rs377027094	ENST00000338883
23:19369214:G:A	rs148312150	ENST00000338883
23:19369214:G:A	rs148312150	ENST00000338883
23:19369216:A:G	rs1453534435	ENST00000338883
23:19369217:G:A	rs756604026	ENST00000338883
23:19369218:C:G	rs777561813	ENST00000338883
23:19369219:T:A	rs1329058417	ENST00000338883
23:19370957:A:G		ENST00000338883
23:19370960:TG:T		ENST00000338883
23:19370961:G:T		ENST00000338883
23:19370965:T:A		ENST00000338883
23:19370965:T:C		ENST00000338883
23:19370965:T:G		ENST00000338883
23:19370971:T:C		ENST00000338883
23:19370971:TG:T		ENST00000338883
23:19370974:T:C		ENST00000338883
23:19370976:A:T		ENST00000338883
23:19370976:A:G		ENST00000338883
23:19370977:C:T	rs764898842	ENST00000338883
23:19370979:G:T		ENST00000338883
23:19370979:G:A	rs754172834	ENST00000338883
23:19370980:C:T	rs373928304	ENST00000338883
23:19370985:T:G		ENST00000338883
23:19370985:T:A	rs61740714	ENST00000338883
23:19370985:T:C		ENST00000338883
23:19370988:A:G		ENST00000338883
23:19370989:C:T		ENST00000338883
23:19370991:G:A	rs887751274	ENST00000338883
23:19370991:G:T		ENST00000338883

23:19370992:C:A		ENST00000338883
23:19370994:C:T	rs779965473	ENST00000338883
23:19370995:G:A	rs140104197	ENST00000338883
23:19370995:G:A	rs140104197	ENST00000338883
23:19370997:C:T	rs1172763347	ENST00000338883
23:19370998:G:A	rs780351262	ENST00000338883
23:19371002:G:C		ENST00000338883
23:19371003:A:T	rs144031211	ENST00000338883
23:19371006:T:A	rs752049081	ENST00000338883
23:19371007:T:C		ENST00000338883
23:19371008:G:T		ENST00000338883
23:19371011:C:T	rs200671095	ENST00000338883
23:19371012:A:G	rs771118792	ENST00000338883
23:19371015:G:A		ENST00000338883
23:19371016:C:T		ENST00000338883
23:19371017:G:T		ENST00000338883
23:19371020:C:T		ENST00000338883
23:19371021:A:G		ENST00000338883
23:19371022:T:A		ENST00000338883
23:19371022:T:C		ENST00000338883
23:19371022:TC:T		ENST00000338883
23:19371031:G:T		ENST00000338883
23:19371032:C:A		ENST00000338883
23:19371037:T:G		ENST00000338883
23:19371038:T:G		ENST00000338883
23:19371041:G:C	rs1431250969	ENST00000338883
23:19371043:G:A		ENST00000338883
23:19371046:T:C		ENST00000338883
23:19371047:C:A		ENST00000338883
23:19371048:C:T		ENST00000338883
23:19371049:T:C		ENST00000338883
23:19371050:C:A		ENST00000338883
23:19371053:A:C	rs776117021	ENST00000338883
23:19371054:AT:A		ENST00000338883

23:19371054:A:T	rs761211361	ENST00000338883
23:19371056:T:G		ENST00000338883
23:19371058:TA:T		ENST00000338883
23:19371059:AT:A		ENST00000338883
23:19371064:C:A		ENST00000338883
23:19371064:C:T		ENST00000338883
23:19371065:CT:C		ENST00000338883
23:19371065:C:G	rs764726431	ENST00000338883
23:19371065:C:CA		ENST00000338883
23:19371066:T:C		ENST00000338883
23:19371066:T:A	rs1412220727	ENST00000338883
23:19371342:T:TA	rs1287067219	ENST00000338883
23:19371343:A:C	rs769276695	ENST00000338883
23:19371344:C:G	rs147323806	ENST00000338883
23:19371344:C:T	rs147323806	ENST00000338883
23:19371344:C:A	rs147323806	ENST00000338883
23:19371353:G:A		ENST00000338883
23:19371353:GA:G		ENST00000338883
23:19371354:A:C		ENST00000338883
23:19371355:A:C		ENST00000338883
23:19371358:C:T	rs761332697	ENST00000338883
23:19371359:C:T	rs762237886	ENST00000338883
23:19371364:A:C		ENST00000338883
23:19371365:G:C	rs757998863	ENST00000338883
23:19371367:A:C		ENST00000338883
23:19371374:G:A		ENST00000338883
23:19371375:A:C		ENST00000338883
23:19371376:A:C	rs766052583	ENST00000338883
23:19371378:C:A	rs199910687	ENST00000338883
23:19371380:G:A	rs143877870	ENST00000338883
23:19371380:G:C		ENST00000338883
23:19371382:C:T		ENST00000338883
23:19371383:T:G		ENST00000338883
23:19371391:G:C	rs781184127	ENST00000338883

23:19371391:G:A	rs781184127	ENST00000338883
23:19371399:A:AC	rs775659598	ENST00000338883
23:19371402:GTCCAGGTCCACCTTGAGCTTTGA:G		ENST00000338883
23:19371404:C:A		ENST00000338883
23:19371410:C:T		ENST00000338883
23:19371412:A:T		ENST00000338883
23:19371416:T:G		ENST00000338883
23:19371421:T:C	rs1288644945	ENST00000338883
23:19371424:G:C		ENST00000338883
23:19371425:A:G	rs200245250	ENST00000338883
23:19371425:A:G	rs200245250	ENST00000338883
23:19371430:G:A		ENST00000338883
23:19371436:G:A	rs749123059	ENST00000338883
23:19371436:G:T		ENST00000338883
23:19371445:C:T	rs772351791	ENST00000338883
23:19371446:G:A	rs780432569	ENST00000338883
23:19371449:G:C	rs1295252043	ENST00000338883
23:19371454:G:A	rs750087419	ENST00000338883
23:19371457:G:C		ENST00000338883
23:19371457:G:A		ENST00000338883
23:19371460:C:T	rs148629355	ENST00000338883
23:19371460:C:A	rs148629355	ENST00000338883
23:19371461:G:A	rs1351782224	ENST00000338883
23:19371461:G:T		ENST00000338883
23:19371469:T:C	rs762279564	ENST00000338883
23:19371470:C:A		ENST00000338883
23:19371472:C:G	rs1227996052	ENST00000338883
23:19371472:C:T		ENST00000338883
23:19371482:C:T		ENST00000338883
23:19371482:C:A		ENST00000338883
23:19371484:A:G	rs143293364	ENST00000338883
23:19371484:A:G	rs143293364	ENST00000338883
23:19371487:A:G	rs1419464781	ENST00000338883
23:19371491:G:A		ENST00000338883

23:19371491:G:C		ENST00000338883
23:19371492:C:A	rs765960183	ENST00000338883
23:19371493:T:C		ENST00000338883
23:19371497:T:C		ENST00000338883
23:19371499:T:C		ENST00000338883
23:19371500:G:A	rs1289856239	ENST00000338883
23:19371505:A:G	rs762571463	ENST00000338883
23:19371506:C:T		ENST00000338883
23:19371514:T:G		ENST00000338883
23:19371515:G:A		ENST00000338883
23:19371520:T:G		ENST00000338883
23:19371521:C:A		ENST00000338883
23:19371524:C:G		ENST00000338883
23:19371524:C:A		ENST00000338883
23:19371524:C:T	rs146703002	ENST00000338883
23:19371526:G:A	rs774409803	ENST00000338883
23:19371528:A:T		ENST00000338883
23:19371530:T:G		ENST00000338883
23:19372642:CGGGCAAATACCT:C		ENST00000338883
23:19372650:T:TA		ENST00000338883
23:19372652:C:T	rs1252933104	ENST00000338883
23:19372652:C:G		ENST00000338883
23:19372660:A:C		ENST00000338883
23:19372660:A:G	rs771448855	ENST00000338883
23:19372663:C:T	rs140332145	ENST00000338883
23:19372663:C:G	rs140332145	ENST00000338883
23:19372664:A:G	rs1358452913	ENST00000338883
23:19372665:C:G		ENST00000338883
23:19372667:C:A	rs1275089305	ENST00000338883
23:19372667:C:T		ENST00000338883
23:19372668:CT:C		ENST00000338883
23:19372670:G:A	rs1409658241	ENST00000338883
23:19372675:T:G		ENST00000338883
23:19372675:T:C		ENST00000338883

23:19372676:T:G	rs55787622	ENST00000338883
23:19372676:T:G	rs55787622	ENST00000338883
23:19372685:C:G		ENST00000338883
23:19372695:C:A		ENST00000338883
23:19372696:T:C	rs776692322	ENST00000338883
23:19372697:C:T		ENST00000338883
23:19372698:C:G		ENST00000338883
23:19372706:G:C		ENST00000338883
23:19372706:G:T		ENST00000338883
23:19372706:G:A	rs761795801	ENST00000338883
23:19372711:T:C		ENST00000338883
23:19372717:A:G	rs1390454693	ENST00000338883
23:19372719:G:C		ENST00000338883
23:19372721:TG:T		ENST00000338883
23:19372721:T:A		ENST00000338883
23:19372721:T:C		ENST00000338883
23:19372723:G:T		ENST00000338883
23:19372724:C:A		ENST00000338883
23:19372726:C:T	rs1367846847	ENST00000338883
23:19372727:G:A	rs151009170	ENST00000338883
23:19372729:C:T	rs769380632	ENST00000338883
23:19372729:C:CGCTCA		ENST00000338883
23:19372730:G:T		ENST00000338883
23:19372730:G:A	rs1308686996	ENST00000338883
23:19372733:C:T	rs1198750897	ENST00000338883
23:19372734:A:C		ENST00000338883
23:19372736:T:C	rs964095131	ENST00000338883
23:19372738:T:C		ENST00000338883
23:19372742:T:C	rs767620765	ENST00000338883
23:19372744:C:T		ENST00000338883
23:19372744:C:A		ENST00000338883
23:19372745:G:A	rs373296139	ENST00000338883
23:19372748:G:T		ENST00000338883
23:19372756:A:C		ENST00000338883

23:19372756:A:T		ENST00000338883
23:19372757:G:T		ENST00000338883
23:19372757:G:C	rs1255881328	ENST00000338883
23:19372760:C:T	rs376275316	ENST00000338883
23:19372761:C:G		ENST00000338883
23:19372762:T:C		ENST00000338883
23:19372763:G:C		ENST00000338883
23:19372764:G:T		ENST00000338883
23:19372766:C:T		ENST00000338883
23:19372769:T:C		ENST00000338883
23:19372770:G:C		ENST00000338883
23:19372770:G:T		ENST00000338883
23:19372771:T:C		ENST00000338883
23:19372774:T:A		ENST00000338883
23:19372776:CG:C		ENST00000338883
23:19372777:G:A	rs140883351	ENST00000338883
23:19372777:G:A	rs140883351	ENST00000338883
23:19372777:G:T		ENST00000338883
23:19372780:G:T		ENST00000338883
23:19372783:G:T		ENST00000338883
23:19372783:G:A	rs56233219	ENST00000338883
23:19372783:G:A	rs56233219	ENST00000338883
23:19372788:CA:C		ENST00000338883
23:19372792:C:T	rs773988009	ENST00000338883
23:19372792:C:G		ENST00000338883
23:19372795:C:G		ENST00000338883
23:19372795:C:T	rs370633600	ENST00000338883
23:19372796:G:A	rs141617385	ENST00000338883
23:19372801:T:A	rs761416092	ENST00000338883
23:19372802:C:T	rs765208791	ENST00000338883
23:19372805:A:C		ENST00000338883
23:19372807:G:C		ENST00000338883
23:19372807:G:T		ENST00000338883
23:19372811:A:C		ENST00000338883

23:19372814:T:C	rs773261137	ENST00000338883
23:19372817:C:G	rs1235750422	ENST00000338883
23:19372817:C:T	rs1235750422	ENST00000338883
23:19372819:T:C	rs945667957	ENST00000338883
23:19372820:C:A	rs766244558	ENST00000338883
23:19372823:G:C		ENST00000338883
23:19372825:A:G		ENST00000338883
23:19372826:C:A		ENST00000338883
23:19372828:CTG:C	rs1276399546	ENST00000338883
23:19372829:T:G		ENST00000338883
23:19373535:C:G		ENST00000338883
23:19373536:C:T		ENST00000338883
23:19373537:T:G	rs1469607628	ENST00000338883
23:19373540:G:A	rs935780284	ENST00000338883
23:19373543:G:C	rs1221251953	ENST00000338883
23:19373546:G:T		ENST00000338883
23:19373546:G:A	rs1302927757	ENST00000338883
23:19373548:C:T	rs1172568680	ENST00000338883
23:19373551:AGGTGGTGCCTGGGC:A		ENST00000338883
23:19373552:G:A		ENST00000338883
23:19373553:G:T	rs750494093	ENST00000338883
23:19373555:G:A		ENST00000338883
23:19373556:G:C		ENST00000338883
23:19373558:G:A	rs1335668976	ENST00000338883
23:19373560:C:T	rs751918645	ENST00000338883
23:19373563:G:A		ENST00000338883
23:19373564:G:A	rs761766474	ENST00000338883
23:19373564:G:C		ENST00000338883
23:19373566:G:A	rs138433947	ENST00000338883
23:19373566:G:C		ENST00000338883
23:19373569:C:T	rs747844089	ENST00000338883
23:19373570:G:A	rs753749742	ENST00000338883
23:19373570:G:C		ENST00000338883
23:19373572:G:A	rs1202276196	ENST00000338883

23:19373573:T:G		ENST00000338883
23:19373574:CCT:C		ENST00000338883
23:19373575:C:A	rs1046648600	ENST00000338883
23:19373575:C:G		ENST00000338883
23:19373579:CAA:C		ENST00000338883
23:19373582:A:G		ENST00000338883
23:19373583:GA:G		ENST00000338883
23:19373588:C:A		ENST00000338883
23:19373588:C:T	rs765404542	ENST00000338883
23:19373591:C:T		ENST00000338883
23:19373594:G:A		ENST00000338883
23:19373595:C:G		ENST00000338883
23:19373595:C:A		ENST00000338883
23:19373599:G:T		ENST00000338883
23:19373600:C:T	rs544540070	ENST00000338883
23:19373600:C:A		ENST00000338883
23:19373601:G:C		ENST00000338883
23:19373603:C:G	rs185527494	ENST00000338883
23:19373603:C:T	rs185527494	ENST00000338883
23:19373605:G:A	rs1279964678	ENST00000338883
23:19373611:G:T		ENST00000338883
23:19373617:A:G		ENST00000338883
23:19373618:C:T	rs1232378667	ENST00000338883
23:19373620:G:C		ENST00000338883
23:19373623:C:T	rs1269834491	ENST00000338883
23:19373623:C:G		ENST00000338883
23:19373624:C:T	rs144340909	ENST00000338883
23:19373625:G:T		ENST00000338883
23:19373627:G:A		ENST00000338883
23:19373627:G:C		ENST00000338883
23:19373630:C:G		ENST00000338883
23:19373630:C:A		ENST00000338883
23:19373630:C:T	rs766896710	ENST00000338883
23:19373632:CT:C	rs750398253	ENST00000338883

23:19373632:C:T	rs372490783	ENST00000338883
23:19373634:G:T		ENST00000338883
23:19373638:C:T	rs372431682	ENST00000338883
23:19373639:T:C	rs1372165438	ENST00000338883
23:19373639:T:A		ENST00000338883
23:19373641:G:C	rs768045215	ENST00000338883
23:19373642:T:G		ENST00000338883
23:19373642:TG:T		ENST00000338883
23:19373644:G:A	rs1172240861	ENST00000338883
23:19373645:C:T		ENST00000338883
23:19373648:T:C	rs755724351	ENST00000338883
23:19373651:G:A	rs945776661	ENST00000338883
23:19373652:C:A	rs141584781	ENST00000338883
23:19373652:C:G	rs141584781	ENST00000338883
23:19373654:C:T		ENST00000338883
23:19373656:C:G		ENST00000338883
23:19373657:C:T		ENST00000338883
23:19373657:CCT:C		ENST00000338883
23:19373660:G:A		ENST00000338883
23:19373665:G:A	rs1393243645	ENST00000338883
23:19373665:G:T		ENST00000338883
23:19373666:G:T	rs756780481	ENST00000338883
23:19373666:G:A	rs756780481	ENST00000338883
23:19373672:C:T		ENST00000338883
23:19373677:A:C	rs150502510	ENST00000338883
23:19373678:C:T	rs377079007	ENST00000338883
23:19373684:C:T	rs1486248285	ENST00000338883
23:19373686:C:T	rs369415318	ENST00000338883
23:19373686:C:G	rs369415318	ENST00000338883
23:19373687:G:A	rs371974908	ENST00000338883
23:19373689:G:A		ENST00000338883
23:19373692:C:A		ENST00000338883
23:19373693:C:T		ENST00000338883
23:19374476:C:T		ENST00000338883

23:19374477:C:T		ENST00000338883
23:19374479:G:A		ENST00000338883
23:19374479:G:C	rs1159533787	ENST00000338883
23:19374483:G:T		ENST00000338883
23:19374485:T:C		ENST00000338883
23:19374487:G:C		ENST00000338883
23:19374488:A:T		ENST00000338883
23:19374493:A:C	rs998609662	ENST00000338883
23:19374497:C:G	rs143201437	ENST00000338883
23:19374497:C:T	rs143201437	ENST00000338883
23:19374497:C:T	rs143201437	ENST00000338883
23:19374498:G:A	rs754249644	ENST00000338883
23:19374504:T:C		ENST00000338883
23:19374507:T:TG		ENST00000338883
23:19374509:C:CT		ENST00000338883
23:19374509:C:A		ENST00000338883
23:19374509:C:T	rs764876979	ENST00000338883
23:19374510:C:G		ENST00000338883
23:19374510:C:T	rs1032796753	ENST00000338883
23:19374511:CTTGTTACCT:C		ENST00000338883
23:19374513:T:TG	rs754776328	ENST00000338883
23:19374514:G:GT		ENST00000338883
23:19374521:T:C	rs749881067	ENST00000338883
23:19374524:C:A		ENST00000338883
23:19374524:C:T		ENST00000338883
23:19374525:T:C		ENST00000338883
23:19374529:G:C		ENST00000338883
23:19374534:CCT:C		ENST00000338883
23:19374534:C:T		ENST00000338883
23:19374536:T:C	rs1443282188	ENST00000338883
23:19374537:C:T	rs757964409	ENST00000338883
23:19374539:C:T		ENST00000338883
23:19374540:T:C	rs779967232	ENST00000338883
23:19374542:A:G		ENST00000338883

23:19374552:C:A		ENST00000338883
23:19374558:T:C		ENST00000338883
23:19374560:G:T		ENST00000338883
23:19374561:C:T		ENST00000338883
23:19374563:C:T	rs369062028	ENST00000338883
23:19374563:C:G		ENST00000338883
23:19374564:G:A	rs770297627	ENST00000338883
23:19374564:G:T		ENST00000338883
23:19374568:G:C		ENST00000338883
23:19374569:T:TG	rs778744090	ENST00000338883
23:19374569:T:C	rs773851592	ENST00000338883
23:19374570:G:A		ENST00000338883
23:19374572:G:C		ENST00000338883
23:19374572:G:T	rs1483865360	ENST00000338883
23:19374573:G:A	rs1195791449	ENST00000338883
23:19374578:G:C	rs747977861	ENST00000338883
23:19374578:G:T		ENST00000338883
23:19374579:G:A	rs771219455	ENST00000338883
23:19374582:C:A	rs748945931	ENST00000338883
23:19374582:C:T	rs748945931	ENST00000338883
23:19374582:C:G	rs748945931	ENST00000338883
23:19374583:G:C	rs185966397	ENST00000338883
23:19374583:GA:G		ENST00000338883
23:19374587:C:T		ENST00000338883
23:19374590:G:C		ENST00000338883
23:19374590:G:A		ENST00000338883
23:19374592:T:G	rs1394732267	ENST00000338883
23:19374594:A:C		ENST00000338883
23:19374597:T:C		ENST00000338883
23:19374602:G:A	rs564201841	ENST00000338883
23:19374605:C:T	rs1316690436	ENST00000338883
23:19374606:G:A	rs373475912	ENST00000338883
23:19374608:G:A		ENST00000338883
23:19374611:T:C		ENST00000338883

23:19374612:C:T		ENST00000338883
23:19374614:G:A		ENST00000338883
23:19374618:A:T		ENST00000338883
23:19374618:A:G		ENST00000338883
23:19374623:G:T		ENST00000338883
23:19374623:GC:G		ENST00000338883
23:19374623:G:C	rs144072326	ENST00000338883
23:19374625:T:A	rs1461533788	ENST00000338883
23:19374629:G:A		ENST00000338883
23:19374630:G:C	rs1297589857	ENST00000338883
23:19374630:G:T	rs1297589857	ENST00000338883
23:19374630:G:A		ENST00000338883
23:19374632:A:T	rs764860702	ENST00000338883
23:19374632:A:C	rs764860702	ENST00000338883
23:19374636:C:T		ENST00000338883
23:19374636:CA:C		ENST00000338883
23:19374637:AG:A		ENST00000338883
23:19374642:G:C		ENST00000338883
23:19374645:T:A		ENST00000338883
23:19374646:C:G	rs1448756421	ENST00000338883
23:19374653:A:G		ENST00000338883
23:19374653:A:T	rs750147519	ENST00000338883
23:19374654:T:C	rs1217043808	ENST00000338883
23:19374657:C:G	rs762420004	ENST00000338883
23:19374660:C:T	rs1312320269	ENST00000338883
23:19374660:C:G	rs1312320269	ENST00000338883
23:19374661:C:A		ENST00000338883
23:19374662:T:C		ENST00000338883
23:19380119:C:T		ENST00000338883
23:19380126:C:T		ENST00000338883
23:19380127:A:G		ENST00000338883
23:19380128:T:C	rs377319600	ENST00000338883
23:19380134:C:T	rs867091312	ENST00000338883
23:19380139:G:A	rs780063008	ENST00000338883

23:19380139:G:T	rs780063008	ENST00000338883
23:19380143:C:T	rs370530366	ENST00000338883
23:19380143:C:G	rs370530366	ENST00000338883
23:19380145:C:T	rs759141823	ENST00000338883
23:19380149:G:T		ENST00000338883
23:19380152:C:T		ENST00000338883
23:19380153:A:C		ENST00000338883
23:19380160:G:A	rs145004525	ENST00000338883
23:19380160:G:C	rs145004525	ENST00000338883
23:19380160:G:A	rs145004525	ENST00000338883
23:19380168:G:T		ENST00000338883
23:19380176:C:T	rs1417043774	ENST00000338883
23:19380177:C:T		ENST00000338883
23:19380178:A:G	rs149102079	ENST00000338883
23:19380180:C:A	rs1369206461	ENST00000338883
23:19380183:A:C		ENST00000338883
23:19380185:T:C		ENST00000338883
23:19380187:A:G		ENST00000338883
23:19380188:T:C	rs142230993	ENST00000338883
23:19380189:GGT:G	rs1428477259	ENST00000338883
23:19380190:G:A		ENST00000338883
23:19380190:G:T		ENST00000338883
23:19380197:C:T	rs56381411	ENST00000338883
23:19380197:C:T	rs56381411	ENST00000338883
23:19380200:G:C		ENST00000338883
23:19380202:G:T	rs1293257563	ENST00000338883
23:19380202:GA:G		ENST00000338883
23:19380202:G:A		ENST00000338883
23:19380204:C:A		ENST00000338883
23:19380205:C:T	rs1371052584	ENST00000338883
23:19380205:C:A		ENST00000338883
23:19380206:A:G	rs747048982	ENST00000338883
23:19380212:C:T	rs1230409748	ENST00000338883
23:19380214:G:T		ENST00000338883

23:19380218:G:T	rs1288405594	ENST00000338883
23:19380222:AC:A		ENST00000338883
23:19380230:C:T	rs770308536	ENST00000338883
23:19380232:C:T		ENST00000338883
23:19380233:G:A	rs141537188	ENST00000338883
23:19380236:G:A		ENST00000338883
23:19380238:C:G	rs1439363312	ENST00000338883
23:19380239:C:T	rs777273513	ENST00000338883
23:19380240:T:A	rs1008173567	ENST00000338883
23:19380242:G:C		ENST00000338883
23:19380242:G:A	rs1419810917	ENST00000338883
23:19380247:A:G	rs1357940139	ENST00000338883
23:19380248:T:C		ENST00000338883
23:19380250:A:G		ENST00000338883
23:19380251:T:A	rs767103195	ENST00000338883
23:19380253:T:A		ENST00000338883
23:19380253:T:C		ENST00000338883
23:19380254:C:T		ENST00000338883
23:19380256:G:A		ENST00000338883
23:19380257:G:A	rs374546659	ENST00000338883
23:19380259:G:A		ENST00000338883
23:19380261:C:T		ENST00000338883
23:19380262:A:G		ENST00000338883
23:19380263:T:G		ENST00000338883
23:19380269:G:T	rs760646464	ENST00000338883
23:19380275:T:C		ENST00000338883
23:19391999:TA:T		ENST00000338883
23:19392000:A:T		ENST00000338883
23:19392001:C:T	rs771649983	ENST00000338883
23:19392002:C:A		ENST00000338883
23:19392004:G:T		ENST00000338883
23:19392004:G:C		ENST00000338883
23:19392005:T:C	rs1474358538	ENST00000338883
23:19392005:TA:T		ENST00000338883

23:19392008:A:C		ENST00000338883
23:19392010:G:C		ENST00000338883
23:19392010:GTC:G	rs746435633	ENST00000338883
23:19392016:G:C		ENST00000338883
23:19392016:G:T		ENST00000338883
23:19392018:G:T		ENST00000338883
23:19392020:A:G		ENST00000338883
23:19392023:G:C		ENST00000338883
23:19392023:G:A		ENST00000338883
23:19392023:G:T		ENST00000338883
23:19392026:TCA:T		ENST00000338883
23:19392031:C:T		ENST00000338883
23:19392034:G:A	rs760272533	ENST00000338883
23:19392034:G:T	rs760272533	ENST00000338883
23:19392035:CA:C	rs766815980	ENST00000338883
23:19392038:G:A		ENST00000338883
23:19392040:C:T	rs1219857102	ENST00000338883
23:19392041:G:A	rs768703203	ENST00000338883
23:19392041:G:T		ENST00000338883
23:19392046:G:A	rs1196541709	ENST00000338883
23:19392046:G:C		ENST00000338883
23:19392046:G:T		ENST00000338883
23:19392049:G:C		ENST00000338883
23:19392053:C:A		ENST00000338883
23:19392053:C:G		ENST00000338883
23:19392059:C:T	rs368657739	ENST00000338883
23:19392064:A:G	rs1328153713	ENST00000338883
23:19392074:C:T	rs147048958	ENST00000338883
23:19392077:C:T	rs79798608	ENST00000338883
23:19392077:C:T	rs79798608	ENST00000338883
23:19392077:C:G		ENST00000338883
23:19392080:T:C		ENST00000338883
23:19392081:GT:G		ENST00000338883
23:19392081:G:C		ENST00000338883

23:19392085:G:C		ENST00000338883
23:19392085:G:T		ENST00000338883
23:19392087:G:C	rs200012394	ENST00000338883
23:19392088:T:C		ENST00000338883
23:19392094:A:G	rs200958508	ENST00000338883
23:19392095:G:T		ENST00000338883
23:19392095:G:C		ENST00000338883
23:19392098:C:T		ENST00000338883
23:19392099:AT:A		ENST00000338883
23:19392099:A:C	rs754550233	ENST00000338883
23:19392104:C:T	rs778219241	ENST00000338883
23:19392107:C:T		ENST00000338883
23:19392341:A:G		ENST00000338883
23:19392342:C:T		ENST00000338883
23:19392342:C:G	rs150236554	ENST00000338883
23:19392342:C:A	rs150236554	ENST00000338883
23:19392342:CCTTT:C		ENST00000338883
23:19392346:T:C		ENST00000338883
23:19392348:T:A		ENST00000338883
23:19392348:T:C	rs767752495	ENST00000338883
23:19392349:GTC:G		ENST00000338883
23:19392351:C:T		ENST00000338883
23:19392357:GC:G		ENST00000338883
23:19392359:A:C		ENST00000338883
23:19392360:C:A		ENST00000338883
23:19392360:C:T		ENST00000338883
23:19392361:G:C		ENST00000338883
23:19392367:G:GT	rs781626875	ENST00000338883
23:19392369:T:G	rs1406102428	ENST00000338883
23:19392373:A:C		ENST00000338883
23:19392374:T:C		ENST00000338883
23:19392375:G:C		ENST00000338883
23:19392378:G:A		ENST00000338883
23:19392380:T:C	rs1297814073	ENST00000338883

23:19392381:A:T		ENST00000338883
23:19392386:A:G		ENST00000338883
23:19392386:A:C		ENST00000338883
23:19392387:G:C	rs750784800	ENST00000338883
23:19392389:C:T	rs758901186	ENST00000338883
23:19392390:C:T	rs371775065	ENST00000338883
23:19392392:TC:T		ENST00000338883
23:19392400:C:G		ENST00000338883
23:19392402:G:C	rs747619359	ENST00000338883
23:19392404:T:C	rs1173582521	ENST00000338883
23:19392407:G:T		ENST00000338883
23:19392407:G:C	rs376022882	ENST00000338883
23:19392408:T:C		ENST00000338883
23:19392409:G:T		ENST00000338883
23:19392410:T:TA		ENST00000338883
23:19392411:A:G	rs1390254867	ENST00000338883
23:19392419:A:T		ENST00000338883
23:19392420:T:C	rs570711046	ENST00000338883
23:19392422:G:T	rs775822591	ENST00000338883
23:19392425:G:A	rs770760036	ENST00000338883
23:19392425:G:T		ENST00000338883
23:19392426:G:A	rs978251054	ENST00000338883
23:19392432:T:G		ENST00000338883
23:19392433:C:T		ENST00000338883
23:19392434:A:C	rs774151165	ENST00000338883
23:19392437:G:A	rs149411845	ENST00000338883
23:19392438:GC:G		ENST00000338883
23:19392441:C:T		ENST00000338883
23:19392442:C:T		ENST00000338883
23:19392443:C:T		ENST00000338883
23:19392444:A:G	rs1210117056	ENST00000338883
23:19392444:AT:A	rs746271832	ENST00000338883
23:19392449:G:T		ENST00000338883
23:19392452:C:T		ENST00000338883

23:19392453:G:A	rs144831156	ENST00000338883
23:19392459:G:T		ENST00000338883
23:19392459:G:A	rs765768554	ENST00000338883
23:19392462:C:G	rs1395454202	ENST00000338883
23:19392467:A:G		ENST00000338883
23:19392468:G:C		ENST00000338883
23:19392469:G:GTA		ENST00000338883
23:19392473:C:T		ENST00000338883
23:19392474:C:A		ENST00000338883
23:19392475:T:C	rs758814694	ENST00000338883
23:19392475:T:A		ENST00000338883
23:19395084:C:T	rs1459360829	ENST00000338883
23:19395086:G:A		ENST00000338883
23:19395087:G:A		ENST00000338883
23:19395090:C:T		ENST00000338883
23:19395090:C:A	rs138497684	ENST00000338883
23:19395092:TG:T		ENST00000338883
23:19395093:G:A	rs1266908447	ENST00000338883
23:19395096:C:T		ENST00000338883
23:19395097:C:T		ENST00000338883
23:19395100:A:T		ENST00000338883
23:19395101:A:C	rs1431543721	ENST00000338883
23:19395105:T:C	rs1178265684	ENST00000338883
23:19395105:T:A		ENST00000338883
23:19395107:T:G		ENST00000338883
23:19395108:T:C	rs1188957163	ENST00000338883
23:19395111:T:C	rs772968513	ENST00000338883
23:19395111:T:G	rs772968513	ENST00000338883
23:19395113:T:A		ENST00000338883
23:19395116:C:G		ENST00000338883
23:19395117:C:T	rs752338378	ENST00000338883
23:19395118:G:T		ENST00000338883
23:19395119:T:C		ENST00000338883
23:19395122:T:C	rs373303039	ENST00000338883

23:19395125:G:C		ENST00000338883
23:19395125:G:A		ENST00000338883
23:19395135:C:A		ENST00000338883
23:19395139:G:T		ENST00000338883
23:19395140:T:C	rs753347190	ENST00000338883
23:19395142:C:A	rs757128363	ENST00000338883
23:19395144:G:T	rs1339977528	ENST00000338883
23:19395147:C:T		ENST00000338883
23:19395147:C:A	rs146183359	ENST00000338883
23:19395150:T:TA		ENST00000338883
23:19395150:T:C	rs771801157	ENST00000338883
23:19395150:T:A		ENST00000338883
23:19395152:T:C		ENST00000338883
23:19395153:T:G	rs1324889063	ENST00000338883
23:19395153:T:C	rs1324889063	ENST00000338883
23:19395155:C:T	rs781456790	ENST00000338883
23:19395155:C:A		ENST00000338883
23:19395156:G:A	rs748271078	ENST00000338883
23:19395156:G:C		ENST00000338883
23:19395158:T:C		ENST00000338883
23:19395159:G:A	rs770086835	ENST00000338883
23:19395159:G:T		ENST00000338883
23:19395160:CT:C		ENST00000338883
23:19395165:G:C	rs1243948383	ENST00000338883
23:19395169:C:A		ENST00000338883
23:19395170:T:C	rs1455893941	ENST00000338883
23:19395171:T:C	rs1265108227	ENST00000338883
23:19395174:G:C		ENST00000338883
23:19395177:G:T		ENST00000338883
23:19395179:G:T		ENST00000338883
23:19395181:T:C		ENST00000338883
23:19395183:T:G		ENST00000338883
23:19395183:T:A		ENST00000338883
23:19395183:T:C		ENST00000338883

23:19395189:C:T	rs766154880	ENST00000338883
23:19395191:T:C		ENST00000338883
23:19395191:T:G	rs1236045674	ENST00000338883
23:19395200:T:G		ENST00000338883
23:19395203:G:A	rs11094772	ENST00000338883
23:19395203:G:A	rs11094772	ENST00000338883
23:19395204:A:C	rs775068066	ENST00000338883
23:19395206:T:A	rs887371071	ENST00000338883
23:19395208:C:A	rs1252359749	ENST00000338883
23:19395209:C:G	rs759916411	ENST00000338883
23:19398224:G:A		ENST00000338883
23:19398226:C:T		ENST00000338883
23:19398229:C:T		ENST00000338883
23:19398230:T:C	rs906827784	ENST00000338883
23:19398231:A:C	rs1432197468	ENST00000338883
23:19398231:ATCTC:A		ENST00000338883
23:19398235:C:G		ENST00000338883
23:19398235:C:T		ENST00000338883
23:19398237:C:G		ENST00000338883
23:19398241:G:T		ENST00000338883
23:19398241:G:A		ENST00000338883
23:19398242:G:C		ENST00000338883
23:19398245:T:C	rs1286667649	ENST00000338883
23:19398248:C:T	rs370641677	ENST00000338883
23:19398248:C:A	rs370641677	ENST00000338883
23:19398250:T:C	rs1031409891	ENST00000338883
23:19398251:T:C	rs1355056858	ENST00000338883
23:19398254:T:G		ENST00000338883
23:19398258:T:C	rs1213214286	ENST00000338883
23:19398259:A:G	rs201902407	ENST00000338883
23:19398260:T:C	rs1288164115	ENST00000338883
23:19398262:C:T		ENST00000338883
23:19398263:G:A	rs200759946	ENST00000338883
23:19398263:G:A	rs200759946	ENST00000338883

23:19398265:A:G	rs1236801944	ENST00000338883
23:19398265:A:T	rs1236801944	ENST00000338883
23:19398269:G:C		ENST00000338883
23:19398271:T:C		ENST00000338883
23:19398283:C:G	rs755192127	ENST00000338883
23:19398283:C:T	rs755192127	ENST00000338883
23:19398284:G:A	rs866380209	ENST00000338883
23:19398284:G:C		ENST00000338883
23:19398286:C:G	rs1409601067	ENST00000338883
23:19398286:C:T		ENST00000338883
23:19398289:G:C	rs778112554	ENST00000338883
23:19398290:C:A		ENST00000338883
23:19398292:TAC:T		ENST00000338883
23:19398295:A:C		ENST00000338883
23:19398295:A:G		ENST00000338883
23:19398296:C:T	rs1334128202	ENST00000338883
23:19398296:C:A		ENST00000338883
23:19398299:T:A		ENST00000338883
23:19398301:C:T	rs1205958047	ENST00000338883
23:19398303:A:C		ENST00000338883
23:19398307:G:A	rs375002714	ENST00000338883
23:19398308:T:G	rs150554416	ENST00000338883
23:19398310:C:A	rs1376441413	ENST00000338883
23:19398314:T:TC	rs1222731473	ENST00000338883
23:19398317:C:G		ENST00000338883
23:19398318:C:A	rs772440634	ENST00000338883
23:19398319:A:G	rs1021387704	ENST00000338883
23:19398325:A:G	rs1195375656	ENST00000338883
23:19398326:C:T		ENST00000338883
23:19398328:C:G		ENST00000338883
23:19398335:C:T		ENST00000338883
23:19398335:C:A		ENST00000338883
23:19398336:AT:A		ENST00000338883
23:19398338:T:G	rs769056939	ENST00000338883

23:19398338:T:C		ENST00000338883
23:19398340:G:C	rs149730374	ENST00000338883
23:19398344:C:T		ENST00000338883
23:19398346:TG:T		ENST00000338883
23:19398346:T:C		ENST00000338883
23:19398352:T:C		ENST00000338883
23:19398352:T:TA		ENST00000338883
23:19398356:C:T		ENST00000338883
23:19398356:C:A		ENST00000338883
23:19398357:A:T	rs764874953	ENST00000338883
23:19398357:A:C		ENST00000338883
23:19398358:T:A	rs375445657	ENST00000338883
23:19398358:T:C	rs375445657	ENST00000338883
23:19398360:C:A		ENST00000338883
23:19400574:A:T	rs769424779	ENST00000338883
23:19400575:C:T		ENST00000338883
23:19400575:C:A	rs374760669	ENST00000338883
23:19400577:TC:T		ENST00000338883
23:19400580:A:G		ENST00000338883
23:19400581:A:C	rs765965556	ENST00000338883
23:19400583:G:T		ENST00000338883
23:19400583:G:A	rs1405600473	ENST00000338883
23:19400585:G:T		ENST00000338883
23:19400586:T:C		ENST00000338883
23:19400587:C:G		ENST00000338883
23:19400589:C:A		ENST00000338883
23:19400589:C:T	rs367550537	ENST00000338883
23:19400589:C:G	rs367550537	ENST00000338883
23:19400592:TC:T		ENST00000338883
23:19400593:C:T	rs752523544	ENST00000338883
23:19400593:C:A		ENST00000338883
23:19400595:G:C		ENST00000338883
23:19400595:G:A	rs1391158476	ENST00000338883
23:19400595:G:GT	rs761754383	ENST00000338883

23:19400595:GTCTC:G		ENST00000338883
23:19400595:G:T		ENST00000338883
23:19400597:C:A		ENST00000338883
23:19400601:C:T		ENST00000338883
23:19400603:C:G		ENST00000338883
23:19400604:T:G		ENST00000338883
23:19400604:T:C	rs779958714	ENST00000338883
23:19400608:G:T		ENST00000338883
23:19400610:T:C	rs750706947	ENST00000338883
23:19400613:A:G		ENST00000338883
23:19400613:AC:A		ENST00000338883
23:19400616:G:A	rs555050902	ENST00000338883
23:19400619:C:T		ENST00000338883
23:19400619:C:A		ENST00000338883
23:19400620:TG:T		ENST00000338883
23:19400620:T:A	rs201997444	ENST00000338883
23:19400622:C:CCT		ENST00000338883
23:19400623:C:T		ENST00000338883
23:19400625:G:T		ENST00000338883
23:19400626:C:T	rs139773428	ENST00000338883
23:19400626:C:T	rs139773428	ENST00000338883
23:19400628:G:T		ENST00000338883
23:19400634:GT:G		ENST00000338883
23:19400634:G:T		ENST00000338883
23:19400635:T:C		ENST00000338883
23:19400636:TA:T		ENST00000338883
23:19400643:T:A		ENST00000338883
23:19400644:C:A		ENST00000338883
23:19400649:A:G		ENST00000338883
23:19400650:C:T		ENST00000338883
23:19400650:C:G	rs778271518	ENST00000338883
23:19400651:C:A		ENST00000338883
23:19400652:A:G		ENST00000338883
23:19400653:A:C		ENST00000338883

23:19400655:G:T		ENST00000338883
23:19400659:A:T		ENST00000338883
23:19400661:A:T		ENST00000338883
23:19400664:C:G		ENST00000338883
23:19400664:CT:C		ENST00000338883
23:19400665:T:C		ENST00000338883
23:19407186:A:G		ENST00000338883
23:19407186:A:T		ENST00000338883
23:19407186:A:AC		ENST00000338883
23:19407192:TG:T		ENST00000338883
23:19407193:G:T		ENST00000338883
23:19407194:C:T		ENST00000338883
23:19407195:A:G	rs978927448	ENST00000338883
23:19407197:T:G	rs911020923	ENST00000338883
23:19407203:TC:T		ENST00000338883
23:19407203:T:G		ENST00000338883
23:19407204:C:T	rs755117721	ENST00000338883
23:19407206:G:T		ENST00000338883
23:19407207:T:C		ENST00000338883
23:19407207:TG:T		ENST00000338883
23:19407209:GA:G		ENST00000338883
23:19407215:T:C	rs1385527483	ENST00000338883
23:19407215:T:TA		ENST00000338883
23:19407216:A:G	rs1312961878	ENST00000338883
23:19407219:T:C		ENST00000338883
23:19407223:A:T		ENST00000338883
23:19407226:G:T		ENST00000338883
23:19407231:C:G	rs1395255171	ENST00000338883
23:19407233:G:C		ENST00000338883
23:19407239:T:C		ENST00000338883
23:19407240:C:A		ENST00000338883
23:19407242:TG:T		ENST00000338883
23:19407242:T:C	rs901111047	ENST00000338883
23:19407243:G:T		ENST00000338883

23:19407245:A:G	rs41311501	ENST00000338883
23:19407245:A:G	rs41311501	ENST00000338883
23:19407248:T:C		ENST00000338883
23:19407249:A:T	rs1452990566	ENST00000338883
23:19407258:AAC:A		ENST00000338883
23:19407260:C:T		ENST00000338883
23:19407264:T:C		ENST00000338883
23:19407267:C:T	rs778163094	ENST00000338883
23:19407270:C:G	rs145329587	ENST00000338883
23:19407271:A:C	rs375521492	ENST00000338883
23:19407274:C:A		ENST00000338883
23:19407278:G:A		ENST00000338883
23:19407279:A:T		ENST00000338883
23:19407281:A:G		ENST00000338883
23:19407282:G:T		ENST00000338883
23:19407282:G:C		ENST00000338883
23:19407283:GCT:G		ENST00000338883
23:19407283:G:T		ENST00000338883
23:19407284:C:T		ENST00000338883
23:19409921:TA:T		ENST00000338883
23:19409922:A:T	rs754223346	ENST00000338883
23:19409922:A:G		ENST00000338883
23:19409923:C:T	rs1187641554	ENST00000338883
23:19409924:C:T		ENST00000338883
23:19409924:CT:C		ENST00000338883
23:19409928:T:C	rs954897401	ENST00000338883
23:19409930:C:T	rs971762138	ENST00000338883
23:19409931:C:T		ENST00000338883
23:19409932:CT:C		ENST00000338883
23:19409934:T:C	rs1293579813	ENST00000338883
23:19409936:A:G		ENST00000338883
23:19409937:T:C	rs757599496	ENST00000338883
23:19409939:G:T		ENST00000338883
23:19409939:G:C		ENST00000338883

23:19409940:A:C		ENST00000338883
23:19409942:G:T		ENST00000338883
23:19409945:G:T		ENST00000338883
23:19409948:G:T		ENST00000338883
23:19409948:G:A	rs778684878	ENST00000338883
23:19409956:C:T		ENST00000338883
23:19409959:T:A		ENST00000338883
23:19409961:C:T	rs745466888	ENST00000338883
23:19409961:C:A		ENST00000338883
23:19409964:G:T		ENST00000338883
23:19409965:C:A		ENST00000338883
23:19409973:T:C		ENST00000338883
23:19409973:T:A		ENST00000338883
23:19409975:T:C		ENST00000338883
23:19413355:A:C		ENST00000338883
23:19413357:C:T		ENST00000338883
23:19413358:AT:A		ENST00000338883
23:19413362:C:G		ENST00000338883
23:19413364:G:T		ENST00000338883
23:19413365:TG:T		ENST00000338883
23:19413365:T:C		ENST00000338883
23:19413365:T:A		ENST00000338883
23:19413367:G:T		ENST00000338883
23:19413368:G:A	rs1181417477	ENST00000338883
23:19413368:G:C		ENST00000338883
23:19413370:G:T		ENST00000338883
23:19413370:G:A		ENST00000338883
23:19413371:A:C	rs1442470722	ENST00000338883
23:19413374:C:T	rs375345216	ENST00000338883
23:19413374:C:A	rs375345216	ENST00000338883
23:19413375:A:T		ENST00000338883
23:19413377:GC:G		ENST00000338883
23:19413377:G:T		ENST00000338883
23:19413378:C:A	rs779910870	ENST00000338883

23:19413379:C:A		ENST00000338883
23:19413381:TA:T		ENST00000338883
23:19413382:A:G		ENST00000338883
23:19413383:A:T		ENST00000338883
23:19413385:G:T	rs754487640	ENST00000338883
23:19413386:A:C	rs1043093409	ENST00000338883
23:19413389:C:A		ENST00000338883
23:19413389:CT:C		ENST00000338883
23:19413391:G:A		ENST00000338883
23:19413394:C:T	rs185465571	ENST00000338883
23:19413395:T:C		ENST00000338883
23:19413396:C:G		ENST00000338883
23:19413400:T:C		ENST00000338883
23:19413401:C:T	rs200566465	ENST00000338883
23:19413404:CTTCA:C		ENST00000338883
23:19413404:C:A	rs528189297	ENST00000338883
23:19413411:GT:G		ENST00000338883
23:19413411:G:T	rs373935936	ENST00000338883
23:19413412:T:C		ENST00000338883
23:19413413:T:G		ENST00000338883
23:19413416:T:C	rs755428959	ENST00000338883
23:19413423:A:T		ENST00000338883
23:19413424:T:A		ENST00000338883
23:19413430:G:A		ENST00000338883
23:19413430:G:C		ENST00000338883
23:19413432:C:A	rs1280949691	ENST00000338883
23:19413434:G:A		ENST00000338883
23:19413440:C:T		ENST00000338883
23:19413440:CT:C		ENST00000338883
23:19413441:T:G		ENST00000338883
23:19413446:T:C		ENST00000338883
23:19413449:G:C		ENST00000338883
23:19413449:GC:G		ENST00000338883
23:19413449:G:T		ENST00000338883

23:19413452:C:T		ENST00000338883
23:19413453:TA:T		ENST00000338883
23:19413455:TG:T		ENST00000338883
23:19413455:T:C		ENST00000338883
23:19413458:C:A		ENST00000338883
23:19413461:G:T		ENST00000338883
23:19413464:C:A	rs765852192	ENST00000338883
23:19413465:C:G		ENST00000338883
23:19413465:C:T		ENST00000338883
23:19413466:T:G		ENST00000338883
23:19415105:A:G	rs766803276	ENST00000338883
23:19415106:C:T	rs775320153	ENST00000338883
23:19415113:T:A		ENST00000338883
23:19415114:C:G	rs759048123	ENST00000338883
23:19415119:TC:T		ENST00000338883
23:19415120:C:T		ENST00000338883
23:19415121:C:T	rs1311203736	ENST00000338883
23:19415124:T:A	rs752140028	ENST00000338883
23:19415124:T:C	rs752140028	ENST00000338883
23:19415124:T:TA		ENST00000338883
23:19415126:G:C	rs755656745	ENST00000338883
23:19415130:C:T		ENST00000338883
23:19415133:CATTTC		ENST00000338883
23:19415134:A:C		ENST00000338883
23:19415135:T:C		ENST00000338883
23:19415135:T:G	rs1221023918	ENST00000338883
23:19415136:T:C	rs777662468	ENST00000338883
23:19415138:GT:G		ENST00000338883
23:19415139:T:C		ENST00000338883
23:19415142:C:G	rs757216066	ENST00000338883
23:19415144:T:C		ENST00000338883
23:19415153:A:G	rs778503881	ENST00000338883
23:19415154:T:C		ENST00000338883
23:19415156:T:C	rs745688597	ENST00000338883

23:19415162:C:A		ENST00000338883
23:19415165:A:AC		ENST00000338883
23:19415166:A:C	rs1311690664	ENST00000338883
23:19415167:G:T		ENST00000338883
23:19415174:C:T	rs190743895	ENST00000338883
23:19415175:G:A	rs182589249	ENST00000338883
23:19415175:G:A	rs182589249	ENST00000338883
23:19415176:C:G		ENST00000338883
23:19415178:C:T		ENST00000338883
23:19415181:G:T		ENST00000338883
23:19415181:G:C		ENST00000338883
23:19415183:C:G		ENST00000338883
23:19415184:T:C		ENST00000338883
23:19415186:G:T		ENST00000338883
23:19415187:G:A		ENST00000338883
23:19415187:G:C		ENST00000338883
23:19415188:CGA:C		ENST00000338883
23:19415189:G:A	rs372180658	ENST00000338883
23:19415189:G:T	rs372180658	ENST00000338883
23:19415191:G:C		ENST00000338883
23:19415193:G:T	rs1325678842	ENST00000338883
23:19415193:G:A	rs1325678842	ENST00000338883
23:19415194:T:G	rs376497408	ENST00000338883
23:19415195:T:C	rs1271588451	ENST00000338883
23:19415197:A:C		ENST00000338883
23:19415198:A:G	rs760008073	ENST00000338883
23:19415199:T:A		ENST00000338883
23:19415200:A:C		ENST00000338883
23:19415202:T:C	rs767042336	ENST00000338883
23:19415204:G:C		ENST00000338883
23:19415208:T:C	rs775168508	ENST00000338883
23:19415211:T:C	rs759565861	ENST00000338883
23:19415212:G:C		ENST00000338883
23:19415216:C:T	rs369494074	ENST00000338883

23:19415216:C:A		ENST00000338883
23:19415217:G:T	rs41305349	ENST00000338883
23:19415217:G:A	rs41305349	ENST00000338883
23:19415217:G:A	rs41305349	ENST00000338883
23:19415219:C:G		ENST00000338883
23:19415219:C:T	rs753349491	ENST00000338883
23:19415220:G:C		ENST00000338883
23:19415220:G:A	rs757126412	ENST00000338883
23:19415223:T:C		ENST00000338883
23:19415226:G:C		ENST00000338883
23:19415232:A:T		ENST00000338883
23:19415233:G:T		ENST00000338883
23:19415234:T:C	rs750179824	ENST00000338883
23:19415235:T:C		ENST00000338883
23:19415238:G:A		ENST00000338883
23:19415240:A:C		ENST00000338883
23:19415241:C:G	rs1425341351	ENST00000338883
23:19415242:T:G		ENST00000338883
23:19415242:TA:T		ENST00000338883
23:19415246:G:C		ENST00000338883
23:19415249:C:G		ENST00000338883
23:19415249:C:A		ENST00000338883
23:19415249:C:T	rs781249134	ENST00000338883
23:19415250:G:A	rs748334805	ENST00000338883
23:19415252:A:G	rs777935917	ENST00000338883
23:19415253:G:C		ENST00000338883
23:19415253:G:T		ENST00000338883
23:19415255:T:C	rs1270054619	ENST00000338883
23:19415258:C:A	rs200041074	ENST00000338883
23:19415258:C:G		ENST00000338883
23:19415259:T:C	rs867664444	ENST00000338883
23:19425530:C:T		ENST00000338883
23:19425531:C:A	rs758292274	ENST00000338883
23:19425531:C:T		ENST00000338883

23:19425534:A:G		ENST00000338883
23:19425537:G:A		ENST00000338883
23:19425538:G:C		ENST00000338883
23:19425540:G:T		ENST00000338883
23:19425540:G:A	rs766160104	ENST00000338883
23:19425541:G:A	rs1461405233	ENST00000338883
23:19425544:TCA:T	rs1305758325	ENST00000338883
23:19425546:A:G	rs751407521	ENST00000338883
23:19425549:T:C	rs746482839	ENST00000338883
23:19425551:GA:G		ENST00000338883
23:19425551:G:C		ENST00000338883
23:19425553:A:G	rs1160014340	ENST00000338883
23:19425557:CCT:C	rs1455014232	ENST00000338883
23:19425558:C:G	rs763914956	ENST00000338883
23:19425558:C:T	rs763914956	ENST00000338883
23:19425560:C:G		ENST00000338883
23:19425564:G:C		ENST00000338883
23:19425564:G:A		ENST00000338883
23:19425564:G:T		ENST00000338883
23:19425565:C:T	rs1180787909	ENST00000338883
23:19425568:C:T		ENST00000338883
23:19425570:T:A	rs1433611535	ENST00000338883
23:19425570:T:C		ENST00000338883
23:19425574:C:A		ENST00000338883
23:19425574:C:T	rs539064842	ENST00000338883
23:19425576:G:A		ENST00000338883
23:19425577:C:G	rs1248580410	ENST00000338883
23:19425582:C:T		ENST00000338883
23:19425582:CCG:C		ENST00000338883
23:19425583:C:T	rs780336121	ENST00000338883
23:19425588:T:C	rs1466286755	ENST00000338883
23:19425591:T:C	rs747430129	ENST00000338883
23:19425592:G:A		ENST00000338883
23:19425595:C:G		ENST00000338883

23:19425595:C:T		ENST00000338883
23:19425597:A:G		ENST00000338883
23:19425597:A:T		ENST00000338883
23:19425600:A:C		ENST00000338883
23:19425601:T:C	rs140553102	ENST00000338883
23:19425601:T:G	rs140553102	ENST00000338883
23:19425601:T:C	rs140553102	ENST00000338883
23:19425602:G:C	rs1345367086	ENST00000338883
23:19425604:T:C	rs56212339	ENST00000338883
23:19425604:T:C	rs56212339	ENST00000338883
23:19425607:C:T	rs200274989	ENST00000338883
23:19425607:C:T	rs200274989	ENST00000338883
23:19425608:G:T		ENST00000338883
23:19425609:C:T		ENST00000338883
23:19425609:C:G		ENST00000338883
23:19425613:A:G		ENST00000338883
23:19425615:A:T	rs1366630259	ENST00000338883
23:19425619:G:A	rs762884226	ENST00000338883
23:19425620:AC:A		ENST00000338883
23:19425621:C:T		ENST00000338883
23:19425621:C:A		ENST00000338883
23:19425622:C:CCA	rs751102065	ENST00000338883
23:19425625:C:T	rs374240911	ENST00000338883
23:19425626:A:T		ENST00000338883
23:19425627:T:A	rs138128907	ENST00000338883
23:19425628:C:A		ENST00000338883
23:19425628:C:T	rs751391076	ENST00000338883
23:19425632:G:T		ENST00000338883
23:19425636:T:C		ENST00000338883
23:19425637:T:A		ENST00000338883
23:19425638:G:T	rs769457587	ENST00000338883
23:19425639:T:C		ENST00000338883
23:19425642:A:C		ENST00000338883
23:19425645:T:TTC		ENST00000338883

23:19425645:T:C		ENST00000338883
23:19425646:T:C		ENST00000338883
23:19425653:G:T		ENST00000338883
23:19425654:C:T		ENST00000338883
23:19425658:C:G		ENST00000338883
23:19425660:T:C		ENST00000338883
23:19425663:C:T		ENST00000338883
23:19425667:C:G		ENST00000338883
23:19425668:C:A		ENST00000338883
23:19425671:C:G		ENST00000338883
23:19425671:C:A	rs1157583630	ENST00000338883
23:19425672:A:T		ENST00000338883
23:19425675:C:G	rs762475082	ENST00000338883
23:19425681:A:G		ENST00000338883
23:19425684:C:T	rs757449532	ENST00000338883
23:19425685:G:A		ENST00000338883
23:19425685:G:C	rs897128113	ENST00000338883
23:19425692:T:G		ENST00000338883
23:19425692:T:A		ENST00000338883
23:19426230:C:T	rs867973843	ENST00000338883
23:19426232:T:C		ENST00000338883
23:19426233:A:C		ENST00000338883
23:19426235:T:G		ENST00000338883
23:19426236:T:C		ENST00000338883
23:19426239:CT:C		ENST00000338883
23:19426242:A:T		ENST00000338883
23:19426243:G:T		ENST00000338883
23:19426244:T:A		ENST00000338883
23:19426246:C:T		ENST00000338883
23:19426247:CA:C		ENST00000338883
23:19426248:A:G	rs764169055	ENST00000338883
23:19426248:A:T		ENST00000338883
23:19426249:AG:A	rs1400344898	ENST00000338883
23:19426251:G:C		ENST00000338883

23:19426254:G:A		ENST00000338883
23:19426254:G:T		ENST00000338883
23:19426259:A:C		ENST00000338883
23:19426266:TG:T		ENST00000338883
23:19426266:T:A	rs370481675	ENST00000338883
23:19426266:T:C		ENST00000338883
23:19426267:G:T		ENST00000338883
23:19426269:C:T	rs1314595511	ENST00000338883
23:19426270:C:T		ENST00000338883
23:19426272:G:A	rs1380722009	ENST00000338883
23:19426272:G:T		ENST00000338883
23:19426273:C:A	rs759564714	ENST00000338883
23:19426273:C:T	rs759564714	ENST00000338883
23:19426275:AC:A		ENST00000338883
23:19426275:A:C	rs1291951349	ENST00000338883
23:19426278:A:G	rs767378215	ENST00000338883
23:19426278:A:T	rs767378215	ENST00000338883
23:19426279:T:C		ENST00000338883
23:19426285:A:C		ENST00000338883
23:19426287:ACTGC:A		ENST00000338883
23:19426289:TG:T		ENST00000338883
23:19426290:G:T		ENST00000338883
23:19426291:C:A		ENST00000338883
23:19426293:A:G		ENST00000338883
23:19426295:A:T		ENST00000338883
23:19426297:TA:T		ENST00000338883
23:19426297:T:A		ENST00000338883
23:19426298:A:C		ENST00000338883
23:19426300:T:C	rs1214975468	ENST00000338883
23:19426305:G:A	rs765433654	ENST00000338883
23:19426308:T:C		ENST00000338883
23:19426314:G:T		ENST00000338883
23:19426314:G:A		ENST00000338883
23:19426314:G:C		ENST00000338883

23:19426315:A:G		ENST00000338883
23:19426317:G:T		ENST00000338883
23:19426317:G:A		ENST00000338883
23:19426318:A:G	rs750511196	ENST00000338883
23:19426323:A:G		ENST00000338883
23:19426323:A:C		ENST00000338883
23:19426324:G:A	rs753982555	ENST00000338883
23:19426324:G:C	rs753982555	ENST00000338883
23:19426325:T:G	rs757508384	ENST00000338883
23:19426327:C:T		ENST00000338883
23:19426332:C:T	rs1157533652	ENST00000338883
23:19426333:C:G		ENST00000338883
23:19426335:T:C	rs758512620	ENST00000338883
23:19426338:C:T	rs368487480	ENST00000338883
23:19426339:G:A	rs752013972	ENST00000338883
23:19426339:G:T		ENST00000338883
23:19426343:C:T		ENST00000338883
23:19426343:C:A		ENST00000338883
23:19426344:C:T		ENST00000338883
23:19426344:C:G		ENST00000338883
23:19426345:T:C		ENST00000338883
23:19431436:A:G		ENST00000338883
23:19431436:AC:A		ENST00000338883
23:19431439:A:T		ENST00000338883
23:19431440:C:G	rs1228927548	ENST00000338883
23:19431445:T:C	rs375865981	ENST00000338883
23:19431448:C:T		ENST00000338883
23:19431448:C:A		ENST00000338883
23:19431453:T:G		ENST00000338883
23:19431454:C:T	rs1029627606	ENST00000338883
23:19431456:C:T	rs201645151	ENST00000338883
23:19431456:C:T	rs201645151	ENST00000338883
23:19431457:G:T		ENST00000338883
23:19431457:G:A	rs753417732	ENST00000338883

23:19431458:G:C		ENST00000338883
23:19431462:G:A	rs1254594019	ENST00000338883
23:19431462:G:C		ENST00000338883
23:19431464:G:T		ENST00000338883
23:19431465:T:A	rs373969675	ENST00000338883
23:19431465:T:C	rs373969675	ENST00000338883
23:19431468:T:C	rs1368420453	ENST00000338883
23:19431469:C:G	rs756971761	ENST00000338883
23:19431469:C:T		ENST00000338883
23:19431470:T:G		ENST00000338883
23:19431471:T:C	rs376514232	ENST00000338883
23:19431472:T:C	rs745426078	ENST00000338883
23:19431472:T:G	rs745426078	ENST00000338883
23:19431478:C:A	rs1419011602	ENST00000338883
23:19431480:G:A		ENST00000338883
23:19431480:G:GA		ENST00000338883
23:19431482:A:T		ENST00000338883
23:19431483:T:C	rs535213693	ENST00000338883
23:19431486:A:G		ENST00000338883
23:19431490:A:T	rs775327820	ENST00000338883
23:19431495:T:C		ENST00000338883
23:19431505:T:A		ENST00000338883
23:19431505:T:G	rs771844821	ENST00000338883
23:19431508:TC:T		ENST00000338883
23:19431508:T:C		ENST00000338883
23:19431511:C:A	rs186363224	ENST00000338883
23:19431512:A:C		ENST00000338883
23:19431518:G:T		ENST00000338883
23:19431519:C:T		ENST00000338883
23:19431521:G:C	rs972449437	ENST00000338883
23:19431522:A:G		ENST00000338883
23:19431523:A:G	rs774390330	ENST00000338883
23:19431524:CA:C		ENST00000338883
23:19431525:A:G	rs1222449411	ENST00000338883

23:19431526:T:C		ENST00000338883
23:19431526:T:G		ENST00000338883
23:19431529:C:T	rs759649993	ENST00000338883
23:19431529:C:A		ENST00000338883
23:19431529:CG:C		ENST00000338883
23:19431531:G:A		ENST00000338883
23:19431533:GC:G		ENST00000338883
23:19431534:C:T		ENST00000338883
23:19431537:G:A	rs764168112	ENST00000338883
23:19431537:G:C	rs764168112	ENST00000338883
23:19431538:G:T		ENST00000338883
23:19431538:G:A		ENST00000338883
23:19431538:G:C	rs369774710	ENST00000338883
23:19431541:G:T		ENST00000338883
23:19431543:T:C	rs915134912	ENST00000338883
23:19431545:ACAGCTCTG:A	rs1390911381	ENST00000338883
23:19431548:G:T		ENST00000338883
23:19431549:C:T		ENST00000338883
23:19431553:G:C	rs1424056144	ENST00000338883
23:19431558:A:G	rs1388420390	ENST00000338883
23:19431561:T:C	rs1167356836	ENST00000338883
23:19431565:G:A	rs199556501	ENST00000338883
23:19431567:A:G		ENST00000338883
23:19431568:T:C	rs778750334	ENST00000338883
23:19431568:TG:T		ENST00000338883
23:19431571:T:C	rs1369801782	ENST00000338883
23:19431573:T:C		ENST00000338883
23:19431574:G:A		ENST00000338883
23:19431574:G:GC		ENST00000338883
23:19431579:G:A	rs1184994390	ENST00000338883
23:19431579:G:T		ENST00000338883
23:19431580:C:T		ENST00000338883
23:19431583:T:C		ENST00000338883
23:19431588:C:T	rs757904260	ENST00000338883

23:19431589:G:A	rs761341022	ENST00000338883
23:19431589:G:C	rs761341022	ENST00000338883
23:19431597:G:A	rs1197475119	ENST00000338883
23:19431598:T:C		ENST00000338883
23:19431599:G:T		ENST00000338883
23:19431604:T:C		ENST00000338883
23:19431605:TC:T		ENST00000338883
23:19431606:C:A		ENST00000338883
23:19456910:TA:T		ENST00000338883
23:19456911:A:T		ENST00000338883
23:19456912:C:T		ENST00000338883
23:19456915:A:C	rs1015054708	ENST00000338883
23:19456916:T:C		ENST00000338883
23:19456919:A:T		ENST00000338883
23:19456922:G:A	rs777553980	ENST00000338883
23:19456922:G:T		ENST00000338883
23:19456923:C:T		ENST00000338883
23:19456923:C:A	rs906535572	ENST00000338883
23:19456925:A:G	rs746041327	ENST00000338883
23:19456928:G:A	rs899323042	ENST00000338883
23:19456931:T:C		ENST00000338883
23:19456931:TA:T		ENST00000338883
23:19456932:A:G	rs1034519307	ENST00000338883
23:19456932:A:T		ENST00000338883
23:19456934:T:A	rs952659828	ENST00000338883
23:19456935:G:A		ENST00000338883
23:19456936:G:T		ENST00000338883
23:19456936:G:C		ENST00000338883
23:19456943:A:C		ENST00000338883
23:19456943:A:G		ENST00000338883
23:19456944:T:C	rs202245533	ENST00000338883
23:19456944:T:C	rs202245533	ENST00000338883
23:19456945:G:T		ENST00000338883
23:19456948:A:T		ENST00000338883

23:19456950:G:C		ENST00000338883
23:19456951:CTG:C		ENST00000338883
23:19456952:TGATCGGCCAAATCACACGTA:T	rs1206044592	ENST00000338883
23:19456952:T:G		ENST00000338883
23:19456954:A:T		ENST00000338883
23:19456956:C:T	rs368664109	ENST00000338883
23:19456958:G:GC		ENST00000338883
23:19456958:G:A	rs866132762	ENST00000338883
23:19456959:C:T		ENST00000338883
23:19456965:C:T	rs1300681167	ENST00000338883
23:19456970:G:A	rs192978410	ENST00000338883
23:19456971:T:A		ENST00000338883
23:19456974:G:T		ENST00000338883
23:19456977:G:C		ENST00000338883
23:19456978:C:T		ENST00000338883
23:19456986:G:T		ENST00000338883
23:19456988:G:A		ENST00000338883
23:19456991:T:C		ENST00000338883
23:19456994:A:G		ENST00000338883
23:19456994:AC:A		ENST00000338883
23:19456997:A:C	rs767425175	ENST00000338883
23:19456997:A:G	rs767425175	ENST00000338883
23:19457001:TCA:T		ENST00000338883
23:19457003:A:C		ENST00000338883
23:19457003:A:AC		ENST00000338883
23:19457004:C:T	rs1308406135	ENST00000338883
23:19457007:T:A	rs1323253988	ENST00000338883
23:19457007:T:C		ENST00000338883
23:19457009:G:A	rs752569972	ENST00000338883
23:19457009:G:T		ENST00000338883
23:19457009:GC:G		ENST00000338883
23:19457013:C:A	rs970441258	ENST00000338883
23:19457015:T:C	rs1375430459	ENST00000338883
23:19457016:A:C		ENST00000338883

23:19457017:G:T		ENST00000338883
23:19457019:C:G		ENST00000338883
23:19457021:T:C	rs754251805	ENST00000338883
23:19457021:T:G		ENST00000338883
23:19459972:GTGGATTTCATACC:G		ENST00000338883
23:19459983:A:G		ENST00000338883
23:19459989:A:C	rs952918430	ENST00000338883
23:19459989:A:T	rs952918430	ENST00000338883
23:19459995:C:T	rs759121677	ENST00000338883
23:19459996:G:A	rs371410606	ENST00000338883
23:19459996:G:T		ENST00000338883
23:19459999:A:G	rs752230776	ENST00000338883
23:19460001:G:T		ENST00000338883
23:19460003:CA:C		ENST00000338883
23:19460004:A:G		ENST00000338883
23:19460005:GGAGT:G		ENST00000338883
23:19460008:G:A		ENST00000338883
23:19460012:G:C		ENST00000338883
23:19460016:A:T		ENST00000338883
23:19460023:T:C		ENST00000338883
23:19460024:G:T		ENST00000338883
23:19460026:C:T		ENST00000338883
23:19460035:G:C	rs764061183	ENST00000338883
23:19460038:C:T		ENST00000338883
23:19460040:T:C		ENST00000338883
23:19460041:C:T	rs1032741858	ENST00000338883
23:19460043:G:T		ENST00000338883
23:19460043:G:C		ENST00000338883
23:19460043:G:A		ENST00000338883
23:19460045:A:T		ENST00000338883
23:19460045:A:C		ENST00000338883
23:19460045:AT:A		ENST00000338883
23:19460047:T:C	rs1365443958	ENST00000338883
23:19460049:T:C		ENST00000338883

23:19460049:TCC:T		ENST00000338883
23:19460051:C:T	rs866104431	ENST00000338883
23:19460053:T:C	rs138317599	ENST00000338883
23:19460055:C:G	rs757135476	ENST00000338883
23:19460055:C:A	rs757135476	ENST00000338883
23:19460055:C:T	rs757135476	ENST00000338883
23:19460056:G:A	rs747188500	ENST00000338883
23:19460059:G:T		ENST00000338883
23:19460060:C:A		ENST00000338883
23:19460060:C:G	rs1381915051	ENST00000338883
23:19460065:T:G		ENST00000338883
23:19460065:T:C		ENST00000338883
23:19460067:C:T	rs755282207	ENST00000338883
23:19460068:G:A	rs781372514	ENST00000338883
23:19460070:G:A		ENST00000338883
23:19460071:C:T	rs1338540459	ENST00000338883
23:19460071:C:G		ENST00000338883
23:19460072:TA:T		ENST00000338883
23:19460073:AG:A		ENST00000338883
23:19460074:G:C		ENST00000338883
23:19460075:C:G		ENST00000338883
23:19460076:T:C		ENST00000338883
23:19460082:GC:G		ENST00000338883
23:19460082:G:T	rs755751423	ENST00000338883
23:19460082:G:A	rs755751423	ENST00000338883
23:19460083:C:T	rs891217825	ENST00000338883
23:19460086:G:T	rs369871140	ENST00000338883
23:19460089:C:G		ENST00000338883
23:19460093:AC:A		ENST00000338883
23:19460094:C:T	rs1219259640	ENST00000338883
23:19460097:T:C	rs373284737	ENST00000338883
23:19460098:G:T		ENST00000338883
23:19460099:G:T		ENST00000338883
23:19460103:TTC:T		ENST00000338883

23:19460103:T:G		ENST00000338883
23:19460105:C:A	rs771266179	ENST00000338883
23:19460107:C:A		ENST00000338883
23:19460113:C:T		ENST00000338883
23:19460114:T:G		ENST00000338883
23:19460115:T:C		ENST00000338883
23:19460118:C:T		ENST00000338883
23:19460119:G:A	rs774580769	ENST00000338883
23:19460130:A:C	rs1422644514	ENST00000338883
23:19460136:G:T		ENST00000338883
23:19460136:G:C	rs1167500197	ENST00000338883
23:19460142:T:A	rs377370864	ENST00000338883
23:19460145:T:C	rs1350864011	ENST00000338883
23:19460146:A:G	rs1008707170	ENST00000338883
23:19460147:A:C	rs1192346604	ENST00000338883
23:19460149:A:C		ENST00000338883
23:19460152:C:T	rs760248755	ENST00000338883
23:19460152:C:A	rs760248755	ENST00000338883
23:19460153:A:C		ENST00000338883
23:19460154:CTA:C		ENST00000338883
23:19460154:C:T	rs1257856934	ENST00000338883
23:19460155:T:A		ENST00000338883
23:19460155:T:C	rs1198327651	ENST00000338883
23:19464212:C:G		ENST00000338883
23:19464213:C:G	rs1224425924	ENST00000338883
23:19464214:A:G		ENST00000338883
23:19464223:C:T	rs903603402	ENST00000338883
23:19464224:G:C		ENST00000338883
23:19464226:G:T		ENST00000338883
23:19464228:A:C		ENST00000338883
23:19464229:T:A		ENST00000338883
23:19464229:T:C	rs1352866058	ENST00000338883
23:19464234:T:G	rs765136099	ENST00000338883
23:19464241:G:A	rs1254462701	ENST00000338883

23:19464243:C:G		ENST00000338883
23:19464243:C:T		ENST00000338883
23:19464247:T:A	rs368529898	ENST00000338883
23:19464247:T:C	rs368529898	ENST00000338883
23:19464248:G:C		ENST00000338883
23:19464251:C:A	rs767838624	ENST00000338883
23:19464251:C:G		ENST00000338883
23:19464252:C:T		ENST00000338883
23:19464253:T:C	rs1172238923	ENST00000338883
23:19464256:C:T		ENST00000338883
23:19464256:C:G	rs56338727	ENST00000338883
23:19464259:C:G		ENST00000338883
23:19464264:G:C		ENST00000338883
23:19464264:G:A		ENST00000338883
23:19464266:C:A		ENST00000338883
23:19464268:T:G		ENST00000338883
23:19464276:G:A	rs1409189023	ENST00000338883
23:19464280:C:A		ENST00000338883
23:19464282:A:G		ENST00000338883
23:19464284:G:C		ENST00000338883
23:19464285:A:G		ENST00000338883
23:19464289:T:C		ENST00000338883
23:19464289:T:G	rs760488691	ENST00000338883
23:19464290:G:T		ENST00000338883
23:19464291:T:A		ENST00000338883
23:19464291:T:C		ENST00000338883
23:19464292:C:T		ENST00000338883
23:19464293:C:T		ENST00000338883
23:19464296:G:T	rs746220552	ENST00000338883
23:19464297:T:C	rs772368631	ENST00000338883
23:19464298:T:A	rs1321964088	ENST00000338883
23:19464301:G:A		ENST00000338883
23:19464301:G:T	rs746625461	ENST00000338883
23:19464304:G:T		ENST00000338883

23:19464304:G:A	rs1220581162	ENST00000338883
23:19464307:T:C	rs776183951	ENST00000338883
23:19464307:T:G	rs776183951	ENST00000338883
23:19464310:A:T		ENST00000338883
23:19464313:C:T	rs1203670528	ENST00000338883
23:19464318:G:A	rs1245344036	ENST00000338883
23:19464321:C:G		ENST00000338883
23:19464321:C:T		ENST00000338883
23:19464322:G:C		ENST00000338883
23:19464322:G:A	rs1479162886	ENST00000338883
23:19464328:G:A		ENST00000338883
23:19464330:G:T		ENST00000338883
23:19464332:A:T	rs978337441	ENST00000338883
23:19464333:T:C	rs1166655329	ENST00000338883
23:19464333:T:A		ENST00000338883
23:19464334:C:T	rs371500905	ENST00000338883
23:19464335:A:T	rs1410458823	ENST00000338883
23:19464335:ACT:A		ENST00000338883
23:19464336:C:T	rs55916006	ENST00000338883
23:19464336:C:T	rs55916006	ENST00000338883
23:19464339:T:C		ENST00000338883
23:19464340:C:A		ENST00000338883
23:19464340:C:T	rs766207184	ENST00000338883
23:19464341:G:T	rs774315963	ENST00000338883
23:19464344:G:T		ENST00000338883
23:19464351:T:C		ENST00000338883
23:19464352:A:T		ENST00000338883
23:19464358:C:T	rs5909299	ENST00000338883
23:19464358:C:T	rs5909299	ENST00000338883
23:19464359:G:C	rs753951124	ENST00000338883
23:19464360:C:A		ENST00000338883
23:19464361:A:C	rs765317585	ENST00000338883
23:19464363:G:A	rs1456187206	ENST00000338883
23:19464363:G:C		ENST00000338883

23:19464364:G:T		ENST00000338883
23:19464366:G:A		ENST00000338883
23:19464370:C:T	rs758936848	ENST00000338883
23:19464372:A:T		ENST00000338883
23:19464373:T:C		ENST00000338883
23:19464375:T:C	rs1453655964	ENST00000338883
23:19464378:G:C		ENST00000338883
23:19464379:G:A		ENST00000338883
23:19464379:G:T		ENST00000338883
23:19464380:G:C	rs5955788	ENST00000338883
23:19464381:A:G		ENST00000338883
23:19464383:G:C		ENST00000338883
23:19464387:T:C		ENST00000338883
23:19464390:T:C		ENST00000338883
23:19464391:A:C	rs1447736881	ENST00000338883
23:19464391:A:G	rs1447736881	ENST00000338883
23:19464394:T:C		ENST00000338883
23:19464396:C:T		ENST00000338883
23:19464400:T:C		ENST00000338883
23:19464403:A:G		ENST00000338883
23:19464405:G:A		ENST00000338883
23:19464406:C:A		ENST00000338883
23:19464407:C:G	rs747679258	ENST00000338883
23:19464408:T:C	rs1162550741	ENST00000338883
23:19464408:T:G		ENST00000338883
23:19486480:A:G		ENST00000338883
23:19486483:G:T		ENST00000338883
23:19486484:TG:T		ENST00000338883
23:19486485:G:GT	rs745655024	ENST00000338883
23:19486485:GT:G		ENST00000338883
23:19486485:G:T		ENST00000338883
23:19486487:T:C		ENST00000338883
23:19486492:TG:T		ENST00000338883
23:19486495:GT:G		ENST00000338883

23:19486495:G:T	rs762102865	ENST00000338883
23:19486496:T:C		ENST00000338883
23:19486496:T:G	rs1325876501	ENST00000338883
23:19486498:AC:A		ENST00000338883
23:19486499:C:T		ENST00000338883
23:19486500:C:T	rs1186773728	ENST00000338883
23:19486501:A:G		ENST00000338883
23:19486502:TG:T		ENST00000338883
23:19486502:T:C	rs771909063	ENST00000338883
23:19486503:G:T	rs1473660382	ENST00000338883
23:19486504:T:C	rs753300066	ENST00000338883
23:19486505:C:T		ENST00000338883
23:19486505:C:G	rs1174875246	ENST00000338883
23:19486505:C:A		ENST00000338883
23:19486506:C:T		ENST00000338883
23:19486507:T:C		ENST00000338883
23:19488825:TA:T		ENST00000338883
23:19488827:C:A		ENST00000338883
23:19488829:T:G	rs1444126445	ENST00000338883
23:19488831:C:A		ENST00000338883
23:19488835:G:T		ENST00000338883
23:19488841:G:C	rs771700881	ENST00000338883
23:19488842:C:T	rs908078629	ENST00000338883
23:19488844:G:C	rs775388215	ENST00000338883
23:19488844:G:T		ENST00000338883
23:19488848:C:T		ENST00000338883
23:19488850:G:T		ENST00000338883
23:19488852:A:C		ENST00000338883
23:19488854:C:T	rs770050936	ENST00000338883
23:19488858:G:T		ENST00000338883
23:19488859:T:C	rs1196569371	ENST00000338883
23:19488861:A:T		ENST00000338883
23:19488867:C:A	rs373501081	ENST00000338883
23:19488874:ACATTATTGGC:A		ENST00000338883

23:19488875:C:T		ENST00000338883
23:19488876:ATTAT:A		ENST00000338883
23:19488880:T:C	rs377434934	ENST00000338883
23:19488881:T:C	rs745441268	ENST00000338883
23:19488881:T:G		ENST00000338883
23:19488882:G:GTCAA		ENST00000338883
23:19488883:G:T		ENST00000338883
23:19488885:C:T		ENST00000338883
23:19488886:A:T		ENST00000338883
23:19488887:T:C	rs767730993	ENST00000338883
23:19488888:G:T		ENST00000338883
23:19488896:T:C	rs897099409	ENST00000338883
23:19488901:C:T		ENST00000338883
23:19488902:G:A	rs370173616	ENST00000338883
23:19488902:G:C		ENST00000338883
23:19488908:C:T		ENST00000338883
23:19488910:A:G	rs771785080	ENST00000338883
23:19488911:G:T		ENST00000338883
23:19488913:T:C	rs931290479	ENST00000338883
23:19488914:G:T		ENST00000338883
23:19488915:G:T		ENST00000338883
23:19488917:A:G		ENST00000338883
23:19488918:G:T	rs1273764899	ENST00000338883
23:19488920:A:G		ENST00000338883
23:19488923:G:A		ENST00000338883
23:19488929:G:A	rs373175786	ENST00000338883
23:19488937:G:A		ENST00000338883
23:19488944:C:CG		ENST00000338883
23:19488944:C:A	rs1432285061	ENST00000338883
23:19488944:C:T		ENST00000338883
23:19488945:G:C		ENST00000338883
23:19488945:G:T		ENST00000338883
23:19488946:C:T	rs911879562	ENST00000338883
23:19488947:T:C		ENST00000338883

23:19488948:C:T	rs1378891430	ENST00000338883
23:19488949:A:G		ENST00000338883
23:19488949:A:T	rs1324637533	ENST00000338883
23:19488950:T:C		ENST00000338883
23:19488952:T:C		ENST00000338883
23:19488955:AC:A		ENST00000338883
23:19488959:C:T		ENST00000338883
23:19488961:GCA:G		ENST00000338883
23:19488961:G:A		ENST00000338883
23:19488967:T:C		ENST00000338883
23:19488968:C:G		ENST00000338883
23:19514899:A:T		ENST00000338883
23:19514903:G:C		ENST00000338883
23:19514903:G:A	rs1171701407	ENST00000338883
23:19514903:G:T		ENST00000338883
23:19514904:C:T		ENST00000338883
23:19514904:C:A	rs768115068	ENST00000338883
23:19514905:G:C		ENST00000338883
23:19514905:G:T		ENST00000338883
23:19514907:C:T	rs1456668678	ENST00000338883
23:19514908:G:T		ENST00000338883
23:19514909:T:TA		ENST00000338883
23:19514911:GA:G		ENST00000338883
23:19514915:G:A	rs1395412359	ENST00000338883
23:19514915:G:T		ENST00000338883
23:19514916:C:T		ENST00000338883
23:19514919:C:T		ENST00000338883
23:19514922:G:T		ENST00000338883
23:19514924:A:T		ENST00000338883
23:19514925:C:T		ENST00000338883
23:19514925:C:A		ENST00000338883
23:19514927:G:A		ENST00000338883
23:19514927:G:T		ENST00000338883
23:19514930:G:A		ENST00000338883

23:19514931:TC:T		ENST00000338883
23:19514932:CT:C		ENST00000338883
23:19514933:T:A		ENST00000338883
23:19514934:C:A	rs866314004	ENST00000338883
23:19514936:C:A		ENST00000338883
23:19514936:C:T		ENST00000338883
23:19514937:C:A	rs1468690195	ENST00000338883
23:19514940:A:T		ENST00000338883
23:19514943:C:T		ENST00000338883
23:19514946:G:T		ENST00000338883
23:19514948:TC:T		ENST00000338883
23:19514949:C:G	rs1363169158	ENST00000338883
23:19514951:C:T		ENST00000338883
23:19514952:C:T		ENST00000338883
23:19514952:C:G		ENST00000338883
23:19514953:G:T		ENST00000338883
23:19514957:G:A		ENST00000338883
23:19514958:G:A		ENST00000338883
23:19514961:C:A		ENST00000338883
23:19514961:C:T	rs1486540523	ENST00000338883
23:19514964:A:G		ENST00000338883
23:19514964:A:T		ENST00000338883
23:19514966:G:A	rs1253605138	ENST00000338883
23:19514969:A:G		ENST00000338883
23:19514970:G:C	rs753477495	ENST00000338883
23:19514973:G:A		ENST00000338883
23:19514975:G:C		ENST00000338883
23:19514976:C:G	rs757004787	ENST00000338883
23:19514978:C:T	rs866103370	ENST00000338883
23:19514982:C:T	rs1054465189	ENST00000338883
23:19514984:G:A		ENST00000338883
23:19514985:C:A		ENST00000338883
23:19514986:C:G		ENST00000338883
23:19514986:C:A		ENST00000338883

23:19514988:C:T	rs758239336	ENST00000338883
23:19514990:C:G	rs895374109	ENST00000338883
23:19514991:A:C		ENST00000338883
23:19514993:G:C		ENST00000338883
23:19514993:G:A	rs780108276	ENST00000338883
23:19514994:C:T		ENST00000338883
23:19514996:C:A	rs1378428802	ENST00000338883
23:19514996:C:G		ENST00000338883
23:19514996:C:T		ENST00000338883
23:19514997:G:A		ENST00000338883
23:19514997:G:C		ENST00000338883
23:19515002:AG:A	rs1394200836	ENST00000338883
23:19515003:G:T		ENST00000338883
23:19515009:G:A	rs1335205066	ENST00000338883
23:19515011:C:G	rs754707908	ENST00000338883
23:19515011:C:T		ENST00000338883
23:19515014:G:T		ENST00000338883
23:19515014:GC:G		ENST00000338883
23:19515015:C:T		ENST00000338883
23:19515018:C:T		ENST00000338883
23:19515019:AGCCTCCGG:A	rs1261324909	ENST00000338883
23:19515020:G:T		ENST00000338883
23:19515026:G:C	rs780969640	ENST00000338883
23:19515026:G:T		ENST00000338883
23:19515026:G:A	rs780969640	ENST00000338883
23:19515027:G:T		ENST00000338883
23:19515028:GC:G	rs759538376	ENST00000338883
23:19515029:C:T		ENST00000338883
23:19515030:C:A		ENST00000338883
23:19515032:C:G		ENST00000338883
23:19515033:C:CG		ENST00000338883
23:19515035:G:T		ENST00000338883
23:19515036:C:T		ENST00000338883
23:19515038:G:C	rs749471068	ENST00000338883

23:19515038:G:T		ENST00000338883
23:19515038:G:A		ENST00000338883
23:19515039:C:T	rs1361659149	ENST00000338883
23:19515041:C:T		ENST00000338883
23:19515042:C:T		ENST00000338883
23:19515044:C:T		ENST00000338883
23:19515045:C:T		ENST00000338883
23:19515045:C:A	rs1258691915	ENST00000338883
23:19515045:C:G		ENST00000338883
23:19515047:T:C		ENST00000338883
23:19515047:T:A		ENST00000338883
23:19515048:G:T		ENST00000338883
23:19515050:G:C		ENST00000338883
23:19515050:G:T		ENST00000338883
23:19515051:A:T		ENST00000338883
23:19515052:G:GCT		ENST00000338883
23:19515052:G:T		ENST00000338883
23:19515052:GCT:G		ENST00000338883
23:19515053:C:T	rs1472440446	ENST00000338883
23:19515054:T:C		ENST00000338883
23:19515055:C:A		ENST00000338883
23:19515056:T:G		ENST00000338883
23:19515056:T:A		ENST00000338883
23:19515057:C:CACTGCGCACGTAT		ENST00000338883
23:19515057:C:T	rs1025499625	ENST00000338883
23:19515059:C:G		ENST00000338883
23:19515059:C:T	rs1401496726	ENST00000338883
23:19515060:T:C		ENST00000338883
23:19515062:C:T	rs1175519940	ENST00000338883
23:19515062:C:A		ENST00000338883
23:19515063:G:A		ENST00000338883
23:19515063:G:T	rs1357476322	ENST00000338883
23:19515065:A:T	rs1464521740	ENST00000338883
23:19515065:A:G	rs1464521740	ENST00000338883

23:19515066:C:A		ENST00000338883
23:19515066:C:T	rs1426565124	ENST00000338883
23:19515067:GTA:G		ENST00000338883
23:19515067:G:T		ENST00000338883
23:19515071:A:G		ENST00000338883
23:19515072:C:G		ENST00000338883
23:19515072:C:A		ENST00000338883
23:19515072:C:T		ENST00000338883
23:19515074:GC:G		ENST00000338883
23:19515074:G:A		ENST00000338883
23:19515074:G:T	rs1314606733	ENST00000338883
23:19515075:C:T		ENST00000338883
23:19515077:C:T	rs952671859	ENST00000338883
23:19515078:G:A		ENST00000338883
23:19515083:G:T		ENST00000338883
23:19515083:G:A		ENST00000338883
23:19515084:C:T		ENST00000338883
23:19515084:C:A		ENST00000338883
23:19515084:C:G		ENST00000338883
23:19515086:C:T		ENST00000338883
23:19515087:G:A		ENST00000338883
23:19515089:C:A		ENST00000338883
23:19515089:C:T		ENST00000338883
23:19515090:G:A		ENST00000338883
23:19515092:G:A		ENST00000338883
23:19515092:G:T		ENST00000338883
23:19515093:G:T		ENST00000338883
23:19515093:G:A	rs911136448	ENST00000338883
23:19515095:C:T		ENST00000338883
23:19515096:C:A		ENST00000338883
23:19515096:C:T		ENST00000338883
23:19515097:GC:G		ENST00000338883
23:19515098:C:T		ENST00000338883
23:19515098:C:G		ENST00000338883

23:19515099:C:T		ENST00000338883
23:19515102:C:A	rs1223982658	ENST00000338883
23:19515102:C:CA		ENST00000338883
23:19515102:C:G	rs1223982658	ENST00000338883
23:19515102:C:T		ENST00000338883
23:19515103:ACT:A		ENST00000338883
23:19515103:A:T		ENST00000338883
23:19515104:C:T		ENST00000338883
23:19515106:C:A		ENST00000338883
23:19515107:T:G		ENST00000338883
23:19515108:C:T		ENST00000338883
23:19515108:C:G		ENST00000338883
23:19515110:C:T		ENST00000338883
23:19515110:C:G		ENST00000338883
23:19515112:C:A		ENST00000338883
23:19515114:CGCCGCTGCCGCCT:C		ENST00000338883
23:19515114:C:A		ENST00000338883
23:19515114:C:T		ENST00000338883
23:19515116:C:T		ENST00000338883
23:19515117:C:A		ENST00000338883
23:19515117:C:T		ENST00000338883
23:19515118:G:GCTGCCGC		ENST00000338883
23:19515118:GCTGCCGC:G		ENST00000338883
23:19515118:G:T		ENST00000338883
23:19515119:C:T		ENST00000338883
23:19515120:T:G		ENST00000338883
23:19515122:C:T		ENST00000338883
23:19515122:C:G	rs1414337775	ENST00000338883
23:19515123:C:T		ENST00000338883
23:19515125:C:A		ENST00000338883
23:19515126:C:G		ENST00000338883
23:19515126:C:T		ENST00000338883
23:19515127:TG:T		ENST00000338883
23:19515128:G:A		ENST00000338883

23:19515128:G:T		ENST00000338883
23:19515129:C:T		ENST00000338883
23:19515129:C:A		ENST00000338883
23:19515131:G:T		ENST00000338883
23:19515131:G:A		ENST00000338883
23:19515132:C:T		ENST00000338883
23:19515134:C:T	rs771203031	ENST00000338883
23:19515134:C:A		ENST00000338883
23:19515135:C:T		ENST00000338883
23:19515135:C:G		ENST00000338883
23:19515137:T:G		ENST00000338883
23:19515138:C:T		ENST00000338883
23:19515140:G:T		ENST00000338883
23:19515141:C:T		ENST00000338883
23:19515143:G:A	rs1281598957	ENST00000338883
23:19515143:G:T		ENST00000338883
23:19515143:GC:G		ENST00000338883
23:19515147:C:G		ENST00000338883
23:19515147:C:A		ENST00000338883
23:19515147:C:T		ENST00000338883
23:19515148:G:T		ENST00000338883
23:19515149:T:G		ENST00000338883
23:19515150:C:A		ENST00000338883
23:19515150:C:T	rs976452422	ENST00000338883
23:19515152:G:A		ENST00000338883
23:19515152:G:T		ENST00000338883
23:19515153:G:T		ENST00000338883
23:19515155:TC:T		ENST00000338883
23:19515155:T:TC		ENST00000338883
23:19515155:T:C		ENST00000338883
23:19515155:T:G		ENST00000338883
23:19515158:G:T		ENST00000338883
23:19515158:G:A		ENST00000338883
23:19515159:C:T		ENST00000338883

23:19515161:G:T		ENST00000338883
23:19515162:G:T		ENST00000338883
23:19515162:GCCC GCCGCGCCCTCCACC:G	rs1299580669	ENST00000338883
23:19515165:C:T		ENST00000338883
23:19515165:C:G		ENST00000338883
23:19515167:G:A	rs1460143738	ENST00000338883
23:19515168:C:T		ENST00000338883
23:19515170:G:A		ENST00000338883
23:19515170:G:C		ENST00000338883
23:19515170:G:T	rs1369796869	ENST00000338883
23:19515171:C:T		ENST00000338883
23:19515171:C:A		ENST00000338883
23:19515173:C:A		ENST00000338883
23:19515173:C:T		ENST00000338883
23:19515174:C:T		ENST00000338883
23:19515175:C:G		ENST00000338883
23:19515176:TCC:T		ENST00000338883
23:19515177:C:G		ENST00000338883
23:19515179:AC:A		ENST00000338883
23:19515179:A:G		ENST00000338883
23:19515180:C:T		ENST00000338883
23:19515180:C:CCG		ENST00000338883
23:19515182:C:G		ENST00000338883
23:19515183:C:A		ENST00000338883
23:19515183:C:T		ENST00000338883
23:19515185:G:A	rs1426255554	ENST00000338883
23:19515185:G:C		ENST00000338883
23:19515186:G:C		ENST00000338883
23:19515188:G:A	rs1234945987	ENST00000338883
23:19515189:G:A		ENST00000338883
23:19515191:G:A	rs1448815279	ENST00000338883
23:19515191:G:T		ENST00000338883
23:19515191:G:C		ENST00000338883
23:19515194:G:T		ENST00000338883

23:19515194:G:A		ENST00000338883
23:19515195:G:A		ENST00000338883
23:19515196:G:T		ENST00000338883
23:19515197:C:A		ENST00000338883
23:19515197:C:T		ENST00000338883
23:19515198:A:C		ENST00000338883
23:19515198:ACT:A		ENST00000338883
23:19515198:A:G		ENST00000338883
23:19515203:G:C		ENST00000338883
23:19515204:G:A	rs1284762730	ENST00000338883
23:19515206:G:T		ENST00000338883
23:19515209:T:A		ENST00000338883
23:19515210:C:A		ENST00000338883
23:19515211:G:T		ENST00000338883
23:19515213:TCG:T		ENST00000338883
23:19515215:GC:G		ENST00000338883
23:19515215:G:A		ENST00000338883
23:19515215:G:T		ENST00000338883
23:19515216:C:G		ENST00000338883
23:19515216:C:T	rs1482854182	ENST00000338883
23:19515216:CCG:C		ENST00000338883
23:19515218:G:A		ENST00000338883
23:19515218:G:T		ENST00000338883
23:19515218:GC:G		ENST00000338883
23:19515221:C:A		ENST00000338883
23:19515222:C:G		ENST00000338883
23:19515225:G:A		ENST00000338883
23:19515227:G:A		ENST00000338883
23:19515227:G:C		ENST00000338883
23:19515227:G:T		ENST00000338883
23:19515231:C:T		ENST00000338883
23:19515231:C:G		ENST00000338883
23:19515233:G:T		ENST00000338883
23:19515234:C:T	rs1225209367	ENST00000338883

23:19515240:C:G		ENST00000338883
23:19515243:T:A		ENST00000338883
23:19515246:C:T	rs1041842228	ENST00000338883
23:19515248:C:T	rs1265407890	ENST00000338883
23:19515249:C:T	rs1225904878	ENST00000338883
23:19515251:C:G		ENST00000338883
23:19515252:C:G	rs1335896137	ENST00000338883
23:19515252:C:T		ENST00000338883
23:19515253:G:T		ENST00000338883
23:19515253:G:C		ENST00000338883
23:19515255:T:C		ENST00000338883
23:19515256:C:G		ENST00000338883
23:19515257:T:C		ENST00000338883
23:19515260:A:C		ENST00000338883
23:19515260:A:G	rs1276433816	ENST00000338883
23:19515261:T:C		ENST00000338883

In some embodiments, the subject's aggregate burden of having any one or more MAP3K15 missense variant nucleic acid molecules encoding a MAP3K15 predicted loss-of-function polypeptide represents a weighted sum of a plurality of any of the MAP3K15 missense variant nucleic acid molecules encoding MAP3K15 predicted loss-of-function polypeptides. In some embodiments, the aggregate burden is calculated using at least about 2, at least about 3, at least about 4, at least about 5, at least about 10, at least about 20, at least about 30, at least about 40, at least about 50, at least about 60, at least about 70, at least about 80, at least about 100, at least about 120, at least about 150, at least about 200, at least about 250, at least about 300, at least about 400, at least about 500, at least about 1,000, at least about 10,000, at least about 100,000, or at least about or more than 1,000,000 genetic variants present in or around (up to 10 Mb) the MAP3K15 gene where the genetic burden is the number of alleles multiplied by the association estimate with metabolic disorder or related outcome for each allele (e.g., a weighted polygenic burden score). This can include any genetic variants, regardless of their genomic annotation, in proximity to the MAP3K15 gene (up to 10 Mb around the gene) that show a non-zero association with metabolic disorder-related traits in a genetic association analysis. In some embodiments, when the subject has an aggregate burden above a desired

threshold score, the subject has a decreased risk of developing a metabolic disorder. In some embodiments, when the subject has an aggregate burden below a desired threshold score, the subject has an increased risk of developing a metabolic disorder.

In some embodiments, the aggregate burden may be divided into quintiles, e.g., top
5 quintile, intermediate quintile, and bottom quintile, wherein the top quintile of aggregate burden corresponds to the lowest risk group and the bottom quintile of aggregate burden corresponds to the highest risk group. In some embodiments, a subject having a greater aggregate burden comprises the highest weighted aggregate burdens, including, but not limited to the top 10%, top 20%, top 30%, top 40%, or top 50% of aggregate burdens from a subject
10 population. In some embodiments, the genetic variants comprise the genetic variants having association with metabolic disorder in the top 10%, top 20%, top 30%, top 40%, or top 50% of p-value range for the association. In some embodiments, each of the identified genetic variants comprise the genetic variants having association with a metabolic disorder with p-value of no more than about 10^{-2} , about 10^{-3} , about 10^{-4} , about 10^{-5} , about 10^{-6} , about 10^{-7} , about 10^{-8} ,
15 about 10^{-9} , about 10^{-10} , about 10^{-11} , about 10^{-12} , about 10^{-13} , about 10^{-14} , about or 10^{-15} . In some embodiments, the identified genetic variants comprise the genetic variants having association with a metabolic disorder with a p-value of less than 5×10^{-8} . In some embodiments, the identified genetic variants comprise genetic variants having association with a metabolic disorder in high-risk subjects as compared to the rest of the reference population with odds
20 ratio (OR) about 1.5 or greater, about 1.75 or greater, about 2.0 or greater, or about 2.25 or greater for the top 20% of the distribution; or about 1.5 or greater, about 1.75 or greater, about 2.0 or greater, about 2.25 or greater, about 2.5 or greater, or about 2.75 or greater. In some embodiments, the odds ratio (OR) may range from about 1.0 to about 1.5, from about 1.5 to about 2.0, from about 2.0 to about 2.5, from about 2.5 to about 3.0, from about 3.0 to about
25 3.5, from about 3.5 to about 4.0, from about 4.0 to about 4.5, from about 4.5 to about 5.0, from about 5.0 to about 5.5, from about 5.5 to about 6.0, from about 6.0 to about 6.5, from about 6.5 to about 7.0, or greater than 7.0. In some embodiments, high-risk subjects comprise subjects having aggregate burdens in the bottom decile, quintile, or tertile in a reference population. The threshold of the aggregate burden is determined on the basis of the nature of
30 the intended practical application and the risk difference that would be considered meaningful for that practical application.

In some embodiments, when a subject is identified as having an increased risk of developing a metabolic disorder, the subject is further administered a therapeutic agent that treats or prevents the metabolic disorder, and/or a MAP3K15 inhibitor, as described herein. For example, when the subject is MAP3K15 reference, and therefore has an increased risk of developing a metabolic disorder, the subject is administered a MAP3K15 inhibitor. In some 5 embodiments, such a subject is also administered a therapeutic agent that treats or prevents the metabolic disorder. In some embodiments, when the subject is heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, the subject is administered the therapeutic agent that treats or prevents 10 the metabolic disorder in a dosage amount that is the same as or less than a standard dosage amount, and is also administered a MAP3K15 inhibitor. In some embodiments, the subject is MAP3K15 reference. In some embodiments, the subject is heterozygous for a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Furthermore, when the subject has a lower aggregate burden for having a 15 MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide, and therefore has an increased risk of developing a metabolic disorder, the subject is administered a therapeutic agent that treats or prevents the metabolic disorder. In some embodiments, when the subject has a lower aggregate burden for having a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function 20 polypeptide, the subject is administered the therapeutic agent that treats or prevents a metabolic disorder in a dosage amount that is the same as or greater than the standard dosage amount administered to a subject who has a greater aggregate burden for having a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide.

25 The present disclosure also provides methods of detecting the presence or absence of a MAP3K15 missense variant nucleic acid molecule (i.e., a genomic nucleic acid molecule, an mRNA molecule, or a cDNA molecule produced from an mRNA molecule) encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample from a subject. It is understood that gene sequences within a population and mRNA molecules encoded by such genes can vary 30 due to polymorphisms such as single-nucleotide polymorphisms. The sequences provided herein for the MAP3K15 variant genomic nucleic acid molecule, MAP3K15 variant mRNA molecule, and MAP3K15 variant cDNA molecule are only exemplary sequences. Other

sequences for the MAP3K15 variant genomic nucleic acid molecule, variant mRNA molecule, and variant cDNA molecule are also possible.

The biological sample can be derived from any cell, tissue, or biological fluid from the subject. The biological sample may comprise any clinically relevant tissue, such as a bone marrow sample, a tumor biopsy, a fine needle aspirate, or a sample of bodily fluid, such as blood, gingival crevicular fluid, plasma, serum, lymph, ascitic fluid, cystic fluid, or urine. In some cases, the sample comprises a buccal swab. The biological sample used in the methods disclosed herein can vary based on the assay format, nature of the detection method, and the tissues, cells, or extracts that are used as the sample. A biological sample can be processed differently depending on the assay being employed. For example, when detecting any MAP3K15 missense variant nucleic acid molecule encoding any MAP3K15 predicted loss-of-function polypeptide, preliminary processing designed to isolate or enrich the biological sample for the genomic DNA can be employed. A variety of techniques may be used for this purpose. When detecting the level of any MAP3K15 variant mRNA molecule, different techniques can be used to enrich the biological sample with mRNA molecules. Various methods to detect the presence or level of an mRNA molecule or the presence of a particular variant genomic DNA locus can be used.

In some embodiments, detecting a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a subject comprises performing a sequence analysis on a biological sample obtained from the subject to determine whether a MAP3K15 genomic nucleic acid molecule in the biological sample, and/or a MAP3K15 mRNA molecule in the biological sample, and/or a MAP3K15 cDNA molecule produced from an mRNA molecule in the biological sample, comprises one or more variations that cause a loss-of-function (partial or complete) or are predicted to cause a loss-of-function (partial or complete).

In some embodiments, the methods of detecting the presence or absence of a MAP3K15 missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide (such as, for example, a genomic nucleic acid molecule, an mRNA molecule, and/or a cDNA molecule produced from an mRNA molecule) in a subject, comprise performing an assay on a biological sample obtained from the subject. The assay determines whether a nucleic acid molecule in the biological sample comprises a particular nucleotide sequence.

In some embodiments, the biological sample comprises a cell or cell lysate. Such methods can further comprise, for example, obtaining a biological sample from the subject comprising a MAP3K15 genomic nucleic acid molecule or mRNA molecule, and if mRNA, optionally reverse transcribing the mRNA into cDNA. Such assays can comprise, for example
5 determining the identity of these positions of the particular MAP3K15 nucleic acid molecule. In some embodiments, the method is an *in vitro* method.

In some embodiments, the determining step, detecting step, or sequence analysis comprises sequencing at least a portion of the nucleotide sequence of the MAP3K15 genomic nucleic acid molecule, the MAP3K15 mRNA molecule, or the MAP3K15 cDNA molecule in the
10 biological sample, wherein the sequenced portion comprises one or more variations that cause a loss-of-function (partial or complete) or are predicted to cause a loss-of-function (partial or complete).

In some embodiments, the assay comprises sequencing the entire nucleic acid molecule. In some embodiments, only a MAP3K15 genomic nucleic acid molecule is analyzed. In
15 some embodiments, only a MAP3K15 mRNA is analyzed. In some embodiments, only a MAP3K15 cDNA obtained from MAP3K15 mRNA is analyzed.

Alteration-specific polymerase chain reaction techniques can be used to detect mutations such as SNPs in a nucleic acid sequence. Alteration-specific primers can be used because the DNA polymerase will not extend when a mismatch with the template is present.

20 In some embodiments, the nucleic acid molecule in the sample is mRNA and the mRNA is reverse-transcribed into a cDNA prior to the amplifying step. In some embodiments, the nucleic acid molecule is present within a cell obtained from the subject.

In some embodiments, the assay comprises contacting the biological sample with a primer or probe, such as an alteration-specific primer or alteration-specific probe, that
25 specifically hybridizes to a MAP3K15 variant genomic sequence, variant mRNA sequence, or variant cDNA sequence and not the corresponding MAP3K15 reference sequence under stringent conditions, and determining whether hybridization has occurred.

In some embodiments, the determining step, detecting step, or sequence analysis comprises: a) amplifying at least a portion of the nucleic acid molecule that encodes the
30 MAP3K15 polypeptide; b) labeling the amplified nucleic acid molecule with a detectable label; c) contacting the labeled nucleic acid molecule with a support comprising an alteration-specific probe; and d) detecting the detectable label.

In some embodiments, the assay comprises RNA sequencing (RNA-Seq). In some embodiments, the assays also comprise reverse transcribing mRNA into cDNA, such as by the reverse transcriptase polymerase chain reaction (RT-PCR).

In some embodiments, the methods utilize probes and primers of sufficient nucleotide
5 length to bind to the target nucleotide sequence and specifically detect and/or identify a polynucleotide comprising a MAP3K15 variant genomic nucleic acid molecule, variant mRNA molecule, or variant cDNA molecule. The hybridization conditions or reaction conditions can be determined by the operator to achieve this result. The nucleotide length may be any length that is sufficient for use in a detection method of choice, including any assay described or
10 exemplified herein. Such probes and primers can hybridize specifically to a target nucleotide sequence under high stringency hybridization conditions. Probes and primers may have complete nucleotide sequence identity of contiguous nucleotides within the target nucleotide sequence, although probes differing from the target nucleotide sequence and that retain the ability to specifically detect and/or identify a target nucleotide sequence may be designed by
15 conventional methods. Probes and primers can have about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or 100% sequence identity or complementarity with the nucleotide sequence of the target nucleic acid molecule.

Illustrative examples of nucleic acid sequencing techniques include, but are not limited
20 to, chain terminator (Sanger) sequencing and dye terminator sequencing. Other methods involve nucleic acid hybridization methods other than sequencing, including using labeled primers or probes directed against purified DNA, amplified DNA, and fixed cell preparations (fluorescence in situ hybridization (FISH)). In some methods, a target nucleic acid molecule may be amplified prior to or simultaneous with detection. Illustrative examples of nucleic acid
25 amplification techniques include, but are not limited to, polymerase chain reaction (PCR), ligase chain reaction (LCR), strand displacement amplification (SDA), and nucleic acid sequence based amplification (NASBA). Other methods include, but are not limited to, ligase chain reaction, strand displacement amplification, and thermophilic SDA (tSDA).

In hybridization techniques, stringent conditions can be employed such that a probe or
30 primer will specifically hybridize to its target. In some embodiments, a polynucleotide primer or probe under stringent conditions will hybridize to its target sequence to a detectably greater degree than to other non-target sequences, such as, at least 2-fold, at least 3-fold, at least 4-

fold, or more over background, including over 10-fold over background. In some embodiments, a polynucleotide primer or probe under stringent conditions will hybridize to its target nucleotide sequence to a detectably greater degree than to other nucleotide sequences by at least 2-fold. In some embodiments, a polynucleotide primer or probe under stringent
5 conditions will hybridize to its target nucleotide sequence to a detectably greater degree than to other nucleotide sequences by at least 3-fold. In some embodiments, a polynucleotide primer or probe under stringent conditions will hybridize to its target nucleotide sequence to a detectably greater degree than to other nucleotide sequences by at least 4-fold. In some
10 embodiments, a polynucleotide primer or probe under stringent conditions will hybridize to its target nucleotide sequence to a detectably greater degree than to other nucleotide sequences by over 10-fold over background. Stringent conditions are sequence-dependent and will be different in different circumstances.

Appropriate stringency conditions which promote DNA hybridization, for example, 6X sodium chloride/sodium citrate (SSC) at about 45°C., followed by a wash of 2X SSC at 50°C, are
15 known or can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. Typically, stringent conditions for hybridization and detection will be those in which the salt concentration is less than about 1.5 M Na⁺ ion, typically about 0.01 to 1.0 M Na⁺ ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (such as, for example, 10 to 50 nucleotides) and at least about 60°C for
20 longer probes (such as, for example, greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. Optionally, wash buffers may comprise about 0.1% to about 1% SDS. Duration of hybridization is generally less than about 24 hours, usually about 4 to about 12 hours. The duration of the wash time will be at least a length of time sufficient to reach equilibrium.

25 In some embodiments, such isolated nucleic acid molecules comprise or consist of at least about 5, at least about 8, at least about 10, at least about 11, at least about 12, at least about 13, at least about 14, at least about 15, at least about 16, at least about 17, at least about 18, at least about 19, at least about 20, at least about 21, at least about 22, at least about 23, at least about 24, at least about 25, at least about 30, at least about 35, at least about 40, at least
30 about 45, at least about 50, at least about 55, at least about 60, at least about 65, at least about 70, at least about 75, at least about 80, at least about 85, at least about 90, at least about 95, at least about 100, at least about 200, at least about 300, at least about 400, at least about 500, at

least about 600, at least about 700, at least about 800, at least about 900, at least about 1000, at least about 2000, at least about 3000, at least about 4000, or at least about 5000

nucleotides. In some embodiments, such isolated nucleic acid molecules comprise or consist of at least about 5, at least about 8, at least about 10, at least about 11, at least about 12, at least about 13, at least about 14, at least about 15, at least about 16, at least about 17, at least about 18, at least about 19, at least about 20, at least about 21, at least about 22, at least about 23, at least about 24, or at least about 25 nucleotides. In some embodiments, the isolated nucleic acid molecules comprise or consist of at least about 18 nucleotides. In some embodiments, the isolated nucleic acid molecules comprise or consists of at least about 15 nucleotides. In some embodiments, the isolated nucleic acid molecules consist of or comprise from about 10 to about 35, from about 10 to about 30, from about 10 to about 25, from about 12 to about 30, from about 12 to about 28, from about 12 to about 24, from about 15 to about 30, from about 15 to about 25, from about 18 to about 30, from about 18 to about 25, from about 18 to about 24, or from about 18 to about 22 nucleotides. In some embodiments, the isolated nucleic acid molecules consist of or comprise from about 18 to about 30 nucleotides. In some embodiments, the isolated nucleic acid molecules comprise or consist of at least about 15 nucleotides to at least about 35 nucleotides.

In some embodiments, such isolated nucleic acid molecules hybridize to MAP3K15 missense variant nucleic acid molecules (such as genomic nucleic acid molecules, mRNA molecules, and/or cDNA molecules) under stringent conditions. Such nucleic acid molecules can be used, for example, as probes, primers, alteration-specific probes, or alteration-specific primers as described or exemplified herein, and include, without limitation primers, probes, antisense RNAs, shRNAs, and siRNAs, each of which is described in more detail elsewhere herein, and can be used in any of the methods described herein.

In some embodiments, the isolated nucleic acid molecules hybridize to at least about 15 contiguous nucleotides of a nucleic acid molecule that is at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, at least about 99%, or 100% identical to a MAP3K15 missense variant genomic nucleic acid molecule, a MAP3K15 missense variant mRNA molecule, and/or a MAP3K15 missense variant cDNA molecule. In some embodiments, the isolated nucleic acid molecules consist of or comprise from about 15 to about 100 nucleotides, or from about 15 to about 35 nucleotides. In some embodiments, the isolated nucleic acid

molecules consist of or comprise from about 15 to about 100 nucleotides. In some embodiments, the isolated nucleic acid molecules consist of or comprise from about 15 to about 35 nucleotides.

In some embodiments, the alteration-specific probes and alteration-specific primers
5 comprise DNA. In some embodiments, the alteration-specific probes and alteration-specific primers comprise RNA.

In some embodiments, the probes and primers described herein (including alteration-specific probes and alteration-specific primers) have a nucleotide sequence that specifically hybridizes to any of the nucleic acid molecules disclosed herein, or the complement thereof. In
10 some embodiments, the probes and primers specifically hybridize to any of the nucleic acid molecules disclosed herein under stringent conditions.

In some embodiments, the primers, including alteration-specific primers, can be used in second generation sequencing or high throughput sequencing. In some instances, the primers, including alteration-specific primers, can be modified. In particular, the primers can
15 comprise various modifications that are used at different steps of, for example, Massive Parallel Signature Sequencing (MPSS), Polony sequencing, and 454 Pyrosequencing. Modified primers can be used at several steps of the process, including biotinylated primers in the cloning step and fluorescently labeled primers used at the bead loading step and detection step. Polony sequencing is generally performed using a paired-end tags library wherein each molecule of
20 DNA template is about 135 bp in length. Biotinylated primers are used at the bead loading step and emulsion PCR. Fluorescently labeled degenerate nonamer oligonucleotides are used at the detection step. An adaptor can contain a 5'-biotin tag for immobilization of the DNA library onto streptavidin-coated beads.

The probes and primers described herein can be used to detect a nucleotide variation
25 within any of the MAP3K15 variant missense genomic nucleic acid molecules, MAP3K15 missense variant mRNA molecules, and/or MAP3K15 missense variant cDNA molecules disclosed herein. The primers described herein can be used to amplify MAP3K15 missense variant genomic nucleic acid molecules, MAP3K15 missense variant mRNA molecules, or MAP3K15 missense variant cDNA molecules, or a fragment thereof.

30 In the context of the disclosure "specifically hybridizes" means that the probe or primer (such as, for example, the alteration-specific probe or alteration-specific primer) does

not hybridize to a nucleic acid sequence encoding a MAP3K15 reference genomic nucleic acid molecule, a MAP3K15 reference mRNA molecule, and/or a MAP3K15 reference cDNA molecule.

In some embodiments, the probes (such as, for example, an alteration-specific probe) comprise a label. In some embodiments, the label is a fluorescent label, a radiolabel, or biotin.

5 The present disclosure also provides supports comprising a substrate to which any one or more of the probes disclosed herein is attached. Solid supports are solid-state substrates or supports with which molecules, such as any of the probes disclosed herein, can be associated. A form of solid support is an array. Another form of solid support is an array detector. An array detector is a solid support to which multiple different probes have been coupled in an array,
10 grid, or other organized pattern. A form for a solid-state substrate is a microtiter dish, such as a standard 96-well type. In some embodiments, a multiwell glass slide can be employed that normally contains one array per well.

The nucleotide sequence of a MAP3K15 reference genomic nucleic acid molecule is set forth in SEQ ID NO:1.

15 The nucleotide sequence of a MAP3K15 reference mRNA molecule is set forth in SEQ ID NO:2. The nucleotide sequence of another MAP3K15 reference mRNA molecule is set forth in SEQ ID NO:3. The nucleotide sequence of another MAP3K15 reference mRNA molecule is set forth in SEQ ID NO:4. The nucleotide sequence of another MAP3K15 reference mRNA molecule is set forth in SEQ ID NO:5. The nucleotide sequence of another MAP3K15 reference mRNA
20 molecule is set forth in SEQ ID NO:6. The nucleotide sequence of another MAP3K15 reference mRNA molecule is set forth in SEQ ID NO:7.

The nucleotide sequence of a MAP3K15 reference cDNA molecule is set forth in SEQ ID NO:8. The nucleotide sequence of another MAP3K15 reference cDNA molecule is set forth in SEQ ID NO:9. The nucleotide sequence of another MAP3K15 reference cDNA molecule is set
25 forth in SEQ ID NO:10. The nucleotide sequence of another MAP3K15 reference cDNA molecule is set forth in SEQ ID NO:11. The nucleotide sequence of another MAP3K15 reference cDNA molecule is set forth in SEQ ID NO:12. The nucleotide sequence of another MAP3K15 reference cDNA molecule is set forth in SEQ ID NO:13.

The amino acid sequence of a MAP3K15 reference polypeptide is set forth in SEQ ID
30 NO:14, and is 1,313 amino acids in length. The amino acid sequence of another MAP3K15 reference polypeptide is set forth in SEQ ID NO:15, and is 788 amino acids in length. The amino acid sequence of another MAP3K15 reference polypeptide is set forth in SEQ ID NO:16, and is

748 amino acids in length. The amino acid sequence of another MAP3K15 reference polypeptide is set forth in SEQ ID NO:17, and is 247 amino acids in length. The amino acid sequence of another MAP3K15 reference polypeptide is set forth in SEQ ID NO:18, and is 1,145 amino acids in length.

5 The genomic nucleic acid molecules, mRNA molecules, and cDNA molecules can be from any organism. For example, the genomic nucleic acid molecules, mRNA molecules, and cDNA molecules can be human or an ortholog from another organism, such as a non-human mammal, a rodent, a mouse, or a rat. It is understood that gene sequences within a population can vary due to polymorphisms such as single-nucleotide polymorphisms. The examples
10 provided herein are only exemplary sequences. Other sequences are also possible.

 Also provided herein are functional polynucleotides that can interact with the disclosed nucleic acid molecules. Examples of functional polynucleotides include, but are not limited to, antisense molecules, aptamers, ribozymes, triplex forming molecules, and external
15 guide sequences. The functional polynucleotides can act as effectors, inhibitors, modulators, and stimulators of a specific activity possessed by a target molecule, or the functional polynucleotides can possess a *de novo* activity independent of any other molecules.

 The isolated nucleic acid molecules disclosed herein can comprise RNA, DNA, or both RNA and DNA. The isolated nucleic acid molecules can also be linked or fused to a heterologous nucleic acid sequence, such as in a vector, or a heterologous label. For example, the isolated
20 nucleic acid molecules disclosed herein can be within a vector or as an exogenous donor sequence comprising the isolated nucleic acid molecule and a heterologous nucleic acid sequence. The isolated nucleic acid molecules can also be linked or fused to a heterologous label. The label can be directly detectable (such as, for example, fluorophore) or indirectly detectable (such as, for example, hapten, enzyme, or fluorophore quencher). Such labels can be
25 detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. Such labels include, for example, radiolabels, pigments, dyes, chromogens, spin labels, and fluorescent labels. The label can also be, for example, a chemiluminescent substance; a metal-containing substance; or an enzyme, where there occurs an enzyme-dependent secondary generation of signal. The term "label" can also refer to a "tag" or hapten that can
30 bind selectively to a conjugated molecule such that the conjugated molecule, when added subsequently along with a substrate, is used to generate a detectable signal. For example, biotin can be used as a tag along with an avidin or streptavidin conjugate of horseradish

peroxidase (HRP) to bind to the tag, and examined using a calorimetric substrate (such as, for example, tetramethylbenzidine (TMB)) or a fluorogenic substrate to detect the presence of HRP. Exemplary labels that can be used as tags to facilitate purification include, but are not limited to, myc, HA, FLAG or 3XFLAG, 6XHis or polyhistidine, glutathione-S-transferase (GST), maltose binding protein, an epitope tag, or the Fc portion of immunoglobulin. Numerous labels include, for example, particles, fluorophores, haptens, enzymes and their calorimetric, fluorogenic and chemiluminescent substrates and other labels.

The isolated nucleic acid molecules, or the complement thereof, can also be present within a host cell. In some embodiments, the host cell can comprise the vector that comprises any of the nucleic acid molecules described herein, or the complement thereof. In some embodiments, the nucleic acid molecule is operably linked to a promoter active in the host cell. In some embodiments, the promoter is an exogenous promoter. In some embodiments, the promoter is an inducible promoter. In some embodiments, the host cell is a bacterial cell, a yeast cell, an insect cell, or a mammalian cell. In some embodiments, the host cell is a bacterial cell. In some embodiments, the host cell is a yeast cell. In some embodiments, the host cell is an insect cell. In some embodiments, the host cell is a mammalian cell.

The disclosed nucleic acid molecules can comprise, for example, nucleotides or non-natural or modified nucleotides, such as nucleotide analogs or nucleotide substitutes. Such nucleotides include a nucleotide that contains a modified base, sugar, or phosphate group, or that incorporates a non-natural moiety in its structure. Examples of non-natural nucleotides include, but are not limited to, dideoxynucleotides, biotinylated, aminated, deaminated, alkylated, benzylated, and fluorophore-labeled nucleotides.

The nucleic acid molecules disclosed herein can also comprise one or more nucleotide analogs or substitutions. A nucleotide analog is a nucleotide which contains a modification to either the base, sugar, or phosphate moieties. Modifications to the base moiety include, but are not limited to, natural and synthetic modifications of A, C, G, and T/U, as well as different purine or pyrimidine bases such as, for example, pseudouridine, uracil-5-yl, hypoxanthin-9-yl (I), and 2-aminoadenin-9-yl. Modified bases include, but are not limited to, 5-methylcytosine (5-me-C), 5-hydroxymethyl cytosine, xanthine, hypoxanthine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 2-thiouracil, 2-thiothymine and 2-thiocytosine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil),

4-thiouracil, 8-halo, 8-amino, 8-thiol, 8-thioalkyl, 8-hydroxyl and other 8-substituted adenines and guanines, 5-halo (such as, for example, 5-bromo), 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 7-methyladenine, 8-azaguanine, 8-azaadenine, 7-deazaguanine, 7-deazaadenine, 3-deazaguanine, and 3-deazaadenine.

5 Nucleotide analogs can also include modifications of the sugar moiety. Modifications to the sugar moiety include, but are not limited to, natural modifications of the ribose and deoxy ribose as well as synthetic modifications. Sugar modifications include, but are not limited to, the following modifications at the 2' position: OH; F; O-, S-, or N-alkyl; O-, S-, or N-alkenyl; O-, S- or N-alkynyl; or O-alkyl-O-alkyl, wherein the alkyl, alkenyl, and alkynyl may be substituted
10 or unsubstituted C₁₋₁₀alkyl or C₂₋₁₀alkenyl, and C₂₋₁₀alkynyl. Exemplary 2' sugar modifications also include, but are not limited to, -O[(CH₂)_nO]_mCH₃, -O(CH₂)_nOCH₃, -O(CH₂)_nNH₂, -O(CH₂)_nCH₃, -O(CH₂)_n-ONH₂, and -O(CH₂)_nON[(CH₂)_nCH₃]₂, where n and m, independently, are from 1 to about 10. Other modifications at the 2' position include, but are not limited to, C₁₋₁₀alkyl, substituted lower alkyl, alkaryl, aralkyl, O-alkaryl or O-aralkyl, SH, SCH₃, OCN, Cl, Br, CN, CF₃,
15 OCF₃, SOCH₃, SO₂CH₃, ONO₂, NO₂, N₃, NH₂, heterocycloalkyl, heterocycloalkaryl, aminoalkylamino, polyalkylamino, substituted silyl, an RNA cleaving group, a reporter group, an intercalator, a group for improving the pharmacokinetic properties of an oligonucleotide, or a group for improving the pharmacodynamic properties of an oligonucleotide, and other substituents having similar properties. Similar modifications may also be made at other
20 positions on the sugar, particularly the 3' position of the sugar on the 3' terminal nucleotide or in 2'-5' linked oligonucleotides and the 5' position of 5' terminal nucleotide. Modified sugars can also include those that contain modifications at the bridging ring oxygen, such as CH₂ and S. Nucleotide sugar analogs can also have sugar mimetics, such as cyclobutyl moieties in place of the pentofuranosyl sugar.

25 Nucleotide analogs can also be modified at the phosphate moiety. Modified phosphate moieties include, but are not limited to, those that can be modified so that the linkage between two nucleotides contains a phosphorothioate, chiral phosphorothioate, phosphorodithioate, phosphotriester, aminoalkylphosphotriester, methyl and other alkyl phosphonates including 3'-alkylene phosphonate and chiral phosphonates, phosphinates, phosphoramidates including
30 3'-amino phosphoramidate and aminoalkylphosphoramidates, thionophosphoramidates, thionoalkylphosphonates, thionoalkylphosphotriesters, and boranophosphates. These phosphate or modified phosphate linkage between two nucleotides can be through a 3'-5'

linkage or a 2'-5' linkage, and the linkage can contain inverted polarity such as 3'-5' to 5'-3' or 2'-5' to 5'-2'. Various salts, mixed salts, and free acid forms are also included. Nucleotide substitutes also include peptide nucleic acids (PNAs).

5 The present disclosure also provides vectors comprising any one or more of the nucleic acid molecules disclosed herein. In some embodiments, the vectors comprise any one or more of the nucleic acid molecules disclosed herein and a heterologous nucleic acid. The vectors can be viral or nonviral vectors capable of transporting a nucleic acid molecule. In some embodiments, the vector is a plasmid or cosmid (such as, for example, a circular double-stranded DNA into which additional DNA segments can be ligated). In some embodiments, the
10 vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Expression vectors include, but are not limited to, plasmids, cosmids, retroviruses, adenoviruses, adeno-associated viruses (AAV), plant viruses such as cauliflower mosaic virus and tobacco mosaic virus, yeast artificial chromosomes (YACs), Epstein-Barr (EBV)-derived episomes, and other expression vectors known in the art.

15 Desired regulatory sequences for mammalian host cell expression can include, for example, viral elements that direct high levels of polypeptide expression in mammalian cells, such as promoters and/or enhancers derived from retroviral LTRs, cytomegalovirus (CMV) (such as, for example, CMV promoter/enhancer), Simian Virus 40 (SV40) (such as, for example, SV40 promoter/enhancer), adenovirus, (such as, for example, the adenovirus major late promoter (AdMLP)), polyoma and strong mammalian promoters such as native immunoglobulin and actin
20 promoters. Methods of expressing polypeptides in bacterial cells or fungal cells (such as, for example, yeast cells) are also well known. A promoter can be, for example, a constitutively active promoter, a conditional promoter, an inducible promoter, a temporally restricted promoter (such as, for example, a developmentally regulated promoter), or a spatially
25 restricted promoter (such as, for example, a cell-specific or tissue-specific promoter).

Percent identity (or percent complementarity) between particular stretches of nucleotide sequences within nucleic acid molecules or amino acid sequences within polypeptides can be determined routinely using BLAST programs (basic local alignment search tools) and PowerBLAST programs (Altschul *et al.*, J. Mol. Biol., 1990, 215, 403-410; Zhang and
30 Madden, Genome Res., 1997, 7, 649-656) or by using the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison Wis.), using default settings, which uses the algorithm of Smith and Waterman (Adv.

Appl. Math., 1981, 2, 482-489). Herein, if reference is made to percent sequence identity, the higher percentages of sequence identity are preferred over the lower ones.

As used herein, the phrase "corresponding to" or grammatical variations thereof when used in the context of the numbering of a particular nucleotide or nucleotide sequence or position refers to the numbering of a specified reference sequence when the particular nucleotide or nucleotide sequence is compared to a reference sequence (such as, for example, SEQ ID NO:1). In other words, the residue (such as, for example, nucleotide or amino acid) number or residue (such as, for example, nucleotide or amino acid) position of a particular polymer is designated with respect to the reference sequence rather than by the actual numerical position of the residue within the particular nucleotide or nucleotide sequence. For example, a particular nucleotide sequence can be aligned to a reference sequence by introducing gaps to optimize residue matches between the two sequences. In these cases, although the gaps are present, the numbering of the residue in the particular nucleotide or nucleotide sequence is made with respect to the reference sequence to which it has been aligned.

The nucleotide and amino acid sequences listed in the accompanying sequence listing are shown using standard letter abbreviations for nucleotide bases, and three-letter code for amino acids. The nucleotide sequences follow the standard convention of beginning at the 5' end of the sequence and proceeding forward (i.e., from left to right in each line) to the 3' end. Only one strand of each nucleotide sequence is shown, but the complementary strand is understood to be included by any reference to the displayed strand. The amino acid sequence follows the standard convention of beginning at the amino terminus of the sequence and proceeding forward (i.e., from left to right in each line) to the carboxy terminus.

The present disclosure also provides therapeutic agents that treat or prevent a metabolic disorder for use in the treatment and/or prevention of a metabolic disorder in a subject having: a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Any of the therapeutic agents that treat or prevent a metabolic disorder described herein can be used in these methods. The metabolic disorder can be Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose.

The present disclosure also provides uses of therapeutic agents that treat or prevent a metabolic disorder for use in the preparation of a medicament for treating and/or preventing the metabolic disorder in a subject having: a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Any of the therapeutic agents that treat or prevent a metabolic disorder described herein can be used in these methods. The metabolic disorder can be Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose.

The present disclosure also provides MAP3K15 inhibitors for use in the treatment and/or prevention of a metabolic disorder in a subject that: a) is reference for a MAP3K15 genomic nucleic acid molecule, a MAP3K15 mRNA molecule, or a MAP3K15 cDNA molecule; or b) is heterozygous for: i) a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; ii) a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or iii) a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Any of the MAP3K15 inhibitors described herein can be used in these methods. The metabolic disorder can be Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose.

The present disclosure also provides uses of MAP3K15 inhibitors in the preparation of a medicament for treating and/or preventing a metabolic disorder in a subject that: a) is reference for a MAP3K15 genomic nucleic acid molecule, a MAP3K15 mRNA molecule, or a MAP3K15 cDNA molecule; or b) is heterozygous for: i) a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide; ii) a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or iii) a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide. Any of the MAP3K15 inhibitors described herein can be used in these methods. The metabolic disorder can be Type-2 diabetes, increased hemoglobin A1c, or increased serum glucose.

All patent documents, websites, other publications, accession numbers and the like cited above or below are incorporated by reference in their entirety for all purposes to the same extent as if each individual item were specifically and individually indicated to be so incorporated by reference. If different versions of a sequence are associated with an accession

number at different times, the version associated with the accession number at the effective filing date of this application is meant. The effective filing date means the earlier of the actual filing date or filing date of a priority application referring to the accession number if applicable. Likewise, if different versions of a publication, website or the like are published at different times, the version most recently published at the effective filing date of the application is meant unless otherwise indicated. Any feature, step, element, embodiment, or aspect of the present disclosure can be used in combination with any other feature, step, element, embodiment, or aspect unless specifically indicated otherwise. Although the present disclosure has been described in some detail by way of illustration and example for purposes of clarity and understanding, it will be apparent that certain changes and modifications may be practiced within the scope of the appended claims.

The following examples are provided to describe the embodiments in greater detail. They are intended to illustrate, not to limit, the claimed embodiments. The following examples provide those of ordinary skill in the art with a disclosure and description of how the compounds, compositions, articles, devices and/or methods described herein are made and evaluated, and are intended to be purely exemplary and are not intended to limit the scope of any claims. Efforts have been made to ensure accuracy with respect to numbers (such as, for example, amounts, temperature, etc.), but some errors and deviations may be accounted for. Unless indicated otherwise, parts are parts by weight, temperature is in °C or is at ambient temperature, and pressure is at or near atmospheric.

Examples

Example 1: Novel Association Between MAP3K15 and Protection from Type-2 Diabetes

The exomes of 454,787 UKB study participants were sequenced, with 95.8% of targeted bases covered at a depth of 20X or greater, as previously described (Szustakowski, Advancing Human Genetics Research and Drug Discovery through Exome Sequencing of the UK Biobank. bioRxiv, 2021; and Van Hout et al., Nature, 2020). Twelve million variants were identified in 39 million base pairs across the coding regions of 18,659 genes (data not shown). Among the variants identified were 3,375,252 (median of 10,260 per individual) synonymous, 7,689,495 (9,284 per individual) missense and 889,957 (212 per individual) putative loss-of-function (pLOF) variants (data not shown), of which about half were observed only once in this dataset (singleton variants; data not shown).

A novel association was discovered between a burden of predicted loss-of-function (pLOF) and deleterious missense variants in MAP3K15 and both lower levels of hemoglobin A1c (7,551 carriers; effect = -0.09 SD, 95% CI -0.10 to -0.073, $P=2 \times 10^{-31}$) and lower serum glucose (6,885 carriers; effect = -0.090, 95% CI -0.110 to -0.073, $P=1.7 \times 10^{-25}$). In addition, a burden of
5 pLOFs and deleterious missense variants in MAP3K15 was also associated with protection from Type-2 diabetes (7,863 carriers; OR=0.80, 95% CI 0.74 to 0.87, $P=1 \times 10^{-7}$). Furthermore, there was supporting evidence in a GHS study (a health system-based cohort from central and eastern Pennsylvania (USA) with ongoing recruitment since 2006) for all three phenotypes: hemoglobin A1c (1,304 carriers; effect = -0.040 SD units, 95% CI -0.079 to -0.002, $P=0.038$),
10 glucose (1,754 carriers; effect = -0.097 SD units, 95% CI -0.130 to -0.064, $P=1.3 \times 10^{-8}$) and type-2 diabetes (2,455 carriers; OR=0.91, 95% CI 0.84 to 0.98, $P=0.018$).

Various modifications of the described subject matter, in addition to those described herein, will be apparent to those skilled in the art from the foregoing description. Such modifications are also intended to fall within the scope of the appended claims. Each reference
15 (including, but not limited to, journal articles, U.S. and non-U.S. patents, patent application publications, international patent application publications, gene bank accession numbers, and the like) cited in the present application is incorporated herein by reference in its entirety and for all purposes.

What is Claimed is:

1. Use of a Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) inhibitor in the preparation of a medicament for treating a subject having a metabolic disorder or at risk of developing a metabolic disorder, having Type-2 diabetes or at risk of developing Type-2 diabetes, having increased hemoglobin A1c or at risk of developing increased hemoglobin A1c, or having increased serum glucose or at risk of developing increased serum glucose.
2. The use according to claim 1, wherein the MAP3K15 inhibitor comprises an inhibitory nucleic acid molecule that hybridizes to a MAP3K15 nucleic acid molecule.
3. The use according to claim 2, wherein the inhibitory nucleic acid molecule comprises an antisense nucleic acid molecule, a small interfering RNA (siRNA), or a short hairpin RNA (shRNA).
4. The use according to any one of claims 1 to 3, wherein the MAP3K15 inhibitor comprises a Cas protein and guide RNA (gRNA) that hybridizes to a gRNA recognition sequence within a MAP3K15 genomic nucleic acid molecule.
5. Use of a therapeutic agent that treats a metabolic disorder in the preparation of a medicament for treating a subject that has a metabolic disorder or is at risk of developing a metabolic disorder, wherein the subject has been determined to have a Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide by:
 - performing or having performed a sequence analysis on a biological sample obtained or having been obtained from the subject to determine if the subject has a genotype comprising the MAP3K15 missense variant nucleic acid molecule; and
 - wherein the therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in a standard dosage amount to a subject that is MAP3K15 reference, and/or a MAP3K15 inhibitor is to be administered to the subject;
 - wherein the therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in an amount that is the same as or less than a standard dosage amount to a subject that is heterozygous for the MAP3K15 missense variant nucleic acid molecule, and/or a MAP3K15 inhibitor is to be administered to the subject; or
 - wherein the therapeutic agent that treats or prevents the metabolic disorder is to be administered or continued to be administered in an amount that is the same as or less than a

standard dosage amount to a subject that is homozygous for the MAP3K15 missense variant nucleic acid molecule;

wherein the presence of a genotype having the MAP3K15 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide indicates the subject has a decreased risk of developing the metabolic disorder.

6. The use according to claim 5, wherein the subject is MAP3K15 reference, and the subject is to be administered or continued to be administered the therapeutic agent that treats or prevents the metabolic disorder in a standard dosage amount, and is to be administered a MAP3K15 inhibitor.

7. The use according to claim 5, wherein the subject is heterozygous for a MAP3K15 missense variant nucleic acid molecule, and the subject is to be administered or continued to be administered the therapeutic agent that treats or prevents the metabolic disorder in an amount that is the same as or less than a standard dosage amount, and is to be administered a MAP3K15 inhibitor.

8. The use according to any one of claims 5 to 7, wherein the MAP3K15 missense variant nucleic acid molecule is a splice-site variant, a stop-gain variant, a start-loss variant, a stop-loss variant, a frameshift variant, or an in-frame indel variant, or a variant that encodes a truncated MAP3K15 predicted loss-of-function polypeptide.

9. The use according to any one of claims 5 to 7, wherein the MAP3K15 missense variant nucleic acid molecule encodes a truncated MAP3K15 predicted loss-of-function polypeptide.

10. The use according to any one of claims 5 to 9, wherein the MAP3K15 inhibitor comprises an inhibitory nucleic acid molecule that hybridizes to a MAP3K15 nucleic acid molecule.

11. The use according to claim 10, wherein the inhibitory nucleic acid molecule comprises an antisense nucleic acid molecule, a small interfering RNA (siRNA), or a short hairpin RNA (shRNA).

12. The use according to any one of claims 5 to 11, wherein the metabolic disorder is Type-2 diabetes.

13. The use according to any one of claims 5 to 11, wherein the metabolic disorder is increased hemoglobin A1c.

14. The use according to any one of claims 5 to 11, wherein the metabolic disorder is increased serum glucose.

15. The use according to any one of claims 5 to 11, wherein the metabolic disorder is Type-2 diabetes, and the therapeutic agent is chosen from metformin, an insulin, a sulfonylurea, a meglitinide, a thiazolidinedione, a DPP-4 inhibitor, a GLP-1 receptor agonist, and an SGLT2 inhibitor, or any combination thereof.
- 5 16. The use according to any one of claims 5 to 11, wherein the metabolic disorder is Type-2 diabetes, and therapeutic agent is chosen from metformin, insulin, glyburide, glipizide, glimepiride, repaglinide, nateglinide, rosiglitazone, pioglitazone, sitagliptin, saxagliptin, linagliptin, exenatide, liraglutide, semaglutide, canagliflozin, dapagliflozin, and empagliflozin, or any combination thereof.
- 10 17. A method of identifying a subject having an increased risk of developing a metabolic disorder, the method comprising:
- determining or having determined the presence or absence of a Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) missense variant nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide in a biological sample obtained from the
- 15 subject;
- wherein:
- when the subject is MAP3K15 reference, then the subject has an increased risk of developing the metabolic disorder; and
- when the subject is heterozygous or homozygous for the MAP3K15
- 20 missense variant nucleic acid molecule encoding the MAP3K15 predicted loss-of-function polypeptide, then the subject has a decreased risk of developing the metabolic disorder.
18. The method according to claim 17, wherein the MAP3K15 missense variant nucleic acid molecule is a splice-site variant, a stop-gain variant, a start-loss variant, a stop-loss variant,
- 25 a frameshift variant, or an in-frame indel variant, or a variant that encodes a truncated MAP3K15 predicted loss-of-function polypeptide.
19. The method according to claim 18, wherein the MAP3K15 missense variant nucleic acid molecule encodes a truncated MAP3K15 predicted loss-of-function polypeptide.
20. The method according to any one of claims 17 to 19, wherein the MAP3K15 inhibitor
- 30 comprises an inhibitory nucleic acid molecule that hybridizes to a MAP3K15 nucleic acid molecule.

21. The method according to claim 20, wherein the inhibitory nucleic acid molecule comprises an antisense nucleic acid molecule, a small interfering RNA (siRNA), or a short hairpin RNA (shRNA).
22. The method according to any one of claims 17 to 21, wherein the metabolic disorder is
5 Type-2 diabetes.
23. The method according to any one of claims 17 to 21, wherein the metabolic disorder is increased hemoglobin A1c.
24. The method according to any one of claims 17 to 21, wherein the metabolic disorder is increased serum glucose.
- 10 25. The method according to any one of claims 17 to 21, wherein the metabolic disorder is Type-2 diabetes, and the therapeutic agent is chosen from metformin, an insulin, a sulfonylurea, a meglitinide, a thiazolidinedione, a DPP-4 inhibitor, a GLP-1 receptor agonist, and an SGLT2 inhibitor, or any combination thereof.
- 15 26. The method according to any one of claims 17 to 21, wherein the metabolic disorder is Type-2 diabetes, and therapeutic agent is chosen from metformin, insulin, glyburide, glipizide, glimepiride, repaglinide, nateglinide, rosiglitazone, pioglitazone, sitagliptin, saxagliptin, linagliptin, exenatide, liraglutide, semaglutide, canagliflozin, dapagliflozin, and empagliflozin, or any combination thereof.
- 20 27. Use of a therapeutic agent that treats a metabolic disorder in the preparation of a medicament for treating the metabolic disorder in a subject having:
a Mitogen-Activated Protein Kinase Kinase Kinase 15 (MAP3K15) missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide;
a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or
25 a MAP3K15 missense variant cDNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide.
28. The use according to claim 27, wherein the metabolic disorder is Type-2 diabetes.
29. The use according to claim 27, wherein the metabolic disorder is increased hemoglobin A1c.
- 30 30. The use according to claim 27, wherein the metabolic disorder is increased serum glucose.

31. The use according to any one of claims 27 to 30, wherein the metabolic disorder is Type-2 diabetes, and the therapeutic agent is chosen from metformin, an insulin, a sulfonylurea, a meglitinide, a thiazolidinedione, a DPP-4 inhibitor, a GLP-1 receptor agonist, and an SGLT2 inhibitor, or any combination thereof.
- 5 32. The use according to any one of claims 27 to 30, wherein the metabolic disorder is Type-2 diabetes, and therapeutic agent is chosen from metformin, insulin, glyburide, glipizide, glimepiride, repaglinide, nateglinide, rosiglitazone, pioglitazone, sitagliptin, saxagliptin, linagliptin, exenatide, liraglutide, semaglutide, canagliflozin, dapagliflozin, and empagliflozin, or any combination thereof.
- 10 33. Use of a Mitogen-Activated Protein Kinase Kinase 15 (MAP3K15) inhibitor in the preparation of a medicament for treating a metabolic disorder in a subject that:
- a) is reference for a MAP3K15 genomic nucleic acid molecule, a MAP3K15 mRNA molecule, or a MAP3K15 cDNA molecule; or
 - b) is heterozygous for:
 - 15 i) a MAP3K15 missense variant genomic nucleic acid molecule encoding a MAP3K15 predicted loss-of-function polypeptide;
 - ii) a MAP3K15 missense variant mRNA molecule encoding a MAP3K15 predicted loss-of-function polypeptide; or
 - iii) a MAP3K15 missense variant cDNA molecule encoding a MAP3K15
- 20 predicted loss-of-function polypeptide.
34. The use according to claim 33, wherein the metabolic disorder is Type-2 diabetes.
35. The use according to claim 33, wherein the metabolic disorder is increased hemoglobin A1c.
36. The use according to claim 33, wherein the metabolic disorder is increased serum
- 25 glucose.
37. The use according to claim 33, wherein the metabolic disorder is Type-2 diabetes, and the therapeutic agent is chosen from metformin, an insulin, a sulfonylurea, a meglitinide, a thiazolidinedione, a DPP-4 inhibitor, a GLP-1 receptor agonist, and an SGLT2 inhibitor, or any combination thereof.
- 30 38. The use according to claim 33, wherein the metabolic disorder is Type-2 diabetes, and therapeutic agent is chosen from metformin, insulin, glyburide, glipizide, glimepiride, repaglinide, nateglinide, rosiglitazone, pioglitazone, sitagliptin, saxagliptin, linagliptin,

exenatide, liraglutide, semaglutide, canagliflozin, dapagliflozin, and empagliflozin, or any combination thereof.

39. The use according to any one of claims 33 to 38, wherein the MAP3K15 inhibitor comprises an inhibitory nucleic acid molecule that hybridizes to a MAP3K15 nucleic acid molecule.
- 5
40. The use according to claim 39, wherein the inhibitory nucleic acid molecule comprises an antisense nucleic acid molecule, a small interfering RNA (siRNA), or a short hairpin RNA (shRNA).