




FIG. 1




FIG. 2

Treatment Interruption




FIG. 3





FIG. 4

5/28



Up-titrate to next higher daily (mg) dose level.

FIG. 5

Treatment Interruption at Any Clinic Visit if LVEF <50%




FIG. 6

7/28




FIG. 7




FIG. 8

9/28






FIG. 9

10/28



11/28



12/28

| First Dose                     |                                                            |                                                            |    |    |    |    |    |                                     |    |    |    |    |    |                                                            |    |    |    |    |  |
|--------------------------------|------------------------------------------------------------|------------------------------------------------------------|----|----|----|----|----|-------------------------------------|----|----|----|----|----|------------------------------------------------------------|----|----|----|----|--|
| Week                           | ★ 1                                                        | 2                                                          | 3  | 4  | 5  | 6  | 7  | 8                                   | 9  | 10 | 11 | 12 | 13 | 14                                                         | 15 | 16 | 17 | 18 |  |
| Echo  and dispensing  schedule | First dose is shipped                                      | Day 22 Day 22-35 to dispense Day 28                        |    |    |    |    |    |                                     |    |    |    |    |    |                                                            |    |    |    |    |  |
|                                |                                                            | Day 22 Day 22-35 to dispense Day 28                        |    |    |    |    |    | Day 22 Day 22-35 to dispense Day 28 |    |    |    |    |    | Day 78 Day 78-91 to dispense Day 84                        |    |    |    |    |  |
| Week                           | 19                                                         | 35-day dispense                                            |    |    |    |    |    | 35-day dispense                     |    |    |    |    |    | 35-day dispense                                            |    |    |    |    |  |
|                                |                                                            | 20                                                         | 21 | 22 | 23 | 24 | 25 | 26                                  | 27 | 28 | 29 | 30 | 31 | 32                                                         | 33 | 34 | 35 | 36 |  |
| Echo  and dispensing  schedule | By Day 140, all patients would require new 35-day dispense | Day 162 to Day 168                                         |    |    |    |    |    | Day 162-175 dispense                |    |    |    |    |    | By Day 210, all patients would require new 35-day dispense |    |    |    |    |  |
|                                |                                                            | Day 162 to Day 168                                         |    |    |    |    |    | Day 162-175 dispense                |    |    |    |    |    | By Day 210, all patients would require new 35-day dispense |    |    |    |    |  |
| Week                           | 37                                                         | 35-day dispense                                            |    |    |    |    |    | 35-day dispense                     |    |    |    |    |    | 35-day dispense                                            |    |    |    |    |  |
|                                |                                                            | 38                                                         | 39 | 40 | 41 | 42 | 43 | 44                                  | 45 | 46 | 47 | 48 | 49 | 50                                                         | 51 | 52 |    |    |  |
| Echo  and dispensing  schedule | Day 246-259 dispense                                       | By Day 315, all patients would require new 35-day dispense |    |    |    |    |    |                                     |    |    |    |    |    |                                                            |    |    |    |    |  |
|                                |                                                            | By Day 315, all patients would require new 35-day dispense |    |    |    |    |    |                                     |    |    |    |    |    |                                                            |    |    |    |    |  |
| Week                           |                                                            | 35-day dispense                                            |    |    |    |    |    | 35-day dispense                     |    |    |    |    |    | 35-day dispense                                            |    |    |    |    |  |
|                                |                                                            | 35-day dispense                                            |    |    |    |    |    | 35-day dispense                     |    |    |    |    |    | 35-day dispense                                            |    |    |    |    |  |

FIG. 12

13/28




FIG. 13A




FIG. 13B

14/28




FIG. 13C




FIG. 13D

15/28




FIG. 14A




FIG. 14B

16/28




FIG. 14C




FIG. 14D

17/28




FIG. 15A




FIG. 15B




FIG. 15C




FIG. 15D




FIG. 16A




FIG. 16B





FIG. 17






FIG. 19




FIG. 20A




FIG. 20B




FIG. 21

26/28




FIG. 22




FIG. 23

28/28




FIG. 24