


Claims

1. A compound having the general formula I:




wherein

X¹ is, independently at each occurrence, selected from CR³ and N;

X² is, independently at each occurrence, selected from CR⁴ and N;

n is, independently at each occurrence, selected from 0, and 1 ~~and 2~~;

A is, at each occurrence, independently selected from any structure as depicted in the following group W;



Group W

R¹ is, at each occurrence, independently selected from the group consisting of hydrogen; C1-C6 alkyl; C1-C6 alkyl substituted with one or two of OR⁵ and NR⁵R⁶; C3-C10 cycloalkyl; C1-C4 haloalkyl; -(C=O)R⁵; any of which is optionally substituted;

~~R² is, at each occurrence, independently selected from the group consisting of C1-C6 alkyl; C3-C10 cycloalkyl; C1-C4 haloalkyl; -NR⁷R⁸; -OR⁸; any of which is optionally substituted;~~

R³ and R⁴ are, at each occurrence, independently selected from the group consisting of hydrogen; halogen, e.g Cl or F; C1-C3 alkyl; OR⁵; C1-C4 haloalkyl; any of which is optionally substituted;

R⁵ and R⁶ are, at each occurrence, independently selected from the group consisting of hydrogen; C1-C6 alkyl; C3-C10 cycloalkyl; C1-C4 haloalkyl; any of which is optionally substituted;

R⁷ is, at each occurrence, independently selected from the group consisting of hydrogen; C1-C6 alkyl; C1-C6 alkyl substituted with one or two of OR⁵ and NR⁵R⁶; C3-C10 cycloalkyl; C1-C4 haloalkyl; any of which is optionally substituted;

R⁸ is, at each occurrence, independently selected from the group consisting of ~~hydrogen; -CH(CH₃)₂; -C(CH₃)₃; C3-C10 cycloalkyl; C3-C10 heterocycloalkyl; C1-C4 haloalkyl; C1-C6 alkyl substituted with one or two of OR⁵ and NR⁵R⁶; and C1-C6 alkyl substituted with one or two of C3-C10 cycloalkyl, C3-C10 heterocycloalkyl and C1-C4 haloalkyl; and C1-C6 alkyl substituted with C1-C4 haloalkyl~~any of which is optionally substituted;

Z¹ is, at each occurrence, independently selected from the group consisting of ~~hydrogen; C1-C6 alkyl; C1-C6 alkyl substituted with one or two of (=O), CN, OR⁵ and NR⁵R⁶; C3-C10 cycloalkyl; C3-C10 cycloalkyl substituted with one or several of halogen, OR⁷ and NR⁹R¹⁰; C3-C10 heterocycloalkyl; C3-C10~~


heterocycloalkyl substituted with one or several of halogen, C1-C6 alkyl, C3-C10 cycloalkyl and C1-C4 haloalkyl; C1-C4 haloalkyl;

R⁹ and R¹⁰ are, at each occurrence, independently selected from the group consisting of hydrogen; C1-C6 alkyl; C3-C10 cycloalkyl; C1-C4 haloalkyl; any of which is optionally substituted;

R¹¹ and R¹² are, at each occurrence, independently selected from the group consisting of C1-C6 alkyl; C3-C10 cycloalkyl; C3-C10 heterocycloalkyl; C1-C4 haloalkyl; any of which is optionally substituted;

and pharmaceutically acceptable salts thereof.


2. The compound according to claim 1, having the general formula II:



wherein

R¹, R², R³, R⁴, R¹¹, R¹², Z¹, X¹, X² and n are as defined in claim 1; and pharmaceutically acceptable salts thereof.

3. The compound according to any of claims 1 and 2, having the general formula III:



wherein

R^1 , R^2 , R^3 , R^4 , Z^1 , X^1 , X^2 and n are as defined in claim 1; and pharmaceutically acceptable salts thereof,


wherein, preferably,

R^3 and R^4 are, at each occurrence, independently selected from the group consisting of hydrogen; halogen, e.g Cl or F; C1-C3 alkyl, which is optionally substituted;

R^8 is, at each occurrence, independently selected from the group consisting of ~~hydrogen; -CH(CH₃)₂; -C(CH₃)₃; C3-C10 cycloalkyl;~~ C1-C4 haloalkyl; ~~C1-C6 alkyl substituted with one or two of OR⁵ and NR⁵R⁶;~~ or C1-C6 alkyl substituted with one or two of C3-C10 cycloalkyl and C1-C4 haloalkyl; any of which is optionally substituted; and

Z^1 is, at each occurrence, independently selected from the group consisting of ~~hydrogen;~~ C1-C6 alkyl; C1-C6 alkyl substituted with one or two of OR⁵ and NR⁵R⁶; C3-C10 cycloalkyl; ~~C3-C10 cycloalkyl substituted with one or several of halogen, OR⁷ and NR⁹R¹⁰;~~ C3-C10 heterocycloalkyl; ~~C3-C10 heterocycloalkyl substituted with one or several of halogen, C1-C6 alkyl, C3-C10 cycloalkyl and C1-C4 haloalkyl; C1-C4 haloalkyl;~~ and pharmaceutically acceptable salts thereof.


4. The compound according to any of claims 1 - 3, having the general formula IV:



wherein

R^1 , R^2 , R^3 , R^4 , Z^1 , X^2 and n are as defined in any of claims 1 - 3; and pharmaceutically acceptable salts thereof.

5. The compound according to any of claims 1 - 4, having the general formula V:



wherein

R^1 , R^2 , R^3 , R^4 , Z^1 and n are as defined in any of claims 1 - 4; and pharmaceutically acceptable salts thereof;

wherein, preferably,

R^3 and R^4 are hydrogen;

and pharmaceutically acceptable salts thereof .

6. The compound according to any of claims 1-5, wherein $n = 0$ or 1, and Z^1 is selected from C1-C6 alkyl, in particular methyl, ethyl, propyl or isopropyl; C3-C10 cycloalkyl, in particular C3 cycloalkyl; C3-C10 heterocycloalkyl; C1-C6 alkyl substituted with one or two of OR^5 and NR^5R^6 ; and pharmaceutically acceptable salts thereof.

7. The compound according to any of claims 1-6, wherein R^2 is OR^8 , and R^8 is selected from $-CH(CH_3)_2$; $-C(CH_3)_3$; C1-C4 haloalkyl; C1-C6 alkyl substituted with one or two of C3-C10 cycloalkyl, C3-C10 heterocycloalkyl and C1-C4 haloalkyl; or C1-C6 alkyl substituted with ~~C1-C4 haloalkyl, in particular~~ one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl and pharmaceutically acceptable salts thereof.

8. The compound according to any of claims 6 and 7, wherein $n = 0$ or 1 , and Z^1 is selected from ~~C1-C6 alkyl, in particular~~ methyl, ethyl, propyl or isopropyl; ~~C3-C10 cycloalkyl, in particular~~ C3 cycloalkyl; C3-C10 heterocycloalkyl; C1-C6 alkyl substituted with one or two of OR^5 and NR^5R^6 ; wherein R^5 and R^6 are, at each occurrence, independently selected from the group consisting of hydrogen; C1-C6 alkyl; C3-C10 cycloalkyl; C1-C4 haloalkyl; any of which is optionally substituted; and

R^2 is OR^8 , and R^8 is selected from $-CH(CH_3)_2$; $-C(CH_3)_3$; C1-C4 haloalkyl; C1-C6 alkyl substituted with one or two of C3-C10 cycloalkyl, C3-C10 heterocycloalkyl and C1-C4 haloalkyl; or C1-C6 alkyl substituted with ~~C1-C4 haloalkyl, in particular~~ one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl

and pharmaceutically acceptable salts thereof.





9. The compound according to any of the foregoing claims, wherein R^2 is OR^8 , and R^8 is selected from C1-C4 haloalkyl, in particular one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl; or C1-C6 alkyl substituted with C1-C4













haloalkyl, in particular one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl













10. The compound according to any of the foregoing claims, wherein $n = 0$ or 1; and Z^1 is selected from methyl; ethyl; propyl; isopropyl; C3 cycloalkyl; C4 cycloalkyl; and C5 cycloalkyl.













11. The compound according to any of claims 9 and 10, wherein $n = 0$ or 1; Z^1 is selected from methyl; ethyl; propyl; isopropyl; C3 cycloalkyl; C4 cycloalkyl; and C5 cycloalkyl; and R^2 is OR^8 ; and R^8 is selected from C1-C4 haloalkyl, in particular one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl; or C1-C6 alkyl substituted with C1-C4 haloalkyl, in particular one of trifluoromethyl, difluoromethyl, fluoromethyl, trifluoroethyl, difluoroethyl, fluoroethyl, trifluoropropyl, difluoropropyl, fluoropropyl, trifluoroisopropyl, difluoroisopropyl, and fluoroisopropyl













12. The compound according to any of the foregoing claims having one of the structures as shown hereafter:













#cpd	Structure	#cpd	Structure
1		2	
3		4	















5		6	
7		8	
9		10	
11		12	
13		14	
15		16	















17		18	
19		20	
21		22	
23		24	
25		26	
27		28	













29		30	
31		32	
33		34	
35		36	
37		38	
39		40	













41		42	
43		44	
45		46	
47		48	
49		50	
51		52	













53		54	
55		56	
57		58	
59		60	
61		62	
63		64	













65		66	
67		68	
69		70	
71		72	
73		74	
75		76	
77		78	













79		80	
81		82	
83		84	
85		86	
87		88	
89		90	
91		92	













93		94	
95		96	
97		98	
99		100	
101		102	
103		104	




105		106	
107		108	
109		110	
111		112	
113		114	
115		116	

129		130	
131		132	
133		134	
135		136	
137		138	
139		140	

141		142	
143		144	
145		146	
147		148	
149		150	
151		152	

153		154	
155		156	
157		158	
159		160	
161		162	
163		164	

165		166	
167		168	
169		170	
171		172	
173		174	
175		176	

177		178	
179			

13. A composition comprising at least one compound according to any of claims 1-12, together with at least one pharmaceutically acceptable carrier, excipient and/or diluent.

14. The composition according to claim 13, further comprising at least one other pharmaceutically active agent.

15. The compound according to any of claims 1-12 or the composition according to any of claims 13-15, for use in therapy.

16. Use of the compound according to any of claims 1-12 or the composition according to any of claims 13 - 14 in the manufacture of a medicament for treating a disorder; wherein said disorder is selected from hyperproliferative disorders, inflammatory disorders and neurodegenerative disorders.

17. The use according to claim 16, wherein the disorder is a disorder associated with, accompanied by, caused by or induced by a Axl/Mer and CSF1R receptor tyrosine kinase, in particular associated with, accompanied by, or caused by Axl/Mer and CSF1R (colony-stimulating factor-1-receptor), preferably associated with, accompanied by, or caused by a hyperfunction of said Axl/Mer and a hyperfunction of said CSF1R.

~~18. The use according to any of claims 16-17, wherein said disorder is selected from hyperproliferative disorders, inflammatory disorders and neurodegenerative disorders.~~

~~19~~18. The use according to claim ~~18~~16, wherein said hyperproliferative disorder is a cancer, preferably a cancer selected from adenocarcinoma, acoustic neuroma, acute lymphoblastic leukemia, acute myeloid leukemia, adrenocortical carcinoma, aids-related cancers, aids-related lymphoma, anal cancer, appendix cancer, astrocytomas, atypical teratoid/rhabdoid tumor, ampullary carcinoma, basal cell carcinoma, bile duct cancer, bladder cancer, bone cancer, osteosarcoma and malignant fibrous histiocytoma, brain stem glioma, brain tumor, central nervous system atypical teratoid/rhabdoid tumor, craniopharyngioma, ependymblastoma, ependymoma, medulloblastoma, medulloepithelioma, pineal parenchymal tumors of intermediate differentiation, supratentorial primitive neuroectodermal tumors and pineoblastoma, brain and spinal cord tumors, breast cancer, urachal tumors, burkitt lymphoma, carcinoid tumor, choroidal melanoma, gastrointestinal cancer, central nervous system lymphoma, cervical cancer, corpus cancer, chordoma, chronic lymphocytic leukemia, chronic myelogenous leukemia, chronic myeloproliferative disorders, colon cancer, colorectal cancer, cutaneous t-cell lymphoma, desmoid tumor, mycosis fungoides, endometrial cancer, esophageal cancer, esthesioneuroblastoma, Ewing sarcoma family of tumors, extracranial germ cell tumor, extragonadal germ cell tumor, extrahepatic bile duct cancer, ear tumors, intraocular melanoma, retinoblastoma, gallbladder cancer, gastric cancer, gastrointestinal carcinoid tumor, gastrointestinal stromal tumor, gastrointestinal stromal cell tumor, gynecologic tumors, ovarian germ cell tumor, gestational trophoblastic tumor, glioma, gallbladder carcinomas, hairy cell leukemia, head and neck cancer, heart cancer, hepatocellular cancer, histiocytosis, hypopharyngeal cancer, hematologic neoplasias, islet cell tumors (endocrine pancreas), renal cell cancer, kidney cancer, langerhans cell histiocytosis, laryngeal cancer, leukemia, lip and oral cavity cancer, liver cancer, lung cancer, non-small cell lung cancer, small intestinal tumors, small cell lung cancer, hodgkin lymphoma, non-

hodgkin lymphoma, primary central nervous system lymphoma, macroglobulinemia, malignant fibrous histiocytoma of bone and osteosarcoma, melanoma, merkel cell carcinoma, mesothelioma, metastatic squamous neck cancer with occult primary, spinalioma, multiple endocrine neoplasia syndromes, myelodysplastic syndromes, myelodysplastic/myeloproliferative neoplasms, myeloid leukemia, multiple myeloma, myeloproliferative disorders, nasal cavity and paranasal sinus cancer, nasopharyngeal cancer, neuroblastoma, oral cavity cancer, oropharyngeal cancer, osteosarcoma and malignant fibrous histiocytoma of bone, ovarian cancer, ovarian epithelial cancer, ovarian low malignant potential tumor, oligodendroglioma, plasmacytomas, pancreatic cancer, papillomatosis, parathyroid cancer, penile cancer, pharyngeal cancer, pituitary tumor, plasma cell neoplasm/multiple myeloma, pleuropulmonary blastoma, prostate cancer, rectal cancer, renal cell cancer, transitional cell cancer, respiratory tract cancer, rhabdomyosarcoma, salivary gland cancer, sarcoma, skin testis cancer, ewing sarcoma, kaposi sarcoma, uterine sarcoma, non-melanoma skin cancer, melanoma skin cancer, skin carcinoma, small intestine cancer, soft tissue sarcoma, squamous cell carcinoma, squamous neck cancer, stomach cancer, soft tissue tumors, testicular cancer, throat cancer, thymoma and thymic carcinoma, thyroid cancer, transitional cell cancer of the renal pelvis and ureter, trophoblastic tumor, testicle cancer, gestational cancer, urologic tumors, ureter and renal pelvis cancer, urethral cancer, urothelial carcinoma, uterine cancer, vaginal cancer, vulvar cancer, waldenström macroglobulinemia and wilms tumor, tumors that cause effusions in potential spaces of the body, pleural effusions, pericardial effusions, peritoneal effusion aka ascites, giant cell tumor (GCT), GCT of bone, pigmented villonodular synovitis (PVNS), tenosynovial giant cell ~~tumor~~ tumor (TGCT), TGCT of tendon sheath (TGCT-TS).

2019. The use according to claim 1816, wherein said inflammatory disorder is selected from osteoarthritis, inflammatory bowel syndrome, transplant rejection, systemic lupus erythematosus, ulcerative colitis, crohn's disease, chronic obstructive pulmonary disease, emphysema, Kawasaki's Disease, hemophagocytic syndrome (macrophage activation syndrome), multicentric

reticulohistiocytosis, atherosclerosis, primary progressive multiple sclerosis, tenosynovitis, Type I diabetes, Type II diabetes, insulin resistance, hyperglycemia, obesity, lipolysis, hypoparathyroidism, osteoporosis, increased risk of fracture, Paget's disease, hypercalcemia, infection-mediated osteolysis (e.g. osteomyelitis), peri-prosthetic or wear-debris-mediated osteolysis, endometriosis, inflammatory pain, chronic pain, and bone pain.

2120. The use according to claim 16, wherein said neurodegenerative disorder is selected from Binswanger type dementia, prosencephaly, microcephaly, cerebral palsy, congenital hydrocephalus, abdominal dropsy, progress supranuclear palsy, glaucoma, Wilson disease, Alzheimer's disease and other dementias, Parkinson's disease (PD) and PD-related disorders, multi infarct dementia, Frontotemporal dementia, pseudo-dementia, Prion disease, Motor neuron diseases, Huntington's disease, spinocerebellar ataxia, and spinal muscular atrophy.

221. The use according to any of claims 16-216-20, wherein said use is in combination with another pharmaceutically active drug or therapy, in particular radiation therapy, chemotherapy agents, targeted drugs and immune check point inhibitor drugs.