

FIG. 1

In a case that a trigger condition for reporting a power headroom report is satisfied, report a power headroom report, where the power headroom report includes power headroom report information of at least one power control object, and the power control object is an antenna panel or a beam

FIG. 2

R	R	PH (Type 1, PCell)					
R	R	$P_{\text{CMAX},f,c}$					

FIG. 3

C ₇	C ₆	C ₅	C ₄	C ₃	C ₂	C ₁	R
P	V	PH (Type 2, SpCell of other MAC entities)					
R	R	P _{C_{MAX},f,c} 1					
P	V	PH (Type 1, PCell)					
R	R	P _{C_{MAX},f,c} 2					
P	V	PH (Type X, Serving Cell 1)					
R	R	P _{C_{MAX},f,c} 3					
...							
P	V	PH (Type X, Serving Cell n)					
R	R	P _{C_{MAX},f,c} m					

FIG. 4

C ₇	C ₆	C ₅	C ₄	C ₃	C ₂	C ₁	R
C ₁₅	C ₁₄	C ₁₃	C ₁₂	C ₁₁	C ₁₀	C ₉	C ₈
C ₂₃	C ₂₂	C ₂₁	C ₂₀	C ₁₉	C ₁₈	C ₁₇	C ₁₆
C ₃₁	C ₃₀	C ₂₉	C ₂₈	C ₂₇	C ₂₆	C ₂₅	C ₂₄
P	V	PH (Type 2, SpCell of other MAC entities)					
R	R	P _{C_{MAX},f,c} 1					
P	V	PH (Type 1, PCell)					
R	R	P _{C_{MAX},f,c} 2					
P	V	PH (Type X, Serving Cell 1)					
R	R	P _{C_{MAX},f,c} 3					
...							
P	V	PH (Type X, Serving Cell n)					
R	R	P _{C_{MAX},f,c} m					

FIG. 5




FIG. 6




FIG. 7




FIG. 8