



ABSTRACT

New aminopyrrolo[1,2-*a*]indole and aminopyridazino[1,6-*a*]indole compounds, a process for their preparation and pharmaceutical compositions containing them

Compounds of formula (I):



wherein:



R₁, R₄ represent hydrogen, (C₁-C₆)alkyl, (C₁-C₆)aminoalkyl, (C₁-C₆)hydroxyalkyl, aryl(C₁-C₆)alkyl,

R₂, R₃ represent hydrogen (C₁-C₆)alkyl, (C₁-C₆)aminoalkyl, (C₁-C₆)hydroxyalkyl, or (R₁ and R₂), (R₃ and R₄), together with the carbon atoms carrying them, form a carbon-carbon bond,

R₅, R₆ represent hydrogen, (C₁-C₆)alkyl,

R₇, R₈, represent hydrogen, (C₁-C₆)alkyl, aryl-(C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)-alkynyl, a substituted (C₁-C₆)alkyl chain, cyano, (C₁-C₆)alkoxy, NR₁₃R₁₄, a substituted (C₁-C₆)alkenyl chain or a substituted (C₁-C₆)alkynyl chain,

or,

(R₅ and R₈), (R₆ and R₇), together with the carbon and nitrogen atoms carrying them, form an optionally substituted heterocycle having 5, 6 or 7 ring members,

R₉ represents hydrogen, halogen, (C₁-C₆)alkyl, (C₁-C₆)alkoxy, hydroxy, cyano, nitro, (C₁-C₆)polyhaloalkyl, NR₁₅R₁₆, or a substituted (C₁-C₆)alkyl chain,

n represents an integer 0, 1, 2, 3 or 4,

R₁₀ represents hydrogen, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, aryl-(C₁-C₆)alkyl, (C₁-C₆)-polyhaloalkyl, or a substituted (C₁-C₆)alkyl chain,

R₁₁, R₁₂ represent -COOT or -CH₂O-U,

R₁₃, R₁₄, represent hydrogen or (C₁-C₆)alkyl or, together with the nitrogen atom carrying them, form a heterocycle having from 4 to 8 ring members.

R₁₅, R₁₆ represent hydrogen or (C₁-C₆)alkyl, (C₂-C₆)alkenyl,

their enantiomers, diastereoisomers, N-oxides, and also addition salts thereof with a pharmaceutically acceptable acid or base,

No Figures