




FIG. 1




FIG. 2

3/45




FIG. 3




FIG. 4





FIG. 5

6/45



7/45




FIG. 6A

8/45




FIG. 6B




FIG. 7




FIG. 8A




FIG. 8B





FIG. 9A






FIG. 9C





FIG. 10



^a Visits on Days 21 (+3 days), 28 (+3 days), and 35 (+3 days); final study visit on Day 49 (+7 days) or early termination.
PD = pharmacodynamic.

FIG. 11

ACTH -- Average All Subjects




FIG. 12A

17-OHP -- Average All Subjects




FIG. 12B

19/45

Androstenedione -- Average All Subjects




FIG. 13A

Testosterone -- Average All Subjects




FIG. 13B




FIG. 14A




FIG. 14B




FIG. 15A

24/45




FIG. 15B




FIG. 16A

26/45




FIG. 16B




FIG. 17A

28/48




FIG. 17B

29/45




FIG. 17C




FIG. 18A

31/45




FIG. 18B

32/45




FIG. 18C

33/45




FIG. 19A




FIG. 19B

35/45




FIG. 19C




FIG. 20

37/45

COMPONENTS	OPERATIONS	STEPS	IN PROCESS TESTS AND CHECKS
	WEIGHING OF COMPONENTS	1	
Vitamin E/TPGS 260 Gelucire 44-14	HEATING ($55 \pm 5^{\circ}\text{C}$)	2	• Temperature • Appearance
	BLENDING ($55 \pm 5^{\circ}\text{C}$) each separately, then WEIGHING	3	• Temperature • Appearance
Miglyol 812N Labrafac PG	MIXING ($55 \pm 5^{\circ}\text{C}$)	4	• Temperature • Speed and duration
Compound of Formula (I)	MIXING ($55 \pm 5^{\circ}\text{C}$)	5	• Temperature • Speed and duration • Appearance
Orange opaque hard capsules	FILLING ($45 \pm 2^{\circ}\text{C}$)	6	• Temperature • Characteristics of the capsules
Purified water * Ethyl alcohol *	PREPARATION of SEALING SOLUTION	7	
	SEALING - DRYING	8	• Appearance
	INSPECTION	9	• Leak test • Appearance

* Can be contained in hydro-alcoholic solution ready for manufacturing use

FIG. 21




FIG. 22A




FIG. 22B





FIG. 23






FIG. 25




FIG. 26




FIG. 27

45/45




FIG. 28