

DESCRIPTION

Title of the Invention: AGENT FOR PREVENTING AND/OR TREATING
AMYOTROPHIC LATERAL SCLEROSIS

[Technical Field]

5 [0001]

The present invention relates to a prophylactic and/or
therapeutic agent for amyotrophic lateral sclerosis.

[Background Art]

[0002]

10 Amyotrophic lateral sclerosis (hereinafter, ALS) is a
motor neuron disease of poor prognosis, which develops at
middle ages and thereafter and causes progressive paralysis of
skeletal muscles. It is designated as a disease in the project
for investigation and research into specific diseases sponsored
15 by the Ministry of Health, Labor and Welfare of Japan. More
than about 90% of cases of ALS are sporadic and the cause is
unknown. As a component of ubiquitin-positive inclusion bodies
found in the lower motor neuron of sporadic ALS patients, a 43-
kDa TAR DNA-binding protein (TDP-43) has been identified in
20 recent years, and is attracting attention as an etiology gene
(non-patent document 1). On the other hand, the remaining 10%
are familial cases, and point mutation of genes such as Cu/Zn
superoxide dismutase (SOD1) gene, TDP-43 gene and the like has
been reported. In this case, the gain-of-toxic function theory
25 is likely wherein motor neuron death is caused by the
cytotoxicity newly gained by mutated SOD1 (non-patent document
2).

[0003]

The only currently commercially available therapeutic
30 drug for ALS is riluzole (RilutekTM, Aventis), a glutamate
receptor antagonist possessing glutamate suppressing action
(patent document 1).

[0004]

On the other hand, it is considered that the pathology
35 can be reproduced in vitro by establishing an induced

pluripotent stem cell (iPS cell) obtained from cells derived from a patient by using a reprogramming technique and inducing differentiation from this iPS cell into a pathogenic cell. The present inventors have demonstrated using atorvastatin known to
5 have an anti-ALS action that a candidate substance of a therapeutic drug for ALS can be screened for by inducing differentiation of an iPS cell established from fibroblasts derived from ALS patients having a mutation in the SOD1 gene into astrocyte, and using, as an index, a decrease in the
10 expression level of SOD1 in the obtained astrocyte (patent document 2). Furthermore, they have identified sorafenib, which is a multikinase inhibitor and used as a therapeutic drug for progressive renal cell carcinoma, as a candidate substance of a therapeutic drug for ALS, by using the screening system
15 (patent document 3). Also, they have shown that a candidate substance of a therapeutic drug for ALS can be screened for by inducing differentiation of iPS cell, established from ALS patients having a mutation in TDP-43 gene, into motor neuron (MN), and screening using a decrease in the expression level of
20 TDP-43 in the obtained motor neuron, improvement of fragility to stress, recovery of neurite length and the like as indices (patent document 4, non-patent document 3). Furthermore, they have shown that a motor neuron that reproduces pathology of patients well can be promptly and synchronically prepared by
25 introducing 3 kinds of nerve cell lineage specific transcription factors into pluripotent stem cells (patent document 5).

Thus, while a screening and efficacy evaluation system of a therapeutic drug for ALS using nerve cell derived from iPS
30 cell is being developed, and a promising candidate substance (therapeutic drug seeds) is being found, a considerable amount of way is still expected until practicalization as a pharmaceutical product.

[0005]

35 Incidentally, as a method for overcoming the deadlock

seen recently in the development and research of a new drug a new research concept called drug repositioning (DR) has become the subject of discussion. It aims to find a new medicinal effect from existing drugs showing safety and pharmacokinetics
5 in human, which have already been confirmed from actual results, and achieve practicalization thereof. Since many existing data can be used, it is further advantageous in that the development cost can be suppressed low, accumulated know-how and materials (surrounding compounds and the like) exist and the like. As
10 mentioned above, the present inventors have already found that sorafenib, which is used as a therapeutic drug for cancer, has an ALS treatment activity as novel efficacy.

[Document List]

[Patent documents]

15 [0006]

patent document 1: AU 666150 B2

patent document 2: WO 2011/074690

patent document 3: WO 2012/029994

patent document 4: WO 2013/108926

20 patent document 5: WO 2014/148646

[non-patent documents]

[0007]

non-patent document 1: Neumann M, et al., Science. 2006, 314: 130-3.

25 non-patent document 2: Bruijn, L.I., et al., 2004. Annu. Rev. Neurosci. 27, 723-749.

non-patent document 3: Egawa N, et al., Sci. Transl. Med. 2012, 4: 145ra104

[SUMMARY OF THE INVENTION]

30 [Problems to be Solved by the Invention]

[0008]

An object of the present invention is to provide a novel medicament candidate having a prophylactic and/or therapeutic activity for ALS, as well as accelerate the development of a
35 prophylactic and/or therapeutic agent for ALS as a realistic

pharmaceutical product.

[Means of Solving the Problems]

[0009]

In an attempt to solve the above-mentioned problem, the present inventors induced differentiation of iPS cell established from ALS patients having a mutation in SOD1 gene into motor neuron and, using the survival of the motor neuron as an index, screened for a compound having an anti-ALS activity from a library of known compounds including medicaments already on the market as pharmaceutical products. As a result, they have found that epithelial cell growth factor receptor (EGFR) inhibitor, fibroblast growth factor receptor (FGFR) inhibitor, Aurorakinase inhibitor, protein kinase A (PKA) inhibitor, protein kinase C (PKC) inhibitor, MEK inhibitor, Met inhibitor, JNK inhibitor, Syk inhibitor, JAK inhibitor, prostaglandin analogue, 3-hydroxybutyric acid and estrogen receptor antagonist remarkably improve survival of ALS motor neuron. In addition, compounds having an anti-ALS activity including Bosutinib, which is a drug in the market, were also found even from the compounds not belonging to the above-mentioned category.

Furthermore, 6 kinds of drug in the market (including Tivozanib which was not approved after filing request for approval and examination thereof was completed) confirmed to have an anti-ALS activity against mutated SOD1 ALS were subjected to comparison of the anti-ALS effects thereof by using ALS motor neurons derived from iPS cells established from patients having SOD1 mutation, patients having TDP-43 mutation, patients having C9orf72 mutation, and sporadic ALS patients, and improvement in the cell survival rate as an index. As a result, they showed varying anti-ALS activity spectra depending on the medicaments.

From the above results, the present inventors have found that any of the above-mentioned kinase inhibitor or other medicament is useful for the prophylaxis and/or treatment of

ALS, and further that effective prophylaxis and/or treatment of ALS, which is suitable for individual patients or a preliminary group thereof, can be available by properly according to the causative gene of ALS, which resulted in the completion of the
5 present invention.

Therefore, the present invention provides the following.

[1] A prophylactic and/or therapeutic agent for amyotrophic lateral sclerosis (ALS), which comprises one or more kinase inhibitors selected from the group consisting of an epithelial
10 cell growth factor receptor (EGFR) inhibitor, a fibroblast growth factor receptor (FGFR) inhibitor, an Aurorakinase inhibitor, a protein kinase A (PKA) inhibitor, a protein kinase C (PKC) inhibitor, an MEK inhibitor, an Met inhibitor, a JNK inhibitor, a Syk inhibitor and a JAK inhibitor, and/or a
15 prostaglandin analogue and/or an estrogen receptor antagonist.

[2] The agent of [1], wherein the aforementioned EGFR inhibitor is a PDGF Receptor Tyrosine Kinase Inhibitor III or BPIQ-I.

[3] The agent of [1], wherein the aforementioned FGFR inhibitor is Pazopanib or an analog thereof or PDGF Receptor Tyrosine
20 Kinase Inhibitor III.

[4] The agent of [1], wherein the aforementioned Aurorakinase inhibitor is ZM-447439, VX-680, Aurora Kinase Inhibitor II, CYC116, KW2449, or AT9283.

[5] The agent of [1], wherein the aforementioned PKA inhibitor
25 is PDGF Receptor Tyrosine Kinase Inhibitor III.

[6] The agent of [1], wherein the aforementioned PKC inhibitor is PDGF Receptor Tyrosine Kinase inhibitor III or Enzastaurin.

[7] The agent of [1], wherein the aforementioned MEK inhibitor is U0126-EtOH.

[8] The agent of [1], wherein the aforementioned Met inhibitor
30 is MGCD-265, PF-2341066 (Crizotinib) or an analog thereof or BMS 777607.

[9] The agent of [1], wherein the aforementioned JNK inhibitor is SP600125.

35 [10] The agent of [1], wherein the aforementioned Syk inhibitor

is a Syk Inhibitor.

[11] The agent of [1], wherein the aforementioned JAK inhibitor is JAK Inhibitor I or AT9283.

[12] The agent of [1], wherein the aforementioned prostaglandin
5 analogue is Bimatoprost.

[13] The agent of [1], wherein the aforementioned estrogen receptor antagonist is Raloxifene.

[14] A prophylactic and/or therapeutic agent for ALS,
comprising one or more compounds selected from the group
10 consisting of Tivozanib and an analog thereof, SB 216763, Cdk2
Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL,
AMODIAQUINE, SU9516, Sunitinib and an analog thereof, GSK-3
Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE,
FLUNISOLIDE, MGCD-265, Indirubin-3'-monoxime, HYDRASTINE (1R,
15 9S), PIPERINE, BUTAMBEN, Axitinib and an analog thereof,
APOMORPHINE, FENBUFEN, Bosutinib (SKI-606) and an analog
thereof, Wee1 Inhibitor, Cdk2 Inhibitor IV, NU6140, 3-
hydroxybutyric acid, Imatinib, Nilotinib, Rebastinib, and
Bafetinib.

20 [15] A method for the prophylaxis and/or treatment of ALS,
comprising administering an effective amount of one or more
kinase inhibitors selected from the group consisting of an EGFR
inhibitor, an FGFR inhibitor, an Aurorakinase inhibitor, a PKA
inhibitor, a PKC inhibitor, an MEK inhibitor, an Met inhibitor,
25 a JNK inhibitor, a Syk inhibitor and a JAK inhibitor, and/or a
prostaglandin analogue and/or an estrogen receptor antagonist.

[16] A method for the prophylaxis and/or treatment of ALS,
comprising administering an effective amount of one or more
kinase inhibitors selected from the group consisting of
30 Tivozanib and an analog thereof, SB 216763, Cdk2 Inhibitor II,
BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL, AMODIAQUINE, SU9516,
Sunitinib and an analog thereof, GSK-3 Inhibitor XIII,
Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265,
Indirubin-3'-monoxime, HYDRASTINE (1R,9S), PIPERINE, BUTAMBEN,
35 Axitinib and an analog thereof, APOMORPHINE, FENBUFEN,

Bosutinib (SKI-606) and an analog thereof, a Wee1 Inhibitor, Cdk2 Inhibitor IV, NU6140, 3-hydroxybutyric acid, Imatinib, Nilotinib, Rebastinib, and Bafetinib.

[17] One or more kinase inhibitors selected from the group
5 consisting of an EGFR inhibitor, an FGFR inhibitor, an Aurorakinase inhibitor, a PKA inhibitor, a PKC inhibitor, an MEK inhibitor, an Met inhibitor, a JNK inhibitor, a Syk inhibitor and a JAK inhibitor, and/or a prostaglandin analogue and/or an estrogen receptor for the prophylaxis and/or
10 treatment of ALS.

[18] One or more kinase inhibitors selected from the group consisting of Tivozanib and an analog thereof, SB 216763, Cdk2 Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL, AMODIAQUINE, SU9516, Sunitinib and an analog thereof, GSK-3
15 Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265, Indirubin-3'-monoxime, HYDRASTINE (1R,9S), PIPERINE, BUTAMBEN, Axitinib and an analog thereof, APOMORPHINE, FENBUFEN, Bosutinib (SKI-606) and an analog thereof, a Wee1 Inhibitor, Cdk2 Inhibitor IV, NU6140, 3-
20 hydroxybutyric acid, Imatinib, Nilotinib, Rebastinib, and Bafetinib for the prophylaxis and/or treatment of ALS.

[Effect of the Invention]

[0010]

Various kinase inhibitors of the present invention and
25 other compound having an anti-ALS activity are useful for the prophylaxis and/or treatment of ALS. In addition, an effective prophylaxis and/or treatment of ALS, which is suitable for individual patients or a preliminary group thereof, can be available by properly using the kinase inhibitor of the present
30 invention according to the causative gene of ALS.

[Brief Description of the Drawings]

[0011]

In Fig. 1, Fig. 1A shows immunostained images showing accumulation of misfolded SOD1 in motoneuron cell established
35 iPS cell derived from ALS patients having SOD1 mutation (SOD1-

L144FVX mutation) (SOD1 ALS). Control shows motoneuron cell established from iPS cell derived from healthy subject. The right panel shows the results of triple staining with β III-tubulin and DAPI. Fig. 1B shows immunostained images showing fragility (decrease in the number of surviving cells) of motoneuron cell derived from SOD1 mutation. The right graph shows the survival rate, at 14 days after the start of differentiation induction, of motoneuron cell. *:p<0.05

Fig. 2 is a graph showing that Tivozanib, Bosutinib, Sunitinib, Crizotinib, Axitinib and Pazopanib improve survival rate of motoneuron cells having SOD1 mutation in a dose-dependent manner.

Fig. 3 shows that Tivozanib, Bosutinib and Sunitinib inhibit phosphorylation of Erk and c-abl in motoneuron cell having SOD1 mutation. Fig. 3A shows Western blot images using anti-Erk antibody and anti-phosphorylated Erk antibody, and anti-c-abl antibody and anti-phosphorylated c-abl antibody, Fig. 3B and C each show phosphorylated Erk/Erk (p-Erk/Erk) ratio and phosphorylated c-abl/c-abl (p-Abl/Abl) ratio obtained by image analysis of the band intensity.

Fig. 4 shows the survival rate, at 14 days after the start of induction, of motoneuron cell induced from iPS cell, derived from ALS patients having various gene mutations and sporadic ALS patients.

Fig. 5 shows a dose-dependent protection effect of Tivozanib, Bosutinib, Sunitinib, Crizotinib, Axitinib and Pazopanib on the survival of motoneuron cell induced from iPS cell derived from ALS patients having various gene mutations and sporadic ALS patients. In the Figure, SALS means sporadic ALS. The bar graph of the column of each motoneuron cell shows no addition (0 μ M), 0.1 μ M addition, 1 μ M addition of medicament from the left.

Fig. 6 is a graph showing that Bimatoprost, Edaravone, 3-hydroxybutyric acid and Raloxifene improve survival rate of motoneuron cells having SOD1 mutation in a dose-dependent

manner.

Fig. 7 is a drawing showing that Imatinib, Nilotinib, Rebastinib, AT9283 and Bafetinibin improve survival rate of familial ALS (mSOD1 ALS) motoneuron cells in a dose-dependent
5 manner.

Fig. 8 is a drawing showing that Bosutinib decreases misfolded TDP43 even in familial ALS having TDP-43 mutation and sporadic ALS.

[Description of Embodiments]

10 [0012]

The present invention provides a prophylactic and/or therapeutic agent for amyotrophic lateral sclerosis (ALS) (hereinafter to be also referred to as an agent for the prophylaxis or treatment of ALS) containing one or more kinase
15 inhibitors selected from the group consisting of an epithelial cell growth factor receptor (EGFR) inhibitor, a fibroblast growth factor receptor (FGFR) inhibitor, an Aurorakinase inhibitor, a protein kinase A (PKA) inhibitor, a protein kinase C (PKC) inhibitor, an MEK inhibitor, an Met inhibitor, a JNK
20 inhibitor, a Syk inhibitor and a JAK inhibitor, and/or, one or more compounds selected from the group consisting of a prostaglandin analogue, 3-hydroxybutyric acid, an estrogen receptor antagonist, Tivozanib and an analog thereof, SB 216763, Cdk2 Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL,
25 AMODIAQUINE, SU9516, Sunitinib and an analog thereof, GSK-3 Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265, Indirubin-3'-monoxime, HYDRASTINE (1R, 9S), PIPERINE, BUTAMBEN, Axitinib and an analog thereof, APOMORPHINE, FENBUFEN, Bosutinib (SKI-606) and an analog
30 thereof, a Wee1 Inhibitor, Cdk2 Inhibitor IV, NU6140, AT9283, Imatinib, Nilotinib, Rebastinib, and Bafetinib.

[0013]

In the present invention, the amyotrophic lateral sclerosis (ALS) to be treated includes both sporadic and
35 familial amyotrophic lateral sclerosis (ALS). In the case of

familial ALS, the causative gene is not particularly limited, and may be any known causative gene such as SOD1, TDP-43, C9orf72, alsin, SETX, FUS/TLS, VAPB, ANG, FIG4, OPTN, ATXN2, DAO, UBQLN2, PFN1, DCTN1, CHPM2B, VCP and the like. In one
5 embodiment, in the case of familial ALS having SOD1 mutation, examples of the SOD1 gene mutation include, but are not limited to, a mutation in which the 144th Leu of SOD1 protein is substituted by Phe-Val-Xaa (Xaa is any amino acid) (SOD1-L144FVX), a mutation in which the 93rd Gly is substituted by
10 Ser (SOD1-G93S), a mutation in which the 106th Leu is substituted by Val and the like. In another embodiment, in the case of familial ALS having TDP-43 mutation, examples of the TDP-43 gene mutation include, but are not limited to, a mutation in which the 337th Met of TDP-43 protein is
15 substituted by Val (TDP-43-M337V). In still another embodiment, in the case of familial ALS having C9orf72 mutation, examples of the C9orf72 SOD1 gene mutation include, but are not limited to, (GGGGCC)n repeats of abnormal elongation in intron 1.
[0014]

20 An EGFR inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from microorganism etc., semi-synthetic substances derived therefrom, and fully synthetic compounds. Examples
25 thereof include, but are not limited to, PDGF Receptor Tyrosine Kinase Inhibitor III, BPIQ-I (see Table 4 for the above), gefitinib, erlotinib, afatinib, lapatinib, cetuximab, panitumumab, icotinib/BPI-2009-H, dacomitinib/PF-00299804, AZD8931, AC480/BMS-599626, varlitinib/ARRY-334543, JNJ-26483327,
30 CUDC-101, TAK-285, ARRY-380, AZD4769, HKI-357, S-222611, canertinib/CI-1033/ PD-183805, pelitinib/EKB-569, AV-412, HM61713, HM781-36B, CO-1686, CP-724714, AP26113, PR610, AZD9291, AEE788/NVP-AEE788, epitinib/HMPL-813, theliatinib/HMPL-309, XL647/KD019, poziotinib/HM781-36B, neratinib/PF-05208767/HKI-
35 272, mubritinib/TAK-165, ASP8273 and the like. Preferably, it

may be PDGF Receptor Tyrosine Kinase Inhibitor III or BPIQ-I.
In another embodiment, the EGFR inhibitor can be an EGFR
selective inhibitor. Examples of the EGFR selective inhibitor
include BPIQ-I.


5 [0015]

An FGFR inhibitor as an active ingredient of the
prophylaxis or therapeutic agent for ALS in the present
invention includes all of naturally-occurring substance derived
from microorganism etc., a semi-synthetic substance derived
10 therefrom, and fully synthetic compounds. Examples thereof
include, but are not limited to, Pazopanib or an analog thereof,
PDGF Receptor Tyrosine Kinase Inhibitor III (see Table 4 for
the above), lenvatinib, AZD4547, NVP-BGJ398, brivanib/BMS-
582664, LY2874455, lucitanib/E-3810, CP-547632, masitinib/AB-
15 1010, nintedanib/BIBF1120, sulfatinib/HMPL-012,
dovitinib/TKI258/CHIR-258, XL228, orantinib/SU6668/TSU-68,
ENMD-2076, S49076, JNJ-42756493, BAY 1163877,
Debio1347/CH5183284 and the like. Preferably, it may be
Pazopanib or an analog thereof, or PDGF Receptor Tyrosine
20 Kinase Inhibitor III. In another embodiment, the FGFR
inhibitor may be an FGFR selective inhibitor.

[0016]

Here, the "analog of Pazopanib" is, for example, a
compound represented by the following formula (I):

25 [0017]




[0018]

wherein

D is

[0019]



5 [0020]

X₁ is hydrogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, or C₁-C₄ hydroxyalkyl;

X₂ is hydrogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C(O)R¹, or aralkyl;

X₃ is hydrogen or halogen;

10 X₄ is hydrogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, heteroaralkyl, cyanoalkyl, -(CH₂)_pC=CH(CH₂)_tH, -(CH₂)_pC≡C(CH₂)_tH, or C₃-C₇ cycloalkyl;

p is 1, 2, or 3;

t is 0 or 1;

15 W is N or C-R (wherein R is hydrogen, halogen or cyano);

Q₁ is hydrogen, halogen, C₁-C₂ haloalkyl, C₁-C₂ alkyl, C₁-C₂ alkoxy, or C₁-C₂ haloalkoxy;

Q₂ is A¹ or A²;

Q₃ is A¹ when Q₂ is A², and A² when Q₂ is A¹; wherein

20 A¹ is hydrogen, halogen, C₁-C₃ alkyl, C₁-C₃ haloalkyl, or -OR¹;

A² is a group defined by -(Z)_m-(Z¹)-(Z²) (wherein

Z is CH₂, m is 0, 1, 2, or 3, or

Z is NR², m is 0 or 1, or

Z is oxygen, m is 0 or 1, or

Z is CH_2NR^2 , m is 0 or 1;

Z^1 is $\text{S}(\text{O})_2$, $\text{S}(\text{O})$, or $\text{C}(\text{O})$;

Z^2 is $\text{C}_1\text{-C}_4$ alkyl, NR^3R^4 , aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

5 R^1 is $\text{C}_1\text{-C}_4$ alkyl;


R^2 , R^3 , and R^4 are each independently selected from hydrogen, $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_3\text{-C}_7$ cycloalkyl, $-\text{S}(\text{O})_2\text{R}^5$, and $-\text{C}(\text{O})\text{R}^5$;

R^5 is $\text{C}_1\text{-C}_4$ alkyl, or $\text{C}_3\text{-C}_7$ cycloalkyl; and

when Z is an oxygen, Z^1 is $\text{S}(\text{O})_2$; and

10 when D is

[0021]



[0022]

X_2 is $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}(\text{O})\text{R}^1$, or aralkyl.

15 [0023]

The terms " $\text{C}_1\text{-C}_4$ alkyl", " $\text{C}_1\text{-C}_4$ haloalkyl", " $\text{C}_1\text{-C}_4$ hydroxyalkyl", "aralkyl", "halogen", "heteroaralkyl", "cyanoalkyl", " $\text{C}_3\text{-C}_7$ cycloalkyl", " $\text{C}_1\text{-C}_2$ haloalkyl", " $\text{C}_1\text{-C}_2$ alkyl", " $\text{C}_1\text{-C}_2$ alkoxy", " $\text{C}_1\text{-C}_2$ haloalkoxy", " $\text{C}_1\text{-C}_3$ alkyl", " $\text{C}_1\text{-C}_3$ haloalkyl", "aryl", "arylamino", "aralkoxy", and "heteroaryl" in the above-mentioned formula (I) are as defined in WO 2002/059110 (National Publication of International Patent Application No. 2004-517925).

[0024]

25 Specific examples of the analog of Pazopanib include the following.

N^2 -[5-(ethylsulfonyl)-2-methoxyphenyl]-5-fluoro- N^4 -methyl- N^4 -(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;

3-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)-4-methoxy-N-methylbenzenesulfonamide;

30

5-fluoro-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-N²-{3-
 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 3-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)-N-isopropylbenzenesulfonamide;
 5 5-fluoro-N²-[5-(isopropylsulfonyl)-2-methoxyphenyl]-N⁴-methyl-
 N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 N-[5-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)-2-methylphenyl]methanesulfonamide;
 5-fluoro-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-N²-[4-
 10 (methylsulfonyl)phenyl]-2,4-pyrimidinediamine;
 N⁴-(3-ethyl-1H-indazol-6-yl)-5-fluoro-N⁴-methyl-N²-{3-
 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 4-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)benzenesulfonamide;
 15 N⁴-ethyl-5-fluoro-N²-[2-methoxy-5-(methylsulfonyl)phenyl]-N⁴-(3-
 methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 [4-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)phenyl]-N-methylmethanesulfonamide; 5-fluoro-
 N²-{3-[(isopropylsulfonyl)methyl]phenyl}-N⁴-methyl-N⁴-(3-methyl-
 20 1H-indazol-6-yl)-2,4-pyrimidinediamine;
 3-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)-4-methoxybenzamide;
 4-({5-fluoro-4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)-3-methoxybenzenesulfonamide;
 25 N²-(3-methyl-1H-indazol-6-yl)-N⁴-{3-
 [(methylsulfonyl)methyl]phenyl}-1,3,5-triazine-2,4-
 diaminetrifluoroacetic acid;
 N²-methyl-N²-(3-methyl-1H-indazol-6-yl)-N⁴-{3-
 [(methylsulfonyl)methyl]phenyl}-1,3,5-triazine-2,4-diamine;
 30 N²-[5-(ethylsulfonyl)-2-methoxyphenyl]-N⁴-methyl-N⁴-(3-methyl-
 1H-indazol-6-yl)-1,3,5-triazine-2,4-diamine;
 N-[2-methyl-5-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-
 1,3,5-triazin-2-yl}amino)phenyl]methanesulfonamide;
 N²-methyl-N²-(3-methyl-1H-indazol-6-yl)-N⁴-[3-
 35 (methylsulfonyl)phenyl]-1,3,5-triazine-2,4-diamine;

N-[4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-1,3,5-triazin-2-yl}amino)phenyl]acetamide;
 3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)benzenesulfonamide;
 5 N²-[5-(ethylsulfonyl)-2-methoxyphenyl]-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-N²-{3-[(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 N-isopropyl-3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)benzenesulfonamide;
 10 N-cyclopropyl-3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)benzenesulfonamide;
 N⁴-ethyl-N²-[5-(ethylsulfonyl)-2-methoxyphenyl]-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 15 N-[3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)phenyl]methanesulfonamide;
 N²-{3-[(isopropylsulfonyl)methyl]phenyl}-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 N²-{4-[(isopropylsulfonyl)methyl]phenyl}-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 20 N²-[5-(isobutylsulfonyl)-2-methoxyphenyl]-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 N-[3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)phenyl]acetamide;
 25 N-[3-({4-[ethyl(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)phenyl]acetamide;
 N²-(2-methoxy-5-[(5-methyl-3-isoxazolyl)methyl]sulfonyl)phenyl)-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 30 4-methoxy-3-({4-[(3-methyl-1H-indazol-6-yl)amino]-2-pyrimidinyl}amino)benzenesulfonamide;
 N²-[5-(isopropylsulfonyl)-2-methoxyphenyl]-N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 N²-[5-(ethylsulfonyl)-2-methoxyphenyl]-N⁴-isopropyl-N⁴-(3-methyl-1H-indazol-6-yl)-2,4-pyrimidinediamine;
 35

N^4 -(1H-indazol-6-yl)- N^4 -methyl- N^2 -{3-
 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 N^4 -(1,3-dimethyl-1H-indazol-6-yl)- N^4 -methyl- N^2 -{3-
 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 5 N^4 -(2,3-dimethyl-2H-indazol-6-yl)- N^4 -methyl- N^2 -{3-
 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 N^4 -(2,3-dimethyl-2H-indazol-6-yl)- N^2 -[5-(ethylsulfonyl)-2-
 methoxyphenyl]- N^4 -methyl-2,4-pyrimidinediamine;
 1-[4-methoxy-3-({4-[(3-methyl-1H-indazol-6-yl)amino]-2-
 10 pyrimidinyl}amino)phenyl]-1-propanone;
 4-methoxy-N-[3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)phenyl]benzenesulfonamide;
 4-methoxy-N-methyl-3-({4-[(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)benzenesulfonamide;
 15 [(3-methyl-1H-indazol-6-yl)(2-{4-
 [(methylsulfonyl)methyl]anilino}-4-
 pyrimidinyl)amino]acetonitrile;
 [{2-[5-(ethylsulfonyl)-2-methoxyanilino]-4-pyrimidinyl}(3-
 methyl-1H-indazol-6-yl)amino]acetonitrile;
 20 [(3-methyl-1H-indazol-6-yl)(2-{3-
 [(methylsulfonyl)methyl]anilino}-4-
 pyrimidinyl)amino]acetonitrile;
 4-methoxy-N-methyl-3-({4-[methyl(3-methyl-1H-indazol-6-
 yl)amino]-2-pyrimidinyl}amino)benzenesulfonamide;
 25 4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)benzamide;
 3-methoxy-4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)benzenesulfonamide;
 N^4 -ethynyl- N^4 -(3-methyl-1H-indazol-6-yl)- N^2 -{3-
 30 [(methylsulfonyl)methyl]phenyl}-2,4-pyrimidinediamine;
 3-({4-[(3-methyl-1H-indazol-6-yl)(2-propynyl)amino]-2-
 pyrimidinyl}amino)benzenesulfonamide;
 4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
 pyrimidinyl}amino)benzenesulfonamide;
 35 N^4 -methyl- N^4 -(3-methyl-1H-indazol-6-yl)- N^2 -[3-

(methylsulfonyl)phenyl]-2,4-pyrimidinediamine;
4-methoxy-3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzenesulfonamide;
N²-[5-(ethylsulfonyl)-2-methoxyphenyl]-N⁴-(3-methyl-1H-indazol-
5 6-yl)-2,4-pyrimidinediamine;
3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzamide;
N²-[4-(ethylsulfonyl)phenyl]-N⁴-methyl-N⁴-(3-methyl-1H-indazol-
6-yl)-2,4-pyrimidinediamine;
10 N-[4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzyl]ethanesulfonamide;
N-[3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzyl]methanesulfonamide;
2-chloro-5-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
15 pyrimidinyl}amino)benzenesulfonamide;
2-chloro-4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzenesulfonamide;
4-chloro-3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzenesulfonamide;
20 3-methyl-4-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzenesulfonamide;
2-methyl-5-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
pyrimidinyl}amino)benzenesulfonamide;
4-methyl-3-({4-[methyl(3-methyl-1H-indazol-6-yl)amino]-2-
25 pyrimidinyl}amino)benzenesulfonamide;
N⁴-methyl-N⁴-(3-methyl-1H-indazol-6-yl)-N²-[3-
(methylsulfinyl)phenyl]-2,4-pyrimidinediamine;
N²-[2-fluoro-5-(methylsulfonyl)phenyl]-N⁴-methyl-N⁴-(3-methyl-
1H-indazol-6-yl)-2,4-pyrimidinediamine;
30 N²-[2-methoxy-5-(methylsulfonyl)phenyl]-N⁴-methyl-N⁴-(3-methyl-
1H-indazol-6-yl)-2,4-pyrimidinediamine;
3-({4-[(2,3-dimethyl-2H-indazol-6-yl)(methyl)amino]pyrimidin-2-
yl}amino)benzenesulfonamide;
2-[4-({4-[(2,3-dimethyl-2H-indazol-6-
35 yl)(methyl)amino]pyrimidin-2-yl}amino)phenyl]ethanesulfonamide;

N^4 -(2,3-dimethyl-2H-indazol-6-yl)- N^4 -methyl- N^2 -{4-
 [(methanesulfonyl)methyl]phenyl}pyrimidine-2,4-diamine;
 3-({4-[[3-(hydroxymethyl)-2-methyl-2H-indazol-6-
 yl](methyl)amino]pyrimidin-2-yl}amino)benzenesulfonamide;
 5 3-({4-[(1,2-dimethyl-1H-benzimidazol-5-
 yl)(methyl)amino]pyrimidin-2-yl}amino)benzenesulfonamide;
 3-({4-[(2-benzyl-1-methyl-1H-benzimidazol-5-
 yl)(methyl)amino]pyrimidin-2-yl}amino)benzenesulfonamide;
 3-({4-[(2-ethyl-3-methyl-2H-indazol-6-
 10 yl)(methyl)amino]pyrimidin-2-yl}amino)benzenesulfonamide;
 3-({4-[[2-(3-chlorobenzyl)-3-methyl-2H-indazol-6-
 yl](methyl)amino]pyrimidin-2-yl}amino)benzenesulfonamide;
 3-({4-[(2,3-dimethyl-2H-indazol-6-yl)(methyl)amino]-1,3,5-
 triazin-2-yl}amino)benzenesulfonamide; and
 15 5-({4-[(2,3-dimethyl-2H-indazol-6-yl)(methyl)amino]-1,3,5-
 triazin-2-yl}amino)-2-methylbenzenesulfonamide
 [0025]

An Aurorakinase inhibitor as an active ingredient of the
 prophylactic or therapeutic agent for of ALS in the present
 20 invention includes all of naturally-occurring substances
 derived from microorganism etc., semi-synthetic substances
 derived therefrom, and fully synthetic compounds. Examples
 thereof include, but are not limited to, ZM-447439, VX-680
 (tozasertib/MK-0457), Aurora Kinase Inhibitor II, CYC116,
 25 KW2449 (see Table 4 for the above), AT9283 (see Table 8),
 danusertib/PHA-739358, alisertib/MLN8237, ENMD-2076, PF-3814735,
 cenisertib/R763/AS703569, BI811283, AMG900, TTP607, GSK1070916A,
 AZD1152, TAK-901, MK5108/VX-689, BI 847325 and the like.
 Preferably, it may be ZM-447439, VX-680, Aurora Kinase
 30 Inhibitor II, CYC116, KW2449 or AT9283. In another embodiment,
 the Aurorakinase inhibitor may be an Aurorakinase selective
 inhibitor. Examples of the Aurorakinase selective inhibitor
 include ZM-447439, VX-680, Aurora Kinase Inhibitor II, CYC116
 and the like.
 35 [0026]

A PKA inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from microorganism etc., semi-synthetic substances
5 derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, PDGF Receptor Tyrosine Kinase Inhibitor III (see Table 4), H89, KT5720 and the like. Preferably, it may be PDGF Receptor Tyrosine Kinase Inhibitor III. In another embodiment, the PKA inhibitor may be a PKA
10 selective inhibitor.

[0027]

A PKC inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances
15 derived from microorganism etc., semi-synthetic substances derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, PDGF Receptor Tyrosine Kinase Inhibitor III, Enzastaurin (see Table 4 for the above), bryostatin 1, UCN-01, AEB071/sotrastaurin acetate, safingol,
20 midostaurin/PKC₄ 12, sophoretin/quercetin and the like. Preferably, it may be PDGF Receptor Tyrosine Kinase Inhibitor III, Enzastaurin. In another embodiment, the PKC inhibitor may be a PKC selective inhibitor. Examples of the PKC selective inhibitor include Enzastaurin and the like.

25 [0028]

An MEK inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from microorganism etc., semi-synthetic substances
30 derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, U0126-EtOH (see Table 4), selumetinib/AZD6244/ARRY-142886, refametinib/RDEA119/BAY869766, pimasertib/MSK1936369/AS703026, MEK162/ARRY-162, AZD8330/ARRY-424704, cobimetinib/GDC-
35 0973/RG7420, GDC-0623/RG7421/XL518, CIF/RG7167/RO4987655,

CKI27/RG7304/RO5126766/CH5126766, E6201, TAK-733, PD-0325901, AS703988/MS2 015103B, WX-554, BVD-523, MK-8353/SCH9000353, BI 847325, CI-1040/PD184352 and the like. Preferably, it may be U0126-EtOH. In another embodiment, the MEK inhibitor may be an
5 MEK selective inhibitor. Examples of the MEK selective inhibitor include U0126-EtOH.


[0029]

An Met inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present
10 invention includes all of naturally-occurring substances derived from microorganism etc., semi-synthetic substances derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, MGCD-265, PF-2341066 (Crizotinib) or an analog thereof, BMS 777607 (see Table 4 for
15 the above), INC2 80/INCB-028060, foretinib/GSK1363089/XL880, tivantinib/ARQ197, EMD-94283, MS2 156119J/EMD1214063, golvatinib/E7050, JNJ-38877605, MK-2461, MK-8033, PF-4217903, AMG208, AMG 337, SAR125844, cabozantinib/BMS-907351/XL184, LY2801653, TAS-115, volitinib/HMPL-504, amuvatinib/MP-470/HPK-
20 56, S49076 and the like. Preferably, it may be MGCD-265, PF-2341066 (Crizotinib) or an analog thereof, BMS 777607. In another embodiment, Met inhibitor may be a Met selective inhibitor. Examples of the Met selective inhibitor include PF-2341066 (Crizotinib) or an analog thereof, BMS 777607 and the
25 like.

[0030]

Here, the analog of "PF-2341066 (Crizotinib)" is, for example, a compound represented by the following formula (II):

[0031]



(I I)

[0032]

wherein

Y is N or CR¹²;

5 R¹ is selected from C₆₋₁₂ aryl, 5 - 12-membered heteroaryl, C₃₋₁₂ cycloalkyl, 3 - 12-membered heteroalicyclic, -O(CR⁶R⁷)_nR⁴, -C(O)R⁴, -C(O)OR⁴, -CN, -NO₂, -S(O)_mR⁴, -SO₂NR⁴R⁵, -C(O)NR⁴R⁵, -NR⁴C(O)R⁵, -C(=NR⁶)NR⁴R⁵, C₁₋₈ alkyl, C₂₋₈ alkenyl, and C₂₋₈ alkynyl, each hydrogen in R¹ is optionally substituted by one or more R³ groups;

10 R² is hydrogen, halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵, or -C(O)NR⁴R⁵, each hydrogen in R² is optionally substituted by one or more R⁸ groups;

15 R³ is halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵, or -C(O)NR⁴R⁵, each hydrogen in R³ is optionally substituted by one or more R⁸ groups, and R³ groups on the adjacent atoms may be joined to form C₆₋₁₂ aryl, 5 - 12-membered heteroaryl, C₃₋₁₂ cycloalkyl, or 3 - 12-membered heteroalicyclic group;

R⁴, R⁵, R⁶ and R⁷ are each independently hydrogen, halogen, C₁₋₁₂

alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, or 5 - 12-membered heteroaryl, or any two of R⁴, R⁵, R⁶ and R⁷ bonded to the same nitrogen atom may be joined with the nitrogen bonded thereto to form 3 - 12-membered heteroalicyclic or 5 - 12-membered heteroaryl group containing 1 - 3 additional hetero atoms selected from N, O, and S; or any two of R⁴, R⁵, R⁶ and R⁷ bonded to the same carbon atom may be joined to form C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, or 5 - 12-membered heteroaryl group; and each hydrogen in R⁴, R⁵, R⁶ and R⁷ is optionally substituted by one or more R⁸ groups; one or more R⁸ are each independently halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -CN, -O-C₁₋₁₂ alkyl, -O-(CH₂)_nC₃₋₁₂ cycloalkyl, -O-(CH₂)_nC₆₋₁₂ aryl, -O-(CH₂)_n(3 - 12-membered heteroalicyclic) or -O-(CH₂)_n(5 - 12-membered heteroaryl); each hydrogen in R⁸ is optionally substituted by one or more R¹¹ groups; A¹ is -(CR⁹R¹⁰)_n-A² {provided:

(i) when Y is N, and R¹ is substituted or unsubstituted aryl, or substituted or unsubstituted heteroaryl, A¹ is -(CR⁹R¹⁰)_n-A², and n is not 0; and

(ii) when Y is N, R² is H, and A¹ is m-chlorobenzyl, R¹ is not unsubstituted piperazine};

R⁹ and R¹⁰ are each independently hydrogen, halogen, C₁₋₁₂ alkyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵, or C(O)NR⁴R⁵; R⁹ and R¹⁰ may be joined to form C₃₋₁₂ cycloalkyl, 3 - 12-membered heteroalicyclic, C₆₋₁₂ aryl, or 5 - 12-membered heteroaryl ring; each hydrogen in R⁹ and R¹⁰ is optionally substituted by one or more R³ groups; A² is C₆₋₁₂ aryl, 5 - 12-membered heteroaryl, C₃₋₁₂ cycloalkyl, or 3 - 12-membered heteroalicyclic, A² is optionally substituted by

one or more R^3 groups;
 one or more R^{11} are each independently halogen, C_{1-12} alkyl, C_{1-12} alkoxy, C_{3-12} cycloalkyl, C_{6-12} aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -O- C_{1-12} alkyl, -O-
 5 $(CH_2)_n C_{3-12}$ cycloalkyl, -O- $(CH_2)_n C_{6-12}$ aryl, -O- $(CH_2)_n$ (3 - 12-membered heteroalicyclic), -O- $(CH_2)_n$ (5 - 12-membered heteroaryl), or-CN, each hydrogen in R^{11} is optionally substituted by one or more groups selected from halogen, -OH, -CN, - C_{1-12} alkyl optionally halogenated partly or completely, -
 10 O- C_{1-12} alkyl optionally halogenated partly or completely, -CO, -SO, and -SO₂;
 R^{12} is hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3 - 12-membered heteroalicyclic, 5 - 12-membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -
 15 NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵, or -C(O)NR⁴R⁵, each hydrogen in R^{12} is optionally substituted by one or more R^3 groups;
 R^1 and R^2 , or R^1 and R^{12} may be joined to form C_{6-12} aryl, 5 - 12-
 20 membered heteroaryl, C_{3-12} cycloalkyl, or 3 - 12-membered heteroalicyclic group;
 m is 0, 1 or 2;
 n is 0, 1, 2, 3 or 4; and
 p is 1 or 2.

25 [0033]

Each term described as higher concept in the explanation of each group in the above-mentioned formula (II) (e.g., " C_{6-12} aryl", "5 - 12-membered heteroaryl", " C_{3-12} cycloalkyl", "3 - 12-membered heteroalicyclic", " C_{1-8} alkyl", " C_{2-8} alkenyl", " C_{2-8} alkynyl" etc. for R^1) is as defined in WO 2004/076412 (National
 30 Publication of International Patent Application No. 2006-519232).

[0034]

Specific examples of the analog of PF-2341066
 35 (Crizotinib) include the following.

4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol;
 3-(2,6-dichloro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-
 phenyl]-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-[3-(2-morpholin-4-yl-ethoxy)-
 5 phenyl]-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(1H-indol-4-yl)-pyridin-2-ylamine;
 3-[2-chloro-6-(1H-indol-4-yl)-benzyloxy]-5-(1H-indol-4-yl)-
 pyridin-2-ylamine;
 2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-pyrrole-1-
 10 carboxylic acid tert-butyl ester;
 3-(2,6-dichloro-benzyloxy)-5-(1H-pyrrol-2-yl)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(4-fluoro-phenyl)-pyridin-2-
 ylamine;
 15 3-(2,6-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(2-fluoro-phenyl)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-fluoro-phenyl)-pyridin-2-
 ylamine;
 20 5-(4-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-
 ylamine;
 N-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 methanesulfonamide;
 N-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 25 acetamide;
 3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol;
 3-(2,6-dichloro-benzyloxy)-5-(4-methoxy-phenyl)-pyridin-2-
 ylamine;
 5-(3-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-
 30 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-trifluoromethoxy-phenyl)-
 pyridin-2-ylamine;
 2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol;
 3-(2,6-dichloro-benzyloxy)-5-(2-phenoxy-phenyl)-pyridin-2-
 35 ylamine;

3-(2,6-dichloro-benzyloxy)-5-(3,4-difluoro-phenyl)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-isopropyl-phenyl)-pyridin-2-
 ylamine;
 5 3-(2,6-dichloro-benzyloxy)-5-(2-trifluoromethyl-phenyl)-
 pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(2-methoxy-phenyl)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(4-trifluoromethyl-phenyl)-
 10 pyridin-2-ylamine;
 N-{2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 methanesulfonamide;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 methanol;
 15 5-benzo[1,3]dioxol-5-yl-3-(2,6-dichloro-benzyloxy)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(2-trifluoromethoxy-phenyl)-
 pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(4-methyl-thiophen-2-yl)-pyridin-
 20 2-ylamine;
 5-(2-benzyloxy-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-
 ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-methoxy-phenyl)-pyridin-2-
 ylamine;
 25 3-(2,6-dichloro-benzyloxy)-5-(1H-indol-2-yl)-pyridin-2-ylamine;
 5-(4-benzyloxy-3-fluoro-phenyl)-3-(2,6-dichloro-benzyloxy)-
 pyridin-2-ylamine;
 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-benzoic
 acid;
 30 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-
 diethylamino-ethyl)-benzamide;
 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(3-
 diethylamino-propyl)-benzamide;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 35 (4-methyl-piperazin-1-yl)-methanone;

{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 5 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 (4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [4-(2-hydroxy-ethyl)-piperidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 10 [(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [(3R)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [(3S)-3-cyclopropylaminomethyl-piperidin-1-yl]-methanone;
 15 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-
 hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 [(2S)-2-(3-fluoro-piperidin-1-ylmethyl)-pyrrolidin-1-yl]-
 methanone;
 20 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 (4-cyclopropyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 {(2R)-2-[(cyclopropylmethyl-amino)-methyl]-pyrrolidin-1-yl}-
 methanone;
 25 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-
 cyclopropylmethyl-N-(2R)-pyrrolidin-2-ylmethyl-benzamide;
 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-
 hydroxy-3-pyrrolidin-1-yl-propyl)-N-methyl-benzamide;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 30 {(2S)-2-[(3R)-3-hydroxy-pyrrolidin-1-ylmethyl]-pyrrolidin-1-
 yl}-methanone;
 3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-benzoic
 acid;
 {3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 35 [(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;

{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenoxy}-
 acetic acid;
 2-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-
 phenoxy}-1-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-
 5 ethanone;
 2-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-
 phenoxy}-1-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-
 ethanone;
 3-(2,6-dichloro-benzyloxy)-5-(1H-indol-5-yl)-pyridin-2-ylamine;
 10 3-(2,6-dichloro-benzyloxy)-5-[3-(1-methyl-1,2,3,6-tetrahydro-
 pyridin-4-yl)-1H-indol-5-yl]-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-[3-(1-methyl-piperidin-4-yl)-1H-
 indol-5-yl]-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1H-indol-
 15 5-yl)-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-piperidin-1-ylmethyl-1H-indol-
 5-yl)-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1H-indol-
 5-yl)-pyridin-2-ylamine;
 20 3-(2,6-dichloro-benzyloxy)-5-(3-diethylaminomethyl-1H-indol-5-
 yl)-pyridin-2-ylamine;
 (1-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-
 indol-3-ylmethyl}-(3R)-pyrrolidin-3-yl)-carbamic acid tert-
 butyl ester;
 25 3-(2,6-dichloro-benzyloxy)-5-{3-(2,6-dimethyl-morpholin-4-
 ylmethyl)-1H-indol-5-yl}-pyridin-2-ylamine;
 N-(1-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-
 indol-3-ylmethyl}-(3R)-pyrrolidin-3-yl)-acetamide;
 1-(4-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-
 30 indol-3-ylmethyl}-piperazin-1-yl)-ethanone;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(1H-indole-5-yl)-pyridin-
 2-ylamine;
 1-(4-{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-
 yl]-1H-indol-3-ylmethyl}-piperazin-1-yl)-ethanone;
 35 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[3-(2,6-dimethyl-

morpholin-4-ylmethyl)-1H-indol-5-yl]-pyridin-2-ylamine;
 N-(1-{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-1H-indol-3-ylmethyl}-(3S)-pyrrolidin-3-yl)-acetamide;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-piperidin-1-ylmethyl)-
 5 1H-indol-5-yl)-pyridin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1H-indol-5-yl)-pyridin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1H-indol-5-yl)-pyridin-2-ylamine;
 10 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indole-2-carboxylic acid ethyl ester;
 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indole-2-carboxylic acid;
 {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indol-
 15 2-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indol-2-yl}-[(3R)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indol-2-yl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 20 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indole-2-carboxylic acid (2-pyrrolidin-1-yl-ethyl)-amide;
 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indole-2-carboxylic acid (2-morpholin-4-yl-ethyl)-amide;
 (1-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-
 25 indole-2-carbonyl}-(3S)-pyrrolidin-3-yl)-carbamic acid tert-butyl ester;
 {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indol-2-yl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1H-indole-
 30 2-carboxylic acid (2-hydroxy-3-pyrrolidin-1-yl-propyl)-amide;
 4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenol;
 3-benzyloxy-5-phenyl-pyridin-2-ylamine;
 3-(3-methoxy-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2-chloro-4-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 35 3-(2-chloro-benzyloxy)-5-phenyl-pyridin-2-ylamine;

3-(2,5-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2-chloro-5-trifluoromethyl-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2,4-dichloro-5-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 5 3-(2-chloro-3-trifluoromethyl-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(3,4-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 2-(2-amino-5-phenyl-pyridin-3-yloxymethyl)-benzonitrile;
 10 3-(2-chloro-6-fluoro-3-methyl-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 5-phenyl-3-(2,3,6-trifluoro-benzyloxy)-pyridin-2-ylamine;
 3-(2,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2,6-difluoro-3-methyl-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 15 3-(3-chloro-2,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(2-chloro-6-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 3-(3-fluoro-4-methoxy-benzyloxy)-5-phenyl-pyridin-2-ylamine;
 N-[3-(2-amino-5-phenyl-pyridin-3-yloxymethyl)-phenyl]-methanesulfonamide;
 20 5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-3-(3-nitro-benzyloxy)-pyridin-2-ylamine;
 5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-3-(naphthalen-1-ylmethoxy)-pyridin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 25 2-{2-amino-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-3-yloxy}-N-(4-isopropyl-phenyl)-2-phenyl-acetamide;
 3-(5-chloro-benzo[b]thiophen-3-ylmethoxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 30 {4-[6-amino-5-(4-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-fluoro-6-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 35 methanone;

{4-[6-amino-5-(5-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 (4-{6-amino-5-[1-(2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 5 {4-[6-amino-5-(2-bromo-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 10 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenol};
 15 3-(2,6-difluoro-benzyloxy)-5-(1H-indol-4-yl)-pyridin-2-ylamine;
 3-(2,6-difluoro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 20 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 25 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-acetic acid ester;
 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-acetic acid;
 2-{4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone;
 30 2-{4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone;
 35 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-

phenol;
 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenol;
 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenol;
 5 2-[2-amino-5-(4-hydroxy-phenyl)-pyridin-3-yloxymethyl]-benzonitrile;
 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenol;
 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenol;
 10 4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-phenol;
 N-{4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide;
 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-benzamide;
 15 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-benzoic acid;
 N-(4-{6-amino-5-[2-(4-methyl-piperazine-1-carbonyl)-benzyloxy]-pyridin-3-yl}-phenyl)-methanesulfonamide;
 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-N-(2-hydroxy-ethyl)-benzamide;
 20 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-N-isobutyl-benzamide;
 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 25 {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 30 {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 35 {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-

phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 1-(4-{4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-N-(2-
 5 morpholin-4-yl-ethyl)-benzamide;
 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-
 10 2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 15 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-
 20 methyl-piperazin-1-yl)-methanone;
 1-(4-{4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 25 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-benzoic acid;
 2-{2-amino-5-[4-((2R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile;
 30 2-{2-amino-5-[4-((2S)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile;
 2-{2-amino-5-[4-((3S)-3-dimethylamino-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile;
 2-{2-amino-5-[4-((3S)-3-amino-pyrrolidine-1-carbonyl)-phenyl]-
 35 pyridin-3-yloxymethyl}-benzonitrile;

2-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile;
 2-{2-amino-5-[4-(4-methyl-piperazine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile;
 5 2-{5-[4-(4-acetyl-piperazine-1-carbonyl)-phenyl]-2-amino-pyridin-3-yloxymethyl}-benzonitrile;
 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-10 4-yl-ethyl)-benzamide;
 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 15 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-20 [(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 25 {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 1-(4-{4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(1-30 methyl-piperidin-4-yl)-benzamide;
 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 35 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-

benzoic acid;
 {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 5 {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 10 [(3S)-3-amino-pyrrolidin-1-yl]-{4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-methanone;
 {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 15 1-(4-{4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 20 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-ylethyl)-benzamide;
 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-benzoic
 25 acid;
 {4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 30 {4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(3R)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 1-(4-{4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 35

4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 5 4-[6-amino-5-(4-tert-butyl-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 10 {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-methyl-piperazin-1-yl)-methanone;
 15 1-(4-{4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone;
 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 25 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-benzoic acid;
 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-methyl-piperazin-1-yl)-methanone;
 30 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-amino-piperidin-1-yl)-methanone;
 35 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-

phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-
 methanone;

5 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-[(3R)-3-amino-pyrrolidin-1-yl]-methanone;
 {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 10 phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 (1-methyl-piperidin-4-yl)-benzamide;
 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 (2-pyrrolidin-1-yl-ethyl)-benzamide;

15 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 (3-pyrrolidin-1-yl-propyl)-benzamide;
 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 (2-morpholin-4-yl-ethyl)-benzamide;
 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 20 (3-morpholin-4-yl-propyl)-benzamide;
 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 benzoic acid;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-(4-methyl-piperazin-1-yl)-methanone;

25 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-(4-amino-piperidin-1-yl)-methanone;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 30 phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-
 methanone;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-
 35 phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;

{3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3R)-3-amino-pyrrolidin-1-yl]-methanone;
 {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 5 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-
 10 (3-pyrrolidin-1-yl-propyl)-benzamide;
 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 15 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-benzamide;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[4-(1,1-dioxo-1 λ^6 -isothiazolidine-2-yl)-phenyl]-pyridin-2-ylamine;
 3-(2,6-dichloro-benzyloxy)-5-[4-(1,1-dioxo-1 λ^6 -
 20 isothiazolidine-2-yl)-phenyl]-pyridin-2-ylamine;
 5-[4-(1,1-dioxo-1 λ^6 -isothiazolidine-2-yl)-phenyl]-3-(2-fluoro-6-trifluoromethyl-benzyloxy)-pyridin-2-ylamine;
 2-diethylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;
 25 2-cyclopropylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;
 2-pyrrolidin-1-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide
 ; 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {4-[6-amino-
 30 5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;
 2-morpholin-4-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;
 2-piperidin-1-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-
 35 3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-dimethylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

5 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

10 2-[(2S)-2-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

15 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-pyrrolidin-1-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

20 2-morpholin-4-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-diethylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-dimethylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

25 2-piperidin-1-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-[(3R)-3-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

30 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

35 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-(cyclopropylmethyl-amino)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide;

2-cyclopropylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(2-dimethylaminomethyl-phenyl)-pyridin-2-ylamine (compound with trifluoroacetic acid);

3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-yl-phenyl)-pyridin-2-ylamine (compound with trifluoroacetic acid);

N-{4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide (compound with trifluoroacetic acid);

5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid;

{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(4-methyl-piperazin-1-yl)-methanone;

{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]methanone;

5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid (1-methyl-piperidin-4-yl)-amide;

{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(3,5-dimethyl-piperazin-1-yl)-methanone;

5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid (2-pyrrolidin-1-yl-ethyl)-amide;

{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzoic acid;

{4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;

{4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(3-dimethylamino-pyrrolidin-1-yl)-methanone;
 5 {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 10 {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]benzamide;
 2-piperidin-1-yl-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 15 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 20 2-dimethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 25 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 30 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[(3R)-3-amino-pyrrolidin-1-yl]-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-

methanone;

(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;

(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;

2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;

2-dimethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;

2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;

4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenol;

3-(2,6-dichloro-benzyloxy)-5-[4-(1,1-dioxo-1λ⁶-isothiazolidine-2-yl)-phenyl]-pyrazin-2-ylamine;

3-(2,6-dichloro-benzyloxy)-5-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine;

3-(2,6-dichloro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine;

5-(4-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyrazin-2-ylamine;

4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-benzoic acid;

{4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;

{4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

2-morpholin-4-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-piperidin-1-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-pyrrolidin-1-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-[(2S)-2-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid
5 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-(cyclopropylmethyl-amino)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-dimethylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-
10 3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-diethylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

15 2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-cyclopropylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

20 2-[(3R)-3-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

25 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-piperidin-1-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-diethylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

30 2-morpholin-4-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

2-pyrrolidin-1-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;

35 2-dimethylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-

3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;
 2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;
 5 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;
 2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;
 10 2-cyclopropylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide;
 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzoic acid;
 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 15 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 20 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzamide;
 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 25 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3R)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone;
 30 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 35 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-

(1-methyl-piperidin-4-yl)-benzamide;
 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzoic acid;
 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 10 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3R)-3-amino-pyrrolidin-1-yl]-methanone;
 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;
 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(3-morpholin-4-yl-propyl)-benzamide;
 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 20 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3S)-3-dimethylamino-pyrrolidin-1-yl]-methanone;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 25 {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(2S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 30 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzamide;
 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(1H-indol-5-yl)-pyrazin-2-ylamine;
 35

3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1H-indol-5-yl)-pyrazin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-diethylaminomethyl-1H-indol-5-yl)-pyrazin-2-ylamine;
 5 1-(4-{5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-1H-indol-3-ylmethyl}-piperazin-1-yl)-ethanone;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[3-(2,6-dimethyl-morpholin-4-ylmethyl)-1H-indol-5-yl]-pyrazin-2-ylamine;
 N-(1-{5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-1H-indol-3-ylmethyl}-(3S)-pyrrolidin-3-yl)-acetamide;
 10 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-piperidin-1-ylmethyl-1H-indol-5-yl)-pyrazin-2-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1H-indol-5-yl)-pyrazin-2-ylamine;
 15 3-[1-(2-chloro-3,6-difluoro-phenyl)-2-methyl-propoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine (compound with trifluoroacetic acid);
 20 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine (compound with trifluoroacetic acid);
 N-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-methanesulfonamide;
 25 2-pyrrolidin-1-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 30 2-piperidin-1-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 2-(cyclopropylmethyl-amino)-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 35 1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-

phenyl)-amide;

2-[(3R)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

5 2-[(2S)-2-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

2-dimethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

10 2-morpholin-4-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

2-diethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

15 2-cyclopropylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;

3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid;

20 (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-[(3S)-3-amino-pyrrolidin-1-yl]-methanone;

(3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-[(3R)-3-amino-pyrrolidin-1-yl]-methanone;

(3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;

25 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide;

(3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone;

30 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid;

3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;

35

3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 5 methanone;
 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-benzoic acid;
 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-N-(2-morpholin-4-yl-ethyl)-benzamide;
 10 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-N-(1-methyl-piperidin-4-yl)-benzamide;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{6-amino-5-[1-(2,6-
 15 dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 20 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 25 pyridin-3-yl}-phenyl)-(4-amino-piperidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((S)-3-hydroxy-pyrrolidin-1-yl)-
 methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 30 pyridin-3-yl}-phenyl)-((R)-3-hydroxy-pyrrolidin-1-yl)-
 methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((R)-2-hydroxymethyl-pyrrolidin-1-yl)-
 methanone;
 35 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-

3-yl}-N-(2-diethylamino-ethyl)-benzamide;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 5 3-yl}-benzoic acid;
 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 10 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{6-amino-5-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide;
 15 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(3-morpholin-4-yl-propyl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 20 pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 25 3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 30 methanone;
 2-diethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-
 [1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-
 35 phenyl)-amide;

2-piperidin-1-yl-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 2-(cyclopropylmethyl)-amino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 5 2-((R)-3-hydroxy-pyrrolidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 10 2-diethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid;
 15 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 20 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone;
 25 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 30 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 35 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-

pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;

5 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;

3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid;

(3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;

10 (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone;

3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;

(3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;

3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;

15 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;

(3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;

3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;

20 (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

(3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;

3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;

35

3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-pyrrolidin-
 1-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-{4-[2-(1-methyl-
 pyrrolidin-2-yl)-ethoxy]-phenyl}-pyridin-2-ylamine;
 5 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-
 4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[3-(2-morpholin-
 4-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 10 pyridin-3-yl}-phenoxy)-3-morpholin-4-yl-propan-2-ol;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-
 diethylamino-ethoxy)-phenyl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(1-methyl-
 piperazin-3-ylmethoxy)-phenyl]-pyridin-2-ylamine;
 15 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-
 diisopropylamino-ethoxy)-phenyl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(1-methyl-
 piperazin-4-yloxy)-phenyl]-pyridin-2-ylamine;
 N-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 20 pyridin-3-yl}-phenyl)-methanesulfonamide;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(1,1-dioxo-
 1λ⁶-isothiazolidine-2-yl)-phenyl]-pyridin-2-ylamine;
 N-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-methanesulfonamide;
 25 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-phenyl-pyridin-2-
 ylamine;
 N-(4-{6-amino-5-[(R)-1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-methanesulfonamide;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-thiophen-3-yl-
 30 pyridin-2-ylamine;
 5-benzo[b]thiophen-2-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-
 ethoxy]-pyridin-2-ylamine;
 4-methyl-piperazine-1-carboxylic acid (4-{6-amino-5-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide;
 35 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-

pyridin-3-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea;
 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea;
 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 5 pyridin-3-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea;
 (R)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-
 (2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 amide;
 (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-
 10 (2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 amide;
 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea;
 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 15 pyridin-3-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea;
 (R)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2-
 chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 amide;
 (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2-
 20 chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 amide;
 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea;
 4-methyl-piperazine-1-carboxylic acid (4-{6-amino-5-[1-(2-
 25 chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 amide;
 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea;
 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 30 pyridin-3-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea;
 (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (4-
 {6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-
 yl}-phenyl)-amide;
 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-
 35 benzoic acid;

(3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 5 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 10 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide;
 15 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 20 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;
 25 (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone;
 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid;
 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 30 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 35 methanone;

4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 5 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide;
 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;
 10 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 15 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((4-methyl-piperazin-1-yl)-methanone;
 20 (S)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide;
 4-methyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide;
 25 4-pyrrolidin-1-yl-piperidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide;
 (3R,5S)-3,5-dimethyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide;
 30 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(1-methyl-piperidin-4-yl)-urea;
 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(3-pyrrolidin-1-yl-propyl)-urea;
 35

1- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -3- (2-pyrrolidin-1-yl-ethyl) -urea;
 1- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -3- (2-morpholin-4-yl-ethyl) -urea;
 5 1- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -3- (3-morpholin-4-yl-propyl) -urea;
 (R) -2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-
 {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -pyridin-3-
 yl} -prop-2-ynyl) -amide;
 10 3- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -5- (3-dimethylamino-
 prop-1-ynyl) -pyridin-2-ylamine;
 (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -urea;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 15 pyridin-3-yl} -prop-2-ynyl) -2-piperidin-1-yl-acetamide;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2-morpholin-4-yl-acetamide;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2-pyrrolidin-1-yl-acetamide;
 20 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2- ((R) -3-hydroxy-pyrrolidin-1-yl) -
 acetamide;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2- (4-hydroxy-piperidin-1-yl) -
 25 acetamide;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2-dimethylamino-acetamide;
 N- (3- {6-amino-5- [1- (2, 6-dichloro-3-fluoro-phenyl) -ethoxy] -
 pyridin-3-yl} -prop-2-ynyl) -2-diethylamino-acetamide;
 30 2- (4-acetyl-piperazin-1-yl) -N- (3- {6-amino-5- [1- (2, 6-dichloro-3-
 fluoro-phenyl) -ethoxy] -pyridin-3-yl} -prop-2-ynyl) -acetamide;
 4-methyl-piperazine-1-carboxylic acid (3- {6-amino-5- [1- (2, 6-
 dichloro-3-fluoro-phenyl) -ethoxy] -pyridin-3-yl} -1,1-dimethyl-
 prop-2-ynyl) -amide;
 35 (3R, 5S) -3,5-dimethyl-piperazine-1-carboxylic acid (3- {6-amino-

5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-amide;

(R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-amide;

(S)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-amide;

1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-3-(2-morpholin-4-yl-ethyl)-urea;

1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea;

4-pyrrolidin-1-yl-piperidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1,1-dimethyl-prop-2-ynyl)-amide;

3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-propynoic acid cyclohexylamide;

3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-propynoic acid isopropylamide;

4-(3-amino-3-methyl-but-1-ynyl)-2-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-phenylamine;

(4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;

(4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

(4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;

(4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

(4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-

pyridin-3-yl}-phenyl)-(R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 5 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-
 10 pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-N-(3-morpholin-4-yl-propyl)-benzamide;
 6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 nicotinonitrile;
 15 6-amino-5-[1-(2,6-dichloro-3-cyano-phenyl)-ethoxy]-
 nicotinonitrile;
 5-aminomethyl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-2-ylamine;
 (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid {6-
 20 amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-
 ylmethyl}-amide;
 N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-ylmethyl}-methanesulfonamide;
 N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 25 3-ylmethyl}-acetamide;
 N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-ylmethyl}-4-methyl-benzenesulfonamide;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-vinyl-pyridin-2-
 ylamine;
 30 (S)-1-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-ethane-1,2-diol;
 (R)-1-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-ethane-1,2-diol;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-pyrazol-4-
 35 yl)-pyridin-2-ylamine;

3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-pyrrolidin-1-yl-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-diisopropylamino-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine;
 5 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-morpholin-4-yl-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine;
 5-bromo-3-(3-fluoro-2-methoxy-benzyloxy)-pyridin-2-ylamine;
 5-bromo-3-[1-(3-fluoro-2-methoxy-phenyl)-ethoxy]-pyridin-2-ylamine;
 10 {4-[6-amino-5-(3-fluoro-2-methoxy-benzyloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 (4-{6-amino-5-[1-(3-fluoro-2-methoxy-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 5-bromo-3-(3-fluoro-2-isopropoxy-benzyloxy)-pyridin-2-ylamine;
 15 {4-[6-amino-5-(3-fluoro-2-isopropoxy-benzyloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 5-(4-amino-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetic acid methyl ester;
 20 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetic acid;
 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-ethanone;
 25 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((R)-3-hydroxy-pyrrolidin-1-yl)-ethanone;
 4-[2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetyl]-piperazine-1-carboxylic acid
 30 tert-butyl ester;
 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-ethanone; 5-bromo-3-(3-fluoro-6,7,8,9-
 35 tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-2-ylamine;

{4-[6-amino-5-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 3-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-5-
 5 [4-(2-pyrrolidin-1-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 N-{4-[6-amino-5-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide;
 3-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-5-
 10 (1H-pyrazol-4-yl)-pyridin-2-ylamine;
 5-bromo-3-[1-(2-chloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine;
 3-[1-(2-chloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-pyrrolidin-1-yl-ethoxy)-phenyl]-pyridin-2-ylamine;
 15 5'-benzyloxy-[2,3']bipyridinyl-6'-ylamine;
 5-benzyloxy-[3,3']bipyridinyl-6-ylamine;
 3-benzyloxy-5-pyrimidin-5-yl-pyridin-2-ylamine;
 5-benzyloxy-[3,3']bipyridinyl-6,6'-diamine;
 5'-(2-chloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine;
 20 5-(2-chloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine;
 3-(2-chloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine;
 5-(2-chloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine;
 5'-(4-chloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine;
 5-(4-chloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine;
 25 3-(4-chloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine;
 5-(4-chloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine;
 5'-(2-chloro-3,6-difluoro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine;
 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,3']bipyridinyl-6-
 30 ylamine;
 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,4']bipyridinyl-6-ylamine;
 3-(2-chloro-3,6-difluoro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine;
 35 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,3']bipyridinyl-6,6'-

diamine;
 5'-(2,6-dichloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine;
 5-(2,6-dichloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine;
 5-(2,6-dichloro-benzyloxy)-[3,4']bipyridinyl-6-ylamine;
 5 3-(2,6-dichloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine;
 5-(2,6-dichloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine;
 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-
 6,6'-diamine;
 {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 10 [2,3']bipyridinyl-4-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [2,3']bipyridinyl-6-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [3,3']bipyridinyl-5-yl}-(4-methyl-piperazin-1-yl)-methanone;
 15 {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [3,3']bipyridinyl-6-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [3,4']bipyridinyl-2'-yl}-(4-methyl-piperazin-1-yl)-methanone;
 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-
 20 6,6'-diamine;
 {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 [2,3']bipyridinyl-5-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 [2,3']bipyridinyl-4-yl}-(4-methyl-piperazin-1-yl)-methanone;
 25 {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 [2,3']bipyridinyl-6-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 [3,3']bipyridinyl-5-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 30 [3,3']bipyridinyl-6-yl}-(4-methyl-piperazin-1-yl)-methanone;
 {6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 [3,4']bipyridinyl-2'-yl}-(4-methyl-piperazin-1-yl)-methanone;
 5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-
 6'-ylamine;
 35 5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-

6'-ylamine;
 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-
 6-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-pyrimidin-5-yl-
 5 pyridin-2-ylamine;
 {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [2,3']bipyridinyl-5-yl}-(4-methyl-piperazin-1-yl)-methanone;
 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,4']bipyridinyl-
 6-ylamine;
 10 5-benzyloxy-3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(2-ethyl-butoxy)-
 pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(3-methyl-
 15 butoxy)-pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-butoxy -pyridin-
 2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-propoxy-pyridin-
 2-ylamine;
 20 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-
 cyclohexylmethoxy-pyridin-2-ylamine;
 6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-
 ol;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(2-cyclohexyl-
 25 ethoxy)-pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-isobutoxy-
 pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-phenethyloxy-
 pyridin-2-ylamine;
 30 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(pyridin-2-
 ylmethoxy)-pyridin-2-ylamine;
 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(pyridin-4-
 ylmethoxy)-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 35 pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-

methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(3R,5S)-3,5-dimethyl-piperazin-1-yl)-
 methanone;
 5 5-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-2-fluoro-benzonitrile;
 4-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-piperidin-4-ol;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 10 pyridin-3-yl}-phenyl)-piperidin-1-yl-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-pyrrolidin-1-yl-methanone;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-3-methyl-benzoic acid methyl ester;
 15 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(dimethyl-
 piperazine-1-ylmethyl)-phenyl]-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-3,5-dimethoxy-phenyl)-(dimethyl-piperazin-1-yl)-
 methanone;
 20 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-2-fluoro-phenyl)-(dimethyl-piperazin-1-yl)-
 methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-3-fluoro-phenyl)-(dimethyl-piperazin-1-yl)-
 25 methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-3-methyl-phenyl)-(dimethyl-piperazin-1-yl)-
 methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 30 pyridin-3-yl}-phenyl)-(4-methyl-[1,4]diazepan-1-yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-[1,4]diazepan-1-yl-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-piperazin-1-yl-methanone;
 35 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-vinyl-pyridin-2-

ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-((3R,4S)-3,4-dihydroxy-pyrrolidin-1-yl)-
 methanone;
 5 5-[(1-benzyl-pyrrolidin-3-ylamino)-methyl]-3-[1-(2,6-dichloro-
 3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-N-azetidin-3-yl-benzamide;
 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 10 3-yl}-N,N-dimethyl-benzenesulfonamide;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(6-methoxy-1H-
 benzimidazol-2-yl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(6-methoxy-1-
 methyl-1H-benzimidazol-2-yl)-pyridin-2-ylamine;
 15 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(4-methyl-
 [1,4]diazepane-1-sulfonyl)-phenyl]-pyridin-2-ylamine;
 6-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-1-methyl-1H-indazole-3-carboxylic acid amide;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1-methyl-1H-
 20 pyrazol-4-yl)-pyridin-2-ylamine;
 5-(3-chloro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-
 ethoxy]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-fluoro-3-
 methyl-phenyl)-pyridin-2-ylamine;
 25 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-
 trifluoromethyl-phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-fluoro-
 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-
 30 trifluoromethoxy-phenyl)-pyridin-2-ylamine;
 5-benzo[1,3]dioxol-5-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-
 ethoxy]-pyridin-2-ylamine;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-phenol;
 35 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-

pyridin-3-yl}-phenyl)-methanol;
 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-benzonitrile;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-methoxy-
 5 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-dichloro-
 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dimethyl-
 phenyl)-pyridin-2-ylamine;
 10 5-(5-chloro-2-methoxy-phenyl)-3-[1-(2,6-dichloro-3-fluoro-
 phenyl)-ethoxy]-pyridin-2-ylamine;
 5-(3-chloro-4-fluoro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-
 phenyl)-ethoxy]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(5-fluoro-2-
 15 methoxy-phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-isopropyl-
 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dichloro-
 phenyl)-pyridin-2-ylamine;
 20 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-
 3-yl}-benzonitrile;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-difluoro-
 phenyl)-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 25 pyridin-3-yl}-phenyl)-((2R,6S)-2,6-dimethyl-morpholin-4-yl)-
 methanone;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-ethoxy-
 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dimethoxy-
 30 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,4-dimethoxy-
 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,6-dimethoxy-
 phenyl)-pyridin-2-ylamine;
 35 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-

trifluoromethyl-phenyl)-pyridin-2-ylamine;
 5- (2-chloro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-
 ethoxy]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-
 5 trifluoromethoxy-phenyl)-pyridin-2-ylamine;
 1-(2-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-ethanone;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-fluoro-
 phenyl)-pyridin-2-ylamine; (2-{6-amino-5-[1-(2,6-dichloro-3-
 10 fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanol;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-o-tolyl-pyridin-
 2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-methoxy-
 phenyl)-pyridin-2-ylamine;
 15 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,6-dimethyl-
 phenyl)-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-morpholin-4-yl-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 20 pyridin-3-yl}-2-chloro-phenyl)-((3R,5S)-dimethyl-piperazin-1-
 yl)-methanone;
 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-2-methyl-phenyl)-((3R,5S)-dimethyl-piperazin-1-
 yl)-methanone;
 25 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-((2R,6S)-2,6-
 dimethyl-morpholin-4-ylmethyl)-phenyl]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-morpholin-4-
 ylmethyl-phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-dimethyl-
 30 phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-m-tolyl-pyridin-
 2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dimethoxy-
 phenyl)-pyridin-2-ylamine;
 35 5-biphenyl-3-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-

pyridin-2-ylamine;
 5-(3,5-bis-trifluoromethyl-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dichloro-phenyl)-pyridin-2-ylamine;
 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-ethanone;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-difluoro-phenyl)-pyridin-2-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dichloro-phenyl)-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-4-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-ethoxy-phenyl)-pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 (4-{6-amino-5-[1-(3-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 7-[4-(3,5-dimethyl-piperazine-1-carbonyl)-phenyl]-2-phenyl-4H-pyrido[3,2-b][1,4]oxazin-3-one;
 {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 [4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-ethyl-piperazin-1-yl)-methanone;
 [4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl)-(4-ethyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(2-methyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 3-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-

phenyl]-pyridin-3-yloxymethyl}-benzoic acid methyl ester;
 3-{2-amino-5-[4-(3,5-dimethyl-piperazine-1-carbonyl)-phenyl]-
 pyridin-3-yloxymethyl}-benzoic acid methyl ester;
 {4-[6-amino-5-(2-methyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-
 5 pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 [4-(6-amino-5-cyclohexylmethoxy-pyridin-3-yl)-phenyl]-(4-
 pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-
 phenyl]-pyridin-3-yloxy}-ethyl)-[2-(3-hydroxy-phenyl)-ethyl]-
 10 benzamide;
 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-
 phenyl]-pyridin-3-yloxy}-ethyl)-[2-(2,6-dichloro-phenyl)-
 ethyl]-benzamide;
 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-
 15 phenyl]-pyridin-3-yloxy}-ethyl)-(1-benzyl-piperidin-4-yl)-
 benzamide;
 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-
 phenyl]-pyridin-3-yloxy}-ethyl)-[3-(2-oxo-pyrrolidin-1-yl)-
 propyl]-benzamide;
 20 (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-ethyl-piperazin-1-yl)-methanone;
 {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-
 (3,5-dimethyl-piperazin-1-yl)-methanone;
 (6-amino-3-aza-bicyclo[3.1.0]hex-3-yl)-(4-{6-amino-5-[1-(2,6-
 25 dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-
 methanone;
 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-6'-(2-morpholin-4-
 yl-ethoxy)-[3,3']bipyridinyl-6-ylamine;
 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1-(2-
 30 pyrrolidin-1-yl-ethyl)-1H-[3,3']bipyridinyl-6-one;
 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-6'-(2-pyrrolidin-1-
 yl-ethoxy)-[3,3']bipyridinyl-6-ylamine;
 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1-[2-(1-
 methyl-pyrrolidin-2-yl)-ethyl]-1H-[3,3']bipyridinyl-6-one;
 35 (4-{6-amino-5-[1-(2,4,6-trimethyl-phenyl)-ethoxy]-pyridin-3-

yl)-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2-chloro-6-fluoro-phenyl)-ethoxy]-pyridin-3-
 yl)-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-fluoro-
 5 phenyl)-pyridin-2-ylamine;
 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1H-
 [3,3']bipyridinyl-6-one;
 5'-bromo-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 [3,3']bipyridinyl-6-ylamine;
 10 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-dimethylamino-
 phenyl)-pyridin-2-ylamine;
 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-2'-methoxy-
 [3,3']bipyridinyl-6-ylamine;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-indol-5-yl)-
 15 pyridin-2-ylamine;
 (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-propoxy]-pyridin-3-yl}-
 phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone;
 [4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl)-(4-pyrrolidin-1-
 yl-piperidin-1-yl)-methanone;
 20 3-(2,6-dichloro-3-fluoro-benzyloxy)-5-thiazol-2-yl-pyridin-2-
 ylamine;
 (4-{6-amino-5-[1-(2-fluoro-6-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 methanone;
 25 3-(2,6-dichloro-3-fluoro-benzyloxy)-5-(1-methyl-1H-imidazol-2-
 yl)-pyridin-2-ylamine;
 {4-[6-amino-5-(2,4,6-trimethyl-benzyloxy)-pyridin-3-yl]-
 phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2,3,5,6-tetramethyl-benzyloxy)-pyridin-3-yl]-
 30 phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[6-amino-5-(2,4,6-trifluoro-benzyloxy)-pyridin-3-yl]-
 phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 (4-{6-amino-5-[1-(2-fluoro-6-trifluoromethyl-phenyl)-ethoxy]-
 pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 35 methanone;

6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-N-methyl-nicotinamidine;

6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-N-(2-morpholin-4-yl-ethyl)-nicotinamidine; (4-{6-amino-5-[1-(2,4,5-trifluoro-phenyl)-propoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

(4-{6-amino-5-[1-(6-chloro-2-fluoro-3-methyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

10 3-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy}-ethyl)-benzoic acid;

3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;

3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;

15 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;

3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;

20 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;

N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide;

(3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;

25 (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;

(3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;

30 (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

35 (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-

pyrazin-2-yl}-phenyl)-(R)-3-amino-pyrrolidin-1-yl)-methanone;
 (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(S)-3-amino-pyrrolidin-1-yl)-methanone;
 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 5 2-yl}-benzoic acid;
 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 10 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 methanone;
 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(3R,5S)-3,5-dimethyl-piperazin-1-yl)-
 15 methanone;
 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 20 pyrazin-2-yl}-phenyl)-(R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(R)-3-amino-pyrrolidin-1-yl)-methanone;
 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 25 2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 30 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{5-amino-6-[1-(2-
 chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide;
 2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid (4-
 {5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-
 yl}-phenyl)-amide;
 35 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-

yl]-benzoic acid;
 {3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 5 yl]-N-{2-[ethyl-(2-methoxy-ethyl)-amino]-ethyl}-benzamide;
 {3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 10 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[5-amino-6-(3-fluoro-2-
 trifluoromethyl-benzyloxy)-pyrazin-2-yl]-benzamide;
 {4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 15 yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone;
 {4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-
 yl]-phenyl}-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-
 methanone;
 (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 20 pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-
 methanone;
 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 25 2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 30 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(3-morpholin-4-yl-propyl)-benzamide;
 (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-cyclopropylamino-piperidin-1-yl)-
 methanone;
 35 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-

2-yl}-N-((S)-2-hydroxy-3-morpholin-4-yl-propyl)-benzamide;
 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-((R)-2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide;
 (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 5 pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 methanone;
 2-diethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{5-amino-6-
 10 [1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-amide;
 2-dimethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 2-((R)-3-hydroxy-pyrrolidin-1-yl)-ethanesulfonic acid (4-{5-
 15 amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-
 yl}-phenyl)-amide;
 2-pyrrolidin-1-ylethanesulfonic acid (4-{5-amino-6-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 20 2-yl}-benzoic acid;
 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-((R)-2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide;
 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-cyclopropylamino-piperidin-1-yl)-
 25 methanone;
 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-((S)-2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide;
 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-((R)-2-hydroxy-3-morpholin-4-yl-propyl)-benzamide;
 30 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-
 1-yl)-methanone;
 35 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-

pyrazin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 methanone;
 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide;
 5 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-
 methanone;
 10 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 benzoic acid;
 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-
 15 (2-morpholin-4-yl-ethyl)-benzamide;
 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-
 (1-methyl-piperidin-4-yl)-benzamide;
 20 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-
 methanone;
 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-
 25 methanone;
 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-(4-methyl-piperazin-1-yl)-methanone;
 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-((R)-3-aminopyrrolidin-1-yl)-methanone;
 30 (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 phenyl)-((S)-3-aminopyrrolidin-1-yl)-methanone hydrochloride;
 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-
 (2-pyrrolidin-1-yl-ethyl)-benzamide;
 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-
 35 (3-pyrrolidin-1-yl-propyl)-benzamide;

3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid;
 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide;
 5 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide;
 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-
 10 (2-morpholin-4-yl-ethyl)-benzamide;
 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 15 phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide;
 N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide;
 20 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide;
 25 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone;
 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone hydrochloride;
 (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-
 30 phenyl)-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea;
 (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 35

1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea;
 4-methyl-piperazine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-
 5 amide;
 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea;
 (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-
 10 amide;
 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea;
 4-methyl-piperazine-1-carboxylic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 15 1-(4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea;
 (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-
 amide;
 20 1-(4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea;
 5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophene-2-carboxylic acid;
 {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-(4-methyl-piperazin-1-yl)-methanone;
 25 {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone;
 {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;
 30 {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
 5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophene-2-carboxylic acid (2-morpholin-4-yl-ethyl)-amide;
 35 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-{5-[(4-

methylpiperazin-1-yl)carbonyl]pyridin-2-yl}pyrazine-2-amine·
 trifluoroacetate;
 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-pyridin-4-yl-
 pyrazin-2-ylamine;
 5 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-pyrrol-2-yl)-
 pyrazin-2-ylamine;
 (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-pyridin-3-yl)-(4-methyl-piperazin-1-yl)-
 methanone;
 10 (2-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-pyridin-4-yl)-(4-methyl-piperazin-1-yl)-
 methanone;
 (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-pyridin-2-yl)-(4-methyl-piperazin-1-yl)-
 15 methanone;
 (5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-pyridin-3-yl)-(4-methyl-piperazin-1-yl)-
 methanone;
 (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 20 pyrazin-2-yl}-pyridin-2-yl)-(4-methyl-piperazin-1-yl)-
 methanone;
 6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(2-morpholin-4-yl-ethyl)-nicotinamide;
 5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 25 2-yl}-N-(2-morpholin-4-yl-ethyl)-nicotinamide;
 6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(3-morpholin-4-yl-propyl)-nicotinamide;
 5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-
 2-yl}-N-(3-morpholin-4-yl-propyl)-nicotinamide;
 30 (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl}-pyridin-3-yl)-(4-isopropyl-piperazin-1-yl)-
 methanone
 [0035]

A JNK inhibitor as an active ingredient of the
 35 prophylaxis or therapeutic agent for ALS in the present

invention includes all of naturally-occurring substances derived from microorganism etc., a semi-synthetic substance derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, SP600125 (see Table 4), JNK-IN-8, JNK Inhibitor IX, AS-601245/JNK Inhibitor V and the like. Preferably, it may be SP600125. In another embodiment, JNK inhibitor may be a JNK selective inhibitor. Examples of the JNK selective inhibitor include SP600125.

[0036]

10 A Syk inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from microorganism etc., a semi-synthetic substances induced therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, Syk Inhibitor (see 15 Table 4), fostamatinib disodium/R935788/R788, PRT-062607, GS-9973, TAK-659 and the like. Preferably, it may be Syk Inhibitor. In another embodiment, Syk inhibitor may be a Syk selective inhibitor. Examples of the Syk selective inhibitor 20 include Syk Inhibitor.

[0037]

A JAK inhibitor as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances 25 derived from microorganism etc., a semi-synthetic substances derived therefrom, and a fully synthetic compounds. Examples thereof include, but are not limited to, JAK Inhibitor I (see Table 1), AT9283 (see Table 8), fedratinib/SAR302503/TG101348, pacritinib/SB1518, LY2784544, momelotinib/CYT387, AZD1480, XL- 30 019, BMS-911543, NS-018, INCB039110, INCB47986, AT9283, lestaurtinib/CEP-701 and the like. Preferably, it may be JAK Inhibitor I or AT9283. In another embodiment, JAK inhibitor may be a JAK selective inhibitor. Examples of the JAK selective inhibitor include JAK Inhibitor I.


35 [0038]

A prostaglandin analogue as an active ingredient of the prophylaxis or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from mammal etc., a semi-synthetic substances derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, Bimatoprost or an analog thereof and the like.

[0039]

Here, the "analog of Bimatoprost" is, for example, a compound represented by the following formula (III):


[0040]



[0041]

or the following formula (III'):

[0042]



[0043]

wherein

a bond with a dotted line is a single bond, or a double bond

possibly with a cis or trans configuration;

A is alkylene or an alkenylene group having 2 - 6 carbon atoms, and is optionally substituted by one or more hydroxy, oxo, alkyloxy or alkylcarboxy groups;

5 B is a cycloalkyl group having 3 - 7 carbon atoms, or an aryl group selected from the group consisting of hydrocarbylaryl and a heteroaryl group (hetero atom is selected from the group consisting of nitrogen, oxygen and sulfur atoms);

X is a group selected from the group consisting of halo, hydryl, 10 nitro, amino, azido, oxime, cyano, thiol, alkoxy and thioether groups;

one of R_1 and R_2 is $=O$, $-OH$ or $-O(CO)R_6$, and the other is $-OH$ or $-O(CO)R_6$, or R_1 is $=O$ and R_2 is H ;

R_6 is a saturated or unsaturated acyclic hydrocarbon group 15 having 1 - about 20 carbon atoms, or $-(CH_2)_mR_7$;
 m is 0 - 10, R_7 is a cycloalkyl group having 3 - 7 carbon atoms, or hydrocarbylaryl or a heteroaryl group (hetero atom is selected from the group consisting of nitrogen, oxygen and sulfur atoms); and

20 two R_4 are the same or different and each is a hydrogen atom or a $C_1 - C_3$ alkyl group.


[0044]

Each term described as higher concept in the explanation of each group in the above-mentioned formulas (III) and (III') 25 (e.g., "alkylene or alkenylene group having 2 - 6 carbon atoms", "alkyloxy or alkylcarboxy group" for A, "cycloalkyl group having 3 - 7 carbon atoms", "hydrocarbylaryl group", "heteroaryl group" for B and R_7 , "alkoxy group", "thioether group" for X, "saturated or unsaturated acyclic hydrocarbon group having 1 to about 20 carbon atoms" for R_6 , " $C_1 - C_3$ alkyl group" for R_4 etc.) is as defined in JP-A-2004-346080.

[0045]

Preferable examples of the analog of Bimatoprost include a compound represented by the following formula (IV):


35 [0046]



[0047]

or the following formula (IV'):

5 [0048]



[0049]

wherein R_4 is as defined above.

10 [0050]

Specific examples of the analog of Bimatoprost include the following compounds.

Cyclopentane heptenamide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, $[1\alpha, 2\beta, 3\alpha, 5\alpha]$

15 Cyclopentane N,N-dimethylheptenamide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, $[1\alpha, 2\beta, 3\alpha, 5\alpha]$

Cyclopentane heptenylmethoxide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, $[1\alpha, 2\beta, 3\alpha, 5\alpha]$

20 Cyclopentane heptenylfluoride-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, $[1\alpha, 2\beta, 3\alpha, 5\alpha]$

Cyclopentane heptenylnitrate-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, $[1\alpha, 2\beta, 3\alpha, 5\alpha]$


Cyclopentane heptenyliodide-5-cis-2-(3- α hydroxy-5-phenyl-1-

trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane hepteneamine-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane heptenecyanide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane hepteneazide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane heptene-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane N-isopropylheptenamide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane N-methylheptenamide-5-cis-2-(3- α hydroxy-5-phenyl-1-trans-pentenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 Cyclopentane heptenamide-5-cis-2-(3- α hydroxy-4-m-chlorophenoxy-1-trans-butenyl)-3,5-dihydroxy, [1 α ,2 β ,3 α ,5 α]
 [0051]

An estrogen receptor antagonist as an active ingredient of the prophylactic or therapeutic agent for ALS in the present invention includes all of naturally-occurring substances derived from microorganism etc., semi-synthetic substances derived therefrom, and fully synthetic compounds. Examples thereof include, but are not limited to, Raloxifene, an analog thereof and the like.
 [0052]

Examples of the "analog of Raloxifene" include a compound represented by the following formula (V):

[0053]



(V)

[0054]

wherein

5 X is -S- or -S(O)-;

R is a hydrogen atom, a hydroxy group or a C₁-C₅ alkoxy group;

R₁ is a hydrogen atom, a hydroxy group, a C₁-C₅ alkoxy group, a
C₁-C₅ acyloxy group, a C₁-C₅ alkoxycarbonyloxy group, a
10 benzyloxy group, adamantyloxy group, a chlorine atom, a
bromine atom, or -O(CH₂)₂N(R₃)R₄;

R₂ is a hydrogen atom, a hydroxy group, a C₁-C₅ alkoxy group, or
-O(CH₂)₂N(R₃)R₄; and

R₃ and R₄ are each independently a C₁-C₄ alkyl group, or R₃ and
R₄ are bonded to the adjacent nitrogen atom to form a hetero
15 ring selected from pyrrolidino, piperidino, hexamethyleneimino
and morpholino groups.

[0055]


Each term described as higher concept in the explanation
of each group in the above-mentioned formula (V) (e.g., "C₁-C₅
20 alkoxy group" for R, R₁ and R₂, "C₁-C₅ acyloxy group", "C₁-C₅
alkoxycarbonyloxy group" for R₁, "C₁-C₄ alkyl group" for R₃ and
R₄ etc.) is as defined in JP-A-52-53851.

[0056]

Specific examples of the analog of Raloxifene include the
25 compounds described in Table 1 (excerpt from the tables in JP-
A-52-53851 with partial modification).

[0057]

[Table 1-1]



compound			
R	R ₁	R ₂	X
-OH	H	H	S
H	H	-OH	S
-OCH ₃	H	-OCH ₃	S
-OH	H	-OH	S
-OH	-OH	H	S
-OH	-OH	-OCH ₃	S
H	-OC ₂ H ₄ -N 	-OCH ₃	S

[0058]

[Table 1-2]

compound			
R	R ₁	R ₂	X
H	$-\text{OC}_2\text{H}_4\text{N}(\text{C}_2\text{H}_5)_2$	$-\text{OCH}_3$	S
H	$-\text{OC}_2\text{H}_4\text{N}$ 	$-\text{OC}_2\text{H}_4\text{N}$ 	S
H	$-\text{OCH}_3$	$-\text{OC}_2\text{H}_4\text{N}$ 	S
H	H	$-\text{OC}_2\text{H}_4\text{N}$ 	S
H	$-\text{OC}_2\text{H}_4\text{N}$ 	$-\text{OCH}_3$	S
H	$-\text{OC}_2\text{H}_4\text{N}$ 	$-\text{OCH}_3$	S
$-\text{OCH}_3$	$-\text{OCH}_3$	$-\text{OC}_2\text{H}_4\text{N}$ 	S
H	$-\text{OH}$	$-\text{OC}_2\text{H}_4\text{N}$ 	S
H	$-\text{O}-\text{CO}-\text{CH}_3$	$-\text{OC}_2\text{H}_4\text{N}$ 	S

[0059]

[Table 1-3]

compound			
R	R ₁	R ₂	X
-OCH ₃	H	-OC ₂ H ₄ N 	S
H	-OCH ₃	-OC ₂ H ₄ N 	S
H	-OCH ₃	-OC ₂ H ₄ N 	S
H	-OCH ₃	-OC ₂ H ₄ N- (CH(CH ₃)) ₂) ₂	S
H	Cl	-OC ₂ H ₄ N 	S
H	-O-CO-CH ₂ CH ₃	-OC ₂ H ₄ N 	S
H	-O-CO-O-CH ₂ CH ₃	-OC ₂ H ₄ N 	S
H	-O-CO-(CH ₂) ₃ CH ₃	-OC ₂ H ₄ N 	S
H	-O-CO- 	-OC ₂ H ₄ N 	S
H	-O-CO-adamantyl	-OC ₂ H ₄ N 	S


[0060]

As the active ingredient of the prophylactic or therapeutic agent for ALS of the present invention, which does not belong to any of the above-mentioned kinase inhibitor, prostaglandin analogue, and estrogen receptor antagonist, Tivozanib, SB 216763, Cdk2 Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL, AMODIAQUINE, SU9516, Sunitinib, GSK-3 Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265, Indirubin-3'-monoxime, HYDRASTINE (1R,9S), PIPERINE, BUTAMBEN, Axitinib, APOMORPHINE, FENBUFEN, Bosutinib (SKI-606), Wee1 Inhibitor and Cdk2 Inhibitor IV, NU6140 (see Tables 4-1 - 4-5), 3-hydroxybutyric acid (see Table 7), Imatinib, Nilotinib, Rebastinib, Bafetinib (see Table 8), and analogs of Tivozanib, analogs of Sunitinib, analogs of Axitinib and analogs of Bosutinib (SKI-606) can be mentioned.

[0061]

Here, the "analog of Tivozanib" is, for example, a compound represented by the following formula (VI):

[0062]



(VI)

[0063]

wherein

X and Z are each CH or N,

Y is O or S,

R¹, R² and R³ are each independently a hydrogen atom, a C₁₋₆ alkyl group, a C₁₋₆ alkoxy group, a C₂₋₆ alkenyl group, a C₂₋₆

alkynyl group, a nitro group, or an amino group, wherein the C₁₋₆ alkyl group, C₁₋₆ alkoxy group, C₂₋₆ alkenyl group, and C₂₋₆ alkynyl group are optionally substituted by a halogen atom, a hydroxyl group, a C₁₋₄ alkyl group, a C₁₋₄ alkoxy carbonyl group, an amino group (1 or 2 hydrogen atoms of the amino group may be each substituted by a C₁₋₄ alkyl group (the C₁₋₄ alkyl group is optionally substituted by a hydroxyl group or a C₁₋₄ alkoxy group)), a group R¹²R¹³N-C(=O)-O- (R¹² and R¹³ are each independently a hydrogen atom or a C₁₋₄ alkyl group (the C₁₋₄ alkyl group is optionally substituted by a hydroxyl group or a C₁₋₄ alkoxy group)), or group R¹⁴-(S)_m- (R¹⁴ is a saturated or unsaturated 3-7-membered carbon cyclic group or heterocyclic group optionally substituted by a C₁₋₄ alkyl group, m is 0 or 1), R⁴ is a hydrogen atom,

R⁵, R⁶, R⁷ and R⁸ are each independently a hydrogen atom, a halogen atom, a C₁₋₄ alkyl group, a C₁₋₄ alkoxy group, a C₁₋₄ alkylthio group, a trifluoromethyl group, a nitro group, or an amino group,

R⁹ and R¹⁰ are each independently a hydrogen atom, a C₁₋₆ alkyl group or a C₁₋₄ alkyl carbonyl group, wherein the alkyl moiety of the C₁₋₆ alkyl group or C₁₋₄ alkyl carbonyl group is optionally substituted by a halogen atom, a C₁₋₄ alkoxy group, an amino group (the amino group is optionally substituted by a C₁₋₄ alkyl group optionally substituted by a C₁₋₄ alkoxy group), or a saturated or unsaturated 3-7-membered carbon cyclic group or heterocyclic group,

R¹¹ is an azo group, one or more hydrogen atoms on the azo group are optionally substituted by a halogen atom, a C₁₋₄ alkyl group, a C₁₋₄ alkoxy group, a C₁₋₄ alkylthio group, a trifluoromethyl group, a nitro group, an amino group (1 or 2 hydrogen atoms on the amino group are each optionally substituted by a C₁₋₄ alkyl group), a C₁₋₄ alkoxy carbonyl C₁₋₄ alkyl, C₁₋₄ alkyl carbonyl, or C₃₋₅ cyclic alkyl group.

[0064]


Each term described as higher concept in the explanation

of each group in the above-mentioned formula (VI) (e.g., "C₁₋₆ alkyl group", "C₁₋₆ alkoxy group", "C₂₋₆ alkenyl group", "C₂₋₆ alkynyl group", "C₁₋₄ alkyl group", "C₁₋₄ alkoxy carbonyl group", "C₁₋₄ alkoxy group", "saturated or unsaturated 3-7-membered
 5 carbon cyclic group or heterocyclic group" etc. for R¹, R² and R³) is as defined in WO 02/088110.

[0065]

In the above-mentioned formula (VI), R¹¹ is preferably a group represented by the following formula (i)-(iv):

10 [0066]



[0067]

wherein


Q is O, S or NH,

15 R²² and R²³ are each independently a hydrogen atom, a halogen atom, a C₁₋₄ alkyl group, a C₁₋₄ alkoxy group, a C₁₋₄ alkylthio group, a trifluoromethyl group, a nitro group, an amino group (1 or 2 hydrogen atoms on the amino group are each optionally substituted by a C₁₋₄ alkyl group), C₁₋₄ alkoxy carbonyl C₁₋₄ alkyl,
 20 C₁₋₄ alkyl carbonyl, or C₃₋₅ cyclic alkyl group.

[0068]

Specific examples of the analog of Tivozanib include the compounds shown by the following formula and Tables 2-1 - 2-3 (excerpt from Table 1 in WO 02/088110 with partial
 25 modification).

[0069]



[0070]

5 [Table 2-1]

compound	X	R ¹⁷	R ¹⁸	R ¹⁹	R ²¹	Q	R ²²	R ²³
1	CH	Cl	H	H	(i)	O	H	H
2	CH	Cl	H	H	(ii)	O	CH ₃	H
3	CH	F	H	H	(i)	O	H	H
4	CH	H	Cl	H	(i)	O	CH ₃	H
5	CH	H	Cl	H	(ii)	O	CH ₃	H
6	CH	H	F	H	(ii)	O	CH ₃	H
7	CH	F	H	H	(ii)	O	CH ₃	H
8	CH	F	H	H	(i)	O	CH ₃	H
9	CH	H	F	H	(i)	O	CH ₃	H
10	N	H	H	H	(i)	O	CH ₃	H
11	N	H	H	H	(ii)	O	CH ₃	H
12	N	H	Cl	H	(i)	O	CH ₃	H
13	N	H	Cl	H	(ii)	O	CH ₃	H
14	N	Cl	H	H	(i)	O	CH ₃	H
15	N	Cl	H	H	(ii)	O	CH ₃	H
16	N	H	H	H	(ii)	S	CH ₃	H
17	N	H	Cl	H	(ii)	S	CH ₃	H
18	N	Cl	H	H	(ii)	S	CH ₃	H
19	CH	Cl	H	H	(ii)	NH	H	H
20	CH	H	F	H	(ii)	NH	H	H
21	CH	H	F	H	(iii)	S	CH ₃	H
22	CH	H	Cl	H	(iii)	S	H	CH ₃
23	CH	H	F	H	(iii)	S	CH ₃	CH ₃
24	CH	H	Cl	H	(iii)	S	CH ₃	CH ₃
25	CH	Cl	H	H	(iii)	S	CH ₃	CH ₃
26	CH	H	CF ₃	H	(iii)	S	CH ₃	CH ₃

[0071]

[Table 2-2]

27	CH	H	F	H	(iii)	S	H	H
28	CH	H	F	H	(iii)	S	H	CH ₃
29	CH	H	F	H	(iii)	S	H	A
30	CH	H	F	H	(iii)	S	H	tBu
31	CH	H	Cl	H	(iii)	S	H	A
32	CH	H	Cl	H	(iii)	S	Br	H
33	CH	H	Cl	H	(iii)	S	H	tBu
34	CH	H	Cl	H	(iii)	S	Cl	H
35	CH	H	F	H	(iii)	S	Br	H
36	CH	H	F	H	(iii)	S	Ac	CH ₃
37	CH	H	F	H	(iii)	S	Cl	H
38	N	H	Cl	H	(iii)	S	H	H
39	N	H	Cl	H	(iii)	S	CH ₃	H
40	N	H	Cl	H	(iii)	S	CH ₃	CH ₃
41	N	H	Cl	H	(iii)	S	H	CH ₃
42	N	H	H	H	(iii)	S	H	H
43	N	H	H	H	(iii)	S	CH ₃	H
44	N	H	H	H	(iii)	S	H	CH ₃
45	N	H	H	H	(iii)	S	CH ₃	CH ₃
46	N	Cl	H	H	(iii)	S	H	H
47	N	Cl	H	H	(iii)	S	CH ₃	H
48	N	Cl	H	H	(iii)	S	H	CH ₃
49	N	Cl	H	H	(iii)	S	CH ₃	CH ₃
50	CH	H	H	H	(iv)	S	CF ₃	H
51	CH	H	F	H	(iv)	S	CF ₃	H
52	CH	F	H	H	(iv)	S	CF ₃	H
53	CH	CH ₃	CH ₃	H	(iv)	S	CF ₃	H

[0072]

[Table 2-3]

54	CH	H	H	H	(iv)	S	CH ₃	H
55	CH	H	CH ₃	H	(iv)	S	CH ₃	H
56	CH	CH ₃	H	H	(iv)	S	CH ₃	H
57	CH	CH ₃	CH ₃	H	(iv)	S	CH ₃	H
58	CH	H	F	H	(iv)	S	CH ₃	H
59	CH	H	H	H	(iv)	S	Et	H
60	CH	H	CH ₃	H	(iv)	S	Et	H
61	CH	CH ₃	H	H	(iv)	S	Et	H
62	CH	CH ₃	CH ₃	H	(iv)	S	Et	H
63	CH	H	F	H	(iv)	S	Et	H
64	CH	F	H	H	(iv)	S	Et	H
65	CH	H	Cl	H	(iv)	S	Et	H
66	CH	Cl	H	H	(iv)	S	Et	H
67	CH	H	Cl	H	(iv)	S	cPr	H
68	CH	Cl	H	H	(iv)	S	cPr	H
69	CH	H	CH ₃	CH ₃	(iv)	S	cPr	H
70	CH	H	F	H	(iv)	S	EtS	H
71	CH	CH ₃	CH ₃	H	(iv)	S	EtS	H
72	CH	H	Cl	H	(iv)	S	CF ₃	H
73	CH	Cl	H	H	(iv)	S	CF ₃	H
74	CH	H	F	H	(iv)	S	tBu	H
75	CH	CH ₃	CH ₃	H	(iv)	S	tBu	H


5 [0073]

In Tables 2-1 - 2-3, A is ethoxycarbonylmethyl, tBu is t-butyl, Ac is acetyl, Et is ethyl, cPr is cyclopropyl, and EtS is ethylthio, respectively.

[0074]

Examples of the analog of Pazopanib include a 3-pyrrole-substituted 2-indolinone compound represented by the following formula (VII):

5 [0075]



(VII)

[0076]

wherein

R¹ is selected from the group consisting of hydrogen, halo,
10 alkyl, cycloalkyl, aryl, heteroaryl, heteroalicyclic, hydroxy,
alkoxy, -(CO)R¹⁵, -NR¹³R¹⁴, -(CH₂)_rR¹⁶ and -C(O)NR⁸R⁹,

R² is selected from the group consisting of hydrogen, halo,
alkyl, trihalomethyl, hydroxy, alkoxy, cyano, -NR¹³R¹⁴, -
NR¹³C(O)R¹⁴, -C(O)R¹⁵, aryl, heteroaryl, -S(O)₂NR¹³R¹⁴ and -SO₂R²⁰
15 (wherein R²⁰ is alkyl, aryl, aralkyl, heteroaryl or
heteroaralkyl),

R³ is hydrogen, halogen, alkyl, trihalomethyl, hydroxy, alkoxy,
-(CO)R¹⁵, -NR¹³R¹⁴, aryl, heteroaryl, -NR¹³S(O)₂R¹⁴, -S(O)₂NR¹³R¹⁴,
-NR¹³C(O)R¹⁴, -NR¹³C(O)OR¹⁴ and -SO₂R²⁰ (wherein R²⁰ is selected
20 from the group consisting of alkyl, aryl, aralkyl, heteroaryl
and heteroaralkyl),

R⁴ is selected from the group consisting of hydrogen, halogen,
alkyl, hydroxy, alkoxy and -NR¹³R¹⁴,

R⁵ is selected from the group consisting of hydrogen, alkyl and
25 -C(O)R¹⁰,

R⁶ is selected from the group consisting of hydrogen, alkyl and

$-\text{C}(\text{O})\text{R}^{10}$,

R^7 is selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, $-\text{C}(\text{O})\text{R}^{17}$ and $-\text{C}(\text{O})\text{R}^{10}$, or R^6 and R^7 may be joined to form a group selected from the group consisting of -

5 $(\text{CH}_2)_4-$, $-(\text{CH}_2)_5-$ and $-(\text{CH}_2)_6-$;

at least one of R^5 , R^6 and R^7 should be $-\text{C}(\text{O})\text{R}^{10}$;

R^8 and R^9 are each independently selected from the group consisting of hydrogen, alkyl and aryl,

R^{10} is selected from the group consisting of hydroxy, alkoxy, aryloxy, $-\text{N}(\text{R}^{11})(\text{CH}_2)_n\text{R}^{12}$ and $-\text{NR}^{13}\text{R}^{14}$,

R^{11} is selected from the group consisting of hydrogen and alkyl,

R^{12} is selected from the group consisting of $-\text{NR}^{13}\text{R}^{14}$, hydroxy, $-\text{C}(\text{O})\text{R}^{15}$, aryl, heteroaryl, $-\text{N}^+(\text{O}^-)\text{R}^{13}\text{R}^{14}$, $\text{N}(\text{OH})\text{R}^{13}$, and $-\text{NHC}(\text{O})\text{R}^a$ (wherein R^a is unsubstituted alkyl, haloalkyl, or aralkyl),

15 R^{13} and R^{14} are each independently selected from the group consisting of hydrogen, alkyl, cyanoalkyl, cycloalkyl, aryl and heteroaryl, or R^{13} and R^{14} may be joined to form a heterocyclic group;

R^{15} is selected from the group consisting of hydrogen, hydroxy, alkoxy and aryloxy,

R^{16} is selected from the group consisting of hydroxy, $-\text{C}(\text{O})\text{R}^{15}$, $-\text{NR}^{13}\text{R}^{14}$ and $-\text{C}(\text{O})\text{NR}^{13}\text{R}^{14}$,

R^{17} is selected from the group consisting of alkyl, cycloalkyl, aryl and heteroaryl,

25 R^{20} is alkyl, aryl, aralkyl or heteroaryl; and

n and r are each independently 1, 2, 3, or 4.

[0077]

In the above-mentioned formula (VII), preferably,

R^1 is selected from the group consisting of hydrogen, halo, alkyl, cycloalkyl, aryl, heteroaryl, heteroalicyclic, hydroxy, alkoxy, $-\text{C}(\text{O})\text{R}^{15}$, $-\text{NR}^{13}\text{R}^{14}-(\text{CH}_2)_r\text{R}^{16}$ and $-\text{C}(\text{O})\text{NR}^8\text{R}^9$,

R^2 is selected from the group consisting of hydrogen, halo, alkyl, trihalomethyl, hydroxy, alkoxy, $-\text{NR}^{13}\text{R}^{14}$, $-\text{NR}^{13}\text{C}(\text{O})\text{R}^{14}$, $-\text{C}(\text{O})\text{R}^{15}$, aryl, heteroaryl, and $-\text{S}(\text{O})_2\text{NR}^{13}\text{R}^{14}$,

35 R^3 is selected from the group consisting of hydrogen, halogen,

alkyl, trihalomethyl, hydroxy, alkoxy, $-(CO)R^{15}$, $-NR^{13}R^{14}$, aryl, heteroaryl, $-NR^{13}S(O)_2R^{14}$, $-S(O)_2NR^{13}R^{14}$, $-NR^{13}C(O)R^{14}$, and $-NR^{13}C(O)OR^{14}$,

R^4 is selected from the group consisting of hydrogen, halogen,
5 alkyl, hydroxy, alkoxy and $-NR^{13}R^{14}$,

R^5 is selected from the group consisting of hydrogen, alkyl and $-C(O)R^{10}$,

R^6 is selected from the group consisting of hydrogen, alkyl and $-C(O)R^{10}$,

10 R^7 is selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, $-C(O)R^{17}$ and $-C(O)R^{10}$,

R^6 and R^7 may be joined to form a group selected from the group consisting of $-(CH_2)_4-$, $-(CH_2)_5-$ and $-(CH_2)_6-$;

at least one of R^5 , R^6 and R^7 should be $-C(O)R^{10}$;

15 R^8 and R^9 are each selected from the group consisting of independently hydrogen, alkyl and aryl,

R^{10} is selected from the group consisting of hydroxy, alkoxy, aryloxy, $-N(R^{11})(CH_2)_nR^{12}$ and $-NR^{13}R^{14}$,

R^{11} is selected from the group consisting of hydrogen and alkyl,

20 R^{12} is selected from the group consisting of $-NR^{13}R^{14}$, hydroxy, $-C(O)R^{15}$, aryl and heteroaryl,

R^{13} and R^{14} are each independently selected from the group consisting of hydrogen, alkyl, cycloalkyl, aryl and heteroaryl,

R^{13} and R^{14} may be joined to form a group selected from the

25 group consisting of $-(CH_2)_4-$, $-(CH_2)_5-$, $-(CH_2)_2O(CH_2)_2-$, and $(CH_2)_2N(CH_3)(CH_2)_2-$;

R^{15} is selected from the group consisting of hydrogen, hydroxy, alkoxy and aryloxy,

R^{16} is selected from the group consisting of hydroxy, $-C(O)R^{15}$,

30 $-NR^{13}R^{14}$ and $-C(O)NR^{13}R^{14}$,

R^{17} is selected from the group consisting of alkyl, cycloalkyl, aryl and heteroaryl, and

n and r are each independently 1, 2, 3, or 4.

[0078]

35 Each term described as higher concept in the explanation

of each group in the above-mentioned formula (VII) (e.g.,
"halo", "alkyl", "cycloalkyl", "aryl", "heteroaryl",
"heteroalicycle", "alkoxy" etc. for R¹) is as defined in WO
01/060814 (National Publication of International Patent
5 Application No. 2003-523340).

[0079]

Specific examples of the analog of Sunitinib include the
compounds shown by Tables 3-1 - 3-25 (excerpt from Tables 1 -
25 in National Publication of International Patent Application
10 No. 2003-523340 with partial modification).










[0080]

[Table 3-1]

compound	Structure	Name
1		4-Methyl-5-(2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid
2		4-Methyl-5-(1-methyl-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid
3		4-Methyl-5-(2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid methyl ester
4		5-(5-Chloro-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4-methyl-1H-pyrrole-2-carboxylic acid ethyl ester
5		5-(5-Chloro-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4-methyl-1H-pyrrole-2-carboxylic acid
6		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
7		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
8		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (2-diethylaminoethyl)amide
9		5-(2-Oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (2-diethylaminoethyl)amide









[0081]

[Table 3-2]

10		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (2-diethylaminoethyl)methylamide
11		5-(2-Oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (2-diethylaminoethyl)methylamide
12		3-Methyl-5-(2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
13		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
14		3-Methyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
15		5-(5-Methoxy-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
16		5-(6-Methoxy-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
17		3-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid (2-diethylaminoethyl)amide
18		3-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid (3-diethylaminopropyl)amide

[0082]

[Table 3-3]

19		3-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
20		3-(2-Oxo-6-pyridin-3-yl-1,2-dihydroindol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid (2-diethylaminoethyl)amide
21		4-Benzoyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
22		4-Benzoyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-morpholin-4-ylpropyl)amide
23		4-Benzoyl-3-methyl-5-(2-oxo-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
24		4-Benzoyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
25		4-Benzoyl-3-methyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
26		4-Benzoyl-5-(6-methoxy-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide









[0083]

[Table 3-4]

27		4-Benzoyl-5-(5-methoxy-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
28		4-Benzoyl-5-(5-fluoro-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
29		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-diethylaminopropyl)amide
30		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
31		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-morpholin-4-ylpropyl)amide
32		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (3-hydroxy-propyl)amide
33		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (2-hydroxy-ethyl)amide
34		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (2-morpholin-4-yl-ethyl)amide
35		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide

[0084]

[Table 3-5]

36		4-Acetyl-5-(5-bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-3-methyl-1H-pyrrole-2-carboxylic acid (2-(4-hydroxy-phenyl)-ethyl)amide
37		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-isopropyl-4-phenyl-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide
38		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-isopropyl-4-phenyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
39		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-isopropyl-4-phenyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
40		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-isopropyl-4-phenyl-1H-pyrrole-3-carboxylic acid [3-(4-methyl-piperazin-1-yl)-propyl]amide
41		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-isopropyl-4-phenyl-1H-pyrrole-3-carboxylic acid
42		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
43		5-[6-(2-Methoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide










[0085]

[Table 3-6]

44		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
45		5-(6-(2-Methoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
46		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid ethyl ester
47		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2-methyl-4-phenyl-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide
48		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
49		2,4-Dimethyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
50		5-(5-Chloro-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
51		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide

[0086]

[Table 3-7]

52		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
53		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-imidazol-1-ylpropyl)amide
54		5-[6-(2-Methoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
55		5-[6-(3-Methoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylamino-ethyl)amide
56		2,4-Dimethyl-5-(2-oxo-5-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
57		2,4-Dimethyl-5-(2-oxo-5-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
58		2,4-Dimethyl-5-(2-oxo-5-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-imidazol-1-ylpropyl)amide
59		2,4-Dimethyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
60		2,4-Dimethyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide

[0087]

[Table 3-8]

61		2,4-Dimethyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-imidazol-1-ylpropyl)amide
62		5-[6-(3,5-Dichloro-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
63		2,4-Dimethyl-5-(2-oxo-6-pyridin-3-yl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
64		2,4-Dimethyl-5-(2-oxo-6-pyridin-3-yl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
65		2,4-Dimethyl-5-(2-oxo-6-pyridin-3-yl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-dimethylamino-propyl)amide
66		2,4-Dimethyl-5-(2-oxo-5-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-dimethylamino-propyl)amide
67		2,4-Dimethyl-5-(2-oxo-5-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide
68		2,4-Dimethyl-5-(2-oxo-6-phenyl-1,2-dihydroindol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide








[0088]

[Table 3-9]

69		3-[4-(3-Diethylamino-propylcarbamoyl)-3,5-dimethyl-1H-pyrrol-2-yl(methylene)-2-oxo-2,3-dihydro-1H-indole-4-carboxylic acid (3-chloro-4-methoxy-phenyl)amide
70		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide
71		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-diisopropyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
72		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-diisopropyl-1H-pyrrole-3-carboxylic acid (3-diethylaminopropyl)amide
73		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-diisopropyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-ylpropyl)amide
74		5-(5-Bromo-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (pyridin-4-ylmethyl)amide
75		5-[6-(4-Butyl-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
76		5-[6-(5-Isopropyl-2-methoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide









[0089]

[Table 3-10]

77		5-[6-(4-Ethyl-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
78		5-[6-(2,4-Dimethoxy-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
79		5-[6-(3-Isopropyl-phenyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
80		5-(5-Fluoro-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
81		3-[4-(2-diethylaminoethylcarbamoyl)-3,5-dimethyl-1H-pyrrol-2-ylmethylene]-2-oxo-2,3-dihydro-1H-indole-6-carboxylic acid
82		5-(5-Dimethylsulfamoyl-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
83		5-[5-(3-Chloro-phenylsulfamoyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide

[0090]

[Table 3-11]

84		2,4-Dimethyl-5-[2-oxo-5-(pyridin-3-ylsulfamoyl)-1,2-dihydroindol-3-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)amide
85		3-[3,5-Dimethyl-4-(4-methyl-piperazine-1-carbonyl)-1H-pyrrol-2-ylmethylene]-4-(2-hydroxy-ethyl)-1,3-dihydroindol-2-one
86		3-[3,5-Dimethyl-4-(4-methyl-piperazine-1-carbonyl)-1H-pyrrol-2-ylmethylene]-2-oxo-2,3-dihydro-1H-indole-5-sulfonic acid phenylamide
87		5-(5-Dimethylsulfamoyl-2-oxo-1,2-dihydroindol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
88		5-[5-(3-Chloro-phenylsulfamoyl)-2-oxo-1,2-dihydroindol-3-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)amide
89		3-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid (2-dimethylamino-ethyl)-amide
90		3-(2-Oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
91		3-(4-Methyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester

[0091]

[Table 3-12]

92		3-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
93		3-(3-Ethoxycarbonyl-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid
94		3-(5-Methoxy-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
95		3-(2-Oxo-5-phenyl-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
96		3-(2-Oxo-5-sulfamoyl-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
97		3-(5-Methylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
98		3-(5-Dimethylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
99		3-(2-Oxo-5-phenylsulfamoyl-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
100		3-(6-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester









[0092]

[Table 3-13]

101		3-(2-Oxo-6-phenyl-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
102		3-(3-Ethoxycarbonyl-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene)-2-oxo-2,3-dihydro-1H-indole-6-carboxylic acid
103		3-(6-Methoxy-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
104		3-(5-Isopropylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid ethyl ester
105		3-(3-Methylcarbamoyl-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid
106		3-(3-Dimethylcarbamoyl-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid
107		2-Oxo-3-[3-(pyrrolidine-1-carbonyl)-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene]-2,3-dihydro-1H-indole-5-carboxylic acid
108		3-[3-(Morpholine-4-carbonyl)-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene]-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid
109		3-[3-(Morpholine-4-carbonyl)-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene]-2-oxo-2,3-dihydro-1H-indole-6-carboxylic acid









[0093]

[Table 3-14]

110		3-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid methylamide
111		3-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-4,5,6,7-tetrahydro-2H-isoindole-1-carboxylic acid dimethylamide
112		5-Bromo-3-[3-(pyrrolidine-1-carbonyl)-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene]-1,3-dihydro-indol-2-one
113		5-Bromo-3-[3-(morpholine-4-carbonyl)-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene]-1,3-dihydro-indol-2-one
114		3-(3-Dimethylcarbamoyl-4,5,6,7-tetrahydro-2H-isoindol-1-ylmethylene)-2-oxo-2,3-dihydro-1H-indole-6-carboxylic acid
115		4-Methyl-5-(5-methylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid
116		[[4-Methyl-5-(4-methyl-5-methylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carbonyl]-amino]-acetic acid ethyl ester
117		[[4-Methyl-5-(5-methylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carbonyl]-amino]-acetic acid ethyl ester








[0094]

[Table 3-15]

118		[(4-Methyl-5-(5-methylsulfamoyl-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carbonyl]-amino}-acetic acid
119		3-[3-Methyl-4-(piperidine-1-carbonyl)-1H-pyrrol-2-ylmethylene]-2-oxo-2,3-dihydro-1H-indole-5-sulfonic acid methylamide
120		5-Methyl-2-(2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid
121		5-Methyl-2-(2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid ethyl ester
122		2-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-5-methyl-1H-pyrrole-3-carboxylic acid ethyl ester
123		2-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-5-methyl-1H-pyrrole-3-carboxylic acid
124		2-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-5-methyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-yl-ethyl)-amide
125		2-(5-Bromo-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-5-methyl-1H-pyrrole-3-carboxylic acid (2-diethylamino-ethyl)-amide










[0095]

[Table 3-16]

126		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)-amide	381 [M+1]
127		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethylaminoethyl)-amide	415 [M+1]
128		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-ylethyl)-amide	379 [M+1]
129		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-ylethyl)-amide	397 [M+1]
130		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-pyrrolidin-1-ylethyl)-amide	413 [M+1]
131		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylaminoethyl)-amide	353 [M+1]
132		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-dimethylaminoethyl)-amide	371 [M+1]

[0096]

[Table 3-17]

133		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-acetylamino-ethyl)-amide	399 [M-1]
134		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-acetylamino-ethyl)-amide	383 [M-1]
135		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-acetylamino-ethyl)-amide	365 [M-1]
136		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-tetrahydro-pyrimidin-1-yl)-propyl]-amide	500 [M+1] 502 [M+1]
137		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-tetrahydro-pyrimidin-1-yl)-propyl]-amide	454 [M-1]
138		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-tetrahydro-pyrimidin-1-yl)-propyl]-amide	438 [M-1]
139		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [3-(2-oxo-tetrahydro-pyrimidin-1-yl)-propyl]-amide	422 [M+1]
140		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-tetrahydro-pyrimidin-1-yl)-propyl]-amide	447 [M+1]
141		Trifluoro-acetate 4-[2-((5-[5-bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl)-amino)-ethyl]-2-oxo-piperazin-1-ium; trifluoroacetate	486 [M+1] 488 [M+1]








[0097]

[Table 3-18]

142		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-pyrrolidin-1-yl)-propyl]-amide	430 [M-1]
143		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-oxo-imidazolidin-1-yl)-ethyl]-amide	470 [M-1] 472 [M-1]
144		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-oxo-imidazolidin-1-yl)-ethyl]-amide	428 [M+1]
145		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-oxo-imidazolidin-1-yl)-ethyl]-amide	412 [M+1]
146		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(2-oxo-imidazolidin-1-yl)-ethyl]-amide	392 [M-1]
147		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-oxo-imidazolidin-1-yl)-ethyl]-amide	419 [M+1]
148		{4-[2-({5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}amino)-ethyl]-piperazin-1-yl}-acetic acid ethyl ester	558 [M+1] 560 [M+1]
149		{4-[2-({5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}amino)-ethyl]-piperazin-1-yl}-acetic acid ethyl ester	514 [M+1]
150		{4-[2-({5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}amino)-ethyl]-piperazin-1-yl}-acetic acid ethyl ester	498 [M+1]

[0098]

[Table 3-19]

153		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(cyanomethyl-amino)-ethyl]-amide	362 [M-1]
154		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-azepan-1-yl)-propyl]-amide	511 [M-1] 513 [M-1]
155		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-azepan-1-yl)-propyl]-amide	469 [M+1]
156		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-azepan-1-yl)-propyl]-amide	453 [M+1]
157		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [3-(2-oxo-azepan-1-yl)-propyl]-amide	435 [M+1]
158		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(2-oxo-azepan-1-yl)-propyl]-amide	460 [M+1]
159		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-acetylamino-ethyl)-amide	443 [M-1] 445 [M-1]









[0099]

[Table 3-20]

160		Trifluoro-acetate4-[2-({5-[5-fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}-amino)-ethyl]-2-oxo-piperazin-1-ium;	426 [M+1]
161		Trifluoro-acetate4-[2-({2,4-dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carbonyl}-amino)-ethyl]-2-oxo-piperazin-1-ium;	408 [M+1]
162		Trifluoro-acetate4-[2-({5-[5-cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}-amino)-ethyl]-2-oxo-piperazin-1-ium;	433 [M+1]
163		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-cyanoethylamino)-ethyl]-amide	454 [M-1] 456 [M-1]
164		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-cyanoethylamino)-ethyl]-amide	410 [M-1]
165		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-cyanoethylamino)-ethyl]-amide	394 [M-1]
166		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(2-cyanoethylamino)-ethyl]-amide	376 [M-1]
167		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(2-cyanoethylamino)-ethyl]-amide	401 [M-1]
168		Trifluoro-acetate4-[2-({5-[5-chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}-amino)-ethyl]-2-oxo-piperazin-1-ium;	440 [M-1]









[0100]

[Table 3-21]

168		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-methyl-piperazin-1-yl)-ethyl]-amide	424 [M-1]	
169		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-methyl-piperazin-1-yl)-ethyl]-amide	440 [M-1]	
170		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-methyl-piperazin-1-yl)-ethyl]-amide	484 [M-1] 486 [M-1]	
171		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(4-methyl-piperazin-1-yl)-ethyl]-amide	406 [M-1]	
172		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(3,5-dimethyl-piperazin-1-yl)-ethyl]-amide	422 [M+1]	
173		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(3,5-dimethyl-piperazin-1-yl)-ethyl]-amide	438 [M-1]	
174		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(3,5-dimethyl-piperazin-1-yl)-ethyl]-amide	456 [M+1]	
175		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(3,5-dimethyl-piperazin-1-yl)-ethyl]-amide	498 [M-1] 500 [M-1]	










[0101]

[Table 3-22]

176		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [3-(4-methyl-piperazin-1-yl)-propyl]-amide	422 [M+1]	
177		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(4-methyl-piperazin-1-yl)-propyl]-amide	438 [M-1]	
178		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(4-methyl-piperazin-1-yl)-propyl]-amide	454 [M-1]	
179		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [3-(4-methyl-piperazin-1-yl)-propyl]-amide	498 [M-1] 500 [M-1]	
180		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid [2-(4-benzyl-piperazin-1-yl)-ethyl]-amide	482 [M-1]	
181		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-benzyl-piperazin-1-yl)-ethyl]-amide	500 [M-1]	
182		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-benzyl-piperazin-1-yl)-ethyl]-amide	517 [M-1]	
183		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-(4-benzyl-piperazin-1-yl)-ethyl]-amide	560 [M-1] 562 [M-1]	

[0102]

[Table 3-23]

184		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-yl-2-one)-amide	480 [M+1]
185		Trifluoroacetate 4-[2-({5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carbonyl}amino)-ethyl] 2-oxo-piperazin-1-ium	440 [M-1]
186		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-yl-2-one)-amide	
187		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-yl-2-one)-amide	
188		5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-pyrrolidin-1-yl-2-one)-amide	
189		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyridin-2-ylethyl)-amide	
190		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyridin-2-ylethyl)-amide trifluoroacetate salt	
191		5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyridin-2-ylethyl)-amide hydrochloride salt	
192		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-pyridin-2-ylethyl)-amide trifluoroacetate salt	




[0103]

[Table 3-24]

193		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-ethylaminoethyl)-amide
194		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-aminoethyl)-amide
195		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-diethyl-N-oxoaminoethyl)-amide
196		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-ethyl-N-hydroxy-aminoethyl)-amide
197		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-diethylamino-2-hydroxyethyl)-amide
198		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-ethyl-2-(2-hydroxyethyl)aminoethyl]-amide
199		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-ethyl-2-(1-hydroxyethyl)aminoethyl]-amide
200		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-N-acetylaminoethyl)-amide
201		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (carboxymethyl)-amide

[0104]


[Table 3-25]

202		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1 <i>H</i> -pyrrole-3-carboxylic acid [2-(2-hydroxyethylamino)ethyl]-amide
203		5-[5-Cyano-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1 <i>H</i> -pyrrole-3-carboxylic acid (2-pyridin-2-ylethyl)-amide trifluoroacetate
204		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1 <i>H</i> -pyrrole-3-carboxylic acid (3-pyrrolidin-1-yl-2-onepropyl)-amide trifluoroacetate

[0105]

5 Specific examples of the "analog of Axitinib" include a compound represented by the following formula (VIII):

[0106]



(VIII)

[0107]

10 wherein


R¹ is a substituted or unsubstituted aryl group or heteroaryl group, or a group of the formula CH=CH-R³ or CH=N-R³ wherein R³ is a substituted or unsubstituted alkyl group, alkenyl group, cycloalkyl group, heterocycloalkyl group, aryl group or

15 heteroaryl group;

R² is a substituted or unsubstituted aryl group or heteroaryl group, or a Y-X group wherein Y is O, S, C=CH₂, C=O, S=O, SO₂, an alkylidene group, NH or N-(C₁-C₈ alkyl) group, X is substituted or unsubstituted Ar, heteroaryl group, NH-(alkyl)

group, NH-(cycloalkyl) group, NH-(heterocycloalkyl) group, NH(aryl) group, NH(heteroaryl group), NH-(alkoxyl) group or NH-(dialkylamide) group, Ar is substituted or unsubstituted aryl.
[0108]

5 In the above-mentioned formula (VIII), when R^2 is a substituted aryl group, R^2 is preferably a group represented by the following formula:
[0109]



10 [0110]


wherein

R^4 and R^7 are each independently hydrogen, OH, a halo group, a C_1 - C_8 alkyl group, a C_1 - C_8 alkoxy group, a C_1 - C_8 alkenyl group, an aryloxy group, a thioaryl group, CH_2 -OH, a CH_2 -O-(C_1 - C_8 alkyl) group, CH_2 -O-aryl, a CH_2 -S-(C_1 - C_8 alkyl) group, a CH_2 -S-aryl group;
 R^5 and R^6 are each independently hydrogen, OH, a halo group, a Z-alkyl group, a Z-aryl group, or Z- $CH_2CH=CH_2$ wherein Z is O, S, NH or CH_2 , and alkyl group and aryl group of Z-alkyl group and Z-aryl group are each optionally substituted. In this case, more preferably, in the above-mentioned formula (V), R^1 is substituted or unsubstituted bicyclic heteroaryl, or a group of the formula $CH=CH-R^3$ wherein R^3 is a substituted or unsubstituted aryl group or heteroaryl group;
25 R^4 and R^7 are each independently hydrogen or a C_1 - C_8 alkyl group;
 R^5 and R^6 are each independently a halo group, a Z-alkyl group or Z- $CH_2CH=CH_2$ wherein Z is O or S.

[0111]

In another preferable embodiment, in the above-mentioned formula (VIII), R^2 is Y-Ar (Y, Ar are as defined above), more preferably, Ar is a group represented by the following formula:

5 [0112]



[0113]

wherein

R^8 is a substituted or unsubstituted alkyl group, alkenyl group, cycloalkyl group, heterocycloalkyl group, aryl group, heteroaryl group, alkoxy group or aryloxy group;

R^{10} is independently selected from hydrogen, halogen and a lower alkyl group. In this case, more preferably, in the above-mentioned formula (V),


15 R^1 is a substituted or unsubstituted bicyclic heteroaryl group, or a group of the formula $CH=CH-R^3$ wherein R^3 is a substituted or unsubstituted aryl group or heteroaryl group; Y is O, S, $C=CH_2$, $C=O$, NH or N-(C_1-C_8 alkyl) group;

R^8 is a substituted or unsubstituted aryl group, heteroaryl group, alkyl group, alkenyl group, more preferably, a substituted or unsubstituted aryl group, heteroaryl group, and each R^{10} is independently hydrogen or halogen, more preferably, all hydrogen.

[0114]

25 In the above-mentioned formula (VIII), in another preferable embodiment wherein R^2 is Y-Ar (Y, Ar are as defined above), Ar is a group represented by the following formula:

[0115]



[0116]

wherein

R⁹ is a substituted or unsubstituted alkyl group, cycloalkyl
 5 group, heterocycloalkyl group, aryl group, heteroaryl group,
 alkoxyl group, aryloxy group, cycloalkoxyl group, NH-(C₁-C₈
 alkyl) group, NH-(aryl) group, NH-(heteroaryl) group, N=CH-
 (alkyl) group, NH(C=O)R¹¹ group or NH₂ wherein R¹¹ is
 independently selected from hydrogen, a substituted or
 10 unsubstituted alkyl group, cycloalkyl group, heterocycloalkyl
 group, aryl group and heteroaryl group);
 R¹⁰ is independently selected from hydrogen, halogen and a
 lower alkyl group. In this case, more preferably, in the
 above-mentioned formula (V),
 15 R¹ is a group of the formula CH=CH-R³ wherein R³ is a
 substituted or unsubstituted aryl group or heteroaryl group);
 Y is S or NH;
 R⁹ is a substituted or unsubstituted alkyl group, alkoxyl group
 or NH-(heteroaryl) group.

20 [0117]


Each term described as higher concept in the explanation
 of each group in the above-mentioned formula (VIII) (e.g.,
 "substituted or unsubstituted aryl group", "substituted or
 unsubstituted heteroaryl group", "substituted or unsubstituted
 25 alkyl group", "substituted or unsubstituted alkenyl group",
 "substituted or unsubstituted cycloalkyl group", "substituted
 or unsubstituted heterocycloalkyl group", "substituted or
 unsubstituted aryl group", "substituted or unsubstituted
 heteroaryl group" etc. for R¹) is as defined in WO 01/002369

(National Publication of International Patent Application No. 2003-503481).


[0118]

Specific examples of the analog of Axitinib include the
5 compounds represented by the following structural formulas.

[0119]




[0120]



[0122]

Examples of the analog of the above-mentioned "Bosutinib (SKI-606)" include a compound represented by the following formula (IX):

5 [0123]



[0124]

wherein

n is an integer of 1-3;

10 X is N, CH, provided when X is N, then n is 2 or 3;

R is alkyl having 1 to 3 carbon atoms;

R¹ is 2,4-dichloro and 5-methoxy, 2,4-dichloro, 3,4,5-trimethoxy, 2-chloro and 5-methoxy, 2-methyl and 5-methoxy, 2,4-dimethyl, 2,4-dimethyl and 5-methoxy, or 2,4-dichloro and
15 5-ethoxy;

R² is alkyl having 1 or 2 carbon atoms.

[0125]

Each term described as higher concept in the explanation of each group in the above-mentioned formula (IX) ("alkyl having 1 to 3 carbon atoms" for R, "alkyl having 1 or 2 carbon atoms" for R²) is as defined in WO 2005/046693 (National
20 Publication of International Patent Application No. 2007-533655).

[0126]

25 Specific examples of the analog of "Bosutinib (SKI-606)" include the following compounds.

4-[(2,4-dichloro-5-methoxyphenyl)amino]-7-[3-(4-ethyl-1-

piperazinyl)propoxy]-6-methoxy-3-quinolinecarbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[2-(4-
 methyl-1-piperazinyl)ethoxy]-3-quinolinecarbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-7-[2-(4-ethyl-1-
 5 piperazinyl)ethoxy]-6-methoxy-3-quinolinecarbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[(1-
 methylpiperidin-4-yl)methoxy]-3-quinolinecarbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[2-(1-
 methylpiperidin-4-yl)ethoxy]-3-quinolinecarbonitrile;
 10 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[3-(1-
 methylpiperidin-4-yl)propoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-7-[(1-ethylpiperidin-4-
 yl)methoxy]-6-methoxyquinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[3-(4-
 15 methylpiperazin-1-yl)propoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[(1-
 methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[3-(4-
 ethylpiperazin-1-yl)propoxy]quinoline-3-carbonitrile;
 20 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[3-(1-
 methylpiperidin-4-yl)propoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[2-(4-
 methyl-1-piperazinyl)ethoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-ethoxy-7-[2-(1-
 25 methylpiperidin-4-yl)ethoxy]quinoline-3-carbonitrile;
 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[3-(4-
 propyl-1-piperazinyl)propoxy]-3-quinolinecarbonitrile;
 4-[(2,4-dichlorophenyl)amino]-6-methoxy-7-[(1-methylpiperidin-
 4-yl)methoxy]-3-quinolinecarbonitrile;
 30 6-methoxy-7-[(1-methylpiperidin-4-yl)methoxy]-4-[(3,4,5-
 trimethoxyphenyl)amino]quinoline-3-carbonitrile;
 4-[(2-chloro-5-methoxyphenyl)amino]-6-methoxy-7-[(1-
 methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile;
 6-methoxy-4-[(5-methoxy-2-methylphenyl)amino]-7-[(1-
 35 methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile;

4-[(2,4-dimethylphenyl)amino]-6-methoxy-7-[(1-methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile;

6-methoxy-4-[(5-methoxy-2,4-dimethylphenyl)amino]-7-[(1-methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile;

5 4-[(2,4-dichloro-5-ethoxyphenyl)amino]-6-methoxy-7-[(1-methylpiperidin-4-yl)methoxy]quinoline-3-carbonitrile
[0127]

In one embodiment, EGFR inhibitor, FGFR inhibitor, Aurorakinase inhibitor, PKA inhibitor, PKC inhibitor, MEK
10 inhibitor, Met inhibitor, JNK inhibitor, Syk inhibitor and JAK inhibitor, prostaglandin analogue, estrogen receptor antagonist, and the above-mentioned compounds which do not belong to these medicaments (hereinafter sometimes to be referred comprehensively to as "the compound of the present invention")
15 as the active ingredient of the prophylactic or therapeutic agent for ALS of the present invention do not belong to platelet-derived growth factor receptor (PDGFR) inhibitor, vascular endothelial cell growth factor receptor (VEGFR) inhibitor, c-Kit inhibitor, Flt3 inhibitor, Cdk1 inhibitor,
20 Cdk2 inhibitor, GSK-3 β inhibitor and Src inhibitor.
[0128]

As the compound of the present invention, a commercially available product may be used, or each compound can be produced by each method known per se.

25 For example, Pazopanib or an analog thereof can be produced according to the method described in, for example, WO 2002/059110 (National Publication of International Patent Application No. 2004-517925).

PF-2341066 (Crizotinib) or an analog thereof can be
30 produced according to the method described in, for example, WO 2004/076412 (National Publication of International Patent Application No. 2006-519232).

Bimatoprost or an analog thereof can be produced according to the method described in, for example, US Patent No.
35 5,607,978.

Raloxifene or an analog thereof can be produced according to the method described in, for example, JP-A-52-53851.

Tivozanib or an analog thereof can be produced according to the method described in, for example, WO 02/088110.

5 Sunitinib or an analog thereof can be produced according to the method described in, for example, WO 01/060814 (National Publication of International Patent Application No. 2003-523340).

Axitinib or an analog thereof can be produced according
10 to the method described in, for example, WO 01/002369 (National Publication of International Patent Application No. 2003-503481).

Bosutinib (SKI-606) or an analog thereof can be produced according to the methods described in, for example, US Patent
15 Nos. 6,002,008 and 6,780,996, or Boschelli, D.H. et al., J. Med. Chem., 44, 3965 (2001), Boschelli, D.H. et al., J Med. Chem., 44, 822 (2001), Boschelli, D.H. et al., Bioorg. Med. Chem. Lett., 13, 3797 (2003), Boschelli, D.H. et al., J. Med. Chem., 47, 1599 (2004), and Ye, F. et al., 221th National Meeting of
20 the American Chemical Society, San diego, California (April, 2001).

[0129]

The compound of the present invention encompasses not only a free form but also a pharmacologically acceptable salt
25 thereof. While the pharmacologically acceptable salt varies depending on the kind of the compound, examples thereof include base addition salts such as salts with inorganic base such as alkali metal salts (sodium salt, potassium salt etc.), alkaline earth metal salts (calcium salt, magnesium salt etc.), aluminum
30 salt, ammonium salt and the like, and salts with organic base such as trimethylamine, triethylamine, pyridine, picoline, ethanolamine, diethanolamine, triethanolamine, dicyclohexylamine, N,N'-dibenzylethylenediamine and the like and the like, and acid addition salts such as salts with
35 inorganic acid such as hydrochloride, hydrobromide, sulfate,

hydroiodide, nitrate salt, phosphate and the like, and salts with organic acid such as citrate, oxalate, acetate, formate, propionate, benzoate, trifluoroacetate, maleate, tartrate, methanesulfonate, benzenesulfonate, paratoluenesulfonate and
5 the like, and the like.

[0130]

When the compound of the present invention contains isomers such as an optical isomer, a stereoisomer, a regioisomer or a rotamer, any one of the isomers and mixtures
10 are also encompassed in the compound of the present invention. For example, when the compound of the present invention contains an optical isomer, an optical isomer resolved from racemate is also encompassed in the compound of the present invention. For example, while 3-hydroxybutyric acid contains
15 an optical isomer, D-3-hydroxybutyric acid is preferably used as a prophylactic or therapeutic agent for ALS.

These isomers can be obtained as single products by a synthesis method, a separation method (e.g., concentration, solvent extraction, column chromatography, recrystallization
20 etc.), an optical resolution method (e.g., fractional recrystallization, chiral column method, diastereomer method etc.) and the like each known per se.

The compound of the present invention may be a crystal, and is included in the compound of the present invention
25 whether it is in a single crystal form or a crystal mixture. The crystal can be produced by crystallizing by applying a crystallization method known per se.

The compound of the present invention may be a solvate (e.g., hydrate etc.) or a non-solvate (e.g., non-hydrate etc.),
30 both of which are encompassed in the compound of the present invention.

In addition, a compound labeled with an isotope (e.g., ^3H , ^{14}C , ^{35}S , ^{125}I etc.) is also encompassed in the compound of the present invention.

35 [0131]

Even when the compound of the present invention is any of the above-mentioned kinase inhibitors, or prostaglandin analogue, estrogen receptor antagonist, or any of the above-mentioned compounds not belonging to these, it can show
5 efficacy for any ALS. For example, when the compound of the present invention is an Met inhibitor (e.g., Crizotinib), its anti-ALS activity may be higher on ALS having mutation in SOD1 gene.

When the compound of the present invention is an FGFR
10 inhibitor (e.g., Pazopanib), its anti-ALS activity may be higher on ALS having mutation in TDP-43 gene and/or C9orf72 gene.

When the compound of the present invention is Tivozanib, its anti-ALS activity may be higher on ALS having mutation in
15 SOD1 gene and/or TDP-43 gene and sporadic ALS.

When the compound of the present invention is Bosutinib or Sunitinib, its anti-ALS activity may be higher on ALS having mutation in SOD1 gene and/or C9orf72 gene and sporadic ALS.

When the compound of the present invention is Axitinib,
20 its anti-ALS activity may be higher on ALS having mutation in C9orf72 gene.

Thus, since the compound of the present invention has different therapeutic activity spectrum for various familial or sporadic ALS depending on the kind thereof, a prophylactic or
25 therapeutic agent for ALS, which contains a compound having higher anti-ALS activity as an active ingredient, can be appropriately selected and used according to the kind of ALS of the subject in need of the prophylaxis and/or treatment.

Alternatively, a prophylactic or therapeutic agent for ALS,
30 which has a high anti-ALS activity against any ALS, can also be provided by combining two or more compounds of the present invention having different therapeutic activity spectra. In this case, two or more compounds of the present invention may be each formulated singly or produced as a combination agent.
35 In the former case, each preparation can be administered to the

same subject simultaneously or with time lag.

[0132]

The prophylactic and/or therapeutic agent for ALS of the present invention can be administered orally or parenterally in the form of the active ingredient the compound of the present invention as it is alone, or as a pharmaceutical composition in an appropriate dosage form blended with a pharmacologically acceptable carrier, excipient, diluent and the like.

[0133]

As the composition for oral administration, solid or liquid dosage forms, specifically tablets (including sugar-coated tablets and film-coated tablets), pills, granules, powders, capsules (including soft capsules), syrups, emulsions, suspensions and the like can be mentioned. Meanwhile, as examples of the composition for parenteral administration, injections, suppositories and the like are used; the injections may include dosage forms such as intravenous injections, subcutaneous injections, intracutaneous injections, intramuscular injections and drip infusion injections. These preparations are produced by a well-known method using additives, including excipients (e.g., organic excipients like sugar derivatives such as lactose, sucrose, glucose, mannitol, and sorbitol; starch derivatives such as cornstarch, potato starch, α starch, and dextrin; cellulose derivatives such as crystalline cellulose; gum arabic; dextran; and pullulan; and inorganic excipients like silicate derivatives such as light anhydrous silicic acid, synthetic aluminum silicate, calcium silicate, and magnesium metasilicoaluminate; phosphates such as calcium hydrogen phosphate; carbonates such as calcium carbonate; and sulfates such as calcium sulfate), lubricants (e.g., stearic acid, stearic acid metal salts such as calcium stearate and magnesium stearate; talc; colloidal silica; waxes such as beeswax and spermaceti; boric acid; adipic acid; sulfates such as sodium sulfate; glycol; fumaric acid; sodium benzoate; DL leucine; lauryl sulfates such as sodium lauryl

sulfate and magnesium lauryl sulfate; silicates such as silicic anhydride and silicic hydrates; and the aforementioned starch derivatives), binders (e.g., hydroxypropylcellulose, hydroxypropylmethylcellulose, polyvinylpyrrolidone, macrogol, and the same compounds as the aforementioned excipients), disintegrants (e.g., cellulose derivatives such as low-substitutional hydroxypropylcellulose, carboxymethylcellulose, carboxymethylcellulose calcium, and internally crosslinked carboxymethylcellulose sodium; chemically modified starches and cellulosides such as carboxymethylstarch, carboxymethylstarch sodium, and crosslinked polyvinylpyrrolidone), emulsifiers (e.g., colloidal clays such as bentonite and Veegum; metal hydroxides such as magnesium hydroxide and aluminum hydroxide; anionic surfactants such as sodium lauryl sulfate and calcium stearate; cationic surfactants such as benzalkonium chloride; and non-ionic surfactants such as polyoxyethylene alkyl ethers, polyoxyethylene sorbitan fatty acid ester of, and sucrose fatty acid ester), stabilizers (para-oxybenzoic acid esters such as methyl paraben and propyl paraben; alcohols such as chlorobutanol, benzyl alcohol, and phenylethyl alcohol; benzalkonium chloride; phenols such as phenol and cresol; thimerosal; dehydroacetic acid; and sorbic acid), taste/odor correctives (e.g., sweeteners, souring agents, and flavors in common use), and diluents.

[0134]

The dose of the compound of the present invention as an active ingredient of the prophylactic and/or therapeutic agent for ALS in the present invention is variable according to various conditions such as the kind of compound, the patient's symptoms, age, weight, drug receptivity and the like. For oral administration, at least 0.1 mg (suitably 0.5 mg) to at most 1000 mg (suitably 500 mg) per dose for oral administration, or at least 0.01 mg (suitably 0.05 mg) to at most 100 mg (suitably 50 mg) per dose for parenteral administration, can be administered to an adult 1 to 6 times a day. The dose may be

increased or reduced according to the symptoms. Particularly, when the compound of the present invention is already on the market as a pharmaceutical product for a disease other than ALS, an appropriately dose of each compound can be determined within
5 the range confirmed to be safe.

[0135]

Furthermore, the prophylactic and/or therapeutic agent for ALS of the present invention may be used in combination with other drugs, for example, glutamic acid action
10 suppressants (e.g., riluzole and the like), neurotrophic factors [e.g., insulin-like growth factor-1, 5-HT_{1A} receptor agonists (e.g., xaliproden) and the like] and the like. The prophylactic and/or therapeutic agent for ALS of the present invention and these other drugs can be administered
15 simultaneously, sequentially, or separately.

[0136]

The present invention is hereinafter described in further detail by means of the following Example, to which, however, the invention is never limited.

20 [Example 1]

[0137]

iPS cells were produced according to Okita K, et al, Nat Methods. 2011, 8:409-12, by introducing SOX2, KLF4, OCT4, L-MYC, LIN28 and small hairpin RNA for p53 into fibroblast isolated
25 from ALS patients (SOD1-L144FVX mutation) by using episomal vectors. The obtained iPS cells were cultured on SNL cells in a primate embryonic stem cell medium (ReproCELL) added with 4 ng/ml basic FGF (Wako Chemicals) and penicillin/streptomycin.

[0138]

30 Motoneuron cells established from iPS cells derived from ALS patients related to SOD1 mutation (SOD1-L144FVX mutation) were immunostained, whereby accumulation of misfolded SOD1 (Fig. 1A) and fragility (decrease in the number of surviving cells) derived from mutation of SOD1 was confirmed (Fig. 1B).

35 Immunostaining was performed by preparing samples according to









a conventional method, and staining same with β III tubulin (1:2000, Covance; 1:1000, abcam), HB9 (1:200, Developmental Studies Hybridoma Bank) and misfolded SOD1 (B8H10) (1:100, MEDIMABS). As the surviving cells, the cells stained with β III tubulin were counted using IN Cell Analyzer 2000 (GE Healthcare), IN Cell Analyzer 6000 and IN CELL Developer toolbox software 1.9 (GE Healthcare). Induction into motoneuron cells was performed by the method described in WO 2014/148646. In brief, 3 transcription factors of LIM homeobox protein 3 (Lhx3), neurogenin 2 (Ngn2) and ISL LIM homeobox 1 (Isl1) were introduced into iPS cells by using piggyBac transposon, and were polycistronically expressed by a tetracycline responsive promoter on a Matrigel-coated culture dish, whereby iPS cells were directly induced into motoneuron cells. At 7 days after addition of doxycycline, induction of motoneuron cell was completed. The cells were cultured in DMEM/F12 (Life Technologies) added with 100 μ g/ml apotransferrin (Sigma), 5 μ g/ml insulin (Sigma), 30 nM selenite (Sigma), 20 nM progesterone (Sigma), 100 nM putrescine (Sigma), 1 μ M RA, 1 μ M Shh, 10 ng/ml BDNF, 10 ng/ml GDNF, 10 ng/ml NT-3 and 1 μ g/ml doxycycline (Clontech). A known drug, riluzole, was added to the motoneuron cells derived from patients having SOD1-L144FVX mutation (at 7 days after addition of doxycycline), and the cells were cultured for 7 more days. Since the number of surviving cells was high, the motoneuron cell was confirmed to be useful for the evaluation of a therapeutic drug for ALS. [0139]

Subsequently, motoneuron cells derived from iPS cells having SOD1-L144FVX mutation, which were induced as mentioned above, were contacted with a medicament for 7 days, and a candidate therapeutic drug was screened for by using cell survival as an index. Screening was performed after calculating the Z factor from a 50 μ M Kenpaullone (Tocris) (Cell Stem Cell, 12, 1-14, 2013) administration group having a known effect (positive control) and a DMSO administration group

(negative control) (Zhang, J.H., et al., J. Biomol. Screen 4: 67-73, 1999), and confirming that the Z factor was not less than 0.5. The effect was studied with the libraries of 1760 compounds and medicaments considered to be effective for the
5 treatment of ALS having an MN index (motoneuron cell survival number ratio as compared to negative control) of not less than 3SD were detected. The medicaments are shown in the following Tables 4-1 - 4-5. As the compound libraries, Microsource US Drugs (Microsource Discovery Systems), Microsource
10 International Drugs (Microsource Discovery Systems), InhibitorSelect™ 96-Well Protein Kinase Inhibitor Library (EMD), InhibitorSelect™ 96-Well Protein Kinase Inhibitor Library II (EMD), InhibitorSelect™ 96-Well Protein Kinase Inhibitor Library III (EMD), Screen-Well(R) Kinase inhibitor
15 library (ENZO) and Kinase Inhibitor Library (Selleck Chemicals LLC.) were used.









[0140]

[Table 4-1]

drug	structural formula	MN index	category
Tivozanib		17.26	none
Syk Inhibitor		16.14	Syk inhibitor
JAK Inhibitor I		12.59	JAK inhibitor
Aurora Kinase Inhibitor II		11.77	Aurora kinase inhibitor
SB 216763		11.73	none
Cdk2 Inhibitor II		10.93	none
ZM-447439		10.90	Aurora kinase inhibitor
BUDESONIDE		10.27	none









[0141]

[Table 4-2]

drug	structural formula	MN index	category
PDGF Receptor Tyrosine Kinase Inhibitor III		10.15	EGFR inhibitor FGFR inhibitor PKA inhibitor PKC inhibitor
U0126-EtOH		10.13	MEK inhibitor
Enzastaurin		9.84	PKC inhibitor
VX-680		9.58	Aurora kinase inhibitor
RIBOFLAVIN		9.55	none
Pazopanib Hydrochloride		9.53	FGFR inhibitor
alpha-TOCHOPHEROL		9.46	none
AMODIAQUINE DIHYDROCHLORIDE		8.98	none








[0142]

[Table 4-3]

drug	structural formula	MN index	category
BMS 777607		8.55	Met inhibitor
SU9516		8.39	none
SP600125		8.38	JNK inhibitor
CYC116		8.14	Aurora kinase inhibitor
BPIQ-I		8.14	FGFR inhibitor
Sunitinib Malate		8.13	none
GSK-3 Inhibitor XIII		8.13	none
Bisindolyl-maleimide I		7.96	none









[0143]

[Table 4-4]

drug	structural formula	MN index	category
HYDROQUINONE		7.96	none
FLUNISOLIDE		7.86	none
KW 2449		7.72	Aurora kinase inhibitor
MGCD-265		7.62	none
Crizotinib (PF-2341066)		7.60	Met inhibitor
Syk Inhibitor II		7.59	Syk inhibitor
Indirubin-3'-monoxime		7.54	none
HYDRASTINE (1R, 9S)		7.53	none

[0144]

[Table 4-5]

drug	structural formula	MN index	category
PIPERINE		7.39	none
BUTAMBEN		7.39	none
Axitinib		7.35	none
APOMORPHINE HYDROCHLORIDE		7.26	none
FENBUFEN		7.22	none
Bosutinib (SKI-606)		7.20	none
Wee1 Inhibitor		7.18	none
Cdk2 Inhibitor IV, NU6140		7.08	none

[Example 2]

[0145]

Bosutinib was purchased from Abcam, Sunitinib was purchased from SIGMA, Tivozanib and Crizotinib were purchased from LKT Laboratories, Axitinib was purchased from Selleck Chemicals LLC, and Pazopanib was purchased from AdooQ BioScience and used for this Example.

[0146]

Tivozanib, Bosutinib, Sunitinib, Crizotinib, Axitinib and Pazopanib obtained in Example 1 as candidate drugs for ALS were studied for the dose correlation in the protection effect on motoneuron cell having SOD1 mutation. As a result, all medicaments were confirmed to show an increase in the effect in a dose-dependent manner (Fig. 2).

[0147]

Tivozanib, Bosutinib and Sunitinib were studied for the effect on nerve cell derived from iPS cell having SOD1-L144FVX mutation. The nerve cells induced by 56 days of culture were subjected to a filter treatment with a 70 μ m mesh, transferred to a 96 well plate, 1 μ M of Tivozanib, Bosutinib, Sunitinib was added, the cells were cultured for 48 hr, and the length of neuritis was evaluated. As a result, elongation of neuritis was confirmed in the Tivozanib, Bosutinib and Sunitinib treatment groups. For induction of nerve cells, Wada, T. et al PLoS One, 4(8):e6722 2009, Chambers, S. M. et al Nat Biotechnol, 27(3):275-280, 2009 were used after modification. In detail, small clumps (diameter 40 - 100 μ m) of iPS cell colonies were subjected to a filter treatment with Cell Strainer (BD Falcon), and cultured for 10 days in N2B27 medium [DMEM/F12, Neurobasal, N2 supplement, B27 supplement, L-Gln] added with 100 ng/ml human recombinant Noggin (R&D systems) and 1 μ M SB431542 (Sigma) in a culture dish coated with poly-L-lysine (Sigma)/Laminin (BD Falcon) (PLL/LM). Then, the colonies were dissociated into small clumps with 200 U/ml collagenase added with CaCl_2 , and transferred into a culture dish coated with

PLL/ECL (Millipore). After 7 days of culture, the cells were dissociated with Accutase (Innovative Cell Technologies), and cultured in a culture dish coated with PLL/ECL for 7 days (24d). Finally, the cells dissociated with Accutase and selected by a
5 40 μ m cell strainer (BD Falcon) were counted, cultured for 31 days (56d) in N2B27 medium added with 10 ng/ml BDNF, GDNF, and NT-3 (R&D systems) in a culture dish coated with PLL/LM/Fibronectin (Millipore) to give nerve cells from the iPS cells.

10 [0148]

It is known that phosphorylation of Erk is promoted in nerve cells having mutation SOD1. To examine the mechanism of these candidate medicaments, phosphorylation of Erk was examined by Western blot method. The Western blot method
15 included dissolving cells in RIPA buffer containing 0.1% SDS, 150 mM NaCl, 1% NP-40, 0.5% deoxycholate, 50 mM Tris-HCl (pH 8.0), protease inhibitor (Roche) and phosphatase inhibitor (Roche), centrifugation, measurement of protein concentration, addition of 20 μ g amount of protein to each lane, and
20 electrophoresis in 10-20% polyacrylamide gel. After blotting to Immobilon-P membrane (Millipore), the cells were stained with antibodies against Erk, phosphorylated Erk, c-Abl and phosphorylated c-Abl and detected. As a result, it was confirmed that phosphorylation of Erk decreased by culturing
25 nerve cells after addition of 1 μ M of Tivozanib, Bosutinib, Sunitinib. Similarly, it was confirmed that phosphorylation of c-abl also decreased by the treatment with the medicaments (Fig. 3). These results suggest that the medicaments suppress motoneuron cell death by inhibiting phosphorylation of Erk and
30 c-abl.

[0149]

Lastly, the effect of candidate medicaments on the motoneuron cells derived from ALS patients was studied using iPS cells derived from ALS patients having other gene mutation
35 (SOD1, TDP-43 and C9orf72) and iPS cells derived from sporadic

ALS patients. The iPS cells were prepared from fibroblast isolated from ALS patients (SOD1-L144FVX mutation, TDP-43-M337V mutation and abnormal elongation of (GGGGCC)_n repeat number in gene locus intron 1 of C9orf72) by a method similar to the above-mentioned method. iPS cells were cultured on SNL cells in a primate embryonic stem cell medium (ReproCELL) added with 4 ng/ml basic FGF (Wako Chemicals) and penicillin/streptomycin. Sporadic ALS was acknowledged by post mortem pathological test and exomeanalysis of fibroblast of patients. The number of survived motoneuron cells (on day 14 from the start of induction) induced from iPS cells derived from these ALS patients was counted, whereby it was confirmed that the number survived decreased in any ALS (Fig. 4). On day 7 from the start of induction from iPS cells, Tivozanib, Bosutinib, Sunitinib, Crizotinib, Pazopanib and Axitinib were added and the cells were cultured, and further cultured for 7 days, and the survived motoneuron cells were counted on day 14. It was confirmed that each medicament specifically shows the effect on ALS having particular mutation (Fig. 5). Those having a significant difference in the cell survival rate improving effect are shown in Table 5. In addition, those showing 20% improvement in the cell survival rate are considered to have a marked effect, and the analysis results thereof are shown in Table 6.

[0150]

[Table 5]

	SOD1 mutation	TDP-43 mutation	C9orf72 mutation	sporadic
Tivozanib	O	O	O	O
Bosutinib	O	O	O	O
Sunitinib	O	O	O	O
Crizotinib	O	x	O	x
Pazopanib	O	O	O	x
Axitinib	x	x	O	x

O: significant difference ($p < 0.05$)

x: no significant difference ($p \geq 0.05$)

[0151]

[Table 6]

	SOD1 mutation	TDP-43 mutation	C9orf72 mutation	sporadic
Tivozanib	O	O	x	O
Bosutinib	O	x	O	O
Sunitinib	O	x	O	O
Crizotinib	O	x	x	x
Pazopanib	x	O	O	x
Axitinib	x	x	O	x

O: cell survival rate improvement not less than 20%

x: cell survival rate improvement less than 20%

5

[0152]

From the above results, Tivozanib was confirmed to show higher efficacy for ALS having SOD1 mutation, ALS having TDP-43 mutation and sporadic ALS, Bosutinib was confirmed to show
10 higher efficacy for ALS having SOD1 mutation, ALS having C9orf72 mutation and sporadic ALS, Sunitinib was confirmed to show higher efficacy for ALS having SOD1 mutation, ALS having C9orf72 mutation and sporadic ALS, Crizotinib was confirmed to show higher efficacy for ALS having SOD1 mutation, Pazopanib
15 was confirmed to show higher efficacy for ALS having TDP-43 mutation and ALS having C9orf72 mutation, and Axitinib was confirmed to show higher efficacy for ALS having C9orf72 mutation.





[Example 3]

20 [0153]

Bimatoprost was purchased from SIGMA, Edaravone was purchased from TOCRIS, (+-) 3-hydroxybutyric acid was purchased from SIGMA, and Raloxifene was purchased from TOCRIS and they were used for this Example. The structural formulas of these
25 compounds are shown in Table 7.

[0154]

[Table 7]

drug	structural formula	category
Bimatoprost		prostaglandin analogue
Edaravone		
3-hydroxybutyric acid		
Raloxifene		estrogen receptor antagonist

5 [0155]

Bimatoprost, Edaravone, 3-hydroxybutyric acid and Raloxifene were studied for the dose correlation in the protection effect on motoneuron cell having the aforementioned SOD1-L144FVX mutation. As a result, all medicaments were confirmed to show an increase in the effect in a dose-dependent manner (Fig. 6). As described in Amyotroph Lateral Scler

Frontotemporal Degener. 15:610-617, 2014, Edaravone is shown to be effective for ALS, and it was demonstrated that the medicaments found by screening in this Example are effective for ALS.

5 [Example 4]

[0156]






Method

1. Medicament screening using motor neuron derived from iPS cell

10 Imatinib, Nilotinib, Rebastinib, AT9283, Bafetinib were purchased from Selleck. Using 0, 0.01, 0.1, 1, 10 μ M of the above-mentioned reagents, screening was performed. The structural formulas of these compounds are shown in Table 8.

[0157]

[Table 8]

drug	structural formula	category
Imatinib		
Nilotinib		
Rebastinib		
AT9283		Aurora kinase inhibitor JAK inhibitor
Bafetinib		

5 [0158]

The production method and screening method of motor neuron are similar to those in Example 1.

2. Western blotting

Vehicle (DMSO) or 1 μ M Bosutinib was added to the motor neuron on day 7 of culture, and the mixture was cultured for 72 hr. PBS washing was performed once, and the cells were recovered with a scraper and dissolved in RIPA buffer (0.1% SDS, 150 mM NaCl, 1% NP-40, 0.5% deoxycholate, 50 mM Tris-HCl (pH 8.0), protease inhibitor (Roche), phosphatase inhibitor (Roche)). After sonication, the cells were centrifuged at 13,000 g for 10 min, and the supernatant was separated. 10 μ g of a sample added with sample buffer (free of reducing agent, Nacalai) was electrophoresed on SDS-page, and blotted on Immobilon-P membrane (Millipore). The cells were blocked with 5% skim milk for 1 hr, primary antibody TDP-43 antibody (1:2000, protein tech) was added and the mixture was reacted at 4°C overnight. The secondary antibody Rb IgG-HRP (1:5000, GE healthcare) was reacted for 1 hr, ECL prime (GE healthcare) was added over 5 min, and the cells were detected by LAS4000 (GE healthcare).

[0159]

20 Results

1. Screening by familial ALS (mSOD1 ALS) motoneuron cells

Imatinib, Nilotinib, Rebastinib, AT9283, and Bafetinib increased survival of motor neuron (n=6, one-way ANOVA; $p < 0.05$, post hoc test $p < 0.05$) (Fig. 7).

25 2. Effect of Bosutinib on ALS other than mSOD1 ALS

In familial ALS having TDP-43 mutation and sporadic ALS, accumulation of 40-200 kD misfolded TDP-43 was found. Misfolded TDP43 decreased by the addition of Bosutinib (Fig. 8).
[Industrial Applicability]

30 [0160]

The compound of the present invention is useful for the prophylaxis and/or treatment of ALS. Particularly, since clinical and nonclinical data of safety and the like of medicaments already on the market as pharmaceutical products for other diseases have been accumulated, and the libraries of

surrounding compounds already exist, it is expected that a pharmaceutical product capable of preventing and/or treating ALS can be developed rapidly at a low cost. In addition, an effective prophylaxis and/or treatment of ALS, which is
5 suitable for individual patients or a preliminary group thereof, can be available by properly using the compound of the present invention according to the causative gene of ALS.

[0161]

All patents, patent specifications and all publications
10 including scientific documents described herein are incorporated in their entireties by reference to the extent that they have been disclosed in the present specification.

[0162]

This application is based on patent application Nos.
15 2015-004589 filed in Japan (filing date: January 13, 2015) and 2015-137909 filed in Japan (filing date: July 9, 2015), the contents of which are incorporated in full herein.

Claims

1. A prophylactic and/or therapeutic agent for amyotrophic lateral sclerosis (ALS), which comprises one or more kinase
5 inhibitors selected from the group consisting of an epithelial cell growth factor receptor (EGFR) inhibitor, a fibroblast growth factor receptor (FGFR) inhibitor, an Aurorakinase inhibitor, a protein kinase A (PKA) inhibitor, a protein kinase C (PKC) inhibitor, an MEK inhibitor, an Met inhibitor, a JNK
10 inhibitor, a Syk inhibitor and a JAK inhibitor, and/or a prostaglandin analogue and/or an estrogen receptor antagonist.
2. The agent according to claim 1, wherein the aforementioned EGFR inhibitor is a PDGF Receptor Tyrosine Kinase Inhibitor III
15 or BPIQ-I.
3. The agent according to claim 1, wherein the aforementioned FGFR inhibitor is Pazopanib or an analog thereof or PDGF Receptor Tyrosine Kinase Inhibitor III.
20
4. The agent according to claim 1, wherein the aforementioned Aurorakinase inhibitor is ZM-447439, VX-680, Aurora Kinase Inhibitor II, CYC116, KW2449, or AT9283.
- 25 5. The agent according to claim 1, wherein the aforementioned PKA inhibitor is PDGF Receptor Tyrosine Kinase Inhibitor III.
6. The agent according to claim 1, wherein the aforementioned PKC inhibitor is PDGF Receptor Tyrosine Kinase inhibitor III or
30 Enzastaurin.
7. The agent according to claim 1, wherein the aforementioned MEK inhibitor is U0126-EtOH.
- 35 8. The agent according to claim 1, wherein the aforementioned

Met inhibitor is MGCD-265, PF-2341066 (Crizotinib) or an analog thereof or BMS 777607.

9. The agent according to claim 1, wherein the aforementioned
5 JNK inhibitor is SP600125.

10. The agent according to claim 1, wherein the aforementioned Syk inhibitor is a Syk Inhibitor.

10 11. The agent according to claim 1, wherein the aforementioned JAK inhibitor is JAK Inhibitor I or AT9283.

12. The agent according to claim 1, wherein the aforementioned prostaglandin analogue is Bimatoprost.

15

13. The agent according to claim 1, wherein the aforementioned estrogen receptor antagonist is Raloxifene.

14. A prophylactic and/or therapeutic agent for ALS, comprising
20 one or more compounds selected from the group consisting of Tivozanib and an analog thereof, SB 216763, Cdk2 Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL, AMODIAQUINE, SU9516, Sunitinib and an analog thereof, GSK-3 Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265,
25 Indirubin-3'-monoxime, HYDRASTINE (1R, 9S), PIPERINE, BUTAMBEN, Axitinib and an analog thereof, APOMORPHINE, FENBUFEN, Bosutinib (SKI-606) and an analog thereof, Weel Inhibitor, Cdk2 Inhibitor IV, NU6140, 3-hydroxybutyric acid, Imatinib, Nilotinib, Rebastinib, and Bafetinib.

30

15. A method for the prophylaxis and/or treatment of ALS, comprising administering an effective amount of one or more kinase inhibitors selected from the group consisting of an EGFR inhibitor, an FGFR inhibitor, an Aurorakinase inhibitor, a PKA
35 inhibitor, a PKC inhibitor, an MEK inhibitor, an Met inhibitor,

a JNK inhibitor, a Syk inhibitor and a JAK inhibitor, and/or a prostaglandin analogue and/or an estrogen receptor antagonist.

16. A method for the prophylaxis and/or treatment of ALS,
5 comprising administering an effective amount of one or more
kinase inhibitors selected from the group consisting of
Tivozanib and an analog thereof, SB 216763, Cdk2 Inhibitor II,
BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL, AMODIAQUINE, SU9516,
Sunitinib and an analog thereof, GSK-3 Inhibitor XIII,
10 Bisindolylmaleimide I, HYDROQUINONE, FLUNISOLIDE, MGCD-265,
Indirubin-3'-monoxime, HYDRASTINE (1R,9S), PIPERINE, BUTAMBEN,
Axitinib and an analog thereof, APOMORPHINE, FENBUFEN,
Bosutinib (SKI-606) and an analog thereof, a Wee1 Inhibitor,
Cdk2 Inhibitor IV, NU6140, 3-hydroxybutyric acid, Imatinib,
15 Nilotinib, Rebastinib, and Bafetinib.

17. One or more kinase inhibitors selected from the group
consisting of an EGFR inhibitor, an FGFR inhibitor, an
Aurorakinase inhibitor, a PKA inhibitor, a PKC inhibitor, an
20 MEK inhibitor, an Met inhibitor, a JNK inhibitor, a Syk
inhibitor and a JAK inhibitor, and/or a prostaglandin analogue
and/or an estrogen receptor for the prophylaxis and/or
treatment of ALS.

25 18. One or more kinase inhibitors selected from the group
consisting of Tivozanib and an analog thereof, SB 216763, Cdk2
Inhibitor II, BUDESONIDE, RIBOFLAVIN, alpha-TOCHOPHEROL,
AMODIAQUINE, SU9516, Sunitinib and an analog thereof, GSK-3
Inhibitor XIII, Bisindolylmaleimide I, HYDROQUINONE,
30 FLUNISOLIDE, MGCD-265, Indirubin-3'-monoxime, HYDRASTINE
(1R,9S), PIPERINE, BUTAMBEN, Axitinib and an analog thereof,
APOMORPHINE, FENBUFEN, Bosutinib (SKI-606) and an analog
thereof, a Wee1 Inhibitor, Cdk2 Inhibitor IV, NU6140, 3-
hydroxybutyric acid, Imatinib, Nilotinib, Rebastinib, and
35 Bafetinib for the prophylaxis and/or treatment of ALS.