
CLAIMS

1. A compound of formula (I):



(I),

or a pharmaceutically acceptable salt thereof,

wherein:

------ is a single bond or a double bond;

Z is either OH, when ------ is a single bond; or O, when ------ is a double bond;

each R^1 is independently selected from the group consisting of, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, $(C_0\text{-}C_4)$alkylN$(R^8)_2$, and halo;

R^{2a} and R^{2b} are each independently selected from the group consisting of H, $(C_1\text{-}C_6)$ alkyl, and halo;

each R^3 is independently selected from the group consisting of H and halo;

R^4 is selected from the group consisting of aryl, a 5 to 6-membered heteroaryl comprising 1, 2, 3, or 4 heteroatoms independently selected from N, O, and S; and a 9 to 10-membered fused bicyclic heteroaryl comprising 1, 2, 3, or 4 heteroatoms independently selected from N, O, and S; wherein any of the foregoing is optionally substituted with one or more R^6;

R^5 is selected from the group consisting of H; $(C_1\text{-}C_6)$alkyl; $(C_2\text{-}C_6)$alkenyl; $(C_0\text{-}C_4)$alkylOR^8; $(C_1\text{-}C_4)$alkyl$(C_3\text{-}C_{10})$cycloalkyl; halo$(C_1\text{-}C_6)$alkyl; $(C_2\text{-}C_3)$alkynyl; $(C_1\text{-}C_4)$alkylN$(R^{10})_2$;

each R^6 is independently selected from the group consisting of halo;; $(C_1$-$C_6)$alkyl; $(C_1$-$C_6)$alkoxy; halo$(C_1$-$C_6)$alkyl; OH; aryl; 3 to 6-membered heterocycle; 5- to 6-membered heteroaryl; $(C_0$-$C_4)$alkyl$S(O)_m(C_1$-$C_6)$alkyl; halo$(C_1$-$C_6)$alkoxy; $(C_0$-$C_4)$alkyl$S(O)_mN(R^8)_2$; $(C_0$-$C_4)$alkyl $N(R^8)_2$; $(C_0$-$C_4)$alkyl$(CO)OR^7$; $N(R^8)S(O)_m(C_1$-$C_6)$alkyl; $N(R^8)S(O)_m(C_3$-$C_6)$cycloalkyl; $OP(O)(OH)_2$; $(C_0$-$C_3)$alkyl$(CO)NHR^{11}$; $(C_0$-$C_3)$alkylOR^7, and $(C_3$-$C_{10})$cycloalkyl; wherein each R^6, when not being halo, OH, or $OP(O)(OH)_2$, is optionally substituted with one to three R^9; or two neighboring R^6, together with the atoms to which they attach form a 5 to 7- membered heterocycle or $(C_5$-$C_8)$cycloalkyl;

each R^7 and R^8 is independently selected from the group consisting of H or $(C_1$-$C_6)$alkyl, that is optionally substituted with one to three R^9;

each R^9 is independently selected from the group consisting of halo; -OH; amino, $(C_1$-$C_4)$alkylamino, di$(C_1$-$C_4)$alkylamino, $OP(O)(OH)_2$;$(C_1$-$C_6)$alkyl; $(C_1$-$C_3)$alkynyl; $(C_1$-$C_6)$alkoxy; halo$(C_1$-$C_6)$alkyl; $(C_0$-$C_4)$alkyl$S(O)_m(C_1$-$C_6)$alkyl; halo$(C_1$-$C_6)$alkoxy; 3 to 6-membered heterocycle which is optionally substituted with oxo (=O); $(C_0$-$C_4)$alkyl$S(O)_mN(R^{10})_2$;; $(C_0$-$C_4)$alkyl$(CO)R^{10}$; $(C_0$-$C_4)$alkyl$(CO)OR^{10}$; $(C_0$-$C_4)$alkyl$NR^{10}S(O)_m(C_1$-$C_6)$alkyl; $(C_0$-$C_4)$alkylOR^{10}; $(C_0$-$C_4)$alkyl$N(R^{10})_2$; $(C_0$-$C_4)$alkylCN; $(C_0$-$C_4)$alkyl$N(R^{10})_2$; and $(C_0$-$C_4)$alkyl$(CO)N(R^{10})_2$;

each R^{10} is independently selected from the group consisting of H, $(C_1$-$C_6)$alkyl; or 3 to 6-membered heterocycle, wherin the 3 to 6-membered heterocycle is optionally substituted with one or more of $(C_1$-$C_6)$alkyl; and oxo (=O);

each R^{11} is selected from the group consisting of H; 4 to 6-membered heterocycle which is optionally substituted with one to four R^{12}; $(C_3$-$C_6)$cycloalkyl which is optionally substituted with one to four R^{12}; $(C_0$-$C_3)$alkyl$(C_3$-$C_6)$cycloalkyl $(C_1$-$C_3)$alkyl which is optionally substituted with halo;; CH_2-aryl which is optionally substituted with one to three R^{12}; $(C_1$-$C_6)$alkyl; $(C_2$-$C_6)$alkenyl; or $(C_2$-$C_6)$alkynyl, wherein each of the $(C_1$-$C_6)$alkyl; $(C_2$-$C_6)$alkenyl; and $(C_2$-$C_6)$alkynyl is optionally substituted with one or more R^{13};

each R^{12} is independently selected from the group consisting of OH, $(C_1$-$C_3)$alkoxy, NH_2; or $(C_1$-$C_3)$alkyl optionally substituted with one or more OH;

each R^{13} is independently selected from the group consisting of halo, OH, amino, $(C_1$-$C_4)$alkylamino, di$(C_1$-$C_4)$alkylamino, $(C_1$-$C_3)$alkoxy; and C(O)-$(C_3$-$C_8)$cycloalkyl;

m is 0, 1, or 2; and

n is 0, 1 or 2.


2. The compound of claim 1, wherein R^4 is phenyl optionally substituted with one or more R^6.

3. The compound of claim 1, wherein R^4 is 5 to 6-membered heteroaryl optionally substituted with one or more R^6.

4. The compound of claim 3, wherein R^4 is pyridyl.

5. The compound of claim 3, wherein R^4 is selected from the group consisting of furyl, oxazolyl, pyrazolyl, isoxazolyl, thiophenyl, imidazolyl, and oxadiazolyl.


6. The compound of claim 2, being of formula (II),



(II),

or a pharmaceutically acceptable salt thereof.

7. The compound of claim 1, being of formula (III),



(III),

or a pharmaceutically acceptable salt thereof,


wherein ring A is a 5-membered heteroaryl and

u, v, w, and x are each independently selected from the group CH, O, S, N, and NH, provided that at least one of u, v, w, and x is O, S, N or NH.

8. The compound of any one of claims 1, 3, 5, or 7,

wherein n is 1 or 2; and

R^4 is



wherein R^4 is optionally substituted with one to three R^6.

9. The compound of any one of claims 1-8, wherein n is 1 or 2, and at least one R^1 is halo.

10. The compound of any one of claims 1-9, wherein n is 1 or 2, and at least one R^1 is F.

11. The compound of any one of claims 1-10, wherein n is 1.

12. The compound of any one of claims 1-11, wherein Z is O.

13. The compound of any one of claims 1-12, wherein R^{2a} and R^{2b} are each H.

14. The compound of any one of claims 1-13, wherein R^5 is H; $(C_1\text{-}C_6)$alkyl; $(C_2\text{-}C_6)$alkenyl; or $(C_0\text{-}C_4)$alkylOR^8.

15. The compound of any one of claims 1-14, wherein R^5 is H or $(C_1\text{-}C_2)$alkyl.

16. The compound of any one of claims 1-15, wherein R^5 is H.

17. The compound of any one of claims 1-16, wherein each R^3 is H.

18. The compound of any one of claims 1-17, wherein each R^3 is deuterium.

19. The compound of any one of claims 1-18, wherein each R^6 is independently selected from halo and $(C_0\text{-}C_4)$alkylN$(R^8)_2$.

20. The compound of any one of claims 1-19, wherein R^6 is halo.

21. The compound of claim 1, wherein the compound is selected from:
6'-fluoro-N-((5-methylfuran-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-2-methoxybenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(2-hydroxyethoxy)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
4-((6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl dihydrogen phosphate;
N-(2,4-difluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
1'-ethyl-6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-1'-methyl-N-((5-methylfuran-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-methoxybenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluorobenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-((2-methylfuran-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobe;nzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide
6'-fluoro-N-((4-fluorophenyl)methyl-d2)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-1'-(2-methoxyethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(oxazol-5-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluorobenzyl)-1'-(2-hydroxyethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-2-((2-methoxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((5-chlorofuran-2-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((1-methylethyl)sulfonamido)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
1'-ethyl-6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-amino-2,4-difluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-amino-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
2-((2-fluoro-5-((6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl)amino)ethyl dihydrogen phosphate;
N-(3-amino-4-fluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-sulfamoylbenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(((1,4-dioxan-2-yl)methyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((4-(hydroxymethyl)benzyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-benzyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide

N-((2,4-dimethylfuran-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(3-(oxazol-5-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((1H-pyrazol-4-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((4-carbamoylfuran-2-yl)methyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-2,4-difluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2,2-dimethyl-3-(4-methylpiperazin-1-yl)-3-oxopropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(S)-N-(3-((2,3-dihydroxypropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(furan-3-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((1H-pyrazol-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,5-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(5-amino-2,4-difluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-(2,2,2-trifluoroethoxy)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2-(ethylamino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(benzo[d][1,3]dioxol-4-ylmethyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(4-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(methylsulfonamido)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,3-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((2-methylfuran-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((3-hydroxycyclobutyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

Methyl 2-fluoro-5-((6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)benzoate;

N-(3-(2-amino-2-oxoethyl)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((3-hydroxypyridin-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(methylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3,5-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((6-(dimethylamino)pyridin-2-yl)methyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2-chloro-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(2-hydroxyethoxy)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-(2-hydroxyethoxy)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((5-methyl-1H-pyrazol-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-4-fluorobenzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-4'-oxo-N-(3-sulfamoylbenzyl)-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-3-((2-hydroxyethyl)amino)benzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-aminobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluoro-2-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,6-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2-(dimethylamino)ethyl)carbamoyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(E)-1'-(but-2-en-1-yl)-6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-((2-hydroxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-chlorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-aminobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-(2-oxopyrrolidin-1-yl)ethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-3-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(1-hydroxyethyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((4-chloro-1-methyl-1H-pyrazol-5-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(R)-6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-4'-oxo-N-((2-(trifluoromethyl)furan-3-yl)methyl)-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxy-2-methylpropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2-cyclopropyl-2-oxoethyl)carbamoyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2,2,2-trifluoroethyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(3-methoxyazetidin-1-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-(2-amino-2-oxoethyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2-(trifluoromethyl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(oxetan-3-ylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((3-ethyl-5-methylisoxazol-4-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(isoxazol-4-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-(difluoromethoxy)-3-fluorobenzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((2,5-dimethylfuran-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-2-chlorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-3-(trifluoromethyl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-((2,2-dimethyl-3-morpholino-3-oxopropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-2-methoxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-((2-methoxypyridin-4-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-2-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(S)-6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(isoxazol-3-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-3-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((1H-indol-6-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(((2-methyloxazol-5-yl)methyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(E)-6'-fluoro-N-(4-fluoro-3-((4-hydroxybut-2-en-1-yl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((5-methylthiophen-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(isoxazol-5-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-((6-fluoropyridin-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(5-amino-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-((5-methyl-2-(trifluoromethyl)furan-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(prop-2-yn-1-ylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-(3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(1H-imidazol-2-yl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(methylsulfonamido)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-(4-fluoro-3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(cyclopropanesulfonamido)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-((3-methyl-1,2,4-oxadiazol-5-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(1-hydroxyethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((6-aminopyridin-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2-amino-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(oxazol-4-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(2-hydroxypropan-2-yl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
3-((2-fluoro-5-((6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl)amino)-2,2-dimethylpropanoic acid;

N-(benzo[c][1,2,5]oxadiazol-4-ylmethyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-8'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(propylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(1H-1,2,4-triazol-1-yl)benzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-((1-methyl-1H-pyrazol-4-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(((2-hydroxyethyl)amino)methyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(sulfamoylmethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
3-((2-fluoro-5-((6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl)amino)propanoic acid;
(R)-N-(3-(1-amino-2,2,2-trifluoroethyl)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-(difluoromethoxy)benzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(R)-6'-fluoro-N-(4-fluorobenzyl)-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(S)-6'-fluoro-N-(4-fluorobenzyl)-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(R)-6'-fluoro-N-(4-fluorobenzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(S)-6'-fluoro-N-(4-fluorobenzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(R)-6'-fluoro-N-(4-fluoro-2-hydroxybenzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide ;
(S)-6'-fluoro-N-(4-fluoro-2-hydroxybenzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-6',8'-difluoro-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-amino-4-fluorobenzyl)-6'-fluoro-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(hydroxymethyl)benzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(2-amino-2-oxoethyl)-4-fluorobenzyl)-6'-fluoro-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((3-hydroxycyclobutyl)carbamoyl)benzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(2-hydroxyethoxy)benzyl)-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(methylsulfonamido)benzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-2-((2-methoxyethyl)amino)benzyl)-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide ;
N-(3-((R)-1-amino-2,2,2-trifluoroethyl)-4-fluorobenzyl)-6'-fluoro-4'-hydroxy-1'-methyl-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-2-methoxybenzyl)-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide ;
(R)-6'-fluoro-4'-hydroxy-N-((2-methylfuran-3-yl)methyl)-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(R)-N-(4-amino-3-fluorobenzyl)-6'-fluoro-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide; and
(S)-N-(4-amino-3-fluorobenzyl)-6'-fluoro-4'-hydroxy-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
or a pharmaceutically acceptable salt thereof.

22. The compound of claim 2, wherein the compound is selected from:

6'-fluoro-N-(4-fluoro-2-methoxybenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(2-hydroxyethoxy)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

4-((6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl dihydrogen phosphate;

N-(2,4-difluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

1'-ethyl-6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-methoxybenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((4-fluorophenyl)methyl-d2)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-1'-(2-methoxyethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(oxazol-5-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-1'-(2-hydroxyethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-((2-methoxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((1-methylethyl)sulfonamido)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

1'-ethyl-6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-2,4-difluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

2-((2-fluoro-5-((6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl)amino)ethyl dihydrogen phosphate;

N-(3-amino-4-fluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-sulfamoylbenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-(((1,4-dioxan-2-yl)methyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((4-(hydroxymethyl)benzyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-benzyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(3-(oxazol-5-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-2,4-difluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2,2-dimethyl-3-(4-methylpiperazin-1-yl)-3-oxopropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(S)-N-(3-((2,3-dihydroxypropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,5-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(5-amino-2,4-difluorobenzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-(2,2,2-trifluoroethoxy)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2-(ethylamino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(benzo[d][1,3]dioxol-4-ylmethyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(4-hydroxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(methylsulfonamido)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,3-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((3-hydroxycyclobutyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

methyl 2-fluoro-5-((6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)benzoate;

N-(3-(2-amino-2-oxoethyl)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(methylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3,5-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2-chloro-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(2-hydroxyethoxy)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-(2-hydroxyethoxy)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-4-fluorobenzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-4'-oxo-N-(3-sulfamoylbenzyl)-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-3-((2-hydroxyethyl)amino)benzyl)-1'-ethyl-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-aminobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2,4-difluoro-5-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-carbamoyl-4-fluoro-2-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2,6-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2-(dimethylamino)ethyl)carbamoyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxyethyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-amino-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide:

(E)-1'-(but-2-en-1-yl)-6'-fluoro-N-(4-fluorobenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-((2-hydroxyethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-chlorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-aminobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2-(2-oxopyrrolidin-1-yl)ethyl)amino)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(2,4-difluoro-3-((2-hydroxyethyl)amino)benzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(1-hydroxyethyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
(R)-6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-amino-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2-hydroxy-2-methylpropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-2-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2-methoxyethyl)amino)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-((2-cyclopropyl-2-oxoethyl)carbamoyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-((2,2,2-trifluoroethyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(3-methoxyazetidin-1-yl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(2-amino-2-oxoethyl)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-amino-2-(trifluoromethyl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(oxetan-3-ylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(4-(difluoromethoxy)-3-fluorobenzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-carbamoyl-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2-chlorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-(trifluoromethyl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-((2,2-dimethyl-3-morpholino-3-oxopropyl)amino)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-2-methoxybenzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-2-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(S)-6'-fluoro-N-(4-fluoro-3-((2-hydroxypropyl)carbamoyl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(4-amino-3-methylbenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(((2-methyloxazol-5-yl)methyl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

(E)-6'-fluoro-N-(4-fluoro-3-((4-hydroxybut-2-en-1-yl)carbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(5-amino-2,4-difluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(prop-2-yn-1-ylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-(1H-imidazol-2-yl)benzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(methylsulfonamido)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(4-fluoro-3-(hydroxymethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(3-(cyclopropanesulfonamido)-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(1-hydroxyethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-(2-amino-4-fluorobenzyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(4-fluoro-3-(2-hydroxypropan-2-yl)benzyl)-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
3-((2-fluoro-5-((6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamido)methyl)phenyl)amino)-2,2-dimethylpropanoic acid;
N-(3-carbamoyl-4-fluorobenzyl)-6'-fluoro-8'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(propylcarbamoyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(3-(1H-1,2,4-triazol-1-yl)benzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(((2-hydroxyethyl)amino)methyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(4-fluoro-3-(sulfamoylmethyl)benzyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
R)-N-(3-(1-amino-2,2,2-trifluoroethyl)-4-fluorobenzyl)-6'-fluoro-1'-methyl-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide; and
N-(4-(difluoromethoxy)benzyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
or a pharmaceutically acceptable salt thereof.

23. The compound of claim 5, wherein the compound is selected from:

6'-fluoro-N-((5-methylfuran-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-1'-methyl-N-((5-methylfuran-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6',8'-difluoro-N-((2-methylfuran-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((5-chlorofuran-2-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((2,4-dimethylfuran-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((1H-pyrazol-4-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((4-carbamoylfuran-2-yl)methyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-(furan-3-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((1H-pyrazol-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((2-methylfuran-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((3-hydroxypyridin-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((6-(dimethylamino)pyridin-2-yl)methyl)-6',8'-difluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((5-methyl-1H-pyrazol-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((4-chloro-1-methyl-1H-pyrazol-5-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-4'-oxo-N-((2-(trifluoromethyl)furan-3-yl)methyl)-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((3-ethyl-5-methylisoxazol-4-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(isoxazol-4-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((2,5-dimethylfuran-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((2-methoxypyridin-4-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(isoxazol-3-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

N-((1H-indol-6-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((5-methylthiophen-2-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-(isoxazol-5-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6',8'-difluoro-N-((6-fluoropyridin-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((5-methyl-2-(trifluoromethyl)furan-3-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;

6'-fluoro-N-((3-methyl-1,2,4-oxadiazol-5-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-((6-aminopyridin-3-yl)methyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
6'-fluoro-N-(oxazol-4-ylmethyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
N-(benzo[c][1,2,5]oxadiazol-4-ylmethyl)-6'-fluoro-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide; and
6'-fluoro-N-((1-methyl-1H-pyrazol-4-yl)methyl)-4'-oxo-3',4'-dihydro-1'H-spiro[piperidine-4,2'-quinoline]-1-carboxamide;
or a pharmaceutically acceptable salt thereof.

24. A pharmaceutical composition comprising a compound according to any one of claims 1 to 23, and one or more pharmaceutically acceptable carriers.

25. A pharmaceutical combination comprising a compound of any one of claims 1 to 23, or a pharmaceutically acceptable salt thereof, and one or more therapeutic agents.

26. A compound according to any one of claims 1 to 23, for use as a medicament~~, in particular for treating, or preventing an KARS mediated disease or condition~~.

27. Use of the~~A~~ compound according to any one of claims 1 to 23~~, for use~~ in the manufacture of a medicament for the treatment, or prevention of cancer, wherein the ~~method comprises administering to the subject~~ the compound of formulae (I) to (III), or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 7, is to be administered to the subject.

28. The use according to claim 27, wherein the cancer is selected from non-small cell lung cancer (NSCLC), liver cancer, head and neck cancer, esophageal cancer, uterine cancer, breast cancer, bladder cancer, cervical cancer, colorectal cancer, kidney cancer, melanoma, stomach cancer, castration-resistant prostate cancer (CRPC), T-cell acute lymphoblastic leukemia (T-ALL), acute myeloid leukemia (AML), and myelodysplastic syndrome (MDS)~~, wherein the method comprises administering to the subject the compound of formulae (I) to (III), or a pharmaceutically acceptable salt thereof, according to any one of embodiments 1 to 7~~.

29. The use according to claim 28, wherein the non-small cell lung cancer (NSCLC) is selected from adenocarcinoma, squamous cell carcinoma, large cell carcinoma, large cell neuroendocrine carcinoma, adenosquamous carcinoma, and sarcomatoid carcinoma.

30. Use of the~~A~~ compound according to any one of claims 1 to 23~~, for use~~ in the manufacture of a medicament for the treatment, or prevention of cancer with a genetic or epigenetic alteration in the genes NFE2L2, KEAP1, CUL3, AKR1C3, or any other condition resulting in the activation of NRF2 transcriptional activity or AKR1C3 gene expression.

31. Use of the~~A~~ compound according to any claims 1 to 23~~, for use~~ in the manufacture of a medicament for the treatment, or prevention of cancer with an AKR1C3 overexpression that is higher than a predetermined value.