

IP-10 concentration  
(pg/ml)




Fig. 1

IP-10 concentration

(pg/ml)




Fig. 2

3/10

IP-10 relative mRNA




Fig. 3

IP-10 relative mRNA




Fig. 4

4/10

WBC count ( $10^9/L$ )




Fig. 5

IP-10 concentration

(pg/ml)




Fig. 6

IP-10 concentration  
(pg/ml)




Fig. 7

IP-10 concentration  
(pg/ml)




Fig. 8

6/10

IP-10 concentration  
(pg/ml)




Fig. 9

IP-10 concentration  
(pg/ml)




Fig. 10






Fig. 11

8/10

Log differential intrusion

(ml/g)



Pore size diameter (μm)

Fig. 12

## IP-10 concentration




Fig. 13

## IP-10 concentration




Fig. 14




Fig. 15




Fig. 16

1/3

SEQUENCE LISTING

<110> TikoMed AB  
Bruce, Lars

<120> selective chemokine modulation

<130> P588PC00

<150> US 60/843,760  
<151> 2006-09-12

<160> 14

<170> PatentIn version 3.3

<210> 1  
<211> 23  
<212> DNA  
<213> Artificial

<220>  
<223> Sense primer for RT-PCR

<400> 1  
gctacaatga aaaagaaggg tga 23

<210> 2  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Antisense primer for RT-PCR

<400> 2  
tagggaagtg atgggagagg 20

<210> 3  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Sense primer for RT-PCR

<400> 3  
aggagacttg cctggtgaaa 20

<210> 4  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Antisense primer for RT-PCR

<400> 4  
gcatttgtgg ttgggtcag 19

<210> 5  
<211> 21  
<212> DNA  
<213> Artificial

<220>  
 <223> sense primer for RT-PCR  
 <400> 5  
 ttatcttgtc tctgggcttg g 21

<210> 6  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Antisense primer for RT-PCR  
 <400> 6  
 atgaagtggg tggggaatga 20

<210> 7  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> sense primer for RT-PCR  
 <400> 7  
 ctatctggga ggggtcttcc 20

<210> 8  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Antisense primer for RT-PCR  
 <400> 8  
 gggggtaata aagggttg 20

<210> 9  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> sense primer for RT-PCR  
 <400> 9  
 ctggaacggg gaaggtgaca 20

<210> 10  
 <211> 23  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Antisense primer for RT-PCR  
 <400> 10  
 aagggacttc ctgtaacaat gca 23

<210> 11  
 <211> 20

<212> DNA  
 <213> Artificial

<220>  
 <223> Sense primer for RT-PCR

<400> 11  
 gtaaccggtt gaacccatt 20

<210> 12  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Antisense primer for RT-PCR

<400> 12  
 ccatccaatc ggtagtagcg 20

<210> 13  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Sense primer for RT-PCR

<400> 13  
 tgcaccacca actgcttagc 20

<210> 14  
 <211> 21  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Antisense primer for RT-PCR

<400> 14  
 ggcatggact gtggcatga g 21