
REPLACEMENT SHEET
Date : 10 APR 2005

Figure 1
The participants' percentage for average body weight for height (ABW) before and after treatment




(Diagnostic criterion for anorexia nervosa is below 85% of ABW)

REPLACEMENT SHEET
Date : 10 APR 2005


Figure 2

Changes in rating of clinical severity according to CGS during treatment




REPLACEMENT SHEET
10 APR 2005
Date :.....

Figure 3.
Changes in global functioning during the treatment (CGAS)




REPLACEMENT SHEET
Date : 10 APR 2005

Figure 4.
Changes in BDI-2 during treatment



REPLACEMENT SHEET
Date : 10 APR 2005


Figure 5
Changes in EDI-2 during treatment



REPLACEMENT SHEET
10 APR 2005
Date :.....

Figure 1

The participants' percentage for average body weight for height (ABW) before and after treatment




(Diagnostic criterion for anorexia nervosa is below 85% of ABW)

REPLACEMENT SHEET
Date : 10 APR 2005

Figure 2

Changes in rating of clinical severity according to CGS during treatment




(1=normal, not ill; 2=borderline ill; 3=mildly ill; 4=moderately ill;

5=markedly ill; 6=severely ill; 7=amongst the most severely ill)

REPLACEMENT SHEET
Date : 10 APR 2005


Figure 3.
Changes in global functioning during the treatment (C-GAS)



(0: dangerously ill → 100: superior psychosocial functioning in all aspects of life)

REPLACEMENT SHEET
Date : 10 APR 2005

Figure 4.
Changes in BDI-2 during treatment



REPLACEMENT SHEET
Date : 10 APR 2005

Figure 5
Changes in EDI-2 during treatment

