

A PERSONAL ON-DEMAND AUDIO ENTERTAINMENT DEVICE THAT IS
UNTETHERED AND ALLOWS WIRELESS DOWNLOAD OF CONTENT

The instant application claims priority to U.S. Provisional Application, Ser. No.
60/237,640, filed October 3, 2000, which is herein incorporated by reference.

BACKGROUND OF THE INVENTION

(1) Field of the Invention

The invention generally relates to a wireless type of personal on-demand audio entertainment device and, more particularly, to a wireless device that allows download of music from a computer or other device without using wires for the connection.

A signal reproducing device embodying the invention comprises solid state storage for the signal source and allows download of content to the signal source by non-contact means such as infrared or radio frequency or magnetic coupling or other electromagnetic coupling. Downloading may be performed while listening to the audio signal. Control of the signal reproducing device may be provided by a lightweight wireless control unit.

(2) Description of Prior Art

The most popular current means of personal on-demand audio entertainment is delivered by means of headphones connected to a source device by wires. Refer now to Fig. 1, illustrating a typical Walkman (registered trade name) stereo headphone cassette or CD player device. The audio content is stored in magnetic, optical or solid state media (not shown) housed within the player 10. The signals from these media are converted to audio signals that are amplified prior to delivery by wires 12 to transducers within headphones or earphones 14. The wires 12 can impede motion of the user and are prone to failure due to handling. One example of this type of system (wired headphones and base unit) using solid-state storage is marketed by HanGo Electronics Company. Their MPRIDE system is an MP3 player allowing downloads of 32 or 64Mbytes of MP3 audio content via connection to a computer parallel port.

Referring to Fig. 2, U.S. Patent 5,247,293 to Nakagawa takes this a step further by separating the player 10 and headphones 14. The two units are coupled by radio frequency signals allowing transmission of the audio signal to a smaller, less cumbersome, remote unit 18. The headphones 14 still use wires 12. The remote unit 18 allows control of the player 10 functions such as volume, fast forward, etc.

Vertical Horizon markets a headphone unit (Korea patent pending number 99-24278) that allows downloading of 32Mbytes of MP3 audio content from a computer parallel port. In this case, the storage and controls are all contained within the headphone unit. Downloading is accomplished through a wired connection. Sennheiser markets a

wireless listening system where a transmitter unit is connected to an audio source. This is coupled via a 900MHz radio frequency signal to a pair of headphones.

Advances in the size and speed of storage device have allowed this technology to flourish. In addition, digital encoding and compression techniques have allowed more content to be placed within a fixed size memory. U.S. Patent 5,579,430 to Grill et al. teaches one such method for encoding and compression. The method uses statistical methods in the encoding process to compress the data.

SUMMARY OF THE INVENTION

A principal object of the present invention is to provide an audio entertainment device that allows wireless operation.

A second object of the present invention is to provide an audio entertainment device that allows wireless downloading of audio content from a personal computer or other digital audio data source.

Another object of the present invention is to provide an audio entertainment device that allows wireless downloading of audio content using infrared, radio frequency, magnetic coupling or other electromagnetic means.

Another object of the present invention is to provide an audio entertainment device that allows wireless downloading of audio content simultaneously during playback of the audio content.

Another object of the present invention is to provide an audio entertainment device where conversion from digital to audio format is done within the headphone unit thereby reducing impedance losses typically experienced in wired headphone units.

Another object of the present invention is to provide an audio entertainment device with a separate handheld remote unit to allow control of the downloading and audio characteristics.

A still further object of the present invention is to provide an audio entertainment device that may be operated with a standard audio source as a wireless headphone unit.

These objects are achieved using a system with a headphone unit, a remote control unit and base unit attached to a personal computer, a home entertainment unit such as a DVD player or TV or other source. The base unit transmits digital audio content to the headphone unit using infrared, radio frequency, magnetic coupling or other electromagnetic means. These data are stored in solid-state memory within the headphone unit. In the headphone unit, the stored digital audio content is converted to analog audio signals, amplified and sent to transducers for conversion to audio signal for the listener during playback. The system is designed such that playback may occur

during the downloading process. The remote control unit also uses infrared, radio frequency, magnetic coupling or other electromagnetic means for communication to the headphone unit. The remote communication is made using a different channel that does not interfere with the downloading of digital audio data. The remote control unit can have a display and allows for control of playback functions, turns the unit on or off and modifies the playback audio characteristics such as volume, bass, treble, balance, etc.

BRIEF DESCRIPTION OF THE DRAWINGS

In the accompanying drawings forming a material part of this description, there is shown:

Fig. 1 illustrating a prior art example of a wired personal audio entertainment device;

Fig. 2 illustrating a prior art example of a wireless personal audio entertainment device; and

Fig. 3 illustrating a preferred embodiment of the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention incorporates several features that improve upon prior art personal audio entertainment designs. In particular, it facilitates wireless connections for both content download and playback control.

Refer now to Fig. 3, showing a system overview of one embodiment of the present invention. A personal computer or other source 20 is connected by wire to a base transmitter 22. A wireless remote control unit 18 allows display and control of the audio characteristics of the system. These characteristics may include volume, bass, treble, and song selection. Other controls may include on/off selection, fast forward, reverse, skip and track repeat. A wireless headphone unit 14 contains solid-state memory, a converter for transforming digital information into audio signals, amplification and transducers for converting the amplified audio signals into sound. The solid-state memory may be removed and additional memory added. In addition, the headphone unit has a receiver for accepting and processing commands from the remote control unit 18. The headphone unit 14 may also transmit certain information to the remote control unit 18 such as song titles, number of songs stored, remaining memory space, battery life, elapsed time, etc.

To operate the unit, digitally encoded audio signals from the source 20 are sent to the base transmitter 22 and downloaded to the headphone unit 14. This wireless transmission is accomplished using infrared, radio frequency, magnetic coupling or other electromagnetic means. Infrared communication can be used for line-of-sight and indoor

applications. Radio frequency and magnetic coupling techniques would be required for non-line-of-sight and outdoor applications. Duplex communication may be used between the headphone unit 14 to the base transmitter 22 to acknowledge successful downloading of data or to transmit user driven commands. If only one-way communication is used, a successful transmission indicator lamp, such as a light emitting diode, may be illuminated to indicate successful downloading of audio content. The system is designed so that playback of the audio signal may be accomplished simultaneously with download of audio content.

Control of the headphone audio characteristics and playback controls are achieved by wireless transmission from the remote unit 18 to the headphones 14. This may also be performed using infrared, radio frequency, magnetic or electromagnetic means, and infrared communication can be used for line-of-sight and indoor applications while radio frequency and magnetic coupling techniques would be required for non-line-of-sight and outdoor applications. The system is designed such that signals from the remote control unit 18 do not interrupt the downloading of audio content from the base transmitter 22 to the headphone unit 14. The bit rates for audio content download are much higher than those used for control signals, thus the transmission method between the base transmitter 22 and headphone unit 14 need not be the same as that used between the remote unit 18 and headphone unit 14. Two-way communication between the headphone unit would be required if features such as display of song titles, number of songs stored, memory space available and headphone battery life were to be displayed on the remote control unit 18.

The key element of the present invention is the paradigm shift from the prior art Walkman (registered trademark) in terms of implementation. In a Walkman (registered trademark), the content is inserted into the base unit and the user wears wired headphones. In the present invention, the content is downloaded to the headphones either by wireless communication or by direct plug-in of a memory module to the headphones and control of playback is achieved using a smaller wireless remote unit. The user experience is the same as in the prior art Walkman (registered trademark), except that with the present invention the headphones are wireless and the control unit is much smaller.

While the invention has been particularly shown and described with reference to the preferred embodiments thereof, it will be understood by those skilled in the art that various changes in form and details may be made without departing from the spirit and scope of the invention.



CLAIMS

1. A personal on-demand audio entertainment device comprising:
 - a base transmitter unit connected to a digital audio signal source;
 - a remote control unit comprising:
 - a display;
 - 5 a plurality of controls; and
 - a control transmitter to transmit control signals;
 - and
 - a headphone unit comprising:
 - a first receiver for wireless downloading of said digital audio signals from
 - 10 said base transmitter;
 - a storage device for storing said digital audio signals;
 - a decoder for converting said stored digital audio signals into analog audio signals;
 - an amplifier to increase the amplitude of said analog audio signals;
 - 15 a transducer for converting said analog audio signals into sound waves during audio playback;
 - a second receiver for wireless reception of said control signals from said remote control unit; and
 - a control circuit to interpret said control signals providing control of said
 - 20 playback.



2. The device according to Claim 1 wherein said controls on said remote control unit are selected from the group consisting of volume, bass, treble, fast forward, reverse, skip, repeat, song title search, battery life, number of songs stored, elapsed time and on/off.
3. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously with said audio playback.
4. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously while said headphones are receiving said control signals.
5. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using infrared transmission.
6. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using radio frequency transmission.



7. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using electromagnetic coupling.
8. The device according to Claim 1 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using magnetic coupling.
9. The device according to Claim 1 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using infrared transmission.
10. The device according to Claim 1 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using radio frequency transmission.
11. The device according to Claim 1 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using electromagnetic transmission.
12. The device according to Claim 1 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using magnetic coupling.



13. A personal on-demand audio entertainment device comprising:

a base transmitter unit connected to a digital audio signal source;

a remote control unit comprising:

a display;

5 a plurality of controls; and

a control transmitter to transmit control signals;

and

a headphone unit comprising:

10 a first receiver for downloading of said digital audio signals from said base transmitter;

a storage device for storing said digital audio signals;

a decoder for converting said stored digital audio signals into analog audio signals;

an amplifier to increase the amplitude of said analog audio signals;

15 a transducer for converting said analog audio signals into sound waves during audio playback wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously with said audio playback;

20 a second receiver for receiving said control signals from said remote control unit; and

a control circuit to interpret said control signals providing control of said playback.



14. The device according to Claim 13 wherein said controls on said remote control unit are selected from the group consisting of volume, bass, treble, fast forward, reverse, skip, repeat, song title search, battery life, number of songs stored, elapsed time and on/off.
15. The device according to Claim 13 wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously while said headphones are receiving said control signals.
16. The device according to Claim 13 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using infrared transmission.
17. The device according to Claim 13 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using radio frequency transmission.
18. The device according to Claim 13 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using electromagnetic transmission.



19. The device according to Claim 13 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using magnetic coupling.
20. The device according to Claim 13 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using infrared transmission.
21. The device according to Claim 13 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using radio frequency transmission.
22. The device according to Claim 13 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using electromagnetic transmission.
23. The device according to Claim 13 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using magnetic coupling.



24. A personal on-demand audio entertainment device comprising:

a base transmitter unit connected to a digital audio signal source;

a remote control unit comprising:

a display;

5 a plurality of controls; and

a control transmitter to transmit control signals;

and

a headphone unit comprising:

10 a first receiver for downloading of said digital audio signals from said base transmitter;

a storage device for storing said digital audio signals;

a decoder for converting said stored digital audio signals into analog audio signals;

an amplifier to increase the amplitude of said analog audio signals;

15 a transducer for converting said analog audio signals into sound waves during audio playback wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously with said audio playback;

20 a second receiver for receiving said control signals from said remote control unit wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously while said headphones are receiving said control signals; and



a control circuit to interpret said control signals providing control of said playback.

25. The device according to Claim 24 wherein said controls on said remote control unit are selected from the group consisting of volume, bass, treble, fast forward, reverse, skip, repeat, song title search, battery life, number of songs stored, elapsed time and on/off.
26. The device according to Claim 24 wherein said downloading of said digital audio signals from said base transmitter may occur simultaneously while said headphones are receiving said control signals.
27. The device according to Claim 24 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using infrared transmission.
28. The device according to Claim 24 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using radio frequency transmission.
29. The device according to Claim 24 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using electromagnetic transmission.



30. The device according to Claim 24 wherein said downloading of said digital audio signals from said base transmitter to said headphones is accomplished using magnetic coupling.
31. The device according to Claim 24 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using infrared transmission.
32. The device according to Claim 24 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using radio frequency transmission.
33. The device according to Claim 24 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using electromagnetic transmission.
34. The device according to Claim 24 wherein said transmission of said control signals from said remote control unit to said headphones is accomplished using magnetic coupling.