

Lane	Sample
1	Marker
2	Load
3	Frac. 4A3
4	Frac. 4A5
5	Frac. 4B2
6	Frac. 4B4
7	Frac. 4B5
8	Frac. 4C1
9	Frac. 4C2
10	Frac. 4C3
11	Frac. 4C4
12	Frac. 4C5
13	Frac. 5B3
14	Frac. 6A1
15	Frac. 6B2




FIG. 1

Legend.	
1.	Precision Plus Protein Dual Xtra Std.
2.	Load
3.	FT
4.	Wash
5.	Strip
6.	A6
7.	A7
8.	A8
9.	A9
10.	A10
11.	A11
12.	A12
13.	B1
14.	B2
15.	B3
16.	B4




FIG. 2




FIG. 3





FIG. 4



Benzyl Ultra				Benzyl				Hexyl 650C				Capto Phenyl (high sub)				Butyl-650M				Phenyl 600M				Capto Phenyl ImpRes				Phenyl Sepharose HP			
A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D




FIG. 6

Benzyl Ultra				Benzyl				Hexyl 650C				Capto Phenyl (high sub)				Butyl-650M				Phenyl 600M				Capto Phenyl ImpRes				Phenyl Sepharose HP			
A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D




FIG. 7





FIG. 8



10 / 18




FIG. 10




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17




FIG. 18