Figure 1A

ELISA results (6 wpi) of immune sera from Tau immunogenic peptide constructs on non-phosphorylated Tau B epitope 'a' peptides



Figure 1B

ELISA results (6 wpi) of immune sera from Tau immunogenic peptide constructs on phosphorylated Tau B epitope 'a' peptides



Figure 2

Western Blot Analysis of Cell Lysates containing monomers, dimers, trimers, oligomers and polymers of Tau





Figure 3A

Tau aggregation in the presence of antibodies generated by Tau Immunogen peptide constructs measured by ThT Staining



Figure 3B

Inhibition of Tau aggregation in the presence of antibodies generated by Tau immunogen peptide constructs measured by ThT Staining



Figure 4

Cellular based Tau aggregation in the presence of antibodies generated by representative Tau immunogen peptide constructs



Figure 5

Disaggregation of artificial Tau fibrils by representative antibodies from both phosphor and non-phospho Tau peptide immunogen constructs



]

Figure 6

Dot Blot Analysis for Specific binding of non-denatured forms of Tau fibrils, oligomers and monomers by representative antibodies generated by both phosphor- and non-phospho Tau peptide immunogen constructs



Figure 7

Immunohistochemical Staining by representative antibodies generated by both phosphor- and non-phospho Tau peptide immunogen constructs



Figure 8A

Protection of neurons against fibril Tau by representative antibodies from phosphor- or non-phospho Tau peptide immunogen constructs



Cell count was calculated by cell^3 imager duos software (Miteklab)

Figure 8B

Protection of neurons against fibril Tau by representative antibodies from phospho- or non-phospho Tau peptide immunogen constructs