
circumvent problems associated with targeting the highly conserved orthosteric ACh binding site, it is believed that developing compounds that act at allosteric sites on mAChRs that are removed from the orthosteric site and are less highly conserved. This approach is proving to be highly successful in developing selective ligands for multiple GPCR subtypes. In the case of mAChRs, a major goal has been to develop allosteric ligands that selectively increase activity of mAChR M_4 or other mAChR subtypes. Allosteric activators can include allosteric agonists, that act at a site removed from the orthosteric site to directly activate the receptor in the absence of ACh as well as positive allosteric modulators (PAMs), which do not activate the receptor directly but potentiate activation of the receptor by the endogenous orthosteric agonist ACh. Also, it is possible for a single molecule to have both allosteric potentiator and allosteric agonist activity.

[0008] More recently, muscarinic agonists including xanomeline have been shown to be active in animal models with similar profiles to known antipsychotic drugs, but without causing catalepsy (Bymaster *et al.*, *Eur. J. Pharmacol.* 1998, 356, 109, Bymaster *et al.*, *Life Sci.* 1999, 64, 527; Shannon *et al.*, *J. Pharmacol. Exp. Ther.* 1999, 290, 901; Shannon *et al.*, *Schizophrenia Res.* 2000, 42, 249). Further, xanomeline was shown to reduce psychotic behavioral symptoms such as delusions, suspiciousness, vocal outbursts, and hallucinations in Alzheimer's disease patients (Bodick *et al.*, *Arch. Neurol.* 1997, 54, 465), however treatment induced side effects, e.g., gastrointestinal effects, have severely limited the clinical utility of this compound.

[0009] Despite advances in muscarinic acetylcholine receptor research, there is still a scarcity of compounds that are potent, efficacious, and selective activators of the M_4 mAChR and also effective in the treatment of neurological and psychiatric disorders associated with cholinergic activity and diseases in which the muscarinic M_4 receptor is involved.



SUMMARY

[0009a] In an aspect, there is provided a compound of formula (I), or a pharmaceutically acceptable salt thereof,



(I)

wherein:

G^1 is  or ;

X^1 is NR^5, O, or $CR^{5A}R^{5B}$;

X^2 is CR^6 or N;

R^1 and R^3 are each independently hydrogen, halogen, cyano, $C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$fluoroalkyl, $–OC_{1\text{-}4}$alkyl, or $–OC_{1\text{-}4}$fluoroalkyl;

R^2 is G^2, $–NR^bR^c$, $C_{1\text{-}6}$haloalkyl, halogen, cyano, NO_2, $C_{1\text{-}6}$alkyl, $C_{2\text{-}6}$alkenyl, $–OR^b$, $–NR^cC(O)R^b$, $–NR^cSO_2R^a$, $–N{=}S(O)(R^a)_2$, $–P(O)(R^a)_2$, $–C_{1\text{-}3}$alkylene–G^2, $–C_{2\text{-}4}$alkenylene–G^2, or hydrogen;

R^a, at each occurrence, is independently $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$haloalkyl, G^2, or $–C_{1\text{-}3}$alkylene–G^2;

wherein optionally, the two R^a of $–N{=}S(O)(R^a)_2$ or $–P(O)(R^a)_2$ join together as a straight alkylene chain to form a 5- to 7-membered heterocyclic ring;

R^b and R^c are independently hydrogen, $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$haloalkyl, G^2, or $–C_{1\text{-}3}$alkylene–G^2;

G^2, at each occurrence, is independently a 5- to 12-membered heteroaryl, a 6- to 12-membered aryl, a 4- to 12-membered heterocyclyl, or a 3- to 12-membered carbocyclyl, wherein the heteroaryl and heterocyclyl each contain 1-4 heteroatoms independently selected from the

group consisting of O, N, and S, and G^2 is optionally substituted with a first substituent selected from the group consisting of halogen, cyano, C_{1-6}alkyl, C_{1-6}haloalkyl, oxo, $–OR^x$, $–N(R^x)_2$, $–SR^x$, $–SO_2R^x$, $–C(O)R^x$, $–C(O)OR^x$, $–C(O)N(R^x)_2$, $–C_{1-6}$alkylene$–OR^x$, $–C_{1-6}$alkylene$–N(R^x)_2$, G^{2a}, and $–C_{1-3}$alkylene$–G^{2a}$, and optionally further substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-6}alkyl, C_{1-6}haloalkyl, and $–OR^x$;

R^x, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}haloalkyl, C_{3-6}cycloalkyl, $–C_{1-3}$alkylene$–C_{3-6}$cycloalkyl, phenyl, or $–C_{1-3}$alkylene–phenyl, wherein each cycloalkyl or phenyl is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, C_{1-4}alkyl, and C_{1-4}haloalkyl;

G^{2a} is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a 3- to 8-membered carbocyclyl, wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^{2a}, at each occurrence, is independently optionally substituted with 1-5 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-4}haloalkyl, $–C_{1-6}$alkylene–OH, oxo, OH, $–OC_{1-4}$alkyl, $–OC_{1-4}$haloalkyl, C_{3-4}cycloalkyl, and $–C_{1-3}$alkylene$–C_{3-4}$cycloalkyl;

R^{4A} and R^{4B} are independently hydrogen, C_{1-4}alkyl, C_{3-4}cycloalkyl, or $–C_{1-3}$alkylene–OH;

R^5 is hydrogen, C_{1-6}alkyl, C_{1-6}fluoroalkyl, $–C_{1-6}$alkylene$–R^y$, $–C_{1-6}$fluoroalkylene$–R^y$, G^5, or $–C_{1-3}$alkylene$–G^5$;

R^{5A} and R^{5B} are independently hydrogen, halogen, C_{1-4}alkyl, C_{1-4}alkyl, or $–C_{1-4}$alkylene–OH;

R^y is $–OR^{5a}$, $–N(R^{5a})_2$, $–C(O)R^{5a}$, $–C(O)OR^{5a}$, or $–C(O)N(R^{5a})_2$;

R^{5a}, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, G^5, or $–C_{1-3}$alkylene$– G^5$;

G^5 is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a C_{3-8}cycloalkyl , wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^5 is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-2}fluoroalkyl, $–OC_{1-4}$alkyl, OH, and oxo;

alternatively, R^{4A} and R^{4B} together with the carbon to which they attach form a C_{3-6}cycloalkyl; or R^{4B} and R^5 together with the atoms to which they attach form a 5- to 7-membered

heterocycle optionally containing one additional heteroatom selected from the group consisting of oxygen, nitrogen, and sulfur;

R^6 is hydrogen, halogen, cyano, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{2-4}alkenyl, $–OR^{6a}$, $–N(R^{6a})_2$, $–C_{1-3}$alkylene$–OR^{6a}$, or C_{3-6}cycloalkyl;

R^{6a}, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, or $–C_{1-3}$alkylene$–C_{3-4}$cycloalkyl;

wherein alternatively, two R^{6a}, together with the nitrogen to which they attach form a 4- to 8-membered heterocyclic ring containing the nitrogen attached to R^{6a} and optionally 1-2 additional heteroatoms that are independently O, N, or S, the heterocyclic ring being optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, C_{1-2}alkyl, and C_{1-2}fluoroalkyl;

R^7 is C_{1-4}alkyl, hydrogen, halogen, cyano, C_{1-4}fluoroalkyl, $–OR^{7a}$, $–C_{1-3}$alkylene$–OR^{7a}$, or G^7;

alternatively, R^6 and R^7, together with the atoms to which they are attached, form a 5- to 7-membered heterocycle containing 1 heteroatom or a 5- to 7-membered carbocycle, wherein the heteroatoms are independently selected from the group consisting of N, O, and S, and the heterocycle and carbocycle are optionally substituted with 1-4 substituents independently selected from the group consisting of C_{1-4}alkyl, halogen, $–OC_{1-4}$alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, and C_{1-2}alkylene-C_{3-4}cycloalkyl;

R^{7a} is hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, or $–C_{1-3}$alkylene$–C_{3-4}$cycloalkyl;


G^7 is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a C_{3-6}cycloalkyl, wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^5 is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-2}fluoroalkyl, $–OC_{1-4}$alkyl, OH, and oxo;

R^8, at each occurrence, is independently halogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, or C_{3-4}cycloalkyl; and

n is 0, 1, 2, 3, or 4;

wherein each cycloalkyl at R^6, R^{6a}, R^7, R^{7a}, and R^8 is unsubstituted or substituted with 1-4 substituents independently selected from C_{1-4}alkyl and halogen.

[0010] In one example, disclosed are compounds of formula (I), or a pharmaceutically acceptable salt thereof,


(R8)n
N
R1
N
G1
R2
R3

wherein alternatively, two R^{6a}, together with the nitrogen to which they attach form a 4- to 8-membered heterocyclic ring containing the nitrogen attached to R^{6a} and optionally 1-2 additional heteroatoms that are independently O, N, or S, the heterocyclic ring being optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, C_{1-2}alkyl, and C_{1-2}fluoroalkyl;

R^7 is C_{1-4}alkyl, hydrogen, halogen, cyano, C_{1-4}fluoroalkyl, $–OR^{7a}$, $–C_{1-3}$alkylene$–OR^{7a}$, or G^7;

alternatively, R^6 and R^7, together with the atoms to which they are attached, form a 5- to 7-membered heterocycle containing 1 heteroatom or a 5- to 7-membered carbocycle, wherein the heteroatoms are independently selected from the group consisting of N, O, and S, and the heterocycle and carbocycle are optionally substituted with 1-4 substituents independently selected from the group consisting of C_{1-4}alkyl, halogen, $–OC_{1-4}$alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, and C_{1-2}alkylene-C_{3-4}cycloalkyl;

R^{7a} is hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, or $–C_{1-3}$alkylene$–C_{3-4}$cycloalkyl;

G^7 is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a C_{3-6}cycloalkyl, wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^5 is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-2}fluoroalkyl, $–OC_{1-4}$alkyl, OH, and oxo;

R^8, at each occurrence, is independently halogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, or C_{3-4}cycloalkyl; and

n is 0, 1, 2, 3, or 4;

wherein each cycloalkyl at R^6, R^{6a}, R^7, R^{7a}, and R^8 is unsubstituted or substituted with 1-4 substituents independently selected from C_{1-4}alkyl (e.g., methyl) and halogen (e.g., fluoro).

[0010a] In another aspect, there is provided a pharmaceutical composition comprising the compound as defined above, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

[0011] In another example, the disclosure provides a pharmaceutical composition comprising a compound of formula (I), or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

[0011a] In another aspect, there is provided a use of a compound as defined above, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition as defined above, in

the manufacture of a medicament for the treatment of a neurological and/or psychiatric disorder, wherein the disorder is selected from Alzheimer's disease, schizophrenia, a sleep disorder, a pain disorder, and a cognitive disorder.

[0011b] In another aspect, there is provided a compound as defined above, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition as defined above for use in therapy.

[0012] Another example provides a method of treating a neurological and/or psychiatric disorder associated with muscarinic acetylcholine receptor dysfunction in a mammal, comprising administering to the mammal a therapeutically effective amount of the compound of formula (I), or pharmaceutically acceptable salt or composition thereof.

[0013] Another example provides a compound of formula (I), or a pharmaceutically acceptable salt or composition thereof, for use in the treatment of a neurological and/or psychiatric disorder associated with muscarinic acetylcholine receptor dysfunction in a mammal.

[0014] Another example provides use of a compound of formula (I), or a pharmaceutically acceptable salt or composition thereof, for the preparation of a medicament for the treatment of a neurological and/or psychiatric disorder associated with muscarinic acetylcholine receptor dysfunction in a mammal.

[0015] In another example, the disclosure provides kits comprising a compound of formula (I), or a pharmaceutically acceptable salt or composition thereof, and instructions for use.

DETAILED DESCRIPTION


[0016] Disclosed herein are positive allosteric modulators (i.e. potentiators) of the muscarinic acetylcholine receptor M_4 (mAChR M_4), methods of making same, pharmaceutical compositions comprising same, and methods of treating neurological and psychiatric disorders associated with muscarinic acetylcholine receptor dysfunction using same. The compounds include naphthyridine-substituted pyridazine compounds.

[0017] The human muscarinic acetylcholine receptor M_4 (mAChR M_4) is a protein of 479 amino acids encoded by the CHRM4 gene. The molecular weight of the unglycosylated protein is about 54 kDa and it is a transmembrane GPCR. As described above, the mAChR M_4 is a member of the GPCR Class A family, or the rhodopsin-like GPCRs, which are characterized by structural features similar to rhodopsin such as seven transmembrane segments. The muscarinic acetylcholine receptors have the N-terminus oriented to the extracellular face of the membrane and the C-terminus located on the cytoplasmic face.

[0018] Previous attempts to develop agonists that are highly selective for individual mAChR subtypes have failed because of the high conservation of the orthosteric ACh binding site. To circumvent problems associated with targeting the highly conserved orthosteric ACh binding site, it is believed that developing compounds that act at allosteric sites on mAChRs that are removed from the orthosteric site and are less highly-conserved. Without wishing to be bound by a particular theory, the disclosed compounds and products of the disclosed methods are believed to bind to an allosteric site distinct from the orthosteric binding site.



CLAIMS

1. A compound of formula (I), or a pharmaceutically acceptable salt thereof,



(I)

wherein:

G^1 is  or ;

X^1 is NR^5, O, or $CR^{5A}R^{5B}$;

X^2 is CR^6 or N;

R^1 and R^3 are each independently hydrogen, halogen, cyano, $C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$fluoroalkyl, $–OC_{1\text{-}4}$alkyl, or $–OC_{1\text{-}4}$fluoroalkyl;

R^2 is G^2, $–NR^bR^c$, $C_{1\text{-}6}$haloalkyl, halogen, cyano, NO_2, $C_{1\text{-}6}$alkyl, $C_{2\text{-}6}$alkenyl, $–OR^b$, $–NR^cC(O)R^b$, $–NR^cSO_2R^a$, $–N{=}S(O)(R^a)_2$, $–P(O)(R^a)_2$, $–C_{1\text{-}3}$alkylene–G^2, $–C_{2\text{-}4}$alkenylene–G^2, or hydrogen;

R^a, at each occurrence, is independently $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$haloalkyl, G^2, or $–C_{1\text{-}3}$alkylene–G^2;

wherein optionally, the two R^a of $–N{=}S(O)(R^a)_2$ or $–P(O)(R^a)_2$ join together as a straight alkylene chain to form a 5- to 7-membered heterocyclic ring;

R^b and R^c are independently hydrogen, $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$haloalkyl, G^2, or $–C_{1\text{-}3}$alkylene–G^2;

G^2, at each occurrence, is independently a 5- to 12-membered heteroaryl, a 6- to 12-membered aryl, a 4- to 12-membered heterocyclyl, or a 3- to 12-membered carbocyclyl, wherein the heteroaryl and heterocyclyl each contain 1-4 heteroatoms independently selected from the group consisting of O, N, and S, and G^2 is optionally substituted with a first substituent selected from the group consisting of halogen, cyano, C_{1-6}alkyl, C_{1-6}haloalkyl, oxo, $–OR^x$, $–N(R^x)_2$, $–SR^x$, $–SO_2R^x$, $–C(O)R^x$, $–C(O)OR^x$, $–C(O)N(R^x)_2$, $–C_{1-6}$alkylene$–OR^x$, $–C_{1-6}$alkylene$–N(R^x)_2$, G^{2a}, and $–C_{1-3}$alkylene$–G^{2a}$, and optionally further substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-6}alkyl, C_{1-6}haloalkyl, and $–OR^x$;

R^x, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}haloalkyl, C_{3-6}cycloalkyl, $–C_{1-3}$alkylene$–C_{3-6}$cycloalkyl, phenyl, or $–C_{1-3}$alkylene–phenyl, wherein each cycloalkyl or phenyl is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, C_{1-4}alkyl, and C_{1-4}haloalkyl;

G^{2a} is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a 3- to 8-membered carbocyclyl, wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^{2a}, at each occurrence, is independently optionally substituted with 1-5 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-4}haloalkyl, $–C_{1-6}$alkylene–OH, oxo, OH, $–OC_{1-4}$alkyl, $–OC_{1-4}$haloalkyl, C_{3-4}cycloalkyl, and $–C_{1-3}$alkylene$–C_{3-4}$cycloalkyl;

R^{4A} and R^{4B} are independently hydrogen, C_{1-4}alkyl, C_{3-4}cycloalkyl, or $–C_{1-3}$alkylene–OH;

R^5 is hydrogen, C_{1-6}alkyl, C_{1-6}fluoroalkyl, $–C_{1-6}$alkylene$–R^y$, $–C_{1-6}$fluoroalkylene$–R^y$, G^5, or $–C_{1-3}$alkylene$–G^5$;

R^{5A} and R^{5B} are independently hydrogen, halogen, C_{1-4}alkyl, C_{1-4}alkyl, or $–C_{1-4}$alkylene–OH;

R^y is $–OR^{5a}$, $–N(R^{5a})_2$, $–C(O)R^{5a}$, $–C(O)OR^{5a}$, or $–C(O)N(R^{5a})_2$;

R^{5a}, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, G^5, or $–C_{1-3}$alkylene$– G^5$;

G^5 is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a C_{3-8}cycloalkyl , wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^5 is optionally substituted with 1-4 substituents independently selected from the group consisting of

halogen, cyano, C_{1-4}alkyl, C_{1-2}fluoroalkyl, –OC_{1-4}alkyl, OH, and oxo;

alternatively, R^{4A} and R^{4B} together with the carbon to which they attach form a C_{3-6}cycloalkyl; or R^{4B} and R^5 together with the atoms to which they attach form a 5- to 7-membered heterocycle optionally containing one additional heteroatom selected from the group consisting of oxygen, nitrogen, and sulfur;

R^6 is hydrogen, halogen, cyano, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{2-4}alkenyl, –OR^{6a}, –$N(R^{6a})_2$, –C_{1-3}alkylene–OR^{6a}, or C_{3-6}cycloalkyl;

R^{6a}, at each occurrence, is independently hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, or –C_{1-3}alkylene–C_{3-4}cycloalkyl;

wherein alternatively, two R^{6a}, together with the nitrogen to which they attach form a 4- to 8-membered heterocyclic ring containing the nitrogen attached to R^{6a} and optionally 1-2 additional heteroatoms that are independently O, N, or S, the heterocyclic ring being optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, C_{1-2}alkyl, and C_{1-2}fluoroalkyl;

R^7 is C_{1-4}alkyl, hydrogen, halogen, cyano, C_{1-4}fluoroalkyl, –OR^{7a}, –C_{1-3}alkylene–OR^{7a}, or G^7;

alternatively, R^6 and R^7, together with the atoms to which they are attached, form a 5- to 7-membered heterocycle containing 1 heteroatom or a 5- to 7-membered carbocycle, wherein the heteroatoms are independently selected from the group consisting of N, O, and S, and the heterocycle and carbocycle are optionally substituted with 1-4 substituents independently selected from the group consisting of C_{1-4}alkyl, halogen, –OC_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, and C_{1-2}alkylene-C_{3-4}cycloalkyl;

R^{7a} is hydrogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, C_{3-4}cycloalkyl, or –C_{1-3}alkylene–C_{3-4}cycloalkyl;

G^7 is a phenyl, a 5- to 6-membered heteroaryl containing 1-3 heteroatoms, a 4- to 8-membered heterocyclyl containing 1-2 heteroatoms, or a C_{3-6}cycloalkyl, wherein the heteroatoms are independently selected from the group consisting of O, N, and S, and G^5 is optionally substituted with 1-4 substituents independently selected from the group consisting of halogen, cyano, C_{1-4}alkyl, C_{1-2}fluoroalkyl, –OC_{1-4}alkyl, OH, and oxo;

R^8, at each occurrence, is independently halogen, C_{1-4}alkyl, C_{1-4}fluoroalkyl, or C_{3-4}cycloalkyl; and

n is 0, 1, 2, 3, or 4;

wherein each cycloalkyl at R^6, R^{6a}, R^7, R^{7a}, and R^8 is unsubstituted or substituted with 1-4

substituents independently selected from $C_{1\text{-}4}$alkyl and halogen.

2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein


i) R^1 is hydrogen or $C_{1\text{-}4}$alkyl; and / or

ii) R^3 is hydrogen; and / or

iii) R^2 is G^2, $–NR^bR^c$, $C_{1\text{-}6}$haloalkyl, $C_{2\text{-}6}$alkenyl, cyano, hydrogen, or $–C_{2\text{-}4}$alkenylene–G^2; optionally wherein R^2 is $C_{1\text{-}6}$haloalkyl; or optionally wherein R^2 is G^2 wherein optionally G^2 is the optionally substituted 5- to 12-membered heteroaryl or the optionally substituted 6- to 12-membered aryl; and / or


iv) wherein G^2 is the optionally substituted 4- to 12-membered heterocyclyl; or wherein G^2 is the optionally substituted 3- to 12-membered carbocyclyl; or wherein G^2 is:

(a) the optionally substituted 5- to 12-membered heteroaryl selected from the group consisting of




; or

(b) the optionally substituted 6- to 12-membered aryl selected from the group consisting of




; or

(c) the optionally substituted 4- to 12-membered heterocyclyl selected from the group consisting



of and ; or

(d) the optionally substituted 3- to 12-membered carbocyclyl that is , or .

3. The compound of claim 2, or a pharmaceutically acceptable salt thereof, wherein

R^2 is $–NR^bR^c$;

R^b is $C_{1\text{-}6}$alkyl, G^2, or $–C_{1\text{-}3}$alkylene$–G^2$; and


R^c is hydrogen or $C_{1\text{-}6}$alkyl.

4. The compound of any of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R^b is G^2; and / or

a) wherein G^2 is the optionally substituted 5- to 12-membered heteroaryl; or

b) wherein G^2 is the optionally substituted 6- to 12-membered aryl.

5. The compound of any of claims 1-4, or a pharmaceutically acceptable salt thereof, wherein R^c is hydrogen.

6. The compound of any of claims 3-5, or a pharmaceutically acceptable salt thereof, wherein R^2 is .


7. The compound of any of claims 1-6, or a pharmaceutically acceptable salt thereof, wherein

(A) R^{4A} and R^{4B} are hydrogen and / or wherein R^5 is hydrogen, $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$fluoroalkyl, –$C_{1\text{-}6}$alkylene–R^y, G^5, or –$C_{1\text{-}3}$alkylene–G^5; or

(B) R^{4B} and R^5 together with the atoms to which they attach form the 5- to 7-membered heterocycle.

8. The compound of any of claims 1-7, or a pharmaceutically acceptable salt thereof, wherein R^6 is hydrogen, halogen, $C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$fluoroalkyl, –OR^{6a}, or $C_{3\text{-}6}$cycloalkyl; and / or wherein R^7 is $C_{1\text{-}4}$alkyl, halogen, cyano, or G^7; and / or
wherein n is 0.

9. The compound of any of claims 1-8, or a pharmaceutically acceptable salt thereof,


wherein G^1 is  .

10. The compound of any of claims 1-9, or a pharmaceutically acceptable salt thereof,

(A) wherein X^1 is NR^5; or X^1 is O; or X^1 is $CR^{5A}R^{5B}$; and / or

(B) wherein X^2 is CR^6; or X^2 is N.

11. The compound of any of claims 1-8, or a pharmaceutically acceptable salt thereof,

wherein G^1 is  .

12. The compound of any of claims 1-7 or 9-11, or a pharmaceutically acceptable salt thereof, wherein R^6 and R^7, together with the atoms to which they are attached, form the optionally substituted 5- to 7-membered heterocycle or a 5- to 7-membered carbocycle.

13. The compound of claim 1 selected from the group consisting of:

3,6-dimethyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one

3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
methyl 2-(3-methyl-5-oxo-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,7-dihydro-6*H*-pyrrolo[3,4-*b*]pyridin-6-yl)propanoate
3-methyl-2-(3-(1-methyl-1*H*-pyrazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(6-fluoro-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-8,9,10,10*a*-tetrahydropyrido[2',3':3,4]pyrrolo[1,2-*a*]pyrazin-5(7*H*)-one
2-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-6-(methyl-d_3)-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-6-(oxetan-3-ylmethyl)-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(1-methyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one-7,7-d_2
2-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,6-dimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(1,3-dimethyl-1*H*-pyrazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(1-cyclobutyl-1*H*-pyrazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one

2-(3-(1-isopropyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(6-(trifluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(3-fluoropyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(1,4-dimethyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(6-methoxypyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(4-(trifluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(isoquinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(imidazo[1,2-*a*]pyridin-6-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(1,3-dimethyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(4-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(3-fluoro-4-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(6-fluoropyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(4-(benzyloxy)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one

2-(3-(2-(difluoromethyl)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(2-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(2-cyclopropylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(5-fluoro-2-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(2-isopropylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(6-methoxy-2-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(4-fluoro-1-methyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methylfuro[3,4-*b*]pyridin-5(7*H*)-one
2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,6-dimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
6-cyclopropyl-2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
6-cyclopentyl-2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(2-(difluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5-oxo-5,7-dihydrofuro[3,4-*b*]pyridine-3-carbonitrile
2-(3-(6-methoxy-2-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methylfuro[3,4-*b*]pyridin-5(7*H*)-one

2-(3-(4-fluoro-1-methyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methylfuro[3,4-*b*]pyridin-5(7*H*)-one
5-oxo-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridine-3-carbonitrile
6-(5-oxo-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-3-yl)picolinonitrile
2-(3-(3,5-difluoropyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(3-fluoro-6-methylpyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(5-methylpyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-cyclopenta[*b*]pyridin-5-one
(R)-6-(1-methoxypropan-2-yl)-3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
(S)-6-(1-methoxypropan-2-yl)-3-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-(6-fluoro-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,6-dimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-chloro-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-chloro-6-methyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3,4,6-trimethyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3,4-dimethyl-2-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one

2-(3-cyclopropyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,4-dimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-cyclopropyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,4,6-trimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((5-fluoro-2-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((3-fluoropyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-((3-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((3-fluoropyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((5-fluoro-2-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((2-fluorophenyl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl-5,5,7,7-d_4)-3-methyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
3-methyl-2-(3-((3-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
2-(3-((3-fluoro-2-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3,6-dimethyl-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one
6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4,5-difluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4,5-difluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

7-(3-(5-fluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-fluoro-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(5-fluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-methoxy-2,5-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(2,4-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-methoxy-2,5-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3-fluoropyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(1-methoxypropan-2-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-2-(tetrahydrofuran-3-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3-fluoropyridin-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,6-dimethyl-7-(3-(quinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

7-(3-(4-fluoro-3-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(5-fluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-2-(tetrahydrofuran-3-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,6-dimethyl-7-(3-(4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(isoquinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-fluoro-3-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-ethyl-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6,7,8-tetrahydro-1*H*-cyclopenta[*e*][1,2,4]triazolo[4,3-*a*]pyrimidin-1-one
5-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,7,8,9-tetrahydro-[1,2,4]triazolo[4,3-*a*]quinazolin-1(2*H*)-one
6-methyl-2-(tetrahydrofuran-3-yl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(1-methoxypropan-2-yl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-methoxyethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2,6-dimethylbenzyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

2-(3,5-difluorobenzyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-methyl-2-((4-methylmorpholin-2-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-methoxy-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-fluoro-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,8-dihydrothieno[3,4-*e*][1,2,4]triazolo[4,3-*a*]pyrimidin-1(2*H*)-one
5-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,8-dihydrofuro[3,4-*e*][1,2,4]triazolo[4,3-*a*]pyrimidin-1(2*H*)-one
7-(3-(5-fluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(1-methoxypropan-2-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-fluoropyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(1-methoxypropan-2-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-methyl-5-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-6,8-dihydrofuro[3,4-*e*][1,2,4]triazolo[4,3-*a*]pyrimidin-1(2*H*)-one
2-(2-cyclopropoxyethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-fluoro-3-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(1-methoxypropan-2-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(2,4-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(1-methoxypropan-2-yl)-6-methyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((5,5-dimethyltetrahydrofuran-2-yl)methyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-methyl-2-(2-phenoxyethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

1-((6-methyl-3-oxo-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
6-methyl-2-(tetrahydro-2*H*-pyran-3-yl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(bicyclo[2.2.1]heptan-2-yl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-isopropoxyethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-(2-fluorophenoxy)ethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-methyl-2-(2-(*p*-tolyloxy)ethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-ethyl-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-chloro-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-chloro-2,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-(4-fluorophenoxy)ethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-methyl-2-(2-(*o*-tolyloxy)ethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-(4-methoxyphenoxy)ethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-(tetrahydrofuran-3-yl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

2-(2,6-dimethylbenzyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-(2-phenoxyethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-cyclopropoxyethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-methoxypyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(6-fluoropyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-(2,6-dimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridine-3-carbonitrile
7-(3-(4-methoxy-2,5-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-fluoro-3-methoxyphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(2,4-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(2-(methylthio)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(2-(trifluoromethyl)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-(tert-butyl)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclopropylmethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

2-(2-fluoro-2-methylpropyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((3,3-difluorocyclobutyl)methyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-isobutyl-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
6-methyl-2-neopentyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclobutylmethyl)-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclopropylmethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-isobutyl-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclobutylmethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((3,3-difluorocyclobutyl)methyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4,5-difluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-methoxy-2,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(2-cyclopropylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(2-methyl-5-(trifluoromethyl)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-(2-(*o*-tolyloxy)ethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

7-(3-(4-fluoro-2,5-dimethylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-isopropoxyethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(5-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-((tetrahydrofuran-3-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-cyclopropyl-6-methyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-cyclopropyl-2,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((5,6-dimethyl-3-oxo-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)benzonitrile
1-((5,6-dimethyl-3-oxo-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
5,6-dimethyl-2-neopentyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-((tetrahydrofuran-2-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclopentylmethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-(tetrahydro-2*H*-pyran-4-yl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((2-oxaspiro[3.3]heptan-6-yl)methyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-((3-methyloxetan-3-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

5,6-dimethyl-2-((tetrahydro-2*H*-pyran-4-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((2,2-difluorocyclopropyl)methyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-fluoro-2-methylpropyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-(oxetan-2-ylmethyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(2-(2-fluorophenoxy)ethyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-cyclopropyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
3-fluoro-2-(6-(2,5,6-trimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)benzamide
6-(2-((1-cyanocyclopropyl)methyl)-5,6-dimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridine-3-carbonitrile
7-(3-(2,6-difluorophenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
1-((7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-2-((tetrahydrofuran-3-yl)methyl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-2-((3-methyloxetan-3-yl)methyl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-2-((tetrahydro-2*H*-pyran-4-yl)methyl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

5,6-dimethyl-2-((tetrahydro-2*H*-pyran-3-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5,6-dimethyl-2-((tetrahydro-2*H*-pyran-2-yl)methyl)-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-((2,2-dimethyl-1,3-dioxolan-4-yl)methyl)-5,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(5-fluoro-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
4-fluoro-2-(6-(2,5,6-trimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)benzonitrile
7-(3-(isoquinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-(5-fluoro-2-(trifluoromethyl)phenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
1-((7-(3-cyclopropyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-((2-fluorophenyl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-((3-fluoro-2-methylpyridin-4-yl)amino)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
3-(6-(2,5,6-trimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)isonicotinonitrile
2,5,6-trimethyl-7-(3-(4-(trifluoromethyl)pyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

7-(3-(6-methoxy-4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2,5,6-trimethyl-7-(3-(quinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
1-((7-(3-(1,3-dimethyl-1*H*-pyrazol-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(1-cyclopropylvinyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
5-(difluoromethyl)-2,6-dimethyl-7-(3-(trifluoromethyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
5-cyclopropyl-7-(3-(3,5-difluoro-4-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
1-((5,6-dimethyl-7-(3-(4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((5,6-dimethyl-3-oxo-7-(3-(quinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(5-methoxy-2-methylphenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((5,6-dimethyl-3-oxo-7-(3-(prop-1-en-2-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
2,5,6-trimethyl-7-[3-(oxetan-3-yl)-7,8-dihydro-5*H*-1,6-naphthyridin-6-yl]-[1,2,4]triazolo[4,3-*a*]pyrimidin-3-one
2,5,6-trimethyl-7-[3-(oxetan-3-yl)-7,8-dihydro-5*H*-1,6-naphthyridin-6-yl]-[1,2,4]triazolo[4,3-*a*]pyrimidin-3-one
1-((7-(3-(2,5-dihydrofuran-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile

1-((5,6-dimethyl-7-(3-(oxetan-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(2,6-difluorophenyl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(2-fluoropyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
3-(6-(2-((1-cyanocyclopropyl)methyl)-5,6-dimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)isonicotinonitrile
1-((7-(3-(isoquinolin-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
1-((7-(3-(isoquinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile
2-(cyclopropylmethyl)-5,6-dimethyl-7-(3-(oxetan-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
7-(3-cyclopropyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2-(cyclopropylmethyl)-5,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclopropylmethyl)-5,6-dimethyl-7-(3-(quinolin-5-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(6-(2-(cyclopropylmethyl)-5,6-dimethyl-3-oxo-2,3-dihydro-[1,2,4]triazolo[4,3-*a*]pyrimidin-7-yl)-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)-4-fluorobenzonitrile
2-(cyclopropylmethyl)-5,6-dimethyl-7-(3-(4-methylpyridin-3-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
2-(cyclopropylmethyl)-7-(3-(3,5-dimethylisoxazol-4-yl)-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one
1-((7-(3-cyclobutyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-5,6-dimethyl-3-oxo-[1,2,4]triazolo[4,3-*a*]pyrimidin-2(3*H*)-yl)methyl)cyclopropane-1-carbonitrile

7-(3-cyclopentyl-7,8-dihydro-1,6-naphthyridin-6(5*H*)-yl)-2,5,6-trimethyl-[1,2,4]triazolo[4,3-*a*]pyrimidin-3(2*H*)-one

or a pharmaceutically acceptable salt thereof.

14. A pharmaceutical composition comprising the compound of any of claims 1-13, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

15. Use of a compound of any of claims 1-13, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition of claim 14, in the manufacture of a medicament for the treatment of a neurological and/or psychiatric disorder, wherein the disorder is selected from Alzheimer's disease, schizophrenia, a sleep disorder, a pain disorder, and a cognitive disorder.

16. A compound of any of claims 1-13, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition of claim 14 for use in therapy.