


WHAT IS CLAIMED IS:

1. A compound having Formula (I)



Formula (I),

- 5 or a therapeutically acceptable salt thereof, or a therapeutically acceptable salt thereof, wherein

X is heteroaryl; wherein the heteroaryl represented by X is optionally substituted with one, two, three, or four R<sup>4</sup>;

- 10 Y<sup>1</sup> is phenylene, or C<sub>5-6</sub> heteroarylene; optionally fused to one or two rings selected from the group consisting of C<sub>3-8</sub> cycloalkane, C<sub>3-8</sub> cycloalkene, benzene, C<sub>5-6</sub> heteroarene, C<sub>3-8</sub> heterocycloalkane, and C<sub>3-8</sub> heterocycloalkene; wherein Y<sup>1</sup> is optionally substituted with one, two, three, or four substituents independently selected from the group consisting of R<sup>5</sup>, OR<sup>5</sup>, SR<sup>5</sup>, S(O)R<sup>5</sup>, SO<sub>2</sub>R<sup>5</sup>, C(O)R<sup>5</sup>, CO(O)R<sup>5</sup>, OC(O)R<sup>5</sup>, OC(O)OR<sup>5</sup>, NH<sub>2</sub>, NHR<sup>5</sup>, N(R<sup>5</sup>)<sub>2</sub>, NHC(O)R<sup>5</sup>, NR<sup>5</sup>C(O)R<sup>5</sup>, NHS(O)<sub>2</sub>R<sup>5</sup>, NR<sup>5</sup>S(O)<sub>2</sub>R<sup>5</sup>, NHC(O)OR<sup>5</sup>, NR<sup>5</sup>C(O)OR<sup>5</sup>,  
15 NHC(O)NH<sub>2</sub>, NHC(O)NHR<sup>5</sup>, NHC(O)N(R<sup>5</sup>)<sub>2</sub>, NR<sup>5</sup>C(O)NHR<sup>5</sup>, NR<sup>5</sup>C(O)N(R<sup>5</sup>)<sub>2</sub>, C(O)NH<sub>2</sub>, C(O)NHR<sup>5</sup>, C(O)N(R<sup>5</sup>)<sub>2</sub>, C(O)NHOH, C(O)NHOR<sup>5</sup>, C(O)NHSO<sub>2</sub>R<sup>5</sup>, C(O)NR<sup>5</sup>SO<sub>2</sub>R<sup>5</sup>, SO<sub>2</sub>NH<sub>2</sub>, SO<sub>2</sub>NHR<sup>5</sup>, SO<sub>2</sub>N(R<sup>5</sup>)<sub>2</sub>, CO(O)H, C(O)H, OH, CN, N<sub>3</sub>, NO<sub>2</sub>, F, Cl, Br and I;

- 20 L<sup>1</sup> is selected from the group consisting of (CR<sup>6</sup>R<sup>7</sup>)<sub>q</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-O-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-C(O)-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-S-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-S(O)<sub>2</sub>-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-NR<sup>6A</sup>C(O)-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-C(O)NR<sup>6A</sup>-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-NR<sup>6A</sup>-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-S(O)<sub>2</sub>NR<sup>6A</sup>-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>, and (CR<sup>6</sup>R<sup>7</sup>)<sub>s</sub>-NR<sup>6A</sup>S(O)<sub>2</sub>-(CR<sup>6</sup>R<sup>7</sup>)<sub>r</sub>; and

- 25 Y<sup>2</sup> is selected from the group consisting of C<sub>3-11</sub> branched chain alkyl, C<sub>3-7</sub> cycloalkyl, C<sub>4-7</sub> cycloalkenyl, phenyl, and C<sub>3-7</sub> heterocyclyl; wherein the C<sub>3-7</sub> cycloalkyl, C<sub>4-7</sub> cycloalkenyl, phenyl, and C<sub>3-7</sub> heterocyclyl are optionally fused to one or two rings selected from the group consisting of C<sub>3-8</sub> cycloalkane, C<sub>3-8</sub> cycloalkene, benzene, C<sub>5-6</sub> heteroarene, C<sub>3-8</sub> heterocycloalkane, and C<sub>3-8</sub> heterocycloalkene; wherein Y<sup>2</sup> is optionally substituted with one, two, three, four, or five substituents independently selected from the group consisting of R<sup>8</sup>, OR<sup>8</sup>, SR<sup>8</sup>, S(O)R<sup>8</sup>, SO<sub>2</sub>R<sup>8</sup>, C(O)R<sup>8</sup>, CO(O)R<sup>8</sup>, OC(O)R<sup>8</sup>, OC(O)OR<sup>8</sup>, NH<sub>2</sub>, NHR<sup>8</sup>, N(R<sup>8</sup>)<sub>2</sub>, NHC(O)R<sup>8</sup>, NR<sup>8</sup>C(O)R<sup>8</sup>, NHS(O)<sub>2</sub>R<sup>8</sup>, NR<sup>8</sup>S(O)<sub>2</sub>R<sup>8</sup>, NHC(O)OR<sup>8</sup>, NR<sup>8</sup>C(O)OR<sup>8</sup>,  
30 NHC(O)NH<sub>2</sub>, NHC(O)NHR<sup>8</sup>, NHC(O)N(R<sup>8</sup>)<sub>2</sub>, NR<sup>8</sup>C(O)NHR<sup>8</sup>, NR<sup>8</sup>C(O)N(R<sup>8</sup>)<sub>2</sub>, C(O)NH<sub>2</sub>, C(O)NHR<sup>8</sup>, C(O)N(R<sup>8</sup>)<sub>2</sub>, C(O)NHOH, C(O)NHOR<sup>8</sup>, C(O)NHSO<sub>2</sub>R<sup>8</sup>, C(O)NR<sup>8</sup>SO<sub>2</sub>R<sup>8</sup>, SO<sub>2</sub>NH<sub>2</sub>, SO<sub>2</sub>NHR<sup>8</sup>, SO<sub>2</sub>N(R<sup>8</sup>)<sub>2</sub>, CO(O)H, C(O)H, OH, CN, N<sub>3</sub>, NO<sub>2</sub>, F, Cl, Br and I; or

L<sup>1</sup> is a bond; and



$R^4$ , at each occurrence, is independently selected from the group consisting of  $NR^{12}R^{13}$ ,  $OR^{12}$ , CN,  $NO_2$ , halogen,  $C(O)OR^{12}$ ,  $C(O)NR^{12}R^{13}$ ,  $NR^{12}C(O)R^{13}$ ,  $NR^{12}S(O)_2R^{14}$ ,  $NR^{12}S(O)R^{14}$ ,  $S(O)_2R^{14}$ ,  $S(O)R^{14}$  and  $R^{14}$ ;

$R^5$ , at each occurrence, is independently selected from the group consisting of  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{1-6}$  haloalkyl,  $C_{1-6}$  hydroxyalkyl, aryl, heterocyclyl, cycloalkyl, and cycloalkenyl;

$R^{6A}$  is independently selected from the group consisting of hydrogen,  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl, and  $C_{1-6}$  haloalkyl;

$R^6$  and  $R^7$ , at each occurrence, are each independently selected from the group consisting of hydrogen,  $R^{15}$ ,  $OR^{15}$ ,  $SR^{15}$ ,  $S(O)R^{15}$ ,  $SO_2R^{15}$ ,  $C(O)R^{15}$ ,  $CO(O)R^{15}$ ,  $OC(O)R^{15}$ ,  $OC(O)OR^{15}$ ,  $NH_2$ ,  $NHR^{15}$ ,  $N(R^{15})_2$ ,  $NHC(O)R^{15}$ ,  $NR^{15}C(O)R^{15}$ ,  $NHS(O)_2R^{15}$ ,  $NR^{15}S(O)_2R^{15}$ ,  $NHC(O)OR^{15}$ ,  $NR^{15}C(O)OR^{15}$ ,  $NHC(O)NH_2$ ,  $NHC(O)NHR^{15}$ ,  $NHC(O)N(R^{15})_2$ ,  $NR^{15}C(O)NHR^{15}$ ,  $NR^{15}C(O)N(R^{15})_2$ ,  $C(O)NH_2$ ,  $C(O)NHR^{15}$ ,  $C(O)N(R^{15})_2$ ,  $C(O)NHOH$ ,  $C(O)NHOR^{15}$ ,  $C(O)NHOSO_2R^{15}$ ,  $C(O)NR^{15}SO_2R^{15}$ ,  $SO_2NH_2$ ,  $SO_2NHR^{15}$ ,  $SO_2N(R^{15})_2$ ,  $CO(O)H$ ,  $C(O)H$ ,  $OH$ ,  $CN$ ,  $N_3$ ,  $NO_2$ ,  $F$ ,  $Cl$ ,  $Br$  and  $I$ ; or

$R^8$ , at each occurrence, is independently selected from the group consisting of  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{1-6}$  haloalkyl, aryl, heterocyclyl, cycloalkyl, and cycloalkenyl; wherein the  $R^8$   $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl, and  $C_{1-6}$  haloalkyl are optionally substituted with one, two, three, four, five, or six substituents independently selected from the group consisting of  $R^{16}$ ,  $OR^{16}$ ,  $SR^{16}$ ,  $S(O)R^{16}$ ,  $SO_2R^{16}$ ,  $C(O)R^{16}$ ,  $CO(O)R^{16}$ ,  $OC(O)R^{16}$ ,  $OC(O)OR^{16}$ ,  $NH_2$ ,  $NHR^{16}$ ,  $N(R^{16})_2$ ,  $NHC(O)R^{16}$ ,  $NR^{16}C(O)R^{16}$ ,  $NHS(O)_2R^{16}$ ,  $NR^{16}S(O)_2R^{16}$ ,  $NHC(O)OR^{16}$ ,  $NR^{16}C(O)OR^{16}$ ,  $NHC(O)NH_2$ ,  $NHC(O)NHR^{16}$ ,  $NHC(O)N(R^{16})_2$ ,  $NR^{16}C(O)NHR^{16}$ ,  $NR^{16}C(O)N(R^{16})_2$ ,  $C(O)NH_2$ ,  $C(O)NHR^{16}$ ,  $C(O)N(R^{16})_2$ ,  $C(O)NHOH$ ,  $C(O)NHOR^{16}$ ,  $C(O)NHOSO_2R^{16}$ ,  $C(O)NR^{16}SO_2R^{16}$ ,  $SO_2NH_2$ ,  $SO_2NHR^{16}$ ,  $SO_2N(R^{16})_2$ ,  $CO(O)H$ ,  $C(O)H$ ,  $OH$ ,  $CN$ ,  $N_3$ ,  $NO_2$ ,  $F$ ,  $Cl$ ,  $Br$  and  $I$ ; wherein the  $R^8$  aryl, heterocyclyl, cycloalkyl, and cycloalkenyl are optionally substituted with one, two, or three substituents independently selected from the group consisting of  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{1-6}$  haloalkyl,  $NH_2$ ,  $C(O)NH_2$ ,  $SO_2NH_2$ ,  $C(O)H$ ,  $(O)$ ,  $OH$ ,  $CN$ ,  $NO_2$ ,  $OCF_3$ ,  $OCF_2CF_3$ ,  $F$ ,  $Cl$ ,  $Br$  and  $I$ ;

$R^9$  is selected from the group consisting of  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{1-6}$  haloalkyl, cycloalkyl, phenyl and  $(CH_2)_{1-4}$  phenyl; and

$R^{10}$  and  $R^{11}$ , at each occurrence, are each independently selected from the group consisting of hydrogen,  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{3-6}$  cycloalkyl,  $C_{1-6}$  haloalkyl, phenyl and  $(CH_2)_{1-4}$ -phenyl; or

$R^{10}$  and  $R^{11}$ , or  $R^{10}$  and  $R^9$ , together with the atom to which each is attached are combined to form a heterocyclyl;

$R^k$ , at each occurrence, is independently selected from the group consisting of  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_{3-7}$  heterocycloalkyl,  $C_{3-7}$  cycloalkyl and  $C_{1-6}$  haloalkyl; wherein the  $R^k$   $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl, and  $C_{2-6}$  alkynyl are optionally substituted with aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

5  $R^{12}$  and  $R^{13}$ , at each occurrence, are each independently selected from the group consisting of hydrogen,  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl and  $(CH_2)_{1-4}$  phenyl;

$R^{14}$ , at each occurrence, is independently selected from the group consisting of  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl and  $C_{1-4}$  haloalkyl;

10  $R^{12}$  and  $R^{13}$ , or  $R^{12}$  and  $R^{14}$ , at each occurrence, together with the atom to which each is attached, are optionally combined to form a heterocyclyl;

$R^{15}$ , at each occurrence, is independently selected from the group consisting of  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl,  $C_{1-4}$  hydroxyalkyl, aryl, heterocyclyl, cycloalkyl, and cycloalkenyl; wherein the  $R^{15}$   $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl, and  $C_{1-4}$  hydroxyalkyl are optionally substituted with one, two, or three substituents independently selected from the group consisting of  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl,  $C_{1-4}$  hydroxyalkyl,  $C_{1-4}$  alkoxy, aryl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, cycloalkyl, and cycloalkenyl,  $NH_2$ ,  $C(O)NH_2$ ,  $SO_2NH_2$ ,  $C(O)H$ ,  $C(O)OH$ ,  $(O)$ ,  $OH$ ,  $CN$ ,  $NO_2$ ,  $OCF_3$ ,  $OCF_2CF_3$ ,  $F$ ,  $Cl$ ,  $Br$  and  $I$ ;

20  $R^{16}$ , at each occurrence, is independently selected from the group consisting of  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl,  $C_{1-4}$  hydroxyalkyl, aryl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, cycloalkyl, and cycloalkenyl; wherein the  $R^{16}$   $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  haloalkyl, and  $C_{1-4}$  hydroxyalkyl are optionally substituted with one substituent independently selected from the group consisting of  $OCH_3$ ,  $OCH_2CH_2OCH_3$ , and  $OCH_2CH_2NHCH_3$ ;

25  $q$  is 1, 2, or 3;  
 $s$  is 0, 1, 2, or 3;  
 $r$  is 0, 1, 2, or 3;  
wherein the sum of  $s$  and  $r$  is 0, 1, or 2;  
30  $m$  is 0, 1, 2, or 3;  
 $n$  is 0, 1, 2, 3, 4, 5, or 6; and  
 $p$  is 0, 1, or 2.

35 2. The compound of claim 1, or a therapeutically acceptable salt thereof,  
wherein  
 $Y^1$  is pyrrolyl, pyrazolyl, or triazolyl.

3. The compound of claim 1, or a therapeutically acceptable salt thereof,  
wherein

$Y^1$  is pyridinyl or phenyl.

5 4. The compound of claim 1, or a therapeutically acceptable salt thereof,  
wherein

X is benzo[d]thiazolyl; which is optionally substituted with one, two, three or  
four  $R^4$ .

10 5. The compound of claim 2, or a therapeutically acceptable salt thereof,  
wherein


X is benzo[d]thiazolyl; which is optionally substituted with one, two, three or  
four  $R^4$ .

15 6. The compound of claim 3, or a therapeutically acceptable salt thereof,  
wherein


wherein

X is benzo[d]thiazolyl; which is optionally substituted with one, two, three or  
four  $R^4$ .

20 7. The compound of claim 2, or a therapeutically acceptable salt thereof,  
wherein



25 8. The compound of claim 3, or a therapeutically acceptable salt thereof,  
wherein



30 9. The compound of claim 2, or a therapeutically acceptable salt thereof,  
wherein

$L^1$  is  $(CR^6R^7)_q$ ; and

$Y^2$  is selected from the group consisting of  $C_{3-7}$  cycloalkyl,  $C_{4-7}$  cycloalkenyl,  
phenyl,  $C_{5-6}$  heteroaryl, and  $C_{3-7}$  heterocycloalkyl; wherein

$R^6$  and  $R^7$ , at each occurrence, are  $R^{15}$  or hydrogen; and  
 $q$  is 1, 2, or 3.

10. The compound of claim 3, or a therapeutically acceptable salt thereof,  
5 wherein

$L^1$  is  $(CR^6R^7)_q$ ; and

$Y^2$  is selected from the group consisting of  $C_{3-7}$  cycloalkyl,  $C_{4-7}$  cycloalkenyl,  
phenyl,  $C_{5-6}$  heteroaryl, and  $C_{3-7}$  heterocycloalkyl; wherein

10  $R^6$  and  $R^7$ , at each occurrence, are  $R^{15}$  or hydrogen; and  
 $q$  is 1, 2, or 3.

11. The compound of claim 2, or a therapeutically acceptable salt thereof,  
wherein

15  $L^1$  is selected from the group consisting of  $(CR^6R^7)_s-C(O)NR^{6A}-(CR^6R^7)_r$ , and  
 $(CR^6R^7)_s-S(O)_2NR^{6A}-(CR^6R^7)_r$ ;

$s$  is 0;

$r$  is 0 or 1;

$R^{6A}$  is independently selected from the group consisting of hydrogen, and  $C_{1-6}$   
alkyl; and

20  $R^6$  and  $R^7$ , at each occurrence, are hydrogen.

12. The compound of claim 3, or a therapeutically acceptable salt thereof,  
wherein

25  $L^1$  is selected from the group consisting of  $(CR^6R^7)_s-NR^{6A}C(O)-(CR^6R^7)_r$ ,  $(CR^6R^7)_s-$   
 $C(O)NR^{6A}-(CR^6R^7)_r$ ,  $(CR^6R^7)_s-NR^{6A}-(CR^6R^7)_r$ ,  $(CR^6R^7)_s-S(O)_2NR^{6A}-(CR^6R^7)_r$ , and  $(CR^6R^7)_s-$   
 $NR^{6A}S(O)_2-(CR^6R^7)_r$ ;

$s$  is 0;

$r$  is 0 or 1;

30  $R^{6A}$  is independently selected from the group consisting of hydrogen, and  $C_{1-6}$   
alkyl; and

$R^6$  and  $R^7$ , at each occurrence, are hydrogen.

13. The compound of claim 1, or a pharmaceutically acceptable salt thereof,  
selected from the group consisting of

35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-  
benzyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(pyridin-4-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(pyridin-3-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-hydroxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(1-phenylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{4-[2-(dimethylamino)ethoxy]benzyl}-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 10 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(5,6-difluoro-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(4-fluorophenyl)ethyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(6-fluoro-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(6-methoxy-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-3,5-dimethyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-methylbenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-methoxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-chlorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[3-(benzyloxy)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-hydroxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{3-[2-(dimethylamino)ethoxy]benzyl}-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-3-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(7-chloro-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[6-(pyrrolidin-1-yl)pyridin-2-yl]methyl]-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-phenyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-cyanobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-chlorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(pyridin-2-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-3-cyano-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(naphthalen-2-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[3-(3-methyl-1,2,4-oxadiazol-5-yl)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-benzyl-3-(hydroxymethyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(benzyloxy)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-methyl-1-[[6-(pyrrolidin-1-yl)pyridin-2-yl]methyl]-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-benzyl-3-(ethoxycarbonyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[3-(dimethylamino)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-3-carboxy-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-hydroxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2,3-dihydro-1H-inden-1-yl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-phenylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3,4-dihydro-2H-chromen-4-yl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-(dimethylamino)ethoxy)benzyl]-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-fluorobenzyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(cyclohexylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(cyclohexylmethyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-{[3-(dimethylamino)propyl]amino}-3-nitrobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-fluoro-3-nitrobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-(2-(morpholin-4-yl)ethoxy)benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-[3-(dimethylamino)propoxy]benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-(pyridin-4-ylmethoxy)benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-(2-(dimethylamino)ethoxy)benzyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-[3-(dimethylamino)prop-1-yn-1-yl]benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2,3-difluorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3,5-difluorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2,5-difluorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2,6-difluorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(tetrahydro-2H-pyran-3-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-nitrobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(biphenyl-3-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2,2-dimethylpropyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-cyclohexylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-(trifluoromethyl)benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(biphenyl-2-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(cyclopentylmethyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-formylbenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-phenyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-methyl-1-(tetrahydro-2H-pyran-3-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-[(1-phenylcyclohexyl)methyl]-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{3-[(dimethylamino)methyl]benzyl}-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-(methylsulfonyl)benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(cyclohexylmethyl)-5-cyclopropyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3,5-di-tert-butylbenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-(morpholin-4-ylsulfonyl)benzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-[(4,4-difluorocyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(trifluoromethyl)cyclohexyl)methyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(diphenylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(morpholin-4-yl)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[3-(morpholin-4-yl)-1-phenylpropyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(tert-butoxycarbonyl)piperidin-4-yl)methyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-methyl-1-{2-[2-(morpholin-4-yl)ethoxy]benzyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(dimethylamino)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-methyl-1-{2-[3-(morpholin-4-yl)propoxy]benzyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{5-methyl-1-[(1-methylcyclohexyl)methyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{2-(4-chlorophenyl)-4,4-dimethylcyclohex-1-en-1-yl)methyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(cyclohexylmethyl)-5-ethyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{[(1R,2R,5R)-6,6-dimethylbicyclo[3.1.1]hept-2-yl)methyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{[(1S,2R,5S)-6,6-dimethylbicyclo[3.1.1]hept-2-yl)methyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(2-methylpropyl)cyclohexyl)methyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(2-methoxyethyl)cyclohexyl)methyl}-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(2-methoxyethoxy)benzyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(2-methoxyethyl)cyclohexyl}methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1R,2R,4R)-bicyclo[2.2.1]hept-5-en-2-ylmethyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(3,3-dimethylcyclohexyl)methyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-methoxy-1-phenylpropyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-methoxy-1-phenylbutyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-methoxy-2-oxo-1-phenylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(2-cyclohexyl-1-phenylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(3-methoxypropyl)cyclohexyl}methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{2-[3-hydroxy-2-(hydroxymethyl)-2-methylpropoxy]benzyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{5-methyl-1-[2-(tetrahydro-2H-pyran-4-ylmethoxy)benzyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[2-(1,4-dioxan-2-ylmethoxy)benzyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{{1-(2-methoxyethoxy)cyclohexyl}methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-nitrophenoxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-chlorophenoxy)phenyl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbonyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-benzylphenyl)pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethyl)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-5-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-cyano-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-chloro-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylamino)-2-methylphenyl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-fluorophenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-(trifluoromethyl)phenyl]pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-[(3,3-dimethylcyclohexyl)oxy]-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-1,2,3-triazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-benzyl-5-(ethoxycarbonyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-carboxy-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(4-methylphenyl)sulfonyl]-1H-pyrrol-3-yl}pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzoyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(phenylsulfonyl)-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-cyano-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-2-methyl-1-{1-(piperidin-1-yl)cyclohexyl}methyl)-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 15 acid;
- 6,6'-bis[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3,3'-bipyridine-2,2'-dicarboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-benzyl-1,2,3,4-tetrahydroisoquinolin-6-yl)pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[1-(2-methoxyethyl)cycloheptyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(piperidin-4-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(pyridin-2-ylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(cyclohexylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3'-methyl-3,4'-bipyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrolo[2,3-b]pyridin-3-yl)pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-[methyl(phenyl)amino]-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[1-(methoxymethyl)cyclohexyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[3,3-dimethyl-1-(morpholin-4-yl)cyclohexyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[1-(2-methoxyethyl)-3,3-dimethylcyclohexyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-
- 10 carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[1-(3-methoxypropyl)cycloheptyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- N-(1,3-benzothiazol-2-yl)-2-{5-(1-{[1-(2-methoxyethyl)cycloheptyl]methyl}-5-methyl-1H-pyrazol-4-yl)-6-[(methylsulfonyl)carbamoyl]pyridin-2-yl}-1,2,3,4-
- 15 tetrahydroisoquinoline-8-carboxamide;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(tetrahydro-2H-pyran-2-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[(1R,2R,3R,5S)-2-(2-methoxyethyl)-6,6-dimethylbicyclo[3.1.1]hept-3-yl]methyl}-1H-
- 20 pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[1-(2-methoxyethoxy)cycloheptyl]methyl}-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-[1-cyclohexyl-3-(morpholin-4-yl)propyl]-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-indazol-5-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-methyl-1-(tetrahydro-2H-pyran-2-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-
- 30 methyl-1-({1-[3-(morpholin-4-yl)propoxy]cycloheptyl}methyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-methyl-3-[methyl(phenyl)amino]phenyl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1-methoxy-3,3-dimethylcyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic
- 35 acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-  
 {(1S,2R,5S)-6,6-dimethylbicyclo[3.1.1]hept-2-yl)methyl}-5-methyl-1H-1,2,3-triazol-4-  
 yl)pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(3,3-  
 dimethylcyclohexyl)(methyl)amino]-2-methylphenyl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-  
 methyl-1-[[1-(morpholin-4-yl)cyclohexyl)methyl]-1H-pyrazol-4-yl)pyridine-2-carboxylic  
 acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-  
 [cyclohexyl(methyl)amino]-3'-methyl-3,4'-bipyridine-2-carboxylic acid;
- N-(1,3-benzothiazol-2-yl)-2-(5-{1-[(1-methoxy-3,3-dimethylcyclohexyl)methyl]-5-  
 methyl-1H-pyrazol-4-yl}-6-[(methylsulfonyl)carbamoyl]pyridin-2-yl)-1,2,3,4-  
 tetrahydroisoquinoline-8-carboxamide;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-1-methyl-3,4-dihydroisoquinolin-2(1H)-yl]-3-  
 {5-methyl-1-[(1-methylcyclohexyl)methyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-cyano-2'-  
 [cyclohexyl(methyl)amino]-3,4'-bipyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1-  
 methoxycyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1-  
 methoxy-3,3-dimethylcyclohexyl)methyl]-5-methyl-1H-1,2,3-triazol-4-yl}pyridine-2-  
 carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-({1-[2-  
 (1,1-dioxidothiomorpholin-4-yl)ethoxy]cyclohexyl)methyl}-5-methyl-1H-pyrazol-4-  
 yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-  
 2-methyl-1-[[1-(morpholin-4-yl)cyclohexyl)methyl]-1H-pyrrol-3-yl)pyridine-2-carboxylic  
 acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[1-(2-  
 hydroxyethoxy)cyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[1-  
 (2,3-dimethoxypropoxy)cycloheptyl)methyl]-5-methyl-1H-pyrazol-4-yl)pyridine-2-  
 carboxylic acid;
- 35 N-(1,3-benzothiazol-2-yl)-2-{5-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-  
 3-yl]-6-[(methylsulfonyl)carbamoyl]pyridin-2-yl)-1,2,3,4-tetrahydroisoquinoline-8-  
 carboxamide;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-[[1-(2-methoxyethoxy)cycloheptyl]methyl]-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[1-(1,4-dioxan-2-ylmethoxy)cycloheptyl]methyl]-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-methyl-1-([1-(2-(morpholin-4-yl)-2-oxoethoxy)cyclohexyl]methyl)-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[1-(2,3-dihydroxypropoxy)cycloheptyl]methyl]-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-[[1-(dimethylamino)cyclohexyl]methyl]-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-[(cyclohexylcarbonyl)(methyl)amino]-2-methylphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3,3-dimethyl-1-[2-(methylsulfonyl)ethoxy]cyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-{methyl[(1-methylcyclohexyl)carbonyl]amino}phenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-[[1-(2-methoxyethoxy)-3,3-dimethylcyclohexyl]methyl]-5-methyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-cyano-3-[(cyclohexylsulfonyl)(methyl)amino]phenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-cyano-3-[2-(tricyclo[3.3.1.1<sup>3,7</sup>]dec-1-yl)pyrrolidin-1-yl]phenyl)pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-(piperidin-1-yl)-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(1-cyclohexyl-3-methoxypropyl)-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 35 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3,3-dimethyl-1-[2-(methylamino)ethoxy]cyclohexyl)methyl]-5-methyl-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{5-methyl-1-[(2,6,6-trimethyltetrahydro-2H-pyran-2-yl)methyl]-1H-pyrazol-4-yl}pyridine-2-carboxylic acid;

5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-indazol-4-yl)pyridine-2-carboxylic acid; and

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrolo[2,3-c]pyridin-3-yl)pyridine-2-carboxylic acid.

14. A composition for treating bladder cancer, brain cancer, breast cancer, bone marrow  
10 cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer, hepatocellular cancer, lymphoblastic leukemia, follicular lymphoma, lymphoid malignancies of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, chronic lymphocytic leukemia, myeloma, prostate cancer, small cell lung cancer or spleen cancer, said composition comprising an excipient and a  
15 therapeutically effective amount of a compound of claim 1 or a pharmaceutically acceptable salt thereof.

15. A method of treating bladder cancer, brain cancer, breast cancer, bone marrow  
cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer,  
20 hepatocellular cancer, lymphoblastic leukemia, follicular lymphoma, lymphoid malignancies of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, chronic lymphocytic leukemia, myeloma, prostate cancer, small cell lung cancer or spleen cancer in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of claim 1, or a  
25 pharmaceutically acceptable salt thereof.

16. A method of treating bladder cancer, brain cancer, breast cancer, bone marrow  
cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer,  
hepatocellular cancer, lymphoblastic leukemia, follicular lymphoma, lymphoid malignancies  
30 of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, chronic lymphocytic leukemia, myeloma, prostate cancer, small cell lung cancer or spleen cancer in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of claim 1, or a  
pharmaceutically acceptable salt thereof, and a therapeutically effective amount of one  
35 additional therapeutic agent or more than one additional therapeutic agent.

WHAT IS CLAIMED IS:

1. A compound or therapeutically acceptable salt selected from the group consisting of  
6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-nitrophenoxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-chlorophenoxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-benzylphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethyl)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-5-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-cyano-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-chloro-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylamino)-2-methylphenyl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-fluorophenyl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-(trifluoromethyl)phenyl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(3,3-dimethylcyclohexyl)oxy]-2-methylphenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-1,2,3-triazol-4-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-benzyl-5-(ethoxycarbonyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-carboxy-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(4-methylphenyl)sulfonyl]-1H-pyrrol-3-yl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzoyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(phenylsulfonyl)-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-cyano-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-2-methyl-1-{[1-(piperidin-1-yl)cyclohexyl]methyl}-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6,6'-bis[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3,3'-bipyridine-2,2'-dicarboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-benzyl-1,2,3,4-tetrahydroisoquinolin-6-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(pyridin-2-ylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(cyclohexylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3'-methyl-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrolo[2,3-b]pyridin-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-[methyl(phenyl)amino]-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-indazol-5-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-methyl-3-[methyl(phenyl)amino]phenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[(1S,2R,5S)-6,6-dimethylbicyclo[3.1.1]hept-2-yl]methyl}-5-methyl-1H-1,2,3-triazol-4-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(3,3-dimethylcyclohexyl)(methyl)amino]-2-methylphenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-[cyclohexyl(methyl)amino]-3'-methyl-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-cyano-2'-[cyclohexyl(methyl)amino]-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1-methoxy-3,3-dimethylcyclohexyl)methyl]-5-methyl-1H-1,2,3-triazol-4-yl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-2-methyl-1-{[1-(morpholin-4-yl)cyclohexyl]methyl}-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

N-(1,3-benzothiazol-2-yl)-2-{5-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-3-yl]-6-[(methylsulfonyl)carbamoyl]pyridin-2-yl}-1,2,3,4-tetrahydroisoquinoline-8-carboxamide;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-{[1-(2-methoxyethoxy)cycloheptyl]methyl}-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-{[1-(dimethylamino)cyclohexyl]methyl}-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(cyclohexylcarbonyl)(methyl)amino]-2-methylphenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-{methyl[(1-methylcyclohexyl)carbonyl]amino}phenyl)pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-cyano-3-[(cyclohexylsulfonyl)(methyl)amino]phenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-cyano-3-[2-(tricyclo[3.3.1.1<sup>3,7</sup>]dec-1-yl)pyrrolidin-1-yl]phenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-(piperidin-1-yl)-3,4'-bipyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-indazol-4-yl)pyridine-2-carboxylic acid; and

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrolo[2,3-c]pyridin-3-yl)pyridine-2-carboxylic acid.

2. A pharmaceutical composition comprising an excipient and a therapeutically effective amount of the compound or therapeutically acceptable salt of claim 1.

3. Use of a therapeutic effective amount of a compound of claim 1, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating bladder cancer, brain cancer, breast cancer, bone marrow cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer, hepatocellular cancer,

lymphoblastic leukemia, follicular lymphoma, a lymphoid malignancy of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, prostate cancer, small cell lung cancer or spleen cancer in a patient.

4. Use of a therapeutic effective amount of a compound of claim 1, or a pharmaceutically acceptable salt thereof, and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent, in the manufacture of a medicament for treating bladder cancer, brain cancer, breast cancer, bone marrow cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer, hepatocellular cancer, lymphoblastic leukemia, follicular lymphoma, a lymphoid malignancy of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, prostate cancer, small cell lung cancer or spleen cancer in a patient.