

100 →




FIG. 1

200 →

Element ID 204	Length 206	Element ID Extension 208	Sensing Measurement Report Type 210	Sensing Measurement Report Control 212	Sensing Measurement Report 214
1	1	1	TBD	TBD	Variable

Octets

FIG. 2

300 →

Feedback Bandwidth 304	I2R N_STS 306	R2I N_STS 308	Ng (Number of Subcarrier Groups) 310	Scale Factor 312	CSI FB Bit Size 314
TBD	TBD	TBD	TBD	TBD	TBD

Bits:

FIG. 3

400



Feedback Bandwidth 404	I2R N_STS 406	R2I N_STS 408	Number of TCIR Taps 410
TBD	TBD	TBD	TBD

Bits:

FIG. 4

500 →

Category 504	Public Action 506	Measurement Set-up ID 1 508	Measurement Instance ID 1 510	Sensing Measurement Report 1 512	...	Measurement Set-up ID n 514	Measurement Instance ID n 516	Sensing Measurement Report n 518

FIG. 5




FIG. 6

700 →

Category 704	Public Action 706	Measurement Set-up ID 708	Measurement Instance ID 710	AID 1 712	Sensing Measurement Report 1 714	...	AID N 716	Sensing Measurement Report N 718
-----------------	-------------------------	---------------------------------	-----------------------------------	--------------	---	-----	--------------	---

FIG. 7




FIG. 8