




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

600

Influenza in Gloucester Winter

Background
Time and Place
Clinical Criteria
Any person with at least one of the following clinical forms: Influenza-like illness (ILI) • Sudden onset of symptoms AND at least one of the following four systemic symptoms: • Fever or feverishness • Malaise • Headache • Myalgia AND at least one of the following three respiratory symptoms: • Cough • Sore throat • Shortness of breath Acute respiratory infection (ARI) • Sudden onset of symptoms AND at least one of the following four respiratory symptoms: • Cough • Sore throat • Shortness of breath • Coryza AND a clinician's judgement that the illness is due to an infection

FIG. 6
SUBSTITUTE SHEET (RULE 26)

600

Laboratory Criteria for Diagnosis
At least one the following four: • Isolation of influenza virus from a clinical specimen • Detection of influenza virus nucleci acid in a clinical specimen • Identification of influenza virus antigen by DFA test in a clinical specimen • Influenza specific antibody response Sub typing of the influenza isolate should be performed, if possible.
Epidemiological Criteria
Primary mode of transmission Person-to-person contact
Other modes of transmission _____
Case Classification
POSSIBLE CASE
Any person meeting the clinical criteria (ILI or ARI)
PROBABLE CASE
Any person meeting the clinical criteria (ILI or ARI) and with an epidemiological link
CONFIRMED CASE
Any person meeting the clinical (ILI or ARI) and the laboratory criteria

FIG. 7
SUBSTITUTE SHEET (RULE 26)




FIG. 8




FIG. 9




FIG. 10A





FIG. 10B







FIG. 12

1300



SUBSTITUTE SHEET (RULE 26)

1500




FIG. 15

1600




FIG. 16




FIG. 17




FIG. 18

20/21




FIG. 19

21/21




FIG. 20