
CLAIMS


1. A compound of general formula I :




I

in which :


A represents a




or



or




or



-group ;

wherein * indicates the point of attachment of said groups with the rest of the molecule ;

Z represents a $-C(=O)N(H)R^2$ or $-C(=S)N(H)R^2$ group, or a group selected from



wherein * indicates the point of attachment of said groups with the rest of the molecule ;

R^2 represents a hydrogen atom, or a C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})N$-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, -C_1-C_6-alkyl-CN, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_2-C_6-alkenyl-, C_2-C_6-alkynyl- or C_3-C_6-cycloalkyl- group ;
wherein said C_3-C_6-cycloalkyl- group is optionally substituted, identically or differently, with 1, 2, 3 or 4 groups selected from: halogen, -OH, -CN, C_1-C_6-alkyl-, C_1-C_6-alkoxy-, halo-C_1-C_6-alkyl-;

R^3 represents an aryl-X- or heteroaryl-X- group;
wherein said aryl-X- or heteroaryl-X- group is optionally substituted, identically or differently, with 1, 2, 3, 4 or 5 R^7 groups ;

R^{4a} represents hydrogen;

R^{4d} represents hydrogen;

one of the groups R^{4b} and R^{4c} represents a hydrogen atom while the other one represents a group selected from: halo-, -CN, -OH, C_1-C_6-alkyl- and C_1-C_6-alkoxy-;

R^5 represents a hydrogen atom, or a C_1-C_6-alkyl-, -$(CH_2)_n$-C_2-C_6-alkenyl, -$(CH_2)_n$-C_2-C_6-alkynyl, -$(CH_2)_m$-C_3-C_6-cycloalkyl, -$(CH_2)_m$-(3- to 7-membered heterocycloalkyl), aryl-C_1-C_6-alkyl-, heteroaryl-C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})$N-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, -C_1-C_6-alkyl-CN, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_3-C_6-cycloalkyl-, 3- to 7-membered heterocycloalkyl-, C_2-C_6-alkenyl-, C_4-C_8-cycloalkenyl-, C_2-C_6-alkynyl-,aryl- or heteroaryl- group ;
wherein said C_1-C_6-alkyl-, -$(CH_2)_n$-C_2-C_6-alkenyl, -$(CH_2)_n$-C_2-C_6-alkynyl, -$(CH_2)_m$-C_3-C_6-cycloalkyl, -$(CH_2)_m$-(3- to 7-membered heterocycloalkyl), aryl-C_1-C_6-alkyl-, heteroaryl-C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})$N-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, -C_1-C_6-alkyl-CN, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_3-C_6-cycloalkyl-, 3- to 7-membered heterocycloalkyl-, C_4-C_8-cycloalkenyl-, aryl- or heteroaryl-group is optionally substituted, identically or differently, with 1, 2, 3 or 4 R^8 groups ;

R^6, R^{6a}, R^{6b}, R^{6c},
represent, independently from each other, a hydrogen atom, or a C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, C_3-C_6-cycloalkyl-, C_2-C_6-alkenyl-, 3- to 7-membered heterocycloalkyl-, aryl-, heteroaryl-, aryl-C_1-C_6-alkyl- or heteroaryl-C_1-C_6-alkyl- group ;

R^7 represents a hydrogen or halogen atom, or a HO-, -CN, C_1-C_6-alkoxy-, C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})$N-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_2-C_6-alkenyl, 3- to 7-membered heterocycloalkyl-, aryl-, heteroaryl-, -C(=O)R^6, -C(=O)N(H)R^{6a}, -C(=O)N(R^{6a})R^{6b}, -C(=O)O-R^6, -N(R^{6a})R^{6b}, -NO_2, -N(H)C(=O)R^6, -N(R^{6c})C(=O)R^6, -N(H)C(=O)N(R^{6a})R^{6b}, -N(R^{6c})C(=O)N(R^{6a})R^{6b}, -N(H)C(=O)OR^6, -N(R^{6c})C(=O)OR^6,

$-N(H)S(=O)R^6$, $-N(R^{6c})S(=O)R^6$, $-N(H)S(=O)_2R^6$, $-N(R^{6c})S(=O)_2R^6$, $-N=S(=O)(R^{6a})R^{6b}$, $-OR^6$, $-O(C=O)R^6$, $-O(C=O)N(R^{6a})R^{6b}$, $-O(C=O)OR^6$, $-SR^6$, $-S(=O)R^6$, $-S(=O)N(H)R^6$, $-S(=O)N(R^{6a})R^{6b}$, $-S(=O)_2R^6$, $-S(=O)_2N(H)R^6$, $-S(=O)_2N(R^{6a})R^{6b}$ or $-S(=O)(=NR^{6c})R^6$ group ;

wherein said C_1-C_6-alkoxy-, aryl- or heteroaryl- group is optionally substituted, identically or differently, with 1, 2 or 3 C_1-C_6-alkyl-, C_1-C_6-alkoxy-, halo-C_1-C_6-alkoxy-, $-C(=O)O-R^6$ or -OH groups;

or

when 2 R^7 groups are present ortho to each other on an aryl- or heteroaryl-ring, said 2 R^7 groups together form a bridge :

$*O(CH_2)_2O*$, $*O(CH_2)O*$, *NH(C(=O))NH*, wherein * represent the point of attachment to said aryl- or heteroaryl- ring ;

R^8 represents a hydrogen or halogen atom, or a -CN, C_1-C_6-alkoxy-, C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})N$-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_2-C_6-alkenyl-, 3- to 7-membered heterocycloalkyl-, aryl-, heteroaryl-, $-C(=O)R^6$, $-C(=O)N(H)R^{6a}$, $-C(=O)N(R^{6a})R^{6b}$, $-C(=O)O-R^6$, $-N(R^{6a})R^{6b}$, $-NO_2$, $-N(H)C(=O)R^6$, $-N(R^{6c})C(=O)R^6$, $-N(H)C(=O)N(R^{6a})R^{6b}$, $-N(R^{6c})C(=O)N(R^{6a})R^{6b}$, $-N(H)C(=O)OR^6$, $-N(R^{6c})C(=O)OR^6$, $-N(H)S(=O)R^6$, $-N(R^{6c})S(=O)R^6$, $-N(H)S(=O)_2R^6$, $-N(R^{6c})S(=O)_2R^6$, $-N=S(=O)(R^{6a})R^{6b}$, $-OR^6$, $-O(C=O)R^6$, $-O(C=O)N(R^{6a})R^{6b}$, $-O(C=O)OR^6$, $-SR^6$, $-S(=O)R^6$, $-S(=O)N(H)R^6$, $-S(=O)N(R^{6a})R^{6b}$, $-S(=O)_2R^6$, $-S(=O)_2N(H)R^6$, $-S(=O)_2N(R^{6a})R^{6b}$, $-S(=O)(=NR^{6c})R^6$ or $-S(=O)_2$-(3- to 7-membered heterocycloalkyl) group;

wherein said 3- to 7-membered heterocycloalkyl- or heteroaryl- group is optionally substituted, identically or differently, with 1, 2, 3 or 4 C_1-C_6-alkyl-groups ;

m is an integer of 0, 1, 2, 3, 4, 5 or 6 ;

n is an integer of 0, 1, 2, 3, 4 or 5 ;

X represents $S(=O)_p$, O, NR^6, $CR^{6a}R^{6b}$ or $C=CR^{6a}R^{6b}$;

p is an integer of 0, 1 or 2 ;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

2. A compound according to claim 1, wherein

R^2 is selected from the groups consisting of :

C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, $R^{6a}(R^{6b})N$-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, -C_1-C_6-alkyl-CN, C_1-C_6-alkoxy-C_1-C_6-alkyl-, halo-C_1-C_6-alkoxy-C_1-C_6-alkyl-, C_2-C_6-alkenyl-, C_2-C_6-alkynyl-;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

3. A compound according to any one of claims 1 to 2, wherein

R^5 represents a hydrogen atom, or a C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, C_3-C_6-cycloalkyl-, 3- to 7-membered heterocycloalkyl, or heteroaryl- group ;

said C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, , C_3-C_6-cycloalkyl-, 3- to 7-membered heterocycloalkyl, heteroaryl- group is optionally substituted, identically or differently, with 1, 2, 3, or 4 R^8 groups ;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

4. A compound according to any one of claims 1 to 3, wherein

R^7 represents a halogen atom, or a HO-, -CN, C_1-C_6-alkoxy-, C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, H_2N-C_1-C_6-alkyl-, C_2-C_6-alkenyl, 3- to 7-membered heterocycloalkyl, -C(=O)N(H)R^{6a}, -N(R^{6a})R^{6b}, -N(H)C(=O)R^6, or -SR^6 group ;

wherein said C_1-C_6-alkoxy-, or 3- to 7-membered heterocycloalkyl- group is optionally substituted, identically or differently, with 1, 2, or 3 C_1-C_6-alkyl-, C_1-C_6-alkoxy-, halo-C_1-C_6-alkoxy-, -C(=O)O-R^6 or -OH groups;

or

when 2 R^7 groups are present ortho to each other on an aryl or heteroarly ring, said 2 R^7 groups together form a bridge :
$CH_2(CH_2)_2NH$, *$CH_2CH_2N(R^{6a})CH_2$*, *C(H)=C(H)-C(=O)-N(H)*, wherein * represent the point of attachment to said aryl or heteroaryl ring ;
or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

5. A compound according to any one of claims 1 to 4, wherein
R^6, R^{6a}, R^{6b}, and R^{6c} represent, independently from each other, a hydrogen atom, or a C_1-C_6-alkyl- group;
or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

6. A compound according to claim 1, which is selected from the group consisting of :
N-cyclopropyl-4-{6-[(2-methoxyphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

(RS)-N-cyclopropyl-2-methyl-4-[8-{[(4-methylmorpholin-2-yl)methyl]amino}-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(4-hydroxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(4-methoxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-hydroxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-methoxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-hydroxy-3-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoro-2-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-

methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-4-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,5-difluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-2-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(2-hydroxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(2-methoxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-phenoxy-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-[(3-fluorophenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)sulfanyl]-8-[(3,3,3-

trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-5-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-cyanophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

(RS)-N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfinyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfonyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(phenylsulfanyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzenecarbothioamide,

4-{6-(3-chlorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(4-methoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide

4-{6-(4-chlorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(3-chloro-4-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(2-hydroxy-2-

methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-isopropylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(4-chloro-3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,5-dimethylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-methylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(quinolin-5-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(quinolin-6-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(quinolin-6-yloxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-(quinolin-5-yloxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(pyridin-3-yloxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{8-[(2-methylpropyl)amino]-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{8-[(2-methylpropyl)amino]-6-(phenylsulfonyl)imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-(phenylsulfanyl)-8-[(3,3,3-

trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(phenylsulfonyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(3,3,3-trifluoro-2-hydroxypropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,6-difluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-hydroxyphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-methoxyphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-hydroxyphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(8-[(2-hydroxy-2-methylpropyl)amino]-6-{[4-(trifluoromethyl)phenyl]sulfanyl}imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}benzenecarbothioamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzenecarbothioamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-

(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}benzenecarbothioamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzenecarbothioamide,

N-cyclopropyl-2-methyl-4-(6-{[4-(trifluoromethyl)phenyl]sulfanyl}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)benzamide,

N-cyclopropyl-4-{6-[(2,5-difluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,4-difluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,5-difluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,3-difluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,4-difluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,5-difluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(4-isopropoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-isopropoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-5-methylphenoxy)-8-[(3,3,3-

trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,4-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(2-thienylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,5-difluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(6-methylpyridin-3-yl)oxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyrimidin-5-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoro-2-methylphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(6-{[2-(hydroxymethyl)phenyl]sulfanyl}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-methoxyphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-isopropylphenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-2-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[3-(2-hydroxy-2-methylpropoxy)phenoxy]-8-[(2-hydroxy-2-

methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(2-hydroxy-ethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-hydroxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-hydroxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(phenylsulfanyl)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)sulfanyl]-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)sulfanyl]-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-hydroxyphenyl)sulfanyl]-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(pyridin-3-yloxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(2-hydroxyphenyl)sulfanyl]-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide

4-{6-(4-chloro-3-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-

ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(4-fluorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-(4-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-[8-({[(cis)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-2-methyl-4-[8-({[(trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-(2-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,4-difluorophenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-[(3-

fluorophenyl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-[8-({[(cis)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-2-methyl-4-[8-({[(trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)-6-(phenylsulfanyl)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-4-(6-[(3-fluorophenyl)sulfanyl]-8-({[(cis)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-(6-[(3-fluorophenyl)sulfanyl]-8-({[(trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-anilino-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,4-difluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-methylphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoro-2-methylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(4-chlorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methylpiperidin-4-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[3-(dimethylamino)propyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-

(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(4H-1,2,4-triazol-3-ylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(4-methyl-1H-imidazol-2-yl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(1H-imidazol-2-ylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(1-methyl-1H-pyrazol-5-yl)oxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[4-(piperazin-1-yl)phenoxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(1-methyl-1H-pyrazol-4-yl)oxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

tert-butyl 4-[4-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-6-yl}oxy)phenyl]piperazine-1-carboxylate,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3-hydroxy-3-methylbutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(tetrahydrofuran-3-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methyl-5-oxopyrrolidin-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(3,3-difluorocyclobutyl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-4-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-4-ylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-2-ylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{8-[(2-cyanoethyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-[(4-chloro-2-fluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(5-methoxy-2-methylphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,5-difluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,3-difluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-4-methoxyphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(4-methoxyphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(3-chlorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-

b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,4-difluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-2-ylamino)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-3-ylamino)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluoro-4-methylphenyl)sulfanyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-isopropoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluoro-4-methylphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyridin-4-ylamino)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(6-methoxypyridin-3-yl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluoro-5-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-anilino-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(6-{[2-(hydroxymethyl)phenyl]amino}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)amino]-8-[(3,3,3-

trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(4-chloro-3-fluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,4-difluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(4-chlorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoro-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(4-chloro-2-fluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-[(5-chloro-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,5-difluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(3-chlorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,3-difluorophenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[3-(propan-2-yloxy)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-methylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluoro-5-methylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-

isopropylphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(6-{[4-(2-hydroxyethyl)phenyl]amino}-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-2-methylphenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-methoxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[2-(methylamino)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-(6-{[4-chloro-2-(hydroxymethyl)phenyl]sulfanyl}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-N-cyclopropyl-2-methylbenzamide,

4-(6-{[4-chloro-2-(hydroxymethyl)phenyl]sulfanyl}-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-aminophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(2-amino-4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino] imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-2-hydroxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-chloro-3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino] imidazo[1,2-

b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-methoxy-2-methylphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-hydroxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-methoxyphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(4-chloro-3-fluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(2-methoxyphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-methoxyphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(5-chloro-2-methylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-[(2-chloro-4-fluorophenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(6-fluoropyridin-3-yl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-ethenylphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(6-fluoropyridin-3-yl)oxy]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

5-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-6-yl}oxy)nicotinamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(pyrazin-2-ylsulfanyl)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(1H-pyrazol-5-yloxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(5-methyl-1H-pyrazol-3-yl)oxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(2-amino-4-fluorophenyl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-methoxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[(4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-(pyrazin-2-ylsulfanyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-methoxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[(3-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(3-fluoro-4-methoxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-methoxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-methoxy-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(6-{[4-(2-hydroxyethyl)phenyl]amino}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(6-methoxypyridin-3-yl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-methoxy-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(2-hydroxyphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-2-methoxyphenyl)amino]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-(6-{[2-(hydroxymethyl)phenyl]amino}-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

4-(6-{[4-(2-aminoethyl)phenyl]amino}-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(6-fluoropyridin-3-yl)oxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(6-fluoropyridin-3-yl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-hydroxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-3-hydroxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-hydroxy-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-

ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[(3-hydroxyphenyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3,4-difluorophenyl)amino]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoro-2-methylphenyl)amino]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-fluoro-5-methylphenyl)sulfanyl]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2,3-difluorophenyl)amino]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-[(5-chloro-2-methylphenyl)amino]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(cyclopentylamino)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-hydroxy-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(cyclopentyloxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-hydroxy-2-methylphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(4-fluoro-2-methoxyphenyl)amino]-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-fluoro-3-(methylsulfanyl)phenoxy]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-

yl}-2-methyl-N-(1-methylcyclopropyl)benzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-(1-methoxycyclopropyl)-2-methylbenzamide,

N-(1-cyanocyclopropyl)-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoropyridin-3-yl)oxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-amino-5-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(1,2,3,4-tetrahydroquinolin-8-yloxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(8-hydroxy-3,4-dihydroquinolin-1(2H)-yl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[(2-oxo-1,2-dihydroquinolin-8-yl)oxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-[(2-methyl-1,2,3,4-tetrahydroisoquinolin-5-yl)oxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-(3-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(3,3,3-

trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-(6-{[4-(acetylamino)pyridin-3-yl]oxy}-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl)-N-cyclopropyl-2-methylbenzamide,

4-{6-(2-amino-3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[(2-fluoro-6-hydroxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(4-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(4-fluoro-2-hydroxyphenyl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(3-hydroxypyridin-4-yl)amino]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(1-phenylethenyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluoro-4-methoxybenzyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-4-methylbenzyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-bromobenzyl)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoro-2-hydroxypropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[2-(dimethylamino)ethyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methyl-1H-pyrazol-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(1H-pyrazol-3-ylmethyl)amino]imidazo[1,2-

b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({[3-(hydroxymethyl)oxetan-3-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2,3-dihydroxypropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[3-(dimethylamino)-3-oxopropyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(4,4-difluorocyclohexyl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(oxetan-3-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(1H-tetrazol-5-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[2-(dimethylamino)-2-methylpropyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-methyl-2-(morpholin-4-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(piperidin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(4-methylpiperazin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(pyrrolidin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({3-

[methyl(methylcarbamoyl)amino]propyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-[8-{[2-(acetylamino)ethyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(piperidin-1-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(morpholin-4-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(pyrrolidin-1-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(methylsulfonyl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-[8-{[3-(acetylamino)propyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(1H-tetrazol-5-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2,2-difluoroethyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[4-(dimethylamino)butyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2,2,2-trifluoroethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(1H-pyrazol-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluoro-4-methoxyphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2-fluoro-4-methoxyphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(3,4-difluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(4-chlorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide

4-{8-[(2-amino-2-methylpropyl)amino]-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-{[2-(dimethylamino)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[8-{[2-(dimethylamino)ethyl]amino}-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-{[2-(dimethylamino)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[(1-methylpiperidin-4-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-[8-{[(1-methylpiperidin-4-yl)methyl]amino}-6-(pyridin-3-yloxy)imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{8-(methylamino)-6-[2-(methylamino)phenoxy]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-[(2-hydroxyphenyl)(methyl)amino]-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[(5-fluoropyridin-3-yl)oxy]-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(2-fluoro-4-methoxyphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluoro-4-methoxyphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-(6-[2-(methylamino)phenoxy]-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl)benzamide,

N-cyclopropyl-4-(6-[(2-hydroxyphenyl)(methyl)amino]-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-(6-[(5-fluoropyridin-3-yl)oxy]-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl)-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methylazetidin-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[(1-methylazetidin-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-(2,3-difluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-[(5-fluoropyridin-3-yl)oxy]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-(5-fluoro-2-methylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(3-aminopropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

3-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-8-yl}amino)propane-1-sulfonic acid,

2-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-8-yl}amino)ethanesulfonic acid,

N-(1-cyanocyclopropyl)-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

N-ethyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-isopropyl-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methyl-N-(3,3,3-trifluoropropyl)benzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methyl-N-(2,2,3,3,3-pentafluoropropyl)benzamide,

N-(2,2-difluoroethyl)-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-isobutyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-ethyl-2-methylbenzamide,

4-{6-(2-fluoro-4-hydroxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

N-ethyl-4-{6-(2-fluoro-4-hydroxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-[6-(3,4-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N,2-dimethylbenzamide,

N,2-dimethyl-4-[6-(2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]benzamide,

4-[6-(4-methoxyphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N,2-dimethylbenzamide,

4-[6-(2-fluoro-4-methoxyphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N,2-dimethylbenzamide,

4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N,2-dimethylbenzamide,

4-{6-(3,4-difluorophenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

N,2-dimethyl-4-{6-(2-methylphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

4-{6-(3-fluorophenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(5-fluoro-2-methylphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3,4-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(5-fluoro-2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{8-[(2,2-difluoroethyl)amino]-6-(3,4-difluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{8-[(2,2-difluoroethyl)amino]-6-(2-fluoro-4-methoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(2,3-difluorophenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3,4-difluorophenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{8-[(2-methoxyethyl)amino]-6-(2-methylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(5-fluoro-2-methylphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-{8-[(2-methoxyethyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}-N,2-dimethylbenzamide,

4-[6-(3,4-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-N-ethyl-2-methylbenzamide,

N-ethyl-2-methyl-4-[6-(2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]benzamide,

N-ethyl-4-[6-(4-methoxyphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-ethyl-4-[6-(2-fluoro-4-methoxyphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-ethyl-4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-ethyl-2-methyl-4-(8-{[2-(morpholin-4-yl)ethyl]amino}-6-phenoxyimidazo[1,2-b]pyridazin-3-yl)benzamide,

4-{6-(3,4-difluorophenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-ethyl-2-methylbenzamide,

N-ethyl-2-methyl-4-{6-(2-methylphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-ethyl-4-{6-(4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-2-methyl-4-{6-(2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-ethyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{8-[(2,2-difluoroethyl)amino]-6-(2-fluoro-4-methoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-ethyl-2-methylbenzamide,

4-{8-[(2,2-difluoroethyl)amino]-6-(5-fluoro-2-methylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-ethyl-2-methylbenzamide,

4-{6-(3,4-difluorophenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-ethyl-2-methylbenzamide,


N-ethyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-ethyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

7. A method of preparing a compound according to any one of claims 1 to 6, said method comprising the step of allowing an intermediate compound of general formula **IV** :



IV


in which A, and R^5 are as defined for general formula I in any one of claims 1 to 6, and $R^{3'}$ is a leaving group ;

to react with a compound of general formula **IVa** :

R^3-Y

IVa


in which R^3 is as defined for general formula I in any one of claims 1 to 6, and Y is a substituent which is displaced in a coupling reaction, such as a hydrogen atom, or a boronic acid group, or a boronic ester group, for example,
thereby giving a compound of general formula I :



I


in which A, R^3, and R^5 are as defined for general formula I in any one of claims 1 to 6.

8. A method of preparing a compound according to any one of claims 1 to 6, said method comprising the step of allowing an intermediate compound of general formula **Ia** :



Ia

in which R^3 and R^5 are as defined for general formula I in any one of claims 1 to 6; and A' is




wherein * indicates the point of attachment of said group with the rest of the molecule; R^{4a}, R^{4b}, R^{4c} and R^{4d} are as defined for general formula I in any one of claims 1 to 6, and Z' represents a group selected from:
-C(=O)OH, -C(=S)OH, -C(=O)O-(C_1-C_6-alkyl) or -C(=S)O-(C_1-C_6-alkyl);

to react with a compound of general formula **Ib** :

H_2NR^2

Ib


in which R^2 is as defined for general formula I in any one of the claims 1 to 6, thereby giving, upon optional deprotection, a compound of general formula I:



I

in which R^3, R^5 and A are as defined for general formula I in any one of claims 1 to 6.

9. A method of preparing a compound according to any one of claims 1 to 6, said method comprising the step of allowing an intermediate compound of general formula **VII** :




VII

in which R^3 and A are as defined for general formula I in any one of claims 1 to 6, and Q^1 is a leaving group,
to react with a compound of general formula **VIIa** :

$$R^5\text{-}CH_2\text{-}NH_2$$

VIIa

in which R^5 is as defined for general formula I, in any one of claims 1 to 6, thereby giving, upon optional deprotection, a compound of general formula I.



I

in which R^3, R^5 and A are as defined for general formula I in any one of claims 1 to 6.

10. A compound according to any one of claims 1 to 6, or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, particularly a pharmaceutically acceptable salt thereof, or a mixture of same, for use in the treatment or prophylaxis of a disease.

11. A pharmaceutical composition comprising a compound according to any one of claims 1 to 6, or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, particularly a pharmaceutically acceptable salt thereof, or a mixture of same, and a pharmaceutically acceptable diluent or carrier.

12. A pharmaceutical combination comprising :

- one or more compounds according to any one of claims 1 to 6, or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, particularly a pharmaceutically acceptable salt thereof, or a mixture of same;

and


- one or more agents selected from : a taxane, such as Docetaxel, Paclitaxel, or Taxol; an epothilone, such as Ixabepilone, Patupilone, or Sagopilone; Mitoxantrone; Predinisolone; Dexamethasone; Estramustin; Vinblastin; Vincristin; Doxorubicin; Adriamycin; Idarubicin; Daunorubicin; Bleomycin; Etoposide; Cyclophosphamide; Ifosfamide; Procarbazine; Melphalan; 5-Fluorouracil; Capecitabine; Fludarabine; Cytarabine; Ara-C; 2-Chloro-2´-deoxyadenosine; Thioguanine; an anti-androgen,

such as Flutamide, Cyproterone acetate, or Bicalutamide; Bortezomib; a platinum derivative, such as Cisplatin, or Carboplatin; Chlorambucil; Methotrexate; and Rituximab.

13. Use of a compound according to any one of claims 1 to 6, or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, particularly a pharmaceutically acceptable salt thereof, or a mixture of same, for the preparation of a medicament for the prophylaxis or treatment of a disease.


14. Use according to claim 10 or 13, wherein said disease is a disease of uncontrolled cell growth, proliferation and/or survival, an inappropriate cellular immune response, or an inappropriate cellular inflammatory response, particularly in which the uncontrolled cell growth, proliferation and/or survival, inappropriate cellular immune response, or inappropriate cellular inflammatory response is mediated by the mitogen-activated protein kinase (MEK-ERK) pathway, more particularly in which the disease of uncontrolled cell growth, proliferation and/or survival, inappropriate cellular immune response, or inappropriate cellular inflammatory response is a haemotological tumour, a solid tumour and/or metastases thereof, *e.g.* leukaemias and myelodysplastic syndrome, malignant lymphomas, head and neck tumours including brain tumours and brain metastases, tumours of the thorax including non-small cell and small cell lung tumours, gastrointestinal tumours, endocrine tumours, mammary and other gynaecological tumours, urological tumours including renal, bladder and prostate tumours, skin tumours, and sarcomas, and/or metastases thereof.

15. A compound of general formula **Ia** :




Ia

in which R^3 and R^5 are as defined for the compounds of general formula I in any one of the claims 1 to 6, and A' is



wherein * indicates the point of attachment of said group with the rest of the molecule; R^{4a}, R^{4b}, R^{4c} and R^{4d} are as defined for the compounds of general formula I in any one of the claims 1 to 6, and Z' represents a group selected from: -C(=O)OH, -C(=S)OH, -C(=O)O-(C_1-C_6-alkyl) or -C(=S)O-(C_1-C_6-alkyl).


16. A compound of general formula IV :



IV

in which A, and R^5 are as defined for the compounds of general formula I in any one of the claims 1 to 6, and $R^{3'}$ is a leaving group.

17. A compound of general formula VII :




VII

in which A, and R^3 are as defined for the compounds of general formula I in any one of the claims 1 to 6, and Q^1 represents an optionally protected NH_2-group or a leaving group.

18. Use of a compound of any one of the claims 15, 16 or 17 for the preparation of a compound of general formula I.

CLAIMS


1. A compound of general formula I :



I

in which :

A is selected from the group consisting of:







wherein * indicates the point of attachment of said groups with the rest of the molecule ;

R^3 represents a phenyl-X group;
wherein said group is optionally substituted, identically or differently, with 1, 2, 3, 4 or 5 R^7 groups ;

R^5 is selected from the group consisting of:
H, $(CH_3)_2CH$-, CHF_2-, CF_3-, CF_3-CH_2-, CF_3-CH_2-CH_2-, CF_3-CH(OH)-, HO-CH_2-, HO-$C(CH_3)_2$-, HO-$C(CH_3)_2CH_2$-, HO-CH_2-CH(OH)-, H_3C-O-CH_2-, H_2N-CH_2-CH_2-,

H_2N-$C(CH_3)_2$-, $(CH_3)_2N$-CH_2-, $(CH_3)_2N$-CH_2-CH_2-, $(CH_3)_2N$-CH_2-CH_2-CH_2-, $(CH_3)_2N$-$C(CH_3)_2$-, H_3C-$S(=O)_2$-CH_2-, H_3C-$S(=O)_2$-CH_2-CH_2-, HO-$S(=O)_2$-CH_2-, HO-$S(=O)_2$-CH_2-CH_2-, NC-CH_2-, H_3C-$C(=O)$-$N(H)$-CH_2, H_3C-$C(=O)$-$N(H)$-CH_2-CH_2-, H_2N-$C(=O)$-CH_2-, $(CH_3)_2N$-$C(=O)$-CH_2-, H_3C-$N(H)$-$C(=O)$-$N(CH_3)$-CH_2-CH_2-,


; wherein * indicates the point of attachment of said groups with the rest of the molecule ;

R^6, R^{6a}, and R^{6b} represent,

independently from each other, a hydrogen atom, or a C_1-C_6-alkyl- group;

R^7 represents a hydrogen or halogen atom, or a HO-, -CN, C_1-C_6-alkoxy-, C_1-C_6-alkyl-, halo-C_1-C_6-alkyl-, HO-C_1-C_6-alkyl-, H_2N-C_1-C_6-alkyl-, C_2-C_6-alkenyl, 3- to 7-membered heterocycloalkyl, -C(=O)N(H)R^{6a}, -N(R^{6a})R^{6b}, -N(H)C(=O)R^6 or -SR^6 group ;

X is O;

or a stereoisomer or a salt thereof, or a mixture of same.

2. A compound according to claim 1, wherein
R^5 represents a 1,1,1-trifluoroethyl group.

3. A compound according to claim 1, which is selected from the group consisting of :
N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-phenoxy-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-5-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-Cyanophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(3-Chlorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(4-methoxyphenoxy)

imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(4-Chlorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(3-Chloro-4-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-isopropylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(4-Chloro-3-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,5-dimethylphenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-methylphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,4-difluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(4-isopropoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-isopropoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-5-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,4-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,5-difluorophenoxy)-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-hydroxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-hydroxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)

amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)

amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(4-chloro-3-fluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imid
azo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-ylmethyl)amino]imidazo

[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(tetrahydro-2H-thiopyran-4-

ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]

amino}imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-thiopyran-4-yl]

methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-

6-(4-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(4-fluorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-

thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-

6-(2-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)methyl]amino}-

6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({[(cis/trans)-1-oxidotetrahydro-2H-

thiopyran-4-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methylpiperidin-4-yl)methyl]amino}imi
dazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[3-(dimethylamino)propyl]amino}-6-(3-fluorophenoxy)imidazo[1
,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-phenoxyimidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-[4-(piperazin-1-yl)phenoxy]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3-hydroxy-3-methylbutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(tetrahydrofuran-3-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methyl-5-oxopyrrolidin-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(3,3-difluorocyclobutyl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(2-cyanoethyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2-hydroxy-2-methylpropyl)amino]-6-(3-isopropoxyphenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[3-(propan-2-yloxy)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-[2-(methylamino)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(2-hydroxy-2-methylpropyl)

amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-aminophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(2-amino-4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-methoxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-hydroxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(tetrahydro-2H-pyran-4-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(4,4,4-trifluorobutyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-fluoro-3-(methylsulfanyl)phenoxy]-8-[(2-hydroxy-2-methylpropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methyl-N-(1-methylcyclopropyl)benzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-(1-methoxycyclopropyl)-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methyl-N-(1-methylcyclopropyl)benzamide,

4-{6-(2-amino-5-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(3-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-amino-3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(4-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoro-2-hydroxypropyl)

amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{8-[(3-amino-3-oxopropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[8-{[2-(dimethylamino)ethyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[(1-methyl-1H-pyrazol-3-yl)methyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(1H-pyrazol-3-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({[3-(hydroxymethyl)oxetan-3-yl]methyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2,3-dihydroxypropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2-methoxyethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[3-(dimethylamino)-3-oxopropyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[8-{[(4,4-difluorocyclohexyl)methyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(oxetan-3-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(1H-tetrazol-5-ylmethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[2-(dimethylamino)-2-methylpropyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-methyl-2-(morpholin-4-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(piperidin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(4-methylpiperazin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(pyrrolidin-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-({3-[methyl(methylcarbamoyl)amino]propyl}amino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-[8-{[2-(acetylamino)ethyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(piperidin-1-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(morpholin-4-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(pyrrolidin-1-yl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[3-(methylsulfonyl)propyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-[8-{[3-(acetylamino)propyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(1H-tetrazol-5-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{8-[(2,2-difluoroethyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[8-{[4-(dimethylamino)butyl]amino}-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(2,2,2-trifluoroethyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluorophenoxy)-8-{[2-(1H-pyrazol-1-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}

imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluoro-4-methoxyphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2-fluoro-4-methoxyphenoxy)-8-{[2-(methylsulfonyl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(3,4-difluorophenoxy)imidazo[1,2-b]

pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(2-amino-2-methylpropyl)amino]-6-(4-chlorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-[6-(4-chlorophenoxy)-8-{[2-(dimethylamino)ethyl]amino}imidazo[1,2-b]

pyridazin-3-yl]-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-{[2-(dimethylamino)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[(1-methylpiperidin-4-yl)methyl]

amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-(methylamino)imidazo[1,2-b]

pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{8-(methylamino)-6-[2-(methylamino)phenoxy]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-[6-(2-fluoro-4-methoxyphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(3-fluoro-4-methoxyphenoxy)-8-(methylamino)imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}

imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(5-fluoro-2-methylphenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-(6-[2-(methylamino)phenoxy]-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl)benzamide,

N-cyclopropyl-4-[6-(3,4-difluorophenoxy)-8-{[2-(morpholin-4-yl)ethyl]amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

N-cyclopropyl-4-[6-(2,3-difluorophenoxy)-8-{[(1-methylazetidin-3-yl)methyl]

amino}imidazo[1,2-b]pyridazin-3-yl]-2-methylbenzamide,

4-{8-[(azetidin-3-ylmethyl)amino]-6-(5-fluoro-2-methylphenoxy)imidazo

[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{8-[(3-aminopropyl)amino]-6-(3-fluorophenoxy)imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

3-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-6-(3-fluorophenoxy)imidazo

[1,2-b]pyridazin-8-yl}amino)propane-1-sulfonic acid,

2-({3-[4-(cyclopropylcarbamoyl)-3-methylphenyl]-6-(3-fluorophenoxy)imidazo

[1,2-b]pyridazin-8-yl}amino)ethanesulfonic acid, and

N-(1-cyanocyclopropyl)-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

or a stereoisomer or a salt thereof, or a mixture of same.

4. A compound according to claim 2, which is selected from the group consisting of :

N-cyclopropyl-2-methyl-4-{6-phenoxy-8-[(3,3,3-trifluoropropyl)amino]imidazo

[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo

[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-fluoro-5-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]

imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]

imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2,3-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]

imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-5-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(3,4-difluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(4-chlorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-hydroxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-[3-(propan-2-yloxy)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-2-methyl-4-{6-[2-(methylamino)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(5-fluoro-2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(2-aminophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

4-{6-(2-amino-4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-methoxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-[2-hydroxy-3-(propan-2-yl)phenoxy]-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]

pyridazin-3-yl}-2-methyl-N-(1-methylcyclopropyl)benzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]

pyridazin-3-yl}-N-(1-methoxycyclopropyl)-2-methylbenzamide,

4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]

pyridazin-3-yl}-2-methyl-N-(1-methylcyclopropyl)benzamide,

4-{6-(2-amino-5-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(3-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(4-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-4-{6-(2-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(2-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide,

N-cyclopropyl-4-{6-(3-fluoro-4-methoxyphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,


4-{6-(2-amino-3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-N-cyclopropyl-2-methylbenzamide,

N-cyclopropyl-2-methyl-4-{6-(4-methylphenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}benzamide, and

N-(1-cyanocyclopropyl)-4-{6-(3-fluorophenoxy)-8-[(3,3,3-trifluoropropyl)amino]imidazo[1,2-b]pyridazin-3-yl}-2-methylbenzamide,

or a stereoisomer or a salt thereof, or a mixture of same.

5. A method of preparing a compound according to any one of claims 1 to 2, said method comprising the step of allowing an intermediate compound of general formula IV :



IV


in which A, and R^5 are as defined for general formula I in any one of claims 1 to 2, and $R^{3'}$ is a iodine, bromine or chlorine atom;

to react with a compound of general formula **IVa** :

R^3-Y

IVa


in which R^3 is as defined for general formula I in any one of claims 1 to 2, and Y is a boronic acid group, or a boronic ester group,
thereby giving a compound of general formula I :



I

in which A, R^3, and R^5 are as defined for general formula I in any one of claims 1 to 2.

6. A method of preparing a compound according to any one of claims 1 to 2, said method comprising the step of allowing an intermediate compound of general formula **VII** :



VII


in which R^3 and A are as defined for general formula **I** in any one of claims 1 to 2, and Q^1 is a chlorine, bromine or iodine atom,

to react with a compound of general formula **VIIa** :

$$R^5\text{-}CH_2\text{-}NH_2$$

VIIa

in which R^5 is as defined for general formula I, in any one of claims 1 to 2,
thereby giving, upon optional deprotection, a compound of general formula **I** :



I

in which R^3, R^5 and A are as defined for general formula I in any one of claims 1 to 2.

7. A compound according to any one of claims 1 to 4 for use in the treatment or prophylaxis of a disease.

8. A pharmaceutical composition comprising a compound according to any one of claims 1 to 4, and a pharmaceutically acceptable diluent or carrier.

9. A pharmaceutical combination comprising :
- one or more compounds according to any one of claims 1 to 4;
and
- one or more agents selected from : a taxane; an epothilone; Mitoxantrone; Predinisolone; Dexamethasone; Estramustin; Vinblastin; Vincristin; Doxorubicin; Adriamycin; Idarubicin; Daunorubicin; Bleomycin; Etoposide; Cyclophosphamide; Ifosfamide; Procarbazine; Melphalan; 5-Fluorouracil; Capecitabine; Fludarabine; Cytarabine; Ara-C; 2-Chloro-2´-deoxyadenosine; Thioguanine; an anti-androgen; Bortezomib; a platinum derivative; Chlorambucil; Methotrexate; and Rituximab.

10. Use of a compound according to any one of claims 1 to 4 for the preparation of a medicament for the prophylaxis or treatment of a disease.

11. Use according to claim 10, wherein said disease is a haemotological tumour, a solid tumour and/or metastases thereof.