

METHOD AND CELL LINE FOR PRODUCTION OF POLYKETIDES IN YEAST**CROSS REFERENCE TO RELATED APPLICATIONS**

- 5 [0001] This application claims the benefit of priority of United States Provisional Patent Application No. 62/460,526, entitled METHOD AND CELL LINE FOR PRODUCTION OF PHYTOCANNABINOIDS IN YEAST, filed February 17, 2017, which is hereby incorporated by reference in its entirety.

FIELD

- 10 [0002] The present disclosure relates generally to production of polyketides in yeast.

BACKGROUND

- 15 [0003] Polyketides are precursors to many valuable secondary metabolites in plants. For example, phytocannabinoids, which are naturally produced in *Cannabis sativa*, other plants, and some fungi, have significant commercial value. Over 105 phytocannabinoids are known to be biosynthesized in *C. sativa*, or result from thermal or other decomposition from phytocannabinoids biosynthesized in *C. sativa*. While the *C. sativa* plant is also a valuable source of grain, fiber, and other material, growing *C. sativa* for phytocannabinoid production, particularly indoors, is costly in terms of energy and labour. Subsequent extraction, purification, and fractionation of phytocannabinoids from the *C. sativa* plant is also labour and energy intensive.

- 20 [0004] Phytocannabinoids are pharmacologically active molecules that contribute to the medical and psychotropic effects of *C. sativa*. Biosynthesis of phytocannabinoids in the *C. sativa* plant scales similarly to other agricultural projects. As with other agricultural projects, large scale production of phytocannabinoids by growing *C. sativa* requires a variety of inputs (e.g. nutrients, light, pest control, CO₂, etc.). The inputs required for cultivating *C. sativa* must be provided. In addition, cultivation of *C. sativa*, where allowed, is currently subject to heavy regulation, taxes, and rigorous quality control where products prepared from the plant are for commercial use, further increasing costs. Phytocannabinoid analogues are pharmacologically active molecules that are structurally similar to phytocannabinoids. Phytocannabinoid analogues are often synthesized chemically, which can be labour intensive and costly. As a result, it may be economical to produce the phytocannabinoids and phytocannabinoid analogues in a robust and scalable, fermentable organism.

Saccharomyces cerevisiae is an example of a fermentable organism that has been used to produce industrial scales of similar molecules.

[0005] The time, energy, and labour involved in growing *C. sativa* for production of naturally-occurring phytocannabinoids provides a motivation to produce transgenic cell lines for production of phytocannabinoids by other means. Polyketides, including olivetolic acid and its analogues are valuable precursors to phytocannabinoids.

SUMMARY

[0006] It is an object of the present disclosure to obviate or mitigate at least one disadvantage of previous approaches to producing phytocannabinoids outside of the *C. sativa* plant, and of previous approaches to producing phytocannabinoid analogues. Many of the 105 phytocannabinoids found in *Cannabis sativa* may be biosynthesized from olivetolic acid or olivetol. Phytocannabinoids and their analogues may also be chemically synthesized from olivetol and other reagents. Olivetol and olivetolic acid may also be used in pharmaceutical or nutritional product development as well. As a consequence it may be desirable to improve yeast-based production of olivetol, olivetolic acid or analogues of either olivetol or olivetolic acid. Similarly, an approach that allows for production of phytocannabinoid analogues without the need for labour-intensive synthesis may be desirable.

[0007] The methods and cells lines provided herein may apply and include *Saccharomyces cerevisiae* that has been transformed to include a gene for *Dictyostelium discoideum* polyketide synthase ("DiPKS"). DiPKS is a fusion protein consisting of both a type I fatty acid synthase ("FAS") and a polyketide synthase ("PKS") and is referred to as a hybrid "FAS-PKS" protein. DiPKS catalyzes synthesis of methyl-olivetol from malonyl-CoA. The reaction has a 6:1 stoichiometric ratio of malonyl-CoA to methyl-olivetol. Downstream prenyltransferase enzymes catalyzes synthesis of methyl cannabigerol ("meCBG") from methyl-olivetol and geranyl pyrophosphate ("GPP"), similarly to synthesis of cannabigerolic acid ("CBGa") from olivetolic acid and GPP. Hexanoic acid is toxic to *S. cerevisiae*. Hexanoyl-CoA is a precursor for synthesis of olivetol by *Cannabis Sativa* olivetolic acid synthase ("OAS"). As a result, when using DiPKS rather than OAS, hexanoic acid need not be added to the growth media, which may result in increased growth of the *S. cerevisiae* cultures and greater yield of meCBG compared with yields of CBG when using OAS. In addition, in *C. sativa*, the olivetol is carboxylated in the presence of olivetolic acid cyclase

5 (“OAC”) or another polyketide cyclase into olivetolic acid, which feeds into the CBGa synthesis metabolic pathway, beginning with prenylation of olivetolic acid catalyzed by in *C. sativa* by a membrane-bound prenyltransferase. The option to produce olivetol or methyl-olivetol rather than olivetolic acid may facilitate preparation of decarboxylated species of phytocannabinoids and methylated analogues of phytocannabinoids.

[0008] For some applications, meCBG and methylated downstream phytocannabinoid analogues that can be synthesized from meCBG (similarly to downstream phytocannabinoids being synthesized from CBGa in *C. sativa*) may be valuable. In other cases, phytocannabinoids structurally identical to the decarboxylated forms of naturally-occurring phytocannabinoids may be more desirable. For production of phytocannabinoids that are structurally identical to the decarboxylated forms of naturally-occurring phytocannabinoids, DiPKS may be modified relative to wild type DiPKS to reduce methylation of olivetol, resulting in synthesis of either both olivetol and methyl-olivetol

[0009] Synthesis of olivetol and methyl-olivetol may be facilitated by increased levels of malonyl-CoA in the cytosol. The *S. cerevisiae* may have overexpression of native acetaldehyde dehydrogenase and expression of a mutant acetyl-CoA synthase or other gene, the mutations resulting in lowered mitochondrial acetaldehyde catabolism. Lowering mitochondrial acetaldehyde catabolism by diverting the acetaldehyde into acetyl-CoA production increases malonyl-CoA available for synthesizing olivetol. Acc1 is the native yeast malonyl CoA synthase. The *S. cerevisiae* may have over-expression of Acc1 or modification of Acc1 for increased activity and increase available malonyl-CoA. The *S. cerevisiae* may include modified expression of Maf1 or other regulators of tRNA biosynthesis. Overexpressing native Maf1 has been shown to reduce loss of isopentyl pyrophosphate (“IPP”) to tRNA biosynthesis and thereby improve monoterpene yields in yeast. IPP is an intermediate in the mevalonate pathway. Upc2 is an activator for sterol biosynthesis in *S. cerevisiae*, and a Glu888Asp mutation of Upc2 may increase monoterpene production in yeast. The *S. cerevisiae* may include a co-factor loading enzyme to increase the activity of DiPKS. Other species of yeast, including *Yarrowia lipolytica*, *Kluyveromyces marxianus*, *Kluyveromyces lactis*, *Rhodospiridium toruloides*, *Cryptococcus curvatus*, *Trichosporon pullulan* and *Lipomyces lipoferetc*, may be applied.


[0010] In a first aspect, herein provided is a method and cell line for producing polyketides in yeast. The method applies, and the cell line includes, a yeast cell transformed with a polyketide synthase coding sequence. The polyketide synthase enzyme catalyzes

synthesis of olivetol or methyl-olivetol, and may include *Dictyostelium discoideum* polyketide synthase ("DiPKS"). Wild type DiPKS produces methyl-olivetol only. DiPKS may be modified to produce olivetol only or a mixture of both olivetol and methyl-olivetol. The yeast cell may be modified to include a phosphopantetheinyl transferase for increased activity of DiPKS.

- 5 The yeast cell may be modified to mitigate mitochondrial acetaldehyde catabolism for increasing malonyl-CoA available for synthesizing olivetol or methyl-olivetol.

[0011] In a further aspect, herein provided is a method of producing a polyketide, the method comprising: providing a yeast cell comprising a first polynucleotide coding for a polyketide synthase enzyme and propagating the yeast cell for providing a yeast cell culture.

- 10 Tpolyketide synthase enzyme is for producing at least one species of polyketide from



malonyl-CoA, the polyketide having structure I:

I. On structure I, R1 is a

pentyl group. On structure I, R2 is H, carboxyl, or methyl. On structure I, R3 is H, carboxyl, or methyl.

[0012] In some embodiments, the polyketide synthase enzyme comprises a DiPKS

- 15 polyketide synthase enzyme from *D. discoideum*. In some embodiments, the first polynucleotide comprises a coding sequence for the DiPKS polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 535 to 9978 of SEQ ID NO: 13. In some embodiments, the first polynucleotide has between 80% and 100% base sequence
- 20 homology with bases 535 to 9978 of SEQ ID NO: 13. In some embodiments, the at least one species of polyketide comprises a polyketide with a methyl group at R2. In some embodiments, the DiPKS polyketide synthase enzyme comprises a mutation affecting an active site of a C-Met domain for mitigating methylation of the at least one species of polyketide, resulting in the at least one species of polyketide comprising a first polyketide
- 25 wherein R2 is methyl and R3 is H, and a second polyketide wherein R2 is H and R3 is H. In some embodiments, the DiPKS polyketide synthase comprises a DiPKS^{G1516D; G1518A} polyketide synthase. In some embodiments, the first polynucleotide comprises a coding sequence for the DiPKS^{G1516D; G1518A} polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded

for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 9. In some embodiments, the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 9. In some embodiments, the DiPKS polyketide synthase comprises a DiPKS^{G1516R} polyketide synthase. In some embodiments, the first polynucleotide comprises a coding sequence for the DiPKS^{G1516R} polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10. In some embodiments, the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 10. In some embodiments, the DiPKS polyketide synthase enzyme comprises a mutation reducing activity at an active site of a C-Met domain of the DiPKS polyketide synthase enzyme, for preventing methylation of the at least one species of polyketide, resulting in the at least one species of polyketide having a hydrogen R2 group and a hydrogen R3 group. In some embodiments, the yeast cell comprises a second polynucleotide coding for a phosphopantetheinyl transferase enzyme for increasing the activity of DiPKS. In some embodiments, the phosphopantetheinyl transferase comprises NpgA phosphopantetheinyl transferase enzyme from *A. nidulans*. In some embodiments, wherein the second polynucleotide comprises a coding sequence for the NpgA phosphopantetheinyl transferase enzyme from *A. nidulans* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 1170 to 2201 of SEQ ID NO: 8. In some embodiments, the second polynucleotide has between 80% and 100% base sequence homology with bases 1170 to 2201 of SEQ ID NO: 8.

[0013] In some embodiments, the polyketide synthase enzyme comprises an active site for synthesizing the at least one species of polyketide from malonyl-CoA without a longer chain ketyl-CoA. In some embodiments, the at least one species of polyketide comprises at least one of olivetol, olivetolic acid, methyl-olivetol, or methyl-olivetolic acid.

[0014] In some embodiments, R2 is H and R3 is H.

[0015] In some embodiments, R2 is carboxyl and R3 is H.

[0016] In some embodiments, R2 is methyl and R3 is H.

[0017] In some embodiments, R2 is carboxyl and R3 is methyl

[0018] In some embodiments, the yeast cell comprises a genetic modification to increase available malonyl-CoA. In some embodiments, the genetic modification comprises

increased expression of Maf1. In some embodiments, the yeast cell comprises a second polynucleotide including a coding sequence for Maf1 with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 936 to 2123 of SEQ ID NO: 6. In some embodiments, the second

5 polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 6. In some embodiments, the genetic modification comprises cytosolic expression of an aldehyde dehydrogenase and an acetyl-CoA synthase. In some embodiments, the yeast cell comprises a second polynucleotide including a coding sequence for Acs^{L641P} from *S.*

10 *enterica* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 3938 to 5893 of SEQ ID NO: 2, and a coding sequence for Ald6 from *S. cerevisiae* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 1494 to 2999 of SEQ ID NO 2. In

15 some embodiments, the second polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with bases 51 to 7114 SEQ ID NO: 2. In some embodiments, the genetic modification comprises increased expression of malonyl-CoA synthase. In some embodiments, the yeast cell comprises a second polynucleotide including a coding sequence

20 for a coding sequence for Acc1^{S659A; S1167A} from *S. cerevisiae*. In some embodiments, the second polynucleotide includes a coding sequence for the Acc1^{S659A; S1167A} enzyme, with a portion thereof having a primary structure with between 80% and 100% amino acid residue sequence homology with a protein portion coded for by a reading frame defined by bases 9 to 1716 of SEQ ID NO: 5. In some embodiments, the second polynucleotide further

25 comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 5. In some embodiments, the genetic modification comprises increased expression of an activator for sterol biosynthesis. In some embodiments, the yeast cell comprises a second polynucleotide including a coding sequence for Upc2^{E888D} from *S. cerevisiae* with a primary structure having

30 between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 975 to 3701 of SEQ ID NO: 7. In some embodiments, the second polynucleotide further comprises a promoter sequence, a terminator sequence and

integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 7

[0019] In some embodiments, the method includes extracting the at least one species of polyketide from the yeast cell culture.


5 **[0020]** In a further aspect, herein provided is a yeast cell for producing at least one species of polyketide. The yeast cell includes a first polynucleotide coding for a polyketide synthase enzyme.

[0021] In some embodiments, features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide described herein are included in the yeast cell.

10 **[0022]** In a further aspect, herein provided is a method of transforming a yeast cell for production of at least one species of polyketide, the method comprising introducing a first polynucleotide coding for a polyketide synthase enzyme into the yeast cell line.

[0023] In some embodiments, features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide described herein are introduced into the yeast cell.

15 **[0024]** In a further aspect, herein provided is a method of producing a polyketide, the method comprising: providing a yeast cell comprising a first polynucleotide coding for a polyketide synthase enzyme and propagating the yeast cell for providing a yeast cell culture. The polyketide synthase enzyme is for producing at least one species of polyketide from



20 malonyl-CoA, the polyketide having structure II: II. On structure II, R1 is an alkyl group having 1, 2, 3, 4 or 5 carbons. On structure II, R2 is H, carboxyl, or methyl. On structure II, R3 is H, carboxyl, or methyl.

[0025] In some embodiments, features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide described herein are applied to the method.

25 **[0026]** In a further aspect, herein provided is a polynucleotide comprising a coding sequence for a DiPKSG1516D; G1518A polyketide synthase. In some embodiments, the polynucleotide of claim 45 wherein the DiPKSG1516D; G1518A polyketide synthase enzyme has a primary structure with between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ

ID NO: 9. In some embodiments, the polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 9.

[0027] In a further aspect, herein provided is a polynucleotide comprising a coding sequence for a DiPKSG1516R polyketide synthase. In some embodiments, the DiPKSG1516R polyketide synthase enzyme has a primary structure with between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10. In some embodiments, the polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 10.

[0028] In a further aspect, herein provided is a DiPKSG1516D; G1518A polyketide synthase with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 9.

[0029] In a further aspect, herein provided is a DiPKSG1516R polyketide synthase with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10.

[0030] Other aspects and features of the present disclosure will become apparent to those ordinarily skilled in the art upon review of the following description of specific embodiments in conjunction with the accompanying figures.

BRIEF DESCRIPTION OF THE DRAWINGS

[0031] Embodiments of the present disclosure will now be described, by way of example only, with reference to the attached Figures.

[0032] Fig. 1 is a schematic of biosynthesis of olivetolic acid and related compounds with different alkyl group chain lengths in *C. sativa*;

[0033] Fig. 2 is a schematic of biosynthesis of CBGa from hexanoic acid, malonyl-CoA, and geranyl pyrophosphate in *C. sativa*;

[0034] Fig. 3 is a schematic of biosynthesis of downstream phytocannabinoids in the acid form from CBGa in *C. sativa*;

[0035] Fig. 4 is a schematic of biosynthesis of olivetolic acid in a transformed yeast cell by DiPKS;

[0036] Fig. 5 is a schematic of biosynthesis of meCBG and downstream methylated phytocannabinoid analogues in a transformed yeast cell from methyl-olivetol;

- [0037] Fig. 6 is a schematic of biosynthesis of meCBG and downstream methylated phytocannabinoid analogues in a transformed yeast cell from methyl-olivetol;
- [0038] Fig. 7 is a schematic of functional domains in DiPKS, with mutations to a C-methyl transferase that for lowering methylation of olivetol;
- 5 [0039] Fig. 8 is a schematic of biosynthesis of methyl-olivetol and olivetol in a transformed yeast cell by DiPKS^{G1516D; G1518A};
- [0040] Fig. 9 is a schematic of biosynthesis of olivetol in a transformed yeast cell by DiPKS^{G1516R};
- [0041] Fig. 10 shows production of methyl-olivetol by DiPKS, and of both methyl-olivetol and olivetol by DiPKS^{G1516D; G1518A};
- 10 [0042] Fig. 11 shows production of methyl-olivetol by DiPKS in two separate strains of *S. cerevisiae*;
- [0043] Fig. 12 shows production of methyl-olivetol by DiPKS in two separate strains of *S. cerevisiae*;
- 15 [0044] Fig. 13 shows production of methyl-olivetol by DiPKS, and of both methyl-olivetol and olivetol by DiPKS^{G1516R} in two separate strains of *S. cerevisiae*; and
- [0045] Fig. 14 shows production of olivetol by DiPKS^{G1516R}, in three separate strains of *S. cerevisiae*.

20 DETAILED DESCRIPTION

- [0046] Generally, the present disclosure provides methods and yeast cell lines for producing olivetol similar to the olivetolic acid that is naturally biosynthesized in the *Cannabis sativa* plant, and for producing methyl-olivetol. The olivetol and methyl-olivetol may be produced in transgenic yeast. The methods and cell lines provided herein include application
- 25 of genes for enzymes absent from the *C. sativa* plant. Compared with approaches that use *C. sativa* OAS and OAC, the methods and cell lines provided herein result in olivetol and methyl-olivetol being synthesized rather than olivetolic acid, which may provide one or more benefits including biosynthesis of decarboxylated phytocannabinoids, biosynthesis of methylated phytocannabinoid analogues, and biosynthesis production of phytocannabinoids
- 30 without an input of hexanoic acid, which is toxic to *Saccharomyces cerevisiae* and other species of yeast.

[0047] The qualifier “decarboxylated” as used herein references a form of a phytocannabinoid or phytocannabinoid analogue lacking an acid group at, e.g. positions 2 or

4 of Δ^9 -tetrahydrocannabinol ("THC"), or an equivalent location in other phytocannabinoids or analogues corresponding to position 4 of olivetolic acid, which is the precursor to biosynthesis of CBGa in *C. sativa*. Acid forms of phytocannabinoids are biosynthesized from olivetolic acid in *C. sativa*. When the acid forms of phytocannabinoids are heated, the bond
5 between the aromatic ring of the phytocannabinoid and the carboxyl group is broken. Decarboxylation results from heating carboxylated phytocannabinoids produced in *C. sativa*, which occurs rapidly during combustion or heating to temperatures generally above about 110 °C. For simplicity, as used herein, "decarboxylated" refers to phytocannabinoids lacking the acid groups whether or not the phytocannabinoid included an acid group that was lost
10 during true decarboxylation, or was biosynthesized without the carboxyl group.

[0048] Fig. 1 shows biosynthesis of olivetolic acid from polyketide condensation products of malonyl-CoA and hexanoyl-CoA, as occurs in *C. sativa*. Olivetolic acid is a metabolic precursor to CBGa. CBGa is a precursor to a large number of downstream phytocannabinoids as described in further detail below. In most varieties of *C. sativa*, the
15 majority of phytocannabinoids are pentyl-cannabinoids, which are biosynthesized from olivetolic acid, which is in turn synthesized from malonyl-CoA and hexanoyl-CoA at a 2:1 stoichiometric ratio. Some propyl-cannabinoids are observed, and are often identified with a "v" suffix in the widely-used three letter abbreviations (e.g. tetrahydrocannabivarin is commonly referred to as "THCv", cannabidivarin is commonly referred to as "CBDv", etc.).
20 Fig. 1 also shows biosynthesis of divarinolic acid from condensation of malonyl-CoA with *n*-butyl-CoA, which would provide downstream propyl-phytocannabinoids.

[0049] Fig. 1 also shows biosynthesis of orsellinic acid from condensation of malonyl-CoA with acetyl-CoA, which would provide downstream methyl-phytocannabinoids. The term "methyl-phytocannabinoids" in this context means their alkyl side chain is a methyl group,
25 where most phytocannabinoids have a pentyl group on the alkyl side chain and varinnic phytocannabinoids have a propyl group on the alkyl side chain. The context in which meCBG and other methylated phytocannabinoid analogues are called "methylated" is different from and parallel to use of "methyl" as a prefix in "methyl-phytocannabinoids" and in Fig. 1. Similarly, since olivetol has a side chain of defined length (otherwise it would be one of the
30 other three polyketides shown in Fig. 1 and not "olivetol"), methyl-olivetol is a reference to methylation on the ring and not to a shorter side chain.

[0050] Fig. 1 also shows biosynthesis of 2,4-diol-6-propylbenzoic acid from condensation of malonyl-CoA with valeryl-CoA, which would provide downstream butyl-phytocannabinoids.

[0051] Fig. 2 shows biosynthesis of CBGa from hexanoic acid, malonyl-CoA, and geranyl pyrophosphate (“GPP”) in *C. sativa*, including the olivetolic acid biosynthesis step shown in Fig. 1. Hexanoic acid is activated with coenzyme A by hexanoyl-CoA synthase (“Hex1”; Reaction 1 in Fig. 2). Polyketide synthase (also called olivetolic acid synthase “OAS” despite synthesizing olivetol and not olivetolic acid) and OAC together catalyze production of olivetolic acid from hexanoyl CoA and malonyl-CoA (Reaction 2 in Fig. 2). Prenyltransferase combines olivetolic acid with GPP, providing CBGa Step 3 in Fig. 2).

[0052] Fig. 3 shows biosynthesis of downstream acid forms of phytocannabinoids in *C. sativa* from CBGa. CBGa is oxidatively cyclized into Δ^9 -tetrahydrocannabinolic acid (“THCa”) by THCa synthase. CBGa is oxidatively cyclized into cannabidiolic acid (“CBDa”) by CBDa synthase. Other phytocannabinoids are also synthesized in *C. sativa*, such as cannabichromenic acid (“CBCa”), cannabielsoinic acid (“CBEa”), iso-tetrahydrocannabinolic acid (“iso-THCa”), cannabicyclolic acid (“CBLa”), or cannabicitrannic acid (“CBTa”) by other synthase enzymes, or by changing conditions in the plant cells in a way that affects the enzymatic activity in terms of the resulting phytocannabinoid structure. The acid forms of each of these general phytocannabinoid types are shown in Fig. 3 with a general “R” group to show the alkyl side chain, which would be a 5-carbon chain where olivetolic acid is synthesized from hexanoyl-CoA and malonyl-CoA. In some cases, the carboxyl group is alternatively found on a ring position opposite the R group from the position shown in Fig. 3 (e.g. positions 4 of THC rather than position 2 as shown in Fig. 3, etc.). The decarboxylated forms of the acid forms of the phytocannabinoids shown in Fig. 3 are, respectively, THC, cannabidiol (“CBD”), cannabichromene (“CBC”), cannabielsoin (“CBE”), iso-tetrahydrocannabinol (“iso-THC”), cannabicyclol (“CBL”), or cannabicitran (“CBT”).

[0053] Fig. 4 shows a biosynthetic pathway in transgenic yeast for production of methyl-olivetol from malonyl-CoA. A strain of yeast as provided herein for producing methyl-olivetol as shown in Fig. 4 may include the DiPKS enzyme, which supports production of polyketides from malonyl-CoA only, with no requirement for hexanoic acid from the media. As above, DiPKS includes functional domains similar to domains found in a fatty acid synthase, a methyltransferase domain, and a Pks III domain (see Fig. 7), and is accordingly referred to as a FAS-PKS enzyme. Examples of yeast strains including a codon optimized

synthetic sequence coding for the wildtype DiPKS gene are provided as “HB80” and “HB98”, each of which are described in Table 3.

[0054] Figs. 5 and 6 show prenylation of the methyl-olivetol with GPP as a prenyl group donor, providing meCBG (Reaction 2 in Figs. 5 and 6, following Reaction 1 from Fig. 4). Application of DiPKS rather than OAS facilitates production of phytocannabinoids and phytocannabinoid analogues without hexanoic acid supplementation. Since hexanoic acid is toxic to *S. cerevisiae*, eliminating a requirement for hexanoic acid in the biosynthetic pathway for CBG or meCBG may provide greater yields of CBG or meCBG than the yields of CBG in a yeast cell expressing OAS and Hex1.

[0055] Figs. 5 and 6 show downstream methylated phytocannabinoid analogues corresponding to methyl-tetrahydrocannabinol (“meTHC”), methyl-cannabidiol (“meCBD”), methyl-cannabichromene (“meCBC”), methyl-cannabielsoin (“meCBE”), iso-methyl-tetrahydrocannabinol (“iso-meTHC”), methyl-cannabicyclol (“meCBL”), or methyl-cannabicitran (“meCBT”), which are methylated analogues of THC, CBD, CBC, CBE, iso-THC, CBL, and CBT, respectively, that may be prepared when methyl-olivetol is provided as a precursor chemical rather than olivetolic acid or olivetol. The decarboxylated forms of each of these methylated phytocannabinoid analogues are shown in Figs. 5 and 6 with a general “R” group to show the alkyl side chain, which would be a 5-carbon chain where synthesis results from hexanoyl-CoA and malonyl-CoA, or malonyl-CoA only.

[0056] Other than meCBD, a portion of the structure each of the downstream phytocannabinoid analogues shown in Figs. 5 and 6 includes rotationally constrained groups bonded with the aromatic ring. As a result, each of the downstream phytocannabinoid analogues shown in Figs. 5 and 6 other than meCBD may be synthesized from meCBG in one of two rotational isomers. Depending on the rotational isomer of meCBG during synthesis, the methyl group in the resulting cyclized methylated phytocannabinoid analogues may be at the positions shown for the isomers of meTHC, meCBC, meCBE, iso-meTHC, meCBL, or meCBT in Fig. 5, or at the at the positions shown for the isomers of meTHC, meCBC, meCBE, iso-meTHC, meCBL, or meCBT in Fig. 6. References to meTHC, meCBC, meCBE, iso-meTHC, meCBL, or meCBT herein include either or both of the isomers shown in Figs. 5 and 6.

[0057] DiPKS includes a C-methyltransferase domain that methylates olivetol at position 4 on the aromatic ring. As a result, any downstream prenylation would be of methyl-olivetol, resulting in meCBG, a phytocannabinoid analogue, rather than CBGa, which is

known to be synthesized in *C. sativa*. Any downstream reactions that may produce phytocannabinoids when using CBGa or CBG as an input would correspondingly produce the decarboxylated species of methylated phytocannabinoid analogues shown in Figs. 5 and 6, whereas unmethylated acid form of phytocannabinoids would be produced in *C. sativa* (as in Fig. 3). If OAC or another polyketide cyclase were included, the methyl-olivetol may be converted by the OAC or the other polyketide cyclase into meCBGa, as the methylation and carboxylation carbons may be at differing positions. For example, meTHC synthesized from meCBG may be methylated at carbon 4, and could be carboxylated to methyl-tetrahydrocannabinolic acid ("meTHCa") with the carboxyl group of THCa may be at position 2. Alternatively, meTHC synthesized from meCBG may be methylated at carbon 2, in which case the carboxyl group of THCa may be at position 4. THCa is observed in *C. sativa* with the carboxyl group at the 2 position, or at the 4 position.

[0058] Fig. 7 is a schematic of the functional domains of DiPKS showing β -ketoacyl-synthase ("KS"), acyl transacetylase ("AT"), dehydratase ("DH"), C-methyl transferase ("C-Met"), enoyl reductase ("ER"), ketoreductase ("KR"), and acyl carrier protein ("ACP"). The "Type III" domain is a type 3 polyketide synthase. The KS, AT, DH, ER, KR, and ACP portions provide functions typically associated with a fatty acid synthase. The C-Met domain provides the catalytic activity for methylating olivetol at carbon 4. The C-Met domain is crossed out in Fig. 7, schematically illustrating modifications to DiPKS protein that inactivate the C-Met domain and mitigate or eliminate methylation functionality. The Type III domain catalyzes iterative polyketide extension and cyclization of a hexanoic acid thioester transferred to the Type III domain from the ACP.

[0059] Fig. 8 shows a biosynthetic pathway in transgenic yeast for production of both meCBG and CBG from malonyl-CoA and GPP. A strain of yeast as provided herein for producing both CBG and meCBG as shown in Fig. 8 may include the gene for a prenyltransferase and a gene for a mutant DiPKS with a lowered activity at the C-Met domain, as shown schematically in Fig. 7. The C-Met domain of the DiPKS protein includes amino acid residues 1510 to 1633 of DiPKS. The C-Met domain includes three motifs. The first motif includes residues 1510 to 1518. The second motif includes residues 1596 to 1603. The third motif includes residues 1623 to 1633. Disruption of one or more of these three motifs may result in lowered activity at the C-Met domain.

[0060] An example of a yeast strain expressing a modified DiPKS with lowered activity in the C-Met domain is provided as "HB80A" in Example III below. HB80A includes a

modification in a yeast-codon optimized gene coding for the wildtype DiPKS protein. HB80A includes modifications in the DiPKS gene such that the DiPKS protein is modified in the first motif of the C-Met domain. As a result of these modifications to the DiPKS gene, the DiPKS protein has substitutions of Gly1516Asp and Gly1518Ala. HB80A includes DiPKS^{G1516D; G1518A}, and as a result catalyzes both step 1A and 1B of Fig. 8, and produces both methyl-olivetol and olivetol.

[0061] Fig. 8 shows production of both methyl-olivetol from malonyl-CoA (Reaction 1A in Fig. 8) and of olivetol from malonyl-CoA (Reaction 1B in Fig. 8). Reactions 1A and 1B are each catalyzed by DiPKS^{G1516D; G1518A}. The Gly1516Asp and Gly1518Ala substitutions are in the active site of the C-Met domain and diminish catalysis by DiPKS^{G1516D; G1518A} of methylation on the 4 position of the olivetol ring, allowing a portion of the input malonyl-CoA to be catalyzed according to reaction 1B rather than reaction 1A. A promiscuous $\alpha\beta\beta\alpha$ prenyltransferase could then catalyze prenylation of both the methyl-olivetol with GPP and the olivetol with GPP, resulting in production of both meCBG (Reaction 2 in Figs. 5 and 6) and CBG through prenylation of olivetol, similar to reaction 3 in Fig. 2 but without the acid group. Any downstream reactions to produce other phytocannabinoids would then correspondingly produce a mixture of methylated phytocannabinoid analogues and species with no functional group at the 4 position on the aromatic ring of CBG (or a corresponding position in downstream phytocannabinoids), whereas acid forms would be produced in *C. sativa*.

[0062] Fig. 9 shows a biosynthetic pathway in transgenic yeast for production of olivetol only, and no methyl-olivetol, from malonyl-CoA. A strain of yeast as provided herein for producing olivetol only as shown in Fig. 9 may include the gene for a mutant DiPKS with a lowered activity at the C-Met domain, as shown schematically in Fig. 7.

[0063] Examples of yeast strains expressing a modified DiPKS with essentially no activity in the C-Met domain are provided as “HB135”, “HB137”, and “HB138” in Examples VI and VII below. Each of HB135, HB137 and HB138 includes a modification in a yeast-codon optimized gene coding for the wildtype DiPKS protein. HB135, HB137 and HB138 each include a modification of the DiPKS gene such that the DiPKS protein is modified in the first motif of the C-Met domain. As a result of this modification to the DiPKS gene, the DiPKS protein has substitutions of Gly1516Arg.

[0064] DiPKS^{G1516R} catalyzes reaction 1 in Fig. 9. The Gly1516Arg substitution is in the active site of the C-Met domain and diminish catalysis by DiPKS^{G1516R} of methylation on

the 4 position of the olivetol ring. The input of malonyl-CoA is catalyzed according to reaction 1 of Fig. 9. Any downstream reactions to produce other phytocannabinoids would then correspondingly produce phytocannabinoid species with no functional group at the 4 position on the aromatic ring of CBG, or a corresponding position in downstream phytocannabinoids, whereas acid forms would be produced in *C. sativa*.

[0065] Increasing Availability of Biosynthetic Precursors

[0066] The biosynthetic pathways shown in Figs. 4, 8 and 9 each require malonyl-CoA to produce methyl-olivetol only, both methyl-olivetol and olivetol, and olivetol only, respectively. Yeast cells may be mutated, genes from other species may be introduced, genes may be upregulated or downregulated, or the yeast cells may be otherwise genetically modified to increase the availability of malonyl-CoA or other input metabolites required to support the biosynthetic pathways of any of Figs. 4, 8 or 9.

[0067] The yeast strain may be modified for increasing available malonyl-CoA. Lowered mitochondrial acetaldehyde catabolism results in diversion of the acetaldehyde from ethanol catabolism into acetyl-CoA production, which in turn drives production of malonyl-CoA and downstream polyketides and terpenoids. *S. cerevisiae* may be modified to express an acetyl-CoA synthase from *Salmonella enterica* with a substitution modification of Leucine to Proline at residue 641 ("Acs^{L641P}"), and with aldehyde dehydrogenase 6 from *S. cerevisiae* ("Ald6"). The Leu641Pro mutation removes downstream regulation of Acs, providing greater activity with the Acs^{L641P} mutant than the wild type Acs. Together, cytosolic expression of these two enzymes increases the concentration of acetyl-CoA in the cytosol. Greater acetyl-CoA concentrations in the cytosol result in lowered mitochondrial catabolism, bypassing mitochondrial pyruvate dehydrogenase ("PDH"), providing a PDH bypass. As a result, more acetyl-CoA is available for malonyl-CoA production. SEQ ID NO: 2 is plasmid based on the pGREG plasmid and including a DNA sequence coding for the genes for Ald6 and SeAcs^{L641P}, promoters, terminators, and integration site homology sequences for integration into the *S. cerevisiae* genome at Flagfeldt-site 19 by recombination applying clustered regularly interspaced short palindromic repeats ("CRISPR"). As shown in Table 2 below (by the term "PDH bypass"), each of base strains "HB82", "HB100", "HB106", and "HB110". have a portion of SEQ ID NO: 2 from bases 1494 to 2999 that code for Ald6 under the TDH₃ promoter, and a portion of SEQ ID NO: 2 from bases 3948 to 5893 that code for SeAcs^{L641P} under the Tef1_P promoter. Similarly, each modified yeast strain based on any of HB82, HB100, HB106, or HB110 includes a polynucleotide coding for Ald6 and SeAcs^{L641P}.

[0068] Another approach to increasing cytosolic malonyl-CoA is to upregulate Acc1, which is the native yeast malonyl-CoA synthase. The promoter sequence of the Acc1 gene was replaced by a constitutive yeast promoter for the PGK1 gene. The promoter from the PGK1 gene allows multiple copies of Acc1 to be present in the cell. The native Acc1
5 promoter allows only a single copy of the protein to be present in the cell at a time. The native promoter region was marked is shown in SEQ ID NO: 3. The modified promoter region is shown in SEQ ID NO: 4.

[0069] In addition to upregulating expression of Acc1, *S. cerevisiae* may include one or more modifications of Acc1 to increase Acc1 activity and cytosolic acetyl-CoA
10 concentrations. Two mutations in regulatory sequences were identified in literature that remove repression of Acc1, resulting in greater Acc1 expression and higher malonyl-CoA production. SEQ ID NO: 5 is a polynucleotide that may be used to modify the *S. cerevisiae* genome at the native Acc1 gene by homologous recombination. SEQ ID NO: 5 includes a portion of the coding sequence for the Acc1 gene with Ser659Ala and Ser1167Ala
15 modifications. As a result, the *S. cerevisiae* transformed with this sequence will express Acc1^{S659A; S1167A}. A similar result may be achieved, for example, by integrating a sequence with the Tef1 promoter, the Acc1 with Ser659Ala and Ser1167Ala modifications, and the Prm9 terminator at any suitable site. The end result would be that Tef1, Acc1^{S659A; S1167A}, and Prm9 are flanked by genomic DNA sequences for promoting integration into the *S. cerevisiae*
20 genome. This was attempted at Flagfeldt site 18 but due to the size of the construct, the approach with SEQ ID NO: 5 described above was followed instead.

[0070] *S. cerevisiae* may include modified expression of Maf1 or other regulators of tRNA biosynthesis. Overexpressing native Maf1 has been shown to reduce loss of IPP to tRNA biosynthesis and thereby improve monoterpene yields in yeast. IPP is an intermediate
25 in the mevalonate pathway. SEQ ID NO: 6 is a polynucleotide that was integrated into the *S. cerevisiae* genome at Maf1-site 5 for genomic integration of Maf1 under the Tef1 promoter. SEQ ID NO: 6 includes the Tef1 promoter, the native Maf1 gene, and the Prm9 terminator. Together, Tef1, Maf1, and Prm9 are flanked by genomic DNA sequences for promoting integration into the *S. cerevisiae* genome. As shown in Table 2 below, base strains HB100,
30 HB106, and HB110 express Maf1 under the Tef1 promoter. Similarly, each modified yeast strain based on any of HB100, HB106, or HB110 includes a polynucleotide including a coding sequence for Maf1 under the Tef1 promoter.

[0071] Upc2 is an activator for sterol biosynthesis in *S. cerevisiae*. A Glu888Asp mutation of Upc2 increases monoterpene production in yeast. SEQ ID NO: 7 is a polynucleotide that may be integrated into the genome to provide expression of Upc2^{E888D} under the Tef1 promoter. SEQ ID NO: 7 includes the Tef1 promoter, the Upc2^{E888D} gene, and the Prm9 terminator. Together, Tef1, Upc2^{E888D}, and Prm9 are flanked by genomic DNA sequences for promoting integration into the *S. cerevisiae* genome.

[0072] Any of the above genes, Acs^{L641P}, Ald6, Maf1, Acc1^{S659A; S1167A} or Upc2^{E888D}, may be expressed from a plasmid or integrated into the genome of *S. cerevisiae*. Genome integration may be through homologous recombination, including CRISPR recombination, or any suitable approach. The promoter of Acc1 may be similarly modified through recombination. The coding and regulatory sequences in each of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 5, SEQ ID NO: 6, or SEQ ID NO: 7 may be included in a plasmid for expression (e.g. pYES, etc.) or a linear polynucleotide for integration into the *S. Cerevisiae* genome. Each of base strains HB82, HB100, HB106, or HB110 includes one or more integrated SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, or SEQ ID NO: 8 (see Table 2 below). Integration of SEQ ID NO: 5, or SEQ ID NO: 7 may be applied by similar approaches.

[0073] Increased DiPKS Function

[0074] As shown in Fig. 7, DiPKS includes an ACP domain. The ACP domain of DiPKS requires a phosphopantetheine group as a co-factor. NpgA is a 4'-phosphopantethienyl transferase from *Aspergillus nidulans*. A codon-optimized copy of NpgA for *S. cerevisiae* may be introduced into *S. cerevisiae* and transformed into the *S. cerevisiae*, including by homologous recombination. An NpgA gene cassette was integrated into the genome of *Saccharomyces cerevisiae* at Flagfeldt site 14 to create strain HB100. The sequence of the integrated DNA is shown in SEQ ID NO: 8, and includes the Tef1 Promoter, the NpgA coding sequence and the Prm9 terminator. Together the Tef1p, NpgA, and Prm9t are flanked by genomic DNA sequences promoting integration into Flagfeldt site 14 in the *S. cerevisiae* genome. As shown in Table 2 below, base strains HB100, HB106, and HB110 include this integrated cassette. Alternatively, bases 636 to 2782 of SEQ ID NO: 8 may be included on an expression plasmid as in strain HB98.

[0075] Expression of NpgA provides the *A. nidulans* phosphopantetheinyl transferase for greater catalysis of loading the phosphopantetheine group onto the ACP domain of

DiPKS. As a result, the reaction catalyzed by DiPKS (reaction 1 in Fig. 4) may occur at greater rate, providing a greater amount of methyl-olivitol.

[0076] Modification of DiPKS

[0077] DiPKS may be modified to reduce or eliminate the activity of C-Met.

5 **[0078]** SEQ ID NO: 9 is a modified form of a synthetic sequence for DiPKS that is codon optimized for yeast in which DiPKS includes a Gly1516Asp substitution and a Gly1518Ala substitution that together disrupt the activity of the C-met domain. Results of DiPKS^{G1516D, G1518A} expression in *S. cerevisiae* cultures are provided below in relation to Example II, which includes strain HB80A. Other modifications may be introduced into DiPKS
10 to disrupt or eliminate the entire active site of C-Met or all of C-Met. Each of these modified DiPKS enzymes may be introduced into *S. cerevisiae* as described for wild type DiPKS.

[0079] SEQ ID NO: 10 is a modified form of a synthetic sequence for DiPKS that is codon optimized for yeast in which DiPKS includes a Gly1516Arg substitution that disrupts the activity of the C-met domain. Results of DiPKS^{G1516R} expression in *S. cerevisiae* cultures
15 are provided below in relation to Example VI, which includes strain HB135 and Example VII, which includes strains HB135, HB137 and HB138.

[0080] In addition to DiPKS^{G1516D, G1518A} and DiPKS^{G1516R} specifically, other modifications were introduced into DiPKS to disrupt or eliminate the entire active site of C-Met or all of C-Met: (a) substitution of motif 1 with GGGSGGGSG, (b) a Gly1516Arg
20 substitution in motif 1 and substitution of motif 2 with GGGSGGGG, (c). a Glu1634Ala, which is just outside motif 3 and disrupts tertiary structure at an active site in the C-Met domain, and (d). disruption of an active site in the C-Met domain by a His1608Gln substitution. Codon optimized sequences for each of (a) to (d) were introduced into yeast on expression plasmids, similarly to expression of DiPKS^{G1516D, G1518A} and DiPKS^{G1516R}, into base strain
25 HB100. In each case, no production of olivetol was observed. Substitution of either motif 1 or motif 2 with GGGSGGGG eliminated production of methyl-olivitol as well. A culture of yeast expressing the DiPKS^{G1634A} mutant provided 2.67 mg methyl-olivitol per l of culture in one example batch. A culture of yeast expressing the DiPKS^{H1608N} mutants provided 3.19 mg methyl-olivitol per l of culture in one example batch.

30 **[0081] Transforming and Growing Yeast Cells**

[0082] Details of specific examples of methods carried out and yeast cells produced in accordance with this description are provided below as Examples I to VII. Each of these seven specific examples applied similar approaches to plasmid construction, transformation

of yeast, quantification of strain growth, and quantification of intracellular metabolites. These common features across the seven examples are described below, followed by results and other details relating to one or more of the seven examples.

[0083] Plasmid Construction

- 5 **[0084]** Plasmids assembled to apply and prepare examples of the methods and yeast cells provided herein are shown in Table 1. In Table 1, for the expression plasmids pYES, and pYES2, SEQ ID NOs 11 and 12 respectively provide the plasmids as a whole without an expression cassette. The expression cassettes of SEQ ID NOs: 8 to 10, 13 and 14 can be included in to prepare the plasmids indicated in Table 1. SEQ ID NO: 2 is the pGREG
- 10 plasmid including a cassette for the PDH bypass genes.

Plasmid	Cassette	Description
pYES	(none)	LEU auxotroph; ampicillin resistance; SEQ ID NO: 11
pYES2	(none)	URA auxotroph; ampicillin resistance; SEQ ID NO: 12
pPDH	Bases 1 to 7214 from SEQ ID NO: 2	High copy amplification plasmid with PDH Bypass genes for acetaldehyde dehydrogenase (Ald6) and acetyl-CoA synthase (Acs^{L641P}) assembled in pGREG 505 / G418 flanked by integration site homology sequences as follows: C1-506-BclV-Site 19 UP region-L0 L0-TDH3 _P -L1- Ald6 -L2-Adh1 _T -LTP1 LTP1-Tef1 _P -L3- Acs^{L641P} -L4-Prm9 _T -LTP2 LTP2-Site 19 down region-C6-506
pNPGa	SEQ ID NO: 8	High copy NpgA expression plasmid in pYES2 with: LV3-Tef1 _P -L1- NpgA -L2-Prm9 _T -LV5
pDiPKSm1	SEQ ID NO: 9	High copy DiPKS^{G1516D; G1518A} expression plasmid in pYES2 with: LV3-Gal1-L1- DiPKS^{G1516D;G1518A} -L2-Prm9 _T -LV5
pDIPKSm2	SEQ ID NO: 10	High copy DIPKS^{G1516R} expression plasmid in pYES2 with: LV3-Gal1-L1- DiPKS^{G1516R} -L2-Prm9 _T -LV5
pDiPKS	SEQ ID NO: 13	High copy DiPKS expression plasmid in pYES2 with: LV3-Gal1-L1- DiPKS -L2-Prm9 _T -LV5

Plasmid	Cassette	Description
pCRISPR	SEQ ID NO: 14	High copy Cas9 endonuclease and targeted gRNA expression plasmid in pYES2 with: LV3-Tef1 _P - Cas9 -Adh1 _T -LTP1 LTP1- gRNA -LV5

Table 1: Plasmids and Cassettes Used to Prepare Yeast Strains

- [0085]** Plasmids for introduction into *S. cerevisiae* were amplified by polymerase chain reaction (“PCR”) with primers from Operon Eurofins and Phusion HF polymerase (ThermoFisher F-530S) according to the manufacturer's recommended protocols using an
- 5 Eppendorf Mastercycler ep Gradient 5341.
- [0086]** All plasmids were assembled using overlapping DNA parts and transformation assisted recombination in *S. cerevisiae*. The plasmids were transformed into *S. cerevisiae* using the lithium acetate heat shock method as described by Gietz, R. D. and Schiestl, R. H., “High-efficiency yeast transformation using the LiAc/SS carrier DNA/PEG method.” *Nat. Protoc.* **2**, 31–34 (2007). The pNPGa, pDiPKSm1, pDiPKSm2, pCRISPR, pDiPKS, and
- 10 pPDH plasmids were assembled yeast strain HB25, which is a uracil auxotroph. Transformed *S. cerevisiae* cells were selected by auxotrophic selection on agar petri dishes. Colonies recovered from the petri dishes were grown up in liquid selective media for 16 hrs at 30 °C while being shaken at 250 RPM.
- 15 **[0087]** After growth in liquid selective media, the transformed *S. cerevisiae* cells were collected and the plasmid DNA was extracted. The extracted plasmid DNA was transformed into *Escherichia coli*. Transformed *E. coli* were selected for by growing on agar petri dishes including ampicillin. The *E. coli* were cultured to amplify the plasmid. The plasmid grown in the *E. coli* was extracted and sequenced with Sanger dideoxy sequencing to verify accurate
- 20 construction. The sequence-verified plasmid was then used for genome modification or stable transformation of the *S. cerevisiae*.
- [0088]** **Genome Modification of *S. cerevisiae***
- [0089]** The *S. cerevisiae* strains described herein may be prepared by stable transformation of plasmids or genome modification. Genome modification may be
- 25 accomplished through homologous recombination, including by methods leveraging CRISPR.

[0090] Methods applying CRISPR were applied to delete DNA from the *S. cerevisiae* genome and introduce heterologous DNA into the *S. cerevisiae* genome. Guide RNA ("gRNA") sequences for targeting the Cas9 endonuclease to the desired locations on the *S. cerevisiae* genome were designed with Benchling online DNA editing software. DNA splicing by overlap extension ("SOEing") and PCR were applied to assemble the gRNA sequences and amplify a DNA sequence including a functional gRNA cassette.

[0091] The functional gRNA cassette, a Cas9-expressing gene cassette, and the pYes2 (URA) plasmid were assembled into the pCRISPR plasmid and transformed into *S. cerevisiae* for facilitating targeted DNA double-stranded cleavage. The resulting DNA cleavage was repaired by the addition of a linear fragment of target DNA.

[0092] Genome modification of *S. cerevisiae* was based on strain HB42, which is a Uracil auxotroph based in turn on strain HB25, and which includes an integration of the CDS for an Erg20^{K197E} protein. This integration was for other purposes not directly relevant to production of methyl-olivitol or olivitol, but which may be useful when also synthesizing CBG or meCBG, which requires GPP. The Erg20^{K197E} mutant protein increases GPP levels in the cell.

[0093] Bases 51 to 7114 of SEQ ID NO: 2 were integrated into the HB42 strain by CRISPR to provide the HB82 base strain with the PDH bypass genes in *S. cerevisiae*. The pPDH plasmid was sequence verified after assembly in *S. cerevisiae*. The sequence-verified pPDH plasmid was grown in *E. coli*, purified, and digested with BciV1 restriction enzymes. As in Table 1, digestion by BciV1 provided a polynucleotide including the genes for Ald6 and SeAcs^{L641P}, promoters, terminators, and integration site homology sequences for integration into the *S. cerevisiae* genome at PDH-site 19 by Cas9. The resulting linear PDH bypass donor polynucleotide, shown in bases 51 to 7114 of SEQ ID NO: 2, was purified by gel separation.

[0094] With both PDH bypass genes (Ald6 and Acs^{L641P}) on the single PDH bypass polynucleotide, the PDH bypass donor polynucleotide was co-transformed into *S. cerevisiae* with pCRISPR. Transformation was by the lithium acetate heat shock method as described by Gietz. The pCRISPR plasmid expresses Cas9, which is targeted to a selected location of *S. cerevisiae* the genome by a gRNA molecule. At the location, the Cas9 protein creates a double stranded break in the DNA. The PDH bypass donor polynucleotide was used as a donor polynucleotide in the CRISPR reaction. The PDH bypass donor polynucleotide

including Ald6, Acs^{L641P}, promoters, and terminators was integrated into the genome at the site of the break, Site 19, by homologous recombination, resulting in strain HB82.

[0095] The NpgA donor polynucleotide shown in SEQ ID NO: 8 was prepared and amplified. DNA SOEing was used to create a single donor DNA fragment from three
5 polynucleotides for NpgA integration. The first polynucleotide was the 5' region of genomic homology that allows the donor to recombine into the genome at a specific locus. The second polynucleotide coded for the NpgA gene cassette. The NpgA gene cassette includes the Tef1 promoter, the NpgA coding sequence and the Prm9 terminator. The third
10 polynucleotide included the 3' region for genomic homology to facilitate targeted integration into the *S. cerevisiae* genome.

[0096] The NpgA donor polynucleotide was co-transformed with the pCRISPR plasmid into strain HB82. The pCRISPR plasmid was expressed and endonuclease Cas9 was targeted to a location on the *S. cerevisiae* genome by a gRNA molecule. At the location, the Cas9 protein created a double stranded break in the DNA and the NpgA donor
15 polynucleotide was integrated into the genome at the break by homologous recombination to provide the HB100 base strain.

[0097] The Maf1 donor polynucleotide shown in SEQ ID NO: 6 was prepared and amplified. DNA SOEing was used to create a single donor DNA fragment from three
20 polynucleotides for Maf1 integration. The first polynucleotide was the 5' region of genomic homology that allows the donor to recombine into the genome at a specific locus. The second polynucleotide coded for the Maf1 gene cassette. The Maf1 gene cassette includes the Tef1 promoter, the Maf1 coding sequence and the Prm9 terminator. The third
polynucleotide included the 3' region for genomic homology to facilitate targeted integration into the *S. cerevisiae* genome.

25 [0098] The Maf1 donor polynucleotide was co-transformed with the pCRISPR plasmid into the HB100 strain. The pCRISPR plasmid may be expressed and endonuclease Cas9 was targeted to a location on the *S. cerevisiae* genome by a gRNA molecule. At the location, the Cas9 protein may create a double stranded break in the DNA and the Maf1 donor polynucleotide may be integrated into the genome at the break by homologous
30 recombination. Stable transformation of the Maf1 donor polynucleotide into the HB100 strain provides the HB106 base strain.

[0099] The Acc1-PGK1p donor polynucleotide shown in SEQ ID NO: 6 was prepared and amplified. DNA SOEing was used to create a single donor DNA fragment from three

polynucleotides for Acc1-PGK1 integration. The first polynucleotide was the 5' region of genomic homology that allows the donor to recombine into the genome at a specific locus. The second polynucleotide coded for the PGK1 promoter region. The third polynucleotide included the 3' region for genomic homology to facilitate targeted integration into the *S. cerevisiae* genome.

[00100] The Acc1-PGK1 donor polynucleotide was co-transformed with the pCRISPR plasmid. The pCRISPR plasmid was expressed and endonuclease Cas9 was targeted to a location on the *S. cerevisiae* genome by a gRNA molecule. At the location, the Cas9 protein created a double stranded break in the DNA and the Acc1-PGK1 donor polynucleotide was integrated into the genome at the break by homologous recombination. Stable transformation of donor polynucleotide into the HB100 strain provides the HB110 base strain with Acc1 under regulation of the PGK1 promoter.

[00101] Table 2 provides a summary of the base strains that were prepared by genome modification of *S. cerevisiae*. Each base strain shown in Table 2 is a leucine and uracil auxotroph, and none of them include a plasmid.

Strain	Modification	Integration
HB82	PDH bypass	SEQ ID NO: 2
HB100	PDH bypass, NPGa (site 14)	SEQ ID NOs: 2, 8
HB106	PDH bypass, NPGa (site 14), Maf1 (site 5)	SEQ ID NOs: 2, 8, 6
HB110	PDH bypass, NPGa (site 14), Maf1 (site 5), Acc1 promoter replaced with PGK1 ^P	SEQ ID NOs: 2, 8, 6, 4

Table 2: Base Transformed Strains Prepared for Polyketide Production

[00102] **Stable Transformation for Strain Construction**

[00103] Plasmids were transformed into *S. cerevisiae* using the lithium acetate heat shock method as described by Gietz.

[00104] Transgenic *S. cerevisiae* HB80, HB98, HB102, HB135, HB137 and HB138 were prepared from the HB42, HB100, HB106 and HB110 bases strain by transformation of HB42 with expression plasmids, and HB80A was prepared by transformation of HB80, as shown below in Table 3. HB80, HB98 and HB102 each include and express DiPKS. HB80A includes and expresses DiPKS^{G1516D; G1518A}. HB135, HB137 and HB138 each include and express DiPKS^{G1516R}. HB98 includes and expresses DiPKS and NPGa from a plasmid.

Strain	Base Strain	Plasmid
HB80	HB42	pDiPKS
HB80A	HB80	pDIPKSm1
HB98	HB42	pDiPKS pNPGa
HB102	HB100	pDIPKS
HB135	HB100	pDIPKSm2
HB137	HB106	pDIPKSm2
HB138	HB110	pDIPKSm2

Table 3: Strains including plasmids expressing polyketide synthase

[00105] Yeast Growth and Feeding Conditions

[00106] Yeast cultures were grown in overnight cultures with selective media to provide starter cultures. The resulting starter cultures were then used to inoculate triplicate 50 ml cultures to an optical density at having an absorption at 600 nm (" A_{600} ") of 0.1.

[00107] Yeast was cultured in media including YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO*. "4DO*" refers to yeast synthetic dropout media supplement lacking leucine and uracil. "YNB" is a nutrient broth including the chemicals listed in the first two columns side of Table 4. The chemicals listed in the third and fourth columns of Table 4 are included in the 4DO* supplement.

YNB		4DO*	
Chemical	Concentration	Chemical	Concentration
Ammonium Sulphate	5 g/L	Adenine	18 mg/L
Biotin	2 µg/L	p-Aminobenzoic acid	8 mg/L
Calcium pantothenate	400 µg/L	Alanine	76 mg/ml
Folic acid	2 µg/L	Arginine	76 mg/ml
Inositol	2 mg/L	Asparagine	76 mg/ml
Nicotinic acid	400 µg/L	Aspartic Acid	76 mg/ml
p-Aminobenzoic acid	200 µg/L	Cysteine	76 mg/ml

YNB		4DO*	
Chemical	Concentration	Chemical	Concentration
Pyridoxine HCl	400 µg/L	Glutamic Acid	76 mg/ml
Riboflavin	200 µg/L	Glutamine	76 mg/ml
Thiamine HCL	400 µg/L	Glycine	76 mg/ml
Citric acid	0.1 g/L	Histidine	76 mg/ml
Boric acid	500 µg/L	myo-Inositol	76 mg/ml
Copper sulfate	40 µg/L	Isoleucine	76 mg/ml
Potassium iodide	100 µg/L	Lysine	76 mg/ml
Ferric chloride	200 µg/L	Methionine	76 mg/ml
Magnesium sulfate	400 µg/L	Phenylalanine	76 mg/ml
Sodium molybdate	200 µg/L	Proline	76 mg/ml
Zinc sulfate	400 µg/L	Serine	76 mg/ml
Potassium phosphate monobasic	1.0 g/L	Threonine	76 mg/ml
Magnesium sulfate	0.5 g/L	Tryptophan	76 mg/ml
Sodium chloride	0.1 g/L	Tyrosine	76 mg/ml
Calcium chloride	0.1 g/L	Valine	76 mg/ml

Table 4: YNB Nutrient Broth and 4DO* Supplement

[00108] Quantification of Metabolites

[00109] Intracellular metabolites were extracted from the *S. cerevisiae* cells using methanol extraction. One mL of liquid culture was spun down at 12,000 x g for 3 minutes.

- 5 250 µL of the resulting supernatant was used for extracellular metabolite quantification. The resulting cell pellet was suspended in 200 µl of -40 °C 80% methanol. The mixture was vortexed and chilled on ice for 10 minutes. After chilling on ice for 10 minutes, the mixture was spun down at 15,000 x g at 4 °C for 14 minutes. The resulting supernatant was collected. An additional 200 µl of -40 °C 80% methanol was added to the cell debris pellet
- 10 and the mixture was vortexed and chilled for 10 minutes on ice. After chilling on ice for 10 minutes, the mixture was spun down at 15,000 x g at 4 °C for 14 minutes. The resulting 200

µl of supernatant was added to the previously collected 200 µl of supernatant, providing a total of 400 µl of 80% methanol with intracellular metabolites.

[00110] Intracellular metabolites were quantified using high performance liquid chromatography ("HPLC") and mass spectrometry ("MS") methods. An Agilent 1260
5 autosampler and HPLC system connected to a ThermoFinnigan LTQ mass spectrometer was used. The HPLC system included a Zorbax Eclipse C18 2.1 µm x 5.6 mm x 100 mm column.

[00111] The metabolites were injected in 10 µl samples using the autosampler and separated on the HPLC using at a flow rate of 1 ml/min. The HPLC separation protocol was
10 20 mins total with (a) 0-2 mins of 98% Solvent A and 2% Solvent B; (b) 2-15 mins to get to 98% solvent B; (c) 15-16.5 minutes at 98% solvent B; (d) 16.5-17.5 minutes to get to 98% A; and (e) a final 2.5 minutes of equilibration at 98% Solvent A. Solvent A was acetonitrile + 0.1% formic acid in MS water and solvent B was 0.1% formic acid in MS water.

[00112] After HPLC separation, samples were injected into the mass spectrometer by
15 electrospray ionization and analyzed in positive mode. The capillary temperature was held at 380 °C. The tube lens voltage was 30 V, the capillary voltage was 0 V, and the spray voltage was 5 kV. Similarly, after HPLC-MS/MS, olivetol was analyzed as a parent ion at 181.2 and a daughter ion at 111, while methyl-olivetol analyzed as a parent ion at 193.2 and a daughter ion at 125.

20 [00113] Different concentrations of known standards were injected to create a linear standard curve. Standards for olivetol and methyl-olivetol standards were purchased from Sigma Aldrich.

[00114] **Example I**

[00115] The yeast strain HB80 as described above in Table 3 was cultured in the YNB
25 + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of methyl-olivetol from raffinose and galactose was observed, demonstrating direct production in yeast of methyl-olivetol. The methyl-olivetol was produced at concentrations of 3.259 mg/L.

[00116] **Example II**

[00117] The yeast strain HB80A as described above in Table 3 was cultured in the
30 YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of both olivetol and methyl-olivetol from raffinose and galactose, catalyzed by DiPKS^{G1516D; G1518A}, was observed. This data demonstrates direct production in yeast of both olivetol and methyl-olivetol without inclusion of hexanoic acid.

[00118] Fig. 10 shows concentrations of methyl-olivetol produced by HB80 ("Methyl_Olivetol HB80") from Example I, and of both olivetol and methyl-olivetol produced by HB80A ("Methyl_Olivetol HB80A" and "Olivetol HB80A", respectively). Samples of culture were taken at 72 hours. HB80A produces a majority of methyl-olivetol (1.4 mg methyl-olivetol per L of culture compared with 0.010 mg per L of culture olivetol), and produced less methyl-olivetol and olivetol combined than methyl-olivetol that is produced by HB80 (3.26 mg/L).

[00119] **Example III**

[00120] The yeast strain HB98 as described above in Table 3 was cultured in the YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of methyl-olivetol from raffinose and galactose, catalyzed by DiPKS, was observed. This data demonstrates increased methyl-olivetol production compared with HB80 as described in Example I, and also without inclusion of hexanoic acid.

[00121] Fig. 11 shows concentrations of methyl-olivetol produced by HB80 ("Methyl_Olivetol HB80") from Example I, and of methyl-olivetol produced by HB98 ("Methyl_Olivetol HB98") from Example III. Samples of culture were taken at 72 hours. HB98 produced 29.85 mg/L methyl-olivetol while HB80 produced only 3.26 mg methyl-olivetol per L of culture. HB98 produced nearly 10 x as much methyl-olivetol as HB80.

[00122] **Example IV**

[00123] The yeast strain HB102 as described above in Table 3 was cultured in the YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of methyl-olivetol from raffinose and galactose was observed, demonstrating an increased production in yeast of methyl-olivetol at 42.44 mg/L as compared to strain HB98, which produced only 29.85 mg/L methyl-olivetol. This demonstrated that the genomically integrated version of NpgA is functional.

[00124] Fig. 12 shows concentrations of methyl-olivetol produced by HB102 ("Methyl_olivetol HB102") from Example IV as compared to the production of methyl-olivetol from strain HB98 in Example III ("Methyl_olivetol HB98").

[00125] **Example V**

[00126] The yeast strain HB135 as described above in Table 3 was cultured in the YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of olivetol from raffinose and galactose was observed, demonstrating an production in yeast of olivetol without any hexanoic acid and at high titres of 49.24 mg/L and no production of methyl-

olivetol. This is comparable to the production of methyl-olivetol by strain HB102 demonstrating that the mutation of DIPKS was effective in production of Olivetol as opposed to methyl-Olivetol.

[00127] Fig. 13 shows concentrations of olivetol and methyl-olivetol produced by HB135 (“Methyl_olivetol HB135” and “Olivetol HB135” respectively) from Example VI as compared to the production of methyl-olivetol from strain HB102 in Example IV (“Methyl_olivetol HB102”).

[00128] **Example VII**

[00129] The yeast strains HB137 and HB138 as described above in Table 3 were cultured in the YNB + 2% raffinose + 2% galactose + 1.6g/L 4DO* media. Production of olivetol from raffinose and galactose was observed in both strains. Strain HB137 produced 61.26 mg/L of olivetol and strain HB138 produced 74.26 mg/L of olivetol demonstrating the positive effect of Maf1 integration and Acc1-promoter swap on olivetol titres.

[00130] Fig. 14 shows the concentrations of olivetol produced by HB137 (“Olivetol HB137”) and HB138 (“Olivetol HB138”) from Example VII as compared to olivetol produced by HB135 (“Olivetol HB135”) in Example VI.

[00131] **References**

[00132] M. B. Austin, T. Saito, M.E. Bowman, S. Haydock, A. Kato, B.S. Moore, R.R. Kay and Noel, J. P. (2006) “Biosynthesis of Dictyostelium discoideum differentiation-inducing factor by a hybrid type I fatty acid–type III polyketide synthase” *Nature chemical biology*, **2**(9), 494.

[00133] S.W. Baba, G.I. Belogrudov, J.C. Lee, P.T. Lee, J. Strahan and J.N. Shepherd, C.F. Clarke (2003) “Yeast Coq5 C-Methyltransferase Is Required for Stability of Other Polypeptides Involved in Coenzyme Q Biosynthesis” *The Journal of Biological Chemistry*, **279**(11): 10052-10059.

[00134] C. Chambon, V. Ladeveze, A. Oulmouden, M. Servouse, and E. Karst (1990) “Isolation and properties of yeast mutants affected in farnesyl diphosphate synthetase” *Curr Genet*, **18**: 41-46.

[00135] M.J.C. Fischer, S. Meyer, P. Claudel, M. Bergdoll and F. Karst (2011) “Metabolic Engineering of Monoterpene Synthesis in Yeast” *Biotechnology and Bioengineering*, **108**(8): 1883-1892.

- [00136] Bai Flagfeldt, D., Siewers, V., Huang, L. and Nielsen, J. (2009) "Characterization of chromosomal integration sites for heterologous gene expression in *Saccharomyces cerevisiae*" *Yeast*, **26**, 545-551.
- [00137] S. Gagne. "The Polyketide Origins of Cannabinoids in Cannabis Sativa." Diss. U of Saskatchewan, 2013.
- [00138] R. Ghosh, A. Chhabra, P.A. Phatale, S.K. Samrat, J. Sharma, A. Gosain, D. Mohanty, S. Saran and R.S. Gokhale (2008) "Dissecting the Functional Role of Polyketide Synthases in *Dictyostelium discoideum* biosynthesis of the differentiation regulating factor 4-methyl-5-pentylbenzene-1,3-diol" *Journal of Biological Chemistry*, **283**(17), 11348-11354.
- [00139] C. Huang, H. Wu, Z. Liu, J. Cai, W. Lou and M. Zong (2012) "Effect of organic acids on the growth and lipid accumulation of oleaginous yeast *Trichosporon fermentans*" *Biotechnology for Biofuels*, **5**:4.
- [00140] Z. Hunkova and Z. Fencel (1977) "Toxic Effects of Fatty Acids on Yeast Cells: Dependence of Inhibitory Effects on Fatty Acid Concentration" *Biotechnology and Bioengineering*, **XIX**: 1623-1641.
- [00141] J. Kaminska, K. Grabinska, M. Kwapisz, J. Sikora, W.J. Smagowicz, G. Palamarczyk, T. Zoladek, M. Boguta, "The isoprenoid biosynthetic pathway in *Saccharomyces cerevisiae* is affected in a *maf1-1* mutant with altered tRNA synthesis" (2002) *FEMS Yeast Research* **2**: 31-37.
- [00142] D. Ro, E.M. Paradise, M. Ouellet, K.J. Fisher, K.L. Newman, J.M. Ndungu, K.A. Ho, R.A. Eachus, T.S. Ham, J. Kirby, M.C.Y. Chang, S.T. Withers, Y. Shiba, R. Sarpong and J.D. Keasling (2006) "Production of the antimalarial drug precursor artemisinic acid in engineered yeast" *Nature Letters* **440**: 930-943.
- [00143] S. Shi, Y. Chen, V. Siewers and J. Nielsen, "Improving Production of Malonyl Coenzyme A-Derived Metabolites by Abolishing Snf1-Dependent Regulation of *Acc1*" (2014) *American Society for Microbiology* **5**(3): e01130-14. doi:10.1128/mBio.01130-14.
- [00144] Y. Shiba, E.M. Paradise, J. Kirby, D. Ro and J.D. Keasling "Engineering of the pyruvate dehydrogenase bypass in *Saccharomyces cerevisiae* for high-level production of isoprenoids" (2007) *Metabolic Engineering* **9**: 160-168.
- [00145] M.A. Skiba, A.P. Sikkema, W.D. Fiers, W.H. Gerwick, D.H. Sherman, C.C. Aldrich and J.L. Smith "Domain Organization and Active Site Architecture of a Polyketide Synthase C-methyltransferase" *ACS Chem. Biol.*; Just Accepted Manuscript • DOI:

10.1021/acscchembio.6b00759 • Publication Date (Web): 10 Oct 2016. Downloaded from
http://pubs.acs.org on October 11, 2016.

[00146] M. Telloa, T. Kuzuyamab, L. Heidec, J. P. Noela and S. B. Richarda (2008)
“The ABBA family of aromatic prenyltransferases: broadening natural product diversity” *Cell*
5 *Mol Life Sci.*; **65**(10): 1459-1463.

[00147] C.A. Viegas, M.F. Rosa, I.Sa-Correia and J.M. Novais “Inhibition of Yeast
Growth by Octanoic and Decanoic Acids Produced during Ethanolc Fermentation” (1989)
Applied and Environmental Microbiology **55**(1): 21-28.

[00148] Sequences

10 [00149] The following sequences were filed electronically with this application but are
also included here.

SEQUENCE LISTING

15 <110> Hyasynth Biologicals Inc.

<120> METHOD AND CELL LINE FOR PRODUCTION OF PHYTOCANNABINIDS AND
PHYTOCANNABINOID ANALOGUES IN YEAST

<130> PAT 85146W-90

<140> US 62/460,526

20 <141> 2017-02-17

<160> 14

<170> PatentIn version 3.5

<210> 1

<211> 9444

25 <212> DNA

<213> Artificial Sequence

<220>

<223> Yeast optimized DiPKS from Dictyostelium discoideum

<220>

30 <221> Motif 1

<222> (4528)..(4554)

<220>

<221> C-methyltransferase domain

<222> (4528)..(4890)

35 <220>

<221> Motif 2
 <222> (4787)..(4809)
 <220>
 <221> Motif 3
 5 <222> (4867)..(4899)
 <400> 1

	atgaacaaga actccaaaat ccagtcceca aactcttctg atgttgctgt tattggtggt	60
	ggtttttagat tcccaggtaa ctctaatagac ccagaatctt tgtggaacaa cttgttggt	120
	ggtttcgatg ctattaccca agtcccaaaa gaaagatggg ctacttcttt tagagagatg	180
10	ggtttgatca agaacaagtt cgggtggttc ttgaaggatt ctgaatggaa gaatttcgac	240
	cctttgttct ttggtatcgg tccaaaagaa gctccattca ttgatccaca acaaaggttg	300
	ttgttggtcca tcgtttggga atctttggaa gatgcttaca tcagaccaga tgaattgaga	360
	ggttctaaca ctgggtgttt catcggtgtt tctaacaacg attacaccaa gttgggtttc	420
	caagacaact actctatttc tccatacact atgaccggct ctaactcttc attgaactcc	480
15	aacagaatct cctactgctt cgattttaga ggtccatcca ttactgttga taccgcttgt	540
	tcttcttctt tgggttctgt taatttgggt gtccaatcca tccaaatggg tgaatgtaag	600
	attgctatct gcggtggtgt taacgctttg tttgatccat ctacatctgt tgccttttcc	660
	aagttgggtg ttttgtctga aaatggcaga tgcaactctt ttagtgatca agcctctggt	720
	tacgttagat ctgaaggtgc tgggtgtgtt gttttgaagt ctttgggaaca agctaagttg	780
20	gatggtgata gaatctacgg tgtttcaag ggtgttctct ctaatgaaga tgggtgcttct	840
	aatggtgaca agaactcttt gactactcca tcttgtgaag cccaatccat taacatttct	900
	aaggctatgg aaaaggcctc cttgtctcca tctgatatct attacattga agcccatggt	960
	actggtactc cagttggtga tccaattgaa gttaaggcct tgtccaagat cttctccaac	1020
	tctaacaaca accagttgaa caacttctct accgatggta atgataacga tgatgatgat	1080
25	gacgataaca cctctccaga accattattg attggctcat tcaagtccaa catcggtcat	1140
	ttggaatctg ctgctggtat tgcttctttg attaagtggt gcttgatgtt gaagaacagg	1200
	atgttggttc catccattaa ctgctctaata ttgaacccat ccattccatt cgatcagtac	1260
	aacatctccg ttatcagaga aatcagacaa ttcccaaccg ataagttggt taacatcggt	1320
	atcaattctt tcggtttcgg tggttctaac tgccatttga ttattcaaga gtacaacaac	1380
30	aacttcaaga acaactctac catctgcaat aacaacaaca acaacaataa caacatcgac	1440
	tacttgatcc caatctctc taagactaag aagtccttg ataagtactt gattttgatc	1500
	aagaccaact ccaactacca caagatatatt tctttcgatg acttcgtcaa gttccaaatc	1560
	aagtctaagc agtacaactt gtccaacaga atgactacca ttgctaacga ttggaactcc	1620
	ttcattaagg gttctaacga attccacaac ttgatcgaat ctaaggatgg tgaaggtggt	1680
35	tcttcatctt ctaacagagg tattgattcc gccaatcaaa tcaacactac tactacctct	1740
	accatcaacg atatcgaacc tttgttggtt ttcgttttct gtggtcaagg tccacaatgg	1800

	aatggtatga ttaagacctt gtacaactcc gagaacgttt tcaagaacac cgttgatcat	1860
	gttgacagca tcttgtacaa gtacttcggt tactccattt tgaacgtctt gtctaagatc	1920
	gatgataacg acgattccat caaccatcca atagttgctc aaccatcttt gttcttgttg	1980
	caaattgggt tggtcgagtt gtttaagtac tggggatatct acccatctat ctctgttggt	2040
5	cattctttcg gtgaagtctc ttcttattac ttgtccggta tcatctcttt ggaaaccgct	2100
	tgtaaaatcg tctacgtcag atcctctaata cagaacaaaa ctatgggttc cggtaagatg	2160
	ttgggtgttt ctatgggttt taagcaatgg aacgatcaat tctctgctga atgggtccgat	2220
	attgaaattg cttgttataa cgctccagat tccatagttg ttactggtaa cgaagaaaga	2280
	ttgaaagaat tgtccatcaa gttgtccgac gaatccaatc aaattttcaa caccttcttg	2340
10	aggtcccat gttcttttca ttcttcccat caagaagtca tcaagggttc tatgttcgaa	2400
	gagttgtcta acttgcaatc tactggtgaa accgaaatcc ctttgttctc tactgttact	2460
	ggtagacaag ttttgtctgg tcatgttact gctcaacaca tctacgataa tgtagagaa	2520
	ccagtcttgt tccaaaagac gattgaatcc attacctcct acatcaagtc tcaactacca	2580
	tccaatcaaa aggttatcta cgttgaaatt gctccacacc caacctgtt ttcatgtatc	2640
15	aaaaagtcca tcccatcctc caacaagaat tcctcttctg ttttgtgtcc attgaacaga	2700
	aaagaaaact ccaacaactc ctacaagaag ttcgtttctc agttgtactt caacggtgtt	2760
	aacgttgact tcaacttcca gttgaactcc atttgcgata acgttaacaa cgatcaccat	2820
	ttgaacaacg tcaagcaaaa ctcttcaaaa gagactacca attccttgcc aagataccaa	2880
	tgggaacaag atgaatattg gtccgaacca ttgatctcca gaaagaatag attggaaggt	2940
20	ccaactactt ccttggtggg tcatagaatt atctacagct tccagtttt ccaatccgtt	3000
	ttggacttgc aatctgacaa ctacaaatac ttgttgacc acttggttaa cggtaagcca	3060
	gtttttccag gtgctggtta tttggatata atcatcgaat tcttcgacta ccaaaagcag	3120
	cagttgaatt cctctgattc ctctaactcc tacatcatca acgttgacaa gatccaattc	3180
	ttgaacccaa ttcacttgac cgaaaacaag ttgcaaacct tgcaatcttc tttcgaacct	3240
25	atcgttacta agaagtctgc cttctctgtt aacttcttca tcaaggatac cgtcgaggat	3300
	caatctaagg ttaagtctat gtctgacgaa acttgacta acacttgtaa ggctaccatt	3360
	tccttggaac aacaacagcc atctccatct tctactttga ctttgtctaa gaagcaagac	3420
	ttgcagatct tgagaaacag atgcgatatt agcaagctag acaagtttga gttgtacgac	3480
	aagatctcta agaatttggg cttgcagtac aactccttgt ttcaagttgt tgataccatc	3540
30	gaaactggtg aggattgctc ttttgctact ttgtctttgc cagaagatac tttgttcacc	3600
	accatthttga acccatgctt gttggataac tgthttcatg gtttgttgac cttgatcaac	3660
	gaaaaggggt ctttcgttgt cgagtccatt tcttctgttt ctatctactt ggagaacatc	3720
	ggttccttca atcaaaactc tgttggtaac gtccagttct acttgtaacac cactatttct	3780
	aaagccacct ccttttagttc tgaaggtagt tgtaagttgt tcaccaagga tggttccttg	3840
35	atthttgtcta tcggtaagtt catcatcaag tccaccaatc caaagtctac taagaccaac	3900
	gaaactatcg aatctccatt ggacgaaacc ttctctattg aatggcaatc taaggattct	3960

	ccaattccaa ccccaaca aatccaacaa caatctccat tgaactctaa cccatccttc	4020
	attagatcta ccatcttgaa ggacatccag ttcgaacaat actgctcctc cattatccac	4080
	aaagaattga tcaaccacga aaagtacaag aaccagcaat ccttcgatat caactccttg	4140
	gaaaaccact tgaacgatga ccaattgatg gaatccttgt ccatctccaa agaatacttg	4200
5	agattcttca ccaggatcat ctccatcatt aagcaatacc caaagatctt gaacgaaaaa	4260
	gagctaaaag aattgaaaga aatcatcgaa ttgaagtacc catccgaagt tcagttgttg	4320
	gaattcgaag ttatcgagaa ggtgtccatg attatcccaa agttgttgtt cgaaaacgac	4380
	aagcaatctt ccatgacctt gttccaagat aacttggtga ccagggttcta ctccaattct	4440
	aactctacca gattctactt ggaaagggtt tccgaaatgg tcttggaatc tattagacca	4500
10	atcgtcagag aaaagagggg gttcagaatt ttggaattg gtgctggtac aggctctttg	4560
	tctaattgtt ttttgactaa gttgaacacc tacttgtcca ccttgaattc taatgggtgt	4620
	tctggttaca acatcatcat tgagtacacc ttcaccgata tttccgccaa cttcattatt	4680
	ggtgaaatcc aagaaacat gtgcaacttg taccctaacg ttactttcaa gttctccgtc	4740
	ttggacttgg agaaagagat tattaactcc tccgatttct tgatgggtga ttacgatata	4800
15	gttttgatgg cctacgttat ccatgccgtt tctaacatta agttctccat cgaacagttg	4860
	tacaagttgt tgtctccaag aggttggttg ttgtgtattg aacctaatgc caacgttggtg	4920
	ttctccgatt tggttttcgg ttgttttaat cagtgggtga actactacga tgatattaga	4980
	actaccact gctccttgtc tgaatctcaa tggaaatcagt tgttggtgaa ccagtccttg	5040
	aacaacgaat cctcttcttc ttctaactgt tacgggtggtt tctccaacgt ttcttttatt	5100
20	ggtggtgaaa aggatgtcga ctccatttct ttcatattgc actgccaaaa agaatccatc	5160
	tcccaaatga agttagccac cactattaac aacggtttgt catctggttc catcgttatc	5220
	gttttgaact ctcaacaatt gaccaacatg aagtcctacc caaaggttat tgagtatatt	5280
	caagaggcta cctctttgtg caagaccatt gaaattatcg attccaagga cgtcttgaac	5340
	tctaccaatt cagttttgga aaagatccaa aagtccttgt tgggtgttctg tttgttggtg	5400
25	tatgacttgt tggagaacaa ctaccaagaa cagtctttcg aatacgttaa gttgttgaac	5460
	ttgatctcta ctaccgcctc ttcatctaat gataagaaac caccctaaagg cttgttgatc	5520
	accaagcaat ctgaaagaat ctccaggctc ttctactcca gatccttgat tggattttcc	5580
	agaacctcta tgaacgagta cccaaatttg tccattacct ctatcgattt ggataccaac	5640
	gactactcat tgcagtcttt gttgaagcca atcttcagca actctaagtt ttccgacaac	5700
30	gagttcatct tcaaaaaggg cttgatgttc gtgtccagga tctttaagaa caagcagttg	5760
	ctagaatcct ccaacgcttt tgaaactgac tcttctaact tgtactgtaa ggcctcttct	5820
	gacttgtctt acaagtacgc tattaagcag tctatgttga ccgaaaatca gatcgaaatc	5880
	aagggtgaat gcgtcgggtat taacttcaag gacaacctat tctacaaggg cttgttgcca	5940
	caagaaattt tcagaatggg tgacatctac aatccacat atgggttgga atgctctggt	6000
35	gttattacca gaattggttc taacgtcacc gaatactcag ttgggtcaaaa tgtttttggt	6060
	ttcgccagac attctttggg ttctcatggt gttaccaaca aggatttggt tatcttgaag	6120

	ccagatacca	tctcattttc	tgaagctgct	tctatcccag	ttgtttactg	tactgcttgg	6180
	tactccttgt	tcaacattgg	tcagttgtct	aacgaagaat	ccatccta	tcattctgct	6240
	actggtggtg	taggtttggc	ttctttgaat	ttgttgaaaa	tgaagaatca	gcaacagcaa	6300
	ccattgacca	atgtttatgc	tactgttggc	tctaacgaga	agaagaagtt	cttgatcgat	6360
5	aacttcaaca	acttgtttcaa	agaggacggc	gaaaacattt	tctctaccag	agacaaagaa	6420
	tactccaacc	agtttgaatc	caagatcgat	gttattttga	acaccttgtc	cggtgaattc	6480
	gtcgaatcta	atttcaagtc	cttgagatcc	ttcggtagat	tgattgattt	gtctgctact	6540
	cacgtttacg	ccaatcaaca	aattggtcta	ggtaacttca	agttcgacca	cttgatttct	6600
	gctgttgact	tggaaagatt	gatcgacgaa	aaacctaagt	tgttgcagtc	catcttgcaa	6660
10	agaattacca	actctatcgt	caacggttcc	ttggaaaaaa	ttccaattac	catcttccca	6720
	tccaccgaaa	ctaaggatgc	tatcgaatta	ttgtccaaga	gatcccatat	cggtaaagtt	6780
	gttgtagatt	gcaccgatat	ctctaagtgt	aatcctgttg	gtgatgtgat	caccaacttc	6840
	tctatgagat	tgccaaagcc	aaactaccag	ttgaatttga	actccacctt	gttgattact	6900
	ggtcagtctg	gtttgtctat	ccctttgttg	aattggttgt	tgtctaagtc	tggtggtaac	6960
15	gttaagaacg	ttgtcatcat	ttctaagtc	accatgaagt	ggaagttgca	gactatgatt	7020
	tcccatttcg	tttccggttt	cggtatccat	tttaactacg	ttcaagtcga	catctccaac	7080
	tacgatgctt	tgtctgaagc	tattaagcaa	ttgccatctg	atttgccacc	aatcacctct	7140
	gtttttcatt	tggtctctat	ctacaacgat	gttccaatgg	atcaagttac	catgtctacc	7200
	gttgaatctg	ttcataaccc	taaagttttg	ggtgcogtta	acttgcatag	aatctctgtt	7260
20	tcttttggtt	ggaagttgaa	ccacttcgtc	ttgttctctt	ctattactgc	tattaccggt	7320
	taccagacc	aatctatcta	caattctgcc	aactctat	ttgacgcttt	gtccaacttt	7380
	agaaggttta	tgggtttgcc	atccttctcc	attaacttgg	gtccaatgaa	ggatgaaggt	7440
	aagggtttcta	ccaacaagag	catcaagaag	ctattcaagt	ctagagggtt	gccaagccta	7500
	tccttgaaca	agttatttgg	tttgttggag	gtcgtcatca	acaaccatc	taatcatggt	7560
25	atcccatccc	aattgatttg	ctccccaatc	gatttcaaga	cctacatcga	atctttctca	7620
	actatgaggc	caaagttggt	acacttgcaa	cctaccattt	ccaagcagca	atcttctatc	7680
	attaacgatt	ctaccaaggc	ttcctccaac	atttcattgc	aagataagat	cacctccaag	7740
	gtgtctgatt	tggtgtccat	tccaatctcc	aagatcaact	tcgatcatcc	attgaaacac	7800
	tacggcttgg	attctttgtt	gaccgttcaa	ttcaaactct	ggatcgacaa	agaattcgaa	7860
30	aagaacttgt	tcaccatata	ccaattggcc	accatctcta	ttaaactcatt	cttgaaaaag	7920
	gtgaacggct	tgtctacaaa	caataacaac	aacaacaatt	ccaacgtcaa	gtcctctcca	7980
	tccattgtca	aagaagaaat	cgttaccttg	gacaaggatc	aacaaccatt	gctattgaaa	8040
	gaacaccagc	acattatcat	ctccccagat	attagaatca	acaagccaaa	gagggaatcc	8100
	ttgattagaa	ccccaatctt	gaacaaattc	aaccagatca	ccgaatccat	tatcactcca	8160
35	tctacaccat	ctttgtccca	atccgatgtt	ttgaaaactc	caccaatcaa	gtctttgaac	8220
	aacactaaga	actccagctt	gattaacacc	ccaccaattc	aatctgtcca	acaacatcaa	8280

aagcaacaac aaaaggtcca agtcatccaa caacagcaac aaccattatc cagattgtcc 8340
 tacaagagca acaacaactc ttctgttttg ggtatcggtt tttctgttcc aggtgaacct 8400
 atttcccaac aatccttgaa agactccatc tccaatgact tttctgataa ggctgaaact 8460
 aacgagaagg tcaagagaat ctttgagcaa tctcaaatac agaccagaca cttgggttaga 8520
 5 gattacacta agccagagaa ctccatcaag ttcagacatt tggaaccat taccgatgtg 8580
 aacaaccagt tcaagaaagt tggtccagat ttggctcaac aagcctgttt gagagctttg 8640
 aaagattggg gtggtgataa ggggtgatatt acccatatag tttctgttac ctccaccggt 8700
 attatcatcc cagatgttaa tttcaagttg atcgacttgt tgggcttgaa caaggatgtt 8760
 gaaagagtgt ctttgaacct aatgggttgt ttggctgggt tgagttcttt gagaactgct 8820
 10 gcttcttttg ctaaggcttc tccaagaaat agaatttttg ttgtctgtac cgaagtctgc 8880
 tccttgcatc tttctaatac tgatgggtgt gatcaaatgg tcgctcttc tatttttgct 8940
 gatggttctg ctgcttacat tattggttgt aacccaagaa ttgaagaaac ccattatac 9000
 gaagtcatgt gctccattaa cagatcttcc ccaaataccg aaaacgcat ggtttgggat 9060
 ttggaaaaag aaggttgga cttgggtttg gatgcttcta ttccaattgt cattggttct 9120
 15 ggtattgaag ccttcgttga tactttgttg gataaggcta agttgcaaac ttccactgct 9180
 atttctgcta aggattgcca attcttgatt catactggtg gcaagtccat cttgatgaac 9240
 atcgaaaatt ccttgggtat cgacccaag caaactaaga atacttgga tgtttaccat 9300
 gcctacggca atatgtcatc tgctctgtt attttcgta tggatcatgc cagaaagtcc 9360
 aagtctttgc caacttactc aatttctttg gcttttggtc cagggttggc ttttgaagg 9420
 20 tgtttcttga agaacgtcgt ctaa 9444
 <210> 2
 <211> 14025
 <212> DNA
 <213> Artificial Sequence
 25 <220>
 <223> Plasmid
 <220>
 <221> Cl:p506 primer homology
 <222> (1)..(50)
 30 <220>
 <221> 19 UP
 <222> (51)..(761)
 <220>
 <221> L0
 35 <222> (762)..(800)
 <220>

<221> THD3p
 <222> (801)..(1453)
 <220>
 <221> L1
 5 <222> (1454)..(1493)
 <220>
 <221> ALD6
 <222> (1494)..(2999)
 <220>
 10 <221> L2
 <222> (3000)..(3039)
 <220>
 <221> LTP1
 <222> (3364)..(3403)
 15 <220>
 <221> Tef1p
 <222> (3404)..(3897)
 <220>
 <221> L3
 20 <222> (3898)..(3937)
 <220>
 <221> Acs L641P
 <222> (3938)..(5893)
 <220>
 25 <221> L4
 <222> (5894)..(5933)
 <220>
 <221> PRM9t
 <222> (5934)..(6471)
 30 <220>
 <221> LTP2
 <222> (6472)..(6511)
 <400> 2
 taaccctcac taaagggaaac aaaagctgga gctcgtttta acggcgcgcc caccggagct 60
 35 tggatatgat aaacgaaata ttcttgaatc gtgagatcgc ctgttttcaa aaccgttgga 120
 ggcagaaaca attttgtcac aagatgggca ttctacccca tccttgctgt attattgtag 180

	tctcgctttc	ttttatgctg	gacaaatgag	actactgcac	atTTTTtatac	gttcttggtt	240
	ttttttaaaag	gtgtgggttc	ggcattatcc	tgccgcacgt	ttcttgata	attcatcctg	300
	attctctatt	ttaaagcgtt	cagcctatca	ggatttggtt	ttgatacata	ctgcaagagt	360
	gtatctcggg	aacagtcatt	tattccgcaa	caaacttaat	tgcggaacgc	gttaggcgat	420
5	ttctagcata	tatcaaatac	cgttcgcgat	ttcttctggg	ttcgtctctt	ttcttttaaa	480
	tacttattaa	cgtactcaaa	caactacact	tcgttgatc	tcagaatgag	atccctcagt	540
	atgacaatac	atcattctaa	acgttcgtaa	aacacatatg	aaacaacttt	ataacaaagc	600
	gaacaaaatg	ggcaacatga	gatgaaactc	cgcgtccctt	agctgaacta	cccaaacgta	660
	cgaatgcctg	aacaattagt	ttagatccga	gattccgcgc	ttccatcatt	tagtataatc	720
10	catatTTTTat	ataatatata	ggataagtaa	cagcccgcga	aaaacaacaa	ataatcataa	780
	aaatTTTtaga	actagacata	tcgagtTTat	cattatcaat	actgccattt	caaagaatac	840
	gtaaataatt	aatagtagtg	atTTTtctaa	ctttatttag	tcaaaaaatt	agcctTTtaa	900
	ttctgctgta	acccgtagat	gccccaaaata	gggggcgggt	tacacagaat	atataacatc	960
	gtaggtgtct	gggtgaacag	tttattcctg	gcattccacta	aatataatgg	agcccgcttt	1020
15	ttaagctggc	atccagaaaa	aaaaagaatc	ccagcaccaa	aatattgttt	tcttcaccaa	1080
	ccatcagttc	ataggtccat	tctcttagcg	caactacaga	gaacaggggc	acaaacaggc	1140
	aaaaaacggg	cacaacctca	atggagtgat	gcaacctgcc	tggagttaat	gatgacacaa	1200
	ggcaattgac	ccacgcgatg	atctatctca	tttctttaca	ccttctatta	ccttctgctc	1260
	tctctgattt	ggaaaaagct	gaaaaaaaag	gttgaaacca	gttccctgaa	attattcccc	1320
20	tacttgacta	ataagtatat	aaagacggta	ggtattgatt	gtaattctgt	aaatctattt	1380
	cttaaaacttc	ttaaattcta	cttttatagt	tagtctTTTT	tttagtttta	aaacaccaag	1440
	aacttagttt	cgactagaaa	atTTattata	aaaggaagag	aaataattaa	acaatgacta	1500
	agctacactt	tgacactgct	gaaccagtca	agatcacact	tccaaatggg	ttgacatacg	1560
	agcaaccaac	cgggtctattc	attaacaaca	agtttatgaa	agctcaagac	ggtaagacct	1620
25	atcccgtcga	agatccttcc	actgaaaaca	ccgtttgtga	ggtctcttct	gccaccactg	1680
	aagatgttga	atatgctatc	gaatgtgccg	accgtgcttt	ccacgacact	gaatgggcta	1740
	ccaagaccc	aagagaaaga	ggcgtctac	taagtaagtt	ggctgacgaa	ttggaaagcc	1800
	aaattgactt	ggtttcttcc	attgaagctt	tggacaatgg	taaaactttg	gccttagccc	1860
	gtggggatgt	taccattgca	atcaactgtc	taagagatgc	tgtgcctat	gccgacaaag	1920
30	tcaacggtag	aacaatcaac	accggtgacg	gtacatgaa	cttcaccacc	ttagagccaa	1980
	tcgggtgtctg	tgggtcaaat	attccatgga	actttccaat	aatgatgttg	gcttggaaga	2040
	tcgccccagc	attggccatg	ggtaacgtct	gtatcttgaa	acccgctgct	gtcacacctt	2100
	taaatgccct	atactttgct	tctttatgta	agaagggttg	tattccagct	ggtgtcgtca	2160
	acatcgttcc	aggtcctggg	agaactgttg	gtgctgcttt	gaccaacgac	ccaagaatca	2220
35	gaaagctggc	ttttaccggt	tctacagaag	tcggtaagag	tgttgctgtc	gactcttctg	2280
	aatctaactt	gaagaaaatc	acttttgaac	taggtggtaa	gtccgcccac	ttgggtctttg	2340

	acgatgctaa cattaagaag actttaccaa atctagtaaa cggatattttc aagaacgctg	2400
	gtcaaatttg ttcctctggt tctagaatth acgttcaaga aggtattttac gacgaactat	2460
	tggtgcttt caaggcttac ttggaaaccg aaatcaaagt tggtaatcca tttgacaagg	2520
	ctaacttcca aggtgctatc actaaccgtc aacaattcga cacaattatg aactacatcg	2580
5	atatcggtaa gaaagaaggc gccaaagatct taactggtgg cgaaaaagtt ggtgacaagg	2640
	gttacttcat cagaccaacc gttttctacg atgttaatga agacatgaga attgttaagg	2700
	aagaaatttt tggaccagtt gtcactgtcg caaagttcaa gacttttaga gaagggtgtcg	2760
	aaatggctaa cagctctgaa ttcggtctag gttctatggg tatcgaaaca gaatctttga	2820
	gcacaggttt gaagggtggc aagatgttga aggccggtac cgtctggatc aacacatata	2880
10	acgattttga ctccagagtt ccattcggtg gtgttaagca atctggttac ggtagagaaa	2940
	tgggtgaaga agtctaccat gcatacactg aagtaaaagc tgtcagaatt aagttgtaaa	3000
	gacataaaac tgaaacaaca ccaattaata atagactttt ggacttcttc gccagaggtt	3060
	tggtcaagtc tccaatcaag gttgtcggct tgtctacctt gccagaaatt tacgaaaaga	3120
	tggaaaaggg tcaaactcgtt ggtagatacg ttgttgacac ttctaaataa gcgaatttct	3180
15	tatgatttat gattttttatt attaaataag ttataaaaaa aataagtgtg taaaaatttt	3240
	aaagtgactc ttaggtttta aaacgaaaat tcttattctt gagtaactct ttcctgtagg	3300
	tcaggttgct ttctcaggta tagcatgagg tcgctcttat tgaccacacc tctaccggca	3360
	tggcttaaat aacatactca tcactaaaca ttcttaacaa tcaaagcaac aggcgcgttg	3420
	gacttttaat tttcaggagc cgcgaatcct tacatcacac ccaatcccc acaagtgatc	3480
20	ccccacacac catagcttca aaatgtttct actccttttt tactcttcca gattttctcg	3540
	gactccgcgc atcgccgtac cacttcaaaa cacccaagca cagcactata aatttcccct	3600
	ctttcttcct ctagggtgtc gttaattacc cgtactaaag gtttggaata gaaaaagag	3660
	accgcctcgt ttctttttct tcgtcgaata aggcaataaa aattttttatc acgtttcttt	3720
	ttcttgaaaa tttttttttt tgattttttt ctctttcgat gacctcccat tgatatttaa	3780
25	gttaataaac ggtcttcaat ttctcaagtt tcagtttcat ttttcttgtt ctattacaac	3840
	tttttttact tcttgctcat tagaaagaaa gcatagcaat ctaatctaag ttttaataca	3900
	tctaccagtc aacagccaac aattaactaa ttaaacaatg tcccaaactc ataagcacgc	3960
	tattccagct aatattgctg atagatgctt gatcaaccca gaacagtacg aaactaagta	4020
	caagcaatcc atcaacgatc cagatacttt ttgggggtgaa caaggtaaga ttttgattg	4080
30	gattaccca taccaaaagg tcaagaatac ttcttttgct ccaggcaacg tttccattaa	4140
	gtgggtatgaa gatggtactt tgaacttggc tgctaactgt ttggatagac acttgcaaga	4200
	aaacggtgat agaaccgcta ttatttggga aggtgatgat acctcccaat ccaaacatat	4260
	ctcttacaga gaattgcaca gagatgtctg tagattcgct aacactttgt tggatttggg	4320
	catcaaaaag ggtgatgttg ttgctatcta tatgccaatg gttcctgaag ctgctgttgc	4380
35	tatgttggct tgtgctagaa ttggtgctgt tcattctgtt attttcggtg gtttttacc	4440
	agaagctggt gccggtagaa ttatcgattc ttcatccaga ttggttatca ccgctgatga	4500

	aggtgttaga gctggtagat ctattccatt gaaaaagaac gttgatgacg ccttgaagaa	4560
	cccaaagtgt acttctgttg aacacgtcat cgttttgaag agaactgggt ctgatatcga	4620
	ttggcaagag ggtagagatt tgtggtggag agatttgatt gaaaaggctt ctccagaaca	4680
	tcaaccagaa gctatgaacg ctgaagatcc tttgtttatc ttgtacactt ctggttctac	4740
5	tggtgaagcca aaagggtgtt tacacactac tgggtgttat ttgggtttacg ctgctactac	4800
	tttcaagtac gttttcgatt atcaccacagg tgatatctat tgggtgtactg ctgatgttgg	4860
	ttgggttact ggtcattctt atttgttgta tgggtccattg gcttgtggtg ctactacatt	4920
	gatgtttgaa ggtgttccaa attggccaac tccagctaga atgtgtcaag ttgttgacaa	4980
	acaccaagtc aacatcttgt atactgctcc aactgctatt agagctttga tggctgaagg	5040
10	tgataaggct attgaaggta ctgatagatc ctcttgaga atcttgggtt ctgttggtga	5100
	acctattaac cctgaagcct gggaaaggta ttggaagaaa attggttaaag aaaagtgcc	5160
	agttgttgat acttgggtgc aaactgaaac tgggtgtttt atgattactc cattgccagg	5220
	tgctattgaa ttgaaagctg gttctgctac tagaccattt tttggtgttc aaccagcttt	5280
	ggttgataac gaaggtcatc cacaagaagg tgctactgaa ggtaatttgg ttattactga	5340
15	ttcttggcca ggtcaagcta gaactttgtt tgggtgatcac gaaagattcg aacagactta	5400
	cttctctacc ttcaagaaca tgtacttctc tgggtatggt gctagaagag atgaagatgg	5460
	ttactattgg attaccggta gagttgatga tgccttgaat gtttctggtc acagattagg	5520
	tactgccgaa attgaatctg ctttgggtgc tcattccaaag attgctgaag ctgcagtgtg	5580
	tgggtattcca catgctatta agggcaagc tatctacgct tacgttactt tgaatcatgg	5640
20	tgaagaacca tctccagaat tatacgctga agttagaaac tgggtcagaa aagaaattgg	5700
	tccattagct accccagatg ttttacattg gactgattct ttgccaaaga ccagatcagg	5760
	taagatcatg agaagaatct tgagaaagat tgctgctggt gatacttcta acttgggtga	5820
	tacttcaaca ttagctgatc caggtgttgt tgaaaagcct ttggaagaaa aacaagctat	5880
	tgccatgcca tcctaataat taaatactat tttcaaaatt ctacttaaaa ataacagaag	5940
25	acgggagaca ctagcacaca actttaccag gcaagggtatt tgacgctagc atgtgtccaa	6000
	ttcagtgatc tttatgattt tttgtagtag gatataaata tatacagcgc tccaaatagt	6060
	gcggttgccc caaaaacacc acggaacctc atctgttctc gtactttgtt gtgacaaaag	6120
	agctcactgc cttattatca ctttttcatt atgcaacgct tcggaaaata cgatgttgaa	6180
	aatgcctcta gagatgaaaa acaatcgtaa aagggtcctg cgtaattgaa acatttgatc	6240
30	agtatgcagt ggcacagaaa caaccaggaa tactatagtc ataggcaata caaggtatat	6300
	attggctatg cagaccctc cagaaagtag cgacgtcaag ttagatacac ttaacgaacc	6360
	tagtgcacat ttaattgaga aaaatgtggc tcttcctaag gacatattcc gttcgtactt	6420
	gagttattgg atctatgaaa tcgctcgcta tacaccagtc atgattttgt cattgcgaag	6480
	actatactga tatatgaatt taaactagag cggaccaact atcatccgct aattactgac	6540
35	attaccaaatt gagatctgtg aatgggcaag ataaaaaaca aaaattgaaa tgtttgacgt	6600
	tatgtaaaac tattaattcc ttcgctttcg gcggtcacag aatttgcgtg tagctgactc	6660

	ttgttcaatc aatatcatTT gttactttat ttgaaagtct gtattactgc gcctattgtc	6720
	atccgtacca aagaacgtca aaaagaaaca agataatTTT tgtgcttaca ccatTTtatag	6780
	atcactgagc ccagaatatc gctggagctc agtgaagtG gcatgaacac aactctgact	6840
	gatcgacat attgccgtta tcataaatac tagttgtact tgtcaatgcg acgaatggca	6900
5	tcatgcctat tattacgttc ctctTTTTcc gtttcatgTT tccagaatgc tattgaatct	6960
	aacacttcaa ttataaaaaa gaataaatcc gcaataatTT taggctaatt gttgtactgt	7020
	caagcgaacc taatggTTaa aattcagagg aaccttcgac gtagtctgat cgctacttct	7080
	atatcttatg ttcccagtca atcaaaagtT gatactataa tagctgcat ttatactgt	7140
	tagttatggc gatcgTTtat cacggcgggc gcggtaccta ataacttcgt atagcataca	7200
10	ttatacgaag ttatattaag ggttctcgac gttttcgaca ctggatggcg gcgttagtat	7260
	cgaatcgaca gcagtatagc gaccagcatt cacatacgat tgacgcatga tattactttc	7320
	tgcgcaactta acttcgcatac tgggcagatg atgtcgaggc gaaaaaaaat ataaatcacg	7380
	ctaacatttg attaaaaatag aacaactaca atataaaaaa actatacaaa tgacaagttc	7440
	ttgaaaacaa gaatctTTTT attgtcagta ctgattagaa aaactcatcg agcatcaaat	7500
15	gaaactgcaa ttatttcata tcaggattat caataccata tttttgaaaa agccgtttct	7560
	gtaatgaagg agaaaaactca ccgaggcagt tccataggat ggcaagatcc tggtatcggt	7620
	ctgcgattcc gactcgtcca acatcaatac aacctattaa tttccctcg tcaaaaataa	7680
	ggttatcaag tgagaaatca ccatgagtga cgactgaatc cggtgagaat ggcaaaagct	7740
	tatgcatttc tttccagact tgttcaacag gccagccatt acgctcgtca tcaaaatcac	7800
20	tcgcatcaac caaaccgTTa ttcatctgtg attgcgcctg agcgagacga aatacgcgat	7860
	cgctgttaaa aggacaatta caaacaggaa tcgaatgcaa ccggcgcagg aacactgcc	7920
	gcgcatcaac aatatTTTca cctgaatcag gatattcttc taatacctgg aatgctgttt	7980
	tgccggggat cgcagtggTg agtaaccatg catcatcagg agtacggata aaatgcttga	8040
	tggtcggaag aggcataaat tccgtcagcc agtttagtct gaccatctca tctgtaacat	8100
25	cattggcaac gctacctttg ccatgtttca gaaacaactc tggcgcatcg ggcttcccat	8160
	acaatcgata gattgtcgca cctgattgcc cgacattatc gcgagcccat ttatacccat	8220
	ataaatcagc atccatgttg gaatttaatc gcggcctcga aacgtgagtc ttttccttac	8280
	ccatggttgt ttatgttcgg atgtgatgtg agaactgtat cctagcaaga ttttaaaagg	8340
	aagtatatga aagaagaacc tcagtggcaa atcctaacct tttatatTTc tctacagggg	8400
30	cgcgcggtgg ggacaattca acgcgtctgt gaggggagcg tttccctgct cgcaggtctg	8460
	cagcgaggag ccgtaatTTT tgcttcgcgc cgtgcggcca tcaaaatgta tggatgcaaa	8520
	tgattataca tggggatgta tgggctaaat gtacgggcga cagtcacatc atgccctga	8580
	gctgcgcacg tcaagactgt caaggagggT attctgggccc tccatgtcgc tggccgggtg	8640
	acccggcggg gacgaggcaa gctaaacaga tctctagacc taataacttc gtatagcata	8700
35	cattatacga agttatatta agggttgtct taattaaggg tgcccaattc gccctatagt	8760
	gagtcgtatt acgcgcgctc actggccgtc gttttacaac gtcgtgactg ggaaaaccct	8820

	ggcgttaccc aacttaatcg ccttgacgca catccccctt tcgccagctg gcgtaatagc	8880
	gaagaggccc gcaccgatcg cccttcccaa cagttgcgca gcctgaatgg cgaatggcgc	8940
	gacgcgccct gtagcggcgc attaagcgcg gcgggtgtgg tggttacgcg cagcgtgacc	9000
	gctacacttg ccagcgccct agcgcgcgct cctttcgctt tcttcccttc ctttctcgcc	9060
5	acgttcgccg gctttccccc tcaagctcta aatcgggggc tcccttttagg gttccgattt	9120
	agtgcctttac ggcacctcga ccccaaaaaa cttgattagg gtgatgggtc acgtagtggg	9180
	ccatcgccct gatagacggt ttttcgccct ttgacgttgg agtccacgtt ctttaatagt	9240
	ggactcttgt tccaaactgg aacaacactc aaccctatct cgggtctattc ttttgattta	9300
	taagggattt tgccgatttc ggcctattgg ttaaaaaatg agctgattta acaaaaattt	9360
10	aacgcgaatt ttaacaaaat attaacgttt acaatttcct gatgcggtat tttctcctta	9420
	cgcactctgtg cggatatttc caccgcatag atccgtcgag ttcaagagaa aaaaaaagaa	9480
	aaagcaaaaa gaaaaaagga aagcgcgcct cgttcagaat gacacgtata gaatgatgca	9540
	ttaccttgtc atcttcagta tcatactgtt cgtatacata cttactgaca ttcataggta	9600
	tacatatata cacatgtata tataatcgat gctgcagctt taaataatcg gtgtcaatgt	9660
15	ctgcccctat gtctgcccct aagaagatcg tcgttttgcc aggtgaccac gttggtcaag	9720
	aaatcacagc cgaagccatt aaggttctta aagctatttc tgatgttcgt tccaatgtca	9780
	agttcgattt cgaatatcat ttaattggtg gtgctgctat cgatgctaca ggtgtcccac	9840
	ttccagatga ggcgctggaa gcctccaaga aggttgatgc cgttttgtta ggtgctgtgg	9900
	gtggtcctaa atgggggtgcc ggtagtgta gacctgaaca aggtttacta aaaatccgta	9960
20	aagaacttca attgtacgcc aacttaagac catgtaactt tgcacccgac tctcttttag	10020
	acttatctcc aatcaagcca caatttgcta aaggtactga cttcgttgtt gtcagagaat	10080
	tagtgggagg tattttacttt ggtaagagaa aggaagacga tggatgatgt gtcgcttggg	10140
	atagtgaaca atacaccgtt ccagaagtgc aaagaatcac aagaatggcc gctttcatgg	10200
	ccctacaaca tgagccacca ttgcctattt ggtccttgga taaagctaatt gttttggcct	10260
25	cttcaagatt atggagaaaa actgtggagg aaaccatcaa gaacgaattc cctacattga	10320
	aggttcaaca tcaattgatt gattctgccg ccatgatcct agttaagaac ccaaccacc	10380
	taaatggtat tataatcacc agcaacatgt ttggtgatat catctccgat gaagcctccg	10440
	ttatcccagg ttccttgggt ttgttgccat ctgcgtcctt ggctcttttg ccagacaaga	10500
	acaccgcatt tggtttgtag gaaccatgcc acggttctgc tccagatttg ccaaagaata	10560
30	aggttgaccc tatcgccact atcttgtctg ctgcaatgat gttgaaattg tcattgaact	10620
	tgctgaaga aggtaaggcc attgaagatg cagttaaaaa ggttttgat gcaggatca	10680
	gaactggtga tttaggtggt tccaacagta ccaccgaagt cggatgatgt gtcgccgaag	10740
	aagttaagaa aatccttgct taactttgcc ttcgtttatc ttgctgctc attttttagt	10800
	atattcttcg aagaaatcac attactttat ataattgata attcattatg tgataatgcc	10860
35	aatcgctaag aaaaaaaaag agtcatccgc taggggaaaa aaaaaaatga aaatcattac	10920
	cgaggcataa aaaaatatag agtgtagtag agggaggcca gagtaataga aaaagaaaat	10980

	tgcgggaaaag gactgtgtta tgacttccct gactaatgcc gtgttcaaac gatacctggc	11040
	agtgactcct agcgcctcacc aagctcttaa aacgggaatt tatggtgcac tctcagtaca	11100
	atctgctctg atgccgcata gttaagccag ccccgacacc cgccaacacg cgctgacgcg	11160
	ccctgacggg cttgtctgct cccggcatcc gcttacagac aagctgtgac cgtctccggg	11220
5	agctgcatgt gtcagaggtt ttcaccgtca tcaccgaaac gcgcgagacg aaagggcctc	11280
	gtgatacgcc tatttttata ggtaaatgtc atgataataa tggtttctta ggacggatcg	11340
	cttgccctgta acttacacgc gcctcgtatc ttttaatgat ggaataattt gggaatttac	11400
	tctgtgttta tttattttta tgttttgtat ttggatttta gaaagtaaat aaagaaggta	11460
	gaagagttac ggaatgaaga aaaaaaata aacaaagggt taaaaaattt caacaaaaag	11520
10	cgtactttac atatatattt attagacaag aaaagcagat taaatagata tacattcgat	11580
	taacgataag taaaatgtaa aatcacagga ttttcgtgtg tggctcttcta cacagacaag	11640
	atgaaacaat tcggcattaa tacctgagag caggaagagc aagataaaag gtagtatttg	11700
	ttggcgatcc ccctagagtc ttttacatct tcggaaaaca aaaactatct tttctttaat	11760
	ttcttttttt actttctatt ttttaattat atattttatat taaaaaattt aaattataat	11820
15	tatttttata gcacgtgatg aaaaggaccc aggtggcact tttcggggaa atgtgcgcgg	11880
	aaccctatt tgtttatttt tctaaataca ttcaaatacg tatccgctca tgagacaata	11940
	accctgataa atgcttcaat aatattgaaa aaggaagagt atgagtattc aacatttccg	12000
	tgtcgccctt attccctttt ttgcggcatt ttgccttccct gtttttgctc acccagaac	12060
	gctggtgaaa gtaaaagatg ctgaagatca gttgggtgca cgagtgggtt acatcgaact	12120
20	ggatctcaac agcggtaaga tccttgagag ttttcgcccc gaagaacgtt ttccaatgat	12180
	gagcactttt aaagttctgc tatgtggcgc ggtattatcc cgtattgacg ccgggcaaga	12240
	gcaactcggc cgccgcatac actattctca gaatgacttg gttgagtact caccagtcac	12300
	agaaaagcat cttacggatg gcatgacagt aagagaatta tgcagtgctg ccataaccat	12360
	gagtataac actgcggcca acttacttct gacaacgacg ggaggaccga aggagctaac	12420
25	cgcttttttg cacaacatgg gggatcatgt aactcgcctt gatcgttggg aaccggagct	12480
	gaatgaagcc ataccaaagc acgagcgtga caccacgatg cctgtagcaa tggcaacaac	12540
	gttgcgcaaa ctattaactg gcgaactact tactctagct tcccggcaac aattaataga	12600
	ctggatggag gcggataaag ttgcaggacc acttctgcgc tcggcccttc cggctggctg	12660
	gtttattgct gataaatctg gagccggtga gcgtgggtct cgcggtatca ttgcagcact	12720
30	ggggccagat ggtaagccct cccgtatcgt agttatctac acgacgggga gtcaggcaac	12780
	tatggatgaa cgaaatagac agatcgctga gatagggtgcc tcaactgatta agcattggta	12840
	actgtcagac caagtttact catatatact ttagattgat ttaaaacttc atttttaatt	12900
	taaaaggatc taggtgaaga tcctttttga taatctcatg accaaaatcc cttaacgtga	12960
	gttttcgttc cactgagcgt cagaccccgat agaaaagatc aaaggatctt cttgagatcc	13020
35	tttttttctg cgcgtaactc gctgcttgca aacaaaaaaa ccaccgctac cagcggtggt	13080
	ttgtttgccg gatcaagagc taccaactct ttttccgaag gtaactggct tcagcagagc	13140

	gcagatacca aatactgtcc ttctagtgtg gccgtagtta ggccaccact tcaagaactc	13200
	tgtagcacccg cctacataacc tcgctctgct aatcctgtta ccagtggctg ctgccagtgg	13260
	cgataagtcg tgtcttaccg ggttggactc aagacgatag ttaccggata aggcgcagcg	13320
	gtcgggctga acggggggtt cgtgcacaca gccagcttg gagcgaacga cctacaccga	13380
5	actgagatac ctacagcgtg agctatgaga aagcgccacg cttcccgaag ggagaaaggc	13440
	ggacaggtat ccggttaagcg gcagggtcgg aacaggagag cgcacgagg agcttccagg	13500
	gggaaacgcc tggatatctt atagtcctgt cgggtttcgc cacctctgac ttgagcgtcg	13560
	atTTTTgtga tgctcgtcag gggggcggag cctatggaaa aacgccagca acgcggcctt	13620
	tttacggttc ctggcctttt gctggccttt tgctcacatg ttctttcctg cgttatcccc	13680
10	tgattctgtg gataaccgta ttaccgcctt tgagttagct gataccgctc gccgcagccg	13740
	aacgaccgag cgcagcgagt cagttagcga ggaagcggaa gagcgcccaa tacgcaaacc	13800
	gcctctcccc gcgcgttgge cgattcatta atgcagctgg cagcacaggt ttcccgactg	13860
	gaaagcgggc agtgagcgca acgcaattaa tgtgagttac ctactcatt aggcacccca	13920
	ggctttacac tttatgcttc cggctcctat gttgtgtgga attgtgagcg gataacaatt	13980
15	tcacacagga aacagctatg accatgatta cgccaagcgc gcaat	14025
	<210> 3	
	<211> 684	
	<212> DNA	
	<213> <i>Saccharomyces cerevisiae</i>	
20	<220>	
	<221> Acc1 promoter	
	<222> (1)..(463)	
	<220>	
	<221> gRNA_3	
25	<222> (53)..(72)	
	<220>	
	<221> gRNA_2	
	<222> (265)..(284)	
	<220>	
30	<221> gRNA_1	
	<222> (339)..(358)	
	<400> 3	
	ggtagaaact tgattttttc taattttctg cgtgtttcgc ggaacggaaa aaaattaagc	60
	tagaagacga atcggttatt atactattat atttgtatag tatagtagcg tgcgtatcg	120
35	tatcgtgtcg tatcgtatcg tatcgttaaa agaaaataca cgaataaata ataatatgtg	180
	gagaagaaaa agggaagttt cttgtctctt gctctgaatc tgaattccaa ttcaagttca	240

	aattgttctc tagtttattg tccaaaaata aggatgaagc gggagggaag ggcagaggga	300
	aaagttcgta tagtagaatg aataaacttt tataaacaca tgcaccgatc actcacagag	360
	gataaaaaaa tggcacaaca aatatatata tatagatgca aatggcgatt gcaaattagg	420
	gaattggcctt tgttggtttt tatcttcagg taaactgtac gaaaggata aaaagagtag	480
5	aataaggaaa ggaaaattga agagagcaga acaattgtag aaccgataac aattgtgaca	540
	gtgattgtgc taggctatac tgtgccagaa tacgactggg agtgctgttc ttcttatata	600
	tcttggcgct gattgagcgt atagcctagt tcaccaagca gtagagagag tggcaatgag	660
	cggttgaatt tcgactgcga cttg	684
	<210> 4	
10	<211> 971	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> PGK1 promoter and integration sequences for Saccharomyces	
15	cerevisiae Accl promoter	
	<220>	
	<221> PGK1p	
	<222> (7)..(750)	
	<400> 4	
20	tgttttatat ttgttgtaaa aagtagataa ttacttcctt gatgatctgt aaaaaagaga	60
	aaaagaaagc atctaagaac ttgaaaaact acgaattaga aaagaccaa tatgtatttc	120
	ttgcattgac caatttatgc aagtttatat atatgtaaat gtaagtttca cgaggttcta	180
	ctaaactaaa ccacccctt ggtagaaga aaagagtgtg tgagaacagg ctgttggtgt	240
	cacacgattc ggacaattct gtttgaaaga gagagagtaa cagtacgatc gaacgaactt	300
25	tgctctggag atcacagtgg gcatcatagc atgtgggtact aaaccctttc ccgccattcc	360
	agaaccttcg attgcttggt acaaaacctg tgagccgtcg ctaggacctt gttgtgtgac	420
	gaaattggaa gctgcaatca ataggaagac aggaagtcga gcgtgtctgg gttttttcag	480
	ttttgttctt ttgcaaaca aatcacgagc gacggttaatt tctttctcga taagaggcca	540
	cgtgctttat gagggtaaca tcaattcaag aaggaggga acacttcctt tttctggccc	600
30	tgataatagt atgaggggtga agccaaaata aaggattcgc gcccaaactg gcatctttaa	660
	atgcagggtat gcgatagttc ctactcttt cttactcac gagtaattct tgcaaatgcc	720
	tattatgcag atgttataat atctgtgcgt agggataaaa agagtagaat aaggaaagga	780
	aaattgaaga gagcagaaca attgtagaac cgataacaat tgtgacagtg attgtgctag	840
	gctatactgt gccagaatac gactgggagt gctgttcttc ttatatatct tggcgctgat	900
35	tgagcgtata gcctagttca ccaagcagta gagagagtgg caatgagcgg ttgaatttcg	960
	actgcgactt g	971

<210> 5
 <211> 1724
 <212> DNA
 <213> Artificial Sequence
 5 <220>
 <223> Cassette with *Saccharomyces cerevisiae* Accl (S659A; S1167A)
 coding sequence, regulatory sequences and integration sequences
 <220>
 <221> T-G Ser659Ala
 10 <222> (108)..(108)
 <220>
 <221> T-G ser1167ala
 <222> (1602)..(1602)
 <400> 5
 15 ggcgcgccga gggtaaaaga tacaagttca cggtcgctaa atccggtaat gaccgctaca 60
 cattatattat caatggttct aaatgtgata tcatactgcg tcaactagct gatggtgggc 120
 tgctgatcgc tatcggcgct aaatcgcata ccatctattg gaaagaagaa gttgctgcta 180
 caagattatc cgttgactct atgactactt tgttggaagt tgaaaacgat ccaaccagct 240
 tgcgtactcc atcccctggt aaattgggta aattcttggg ggaaaatggt gaacacatta 300
 20 tcaagggccca accatatgca gaaattgaag ttatgaaaat gcaaatgcct ttggtttctc 360
 aagaaaatgg tatcggtccag ttattaaagc aacctgggtc taccattggt gcagggtgata 420
 tcatggctat tatgactctt gacgatccat ccaagggtcaa gcacgctcta ccatttgaag 480
 gtatgctgcc agatttttgg tctccagtta tcgaaggaac caaacctgcc tataaattca 540
 agtcattagt gtctactttg gaaaacattt tgaagggtta tgacaaccaa gttattatga 600
 25 acgcttcctt gcaacaattg atagaagttt tgagaaatcc aaaactgcct tactcagaat 660
 ggaaactaca catctctgct ttacattcaa gattgcctgc taagctagat gaacaaatgg 720
 aagagttagt tgcacgttct ttgagacgtg gtgctgtttt cccagctaga caattaagta 780
 aattgattga tatggccgtg aagaatcctg aatacaaccc cgacaaattg ctgggcgcag 840
 tcgtggaacc attggcggat attgctcata agtactctaa cgggttagaa gcccatgaac 900
 30 attctatatt tgtccatttc ttggaagaat attacgaagt tgaaaagtta ttcaatggtc 960
 caaatgttcg tgaggaaaat atcattctga aattgcgtga tgaaaaccct aaagatctag 1020
 ataaagttgc gctaactggt ttgtctcatt cgaaagtttc agcgaagaat aacctgatcc 1080
 tagctatctt gaaacattat caaccattgt gcaagttatc ttctaaagtt tctgccattt 1140
 tctctactcc tctacaacat attgttgaac tagaatctaa ggctaccgct aaggctcgtc 1200
 35 tacaagcaag agaaattttg attcaaggcg ctttaccttc ggtcaaggaa agaactgaac 1260
 aaattgaaca tatcttaaaa tcctctgttg tgaagggttg ctatggctca tccaatccaa 1320

agcgctctga accagatttg aatatcttga aggacttgat cgattctaata tacgttgtgt 1380
 tcgatgtttt acttcaattc ctaaccatc aagaccagtg tgtgactgct gcagctgctc 1440
 aagtctatat tcgtcgtgct tatcgtgctt acaccatagg agatattaga gttcacgaag 1500
 gtgtcacagt tccaattggt gaatggaaat tccaactacc ttcagctgct ttctccacct 1560
 5 ttccgactgt gaagtctaag atgggtatga acagggctgt tgcgtgttca gatttgcatt 1620
 atgttgcaaa cagtcagtca tctccgttaa gagaaggat tttgatggct gtggatcatt 1680
 tagatgatgt tgatgaaatt ttgtcacaaa gtttggggcg cgcc 1724
 <210> 6
 <211> 3256
 10 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Cassette with *Saccharomyces cerevisiae* Maf1 coding sequence,
 regulatory sequences and integration sequences
 15 <220>
 <221> L0
 <222> (362)..(401)
 <220>
 <221> Tef1
 20 <222> (402)..(895)
 <220>
 <221> L1
 <222> (896)..(935)
 <220>
 25 <221> MAF1
 <222> (936)..(2123)
 <220>
 <221> L2
 <222> (2124)..(2163)
 30 <220>
 <221> PRM9t
 <222> (2164)..(2701)
 <220>
 <221> LTP2
 35 <222> (2702)..(2741)
 <400> 6

	aatgatttaa	gcgtgcgtga	agataaact	acaatccatt	ttaaagcaac	atccacattg	60
	agtgtataca	ccacaaaggt	tttttcagg	cgtttttctc	gccactttat	gttgaccaaa	120
	attattaatg	gaacttacia	cgtttcacia	agttagttaa	atacatacgt	ctattttacta	180
	agcaagaaat	atatcatgac	aagcccaaat	attatatattg	tatgtttaca	aaaaaaaaat	240
5	ggctatatac	atcaagtctg	gaggcttttt	ataacaagca	agtggggtaa	cttagacata	300
	agattgactt	ctttgaattc	aacaaaaata	catacttttg	atgatttcaa	tggtagaagc	360
	ataaacaaca	aataatcata	aaaatttttag	aactagacat	aaagcaacag	gcgcgttgga	420
	cttttaattt	tcgaggaccg	cgaatcctta	catcacaccc	aatccccac	aagtgatccc	480
	ccacacacca	tagcttcaaa	atgtttctac	tcctttttta	ctcttcagga	ttttctcgga	540
10	ctccgcgcac	cgccgtacca	cttcaaaaca	ccaagcaca	gcatactaaa	tttcccctct	600
	ttcttcctct	aggggtgtcg	taattaccgc	tactaaaggt	ttggaaaaga	aaaaagagac	660
	cgctcgcttt	ctttttcttc	gtcgaaaaag	gcaataaaaa	tttttatcac	gtttcttttt	720
	cttgaaaatt	tttttttttg	atttttttct	ctttcgatga	cctcccattg	atattttaagt	780
	taataaacgg	tcttcaattt	ctcaagtttc	agtttcattt	ttcttgttct	attacaactt	840
15	tttttacttc	ttgctcatta	gaaagaaagc	atagcaatct	aatctaagtt	ttaatctaga	900
	aaatttatta	taaaaggaag	agaaataatt	aaacaatgaa	atttattgat	gagctagata	960
	tagagagagt	gaatcaaaact	ctcaatttcg	agacaaatga	ctgtaaaatc	gtgggcagtt	1020
	gcgatatttt	cacaacaaag	gcggttgcat	cagatagaaa	attatataaa	actattgatc	1080
	agcatttgga	tactatttta	caggaaaatg	agaattacaa	tgctaccctt	cagcaacagc	1140
20	tagctgctcc	cgaacacaa	caatcacctc	gctcgctgcc	attttattct	aataggaggg	1200
	atagcaactc	tttttgggag	caaaagagaa	gaatatcttt	tagtgaatac	aatagcaata	1260
	ataacactaa	caacagtaat	ggcaatagca	gtaataacaa	taactattct	ggacctaata	1320
	gttcttctcc	agcaactttt	cccaaaagtg	ccaagctaaa	tgacccaaat	ttaaaagaat	1380
	tagtctcgaa	ttacgattct	ggctctatga	gctcatcgct	tcttgattct	tcttctaaga	1440
25	atgatgagag	gataagaaga	aggagcagta	gcagtattag	cagtttcaaa	agtggtaa	1500
	catcgaacaa	taattacagt	tctggtacag	caaccaacaa	tgtaacaaa	agaagaaaat	1560
	cttcgataaa	cgaagggcca	agcaatttaa	gtttgggtcc	gtttgggtccc	ataaacgaac	1620
	cgtcaagccg	caaaatattt	gcttatctga	ttgctatcct	caacgcttct	tatcctgacc	1680
	atgatttttc	atcggttgag	ccaacggatt	ttgtcaaaac	atcattgaaa	acttttattt	1740
30	ccaaatttga	aaacacctta	tattctcttg	gtagacaacc	agaggaatgg	gtctgggagg	1800
	taattaattc	tcacatgact	ctttctgatt	gcgtcctttt	tcaatattca	ccttcaaaact	1860
	cttttttgga	agatgagcct	ggctatcttt	ggaatcttat	aggttttctt	tacaacagga	1920
	aaaggaaaag	agtggcttac	ctttacttga	tttgctcgcg	tctaaattcg	agtacaggcg	1980
	aagtggaaga	tgcttgggca	aaaaaacctc	agggaaagct	tataatagat	gatggctcaa	2040
35	atgaatacga	aggagaatac	gatttcactt	atgatgagaa	tgtaatagat	gataaatcag	2100
	atcaagaaga	atccctacag	tagagacata	aaactgaaac	aacaccaatt	aataatagac	2160

	tttacagaag acgggagaca ctagcacaca actttaccag gcaaggtatt tgacgctagc	2220
	atgtgtccaa ttcagtgtca tttatgattt tttgtagtag gatataaata tatacagcgc	2280
	tccaaatagt gcggttgccc caaaaacacc acggaacctc atctgttctc gtactttggt	2340
	gtgacaaagt agctcactgc cttattatca cattttcatt atgcaacgct tcggaaaata	2400
5	cgatgttgaa aatgcctcta gagatgaaaa acaatcgtaa aagggtcctg cgtaattgaa	2460
	acatttgatc agtatgcagt ggacacagaaa caaccaggaa tactatagtc ataggcaata	2520
	caaggtatat attggctatg cagaccctc cagaaagtac cgacgtcaag ttagatacac	2580
	ttaacgaacc tagtgcacat ttaattgaga aaaatgtggc tcttcctaag gacatattcc	2640
	gttcgtactt gagttattgg atctatgaaa tcgctcgcta tacaccagtc atgattttgt	2700
10	ccttaaataa catactcatc actaaacatt cttacaatc agaaaacaac gcgtcatgaa	2760
	aaagagttac tgaaccttca gacccactt attgtaatgc ttcgcgacat ccaatccatt	2820
	taataatcaa tttaaaacta gagttggtag agttccttgt tgaacgtgat aacccaaaag	2880
	cataatacga gtaatgtttc agtattgcta ttatatgttt acacaaggaa aacatataat	2940
	aacaaacctc taatccggtg gtacttaaga aactatagtt tctatgtaca aaaaggtaac	3000
15	tatgtaattc ttacatttac ataacgtata gaaggggtcca ataaacttac taaacttact	3060
	accttggtgt atataggcta gatcgtaatc cactacgtca acataaaaaa aacttaagaa	3120
	gtttgaattt tatgtacaaa cagattgtta aaatataata taagattatg gaaacgaact	3180
	tgctctaaaa aaaattttaa gttttataaa atcctcgaac tatcgctgtt atacatgatg	3240
	tccccaagc gtgtac	3256
20	<210> 7	
	<211> 4662	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> Cassette with <i>Saccharomyces cerevisiae</i> UPC2E888D coding sequence, regulatory sequences and integration sequences	
	<220>	
	<221> L0	
	<222> (401)..(440)	
30	<220>	
	<221> Tef1	
	<222> (441)..(934)	
	<220>	
	<221> L1	
35	<222> (935)..(974)	
	<220>	

<221> UPC2-1
 <222> (975) .. (3701)
 <220>
 <221> g-a G888D
 5 <222> (3637) .. (3637)
 <220>
 <221> L2
 <222> (3702) .. (3741)
 <220>
 10 <221> PRM9t
 <222> (3742) .. (4279)
 <220>
 <221> LTP2
 <222> (4280) .. (4319)
 15 <400> 7
 cccagttggt tgtagctggt tcatatttag cggcaattct ctggtgcgta aatgaaaata 60
 ttaatgtaaa caaaaaaaga ccaaaacatt ttagcagtggt aagaaggtgt actgatacaa 120
 aatgtgttta gagtctactg atatgttact gaccgttcgt tgggaaaaaa atactgtatc 180
 atttattaat caaaagcgac ttttggtgga atattatgat atgtgttggt aaaatatgac 240
 20 gtaatttttag aattgtctga ttcgtattca aatttggtga aggaataacg cagagttgac 300
 aatttaatat aatggattaa tcgtaatttt cagaaacgta gaaaaagaaa aacaattaaa 360
 acattatatt aagattattg atttgccttt taagggtcca taaacaacaa ataatcataa 420
 aaattttaga actagacata aagcaacagg cgcgttggaac ttttaatttt cgaggaccgc 480
 gaatccttac atcacacca atccccaca agtgcacccc cacacacccat agcttcaaaa 540
 25 tgtttctact cctttttttac tcttccagat tttctcggac tccgcgcacg gccgtaccac 600
 ttcaaaacac ccaagcacag cataactaaat tccccctctt tcttccctta ggggtgtcgtt 660
 aattaccctg actaaagggt tggaaaagaa aaaagagacc gcctcgtttc tttttcttcg 720
 tcgaaaaagg caataaaaaat ttttatcacg tttctttttc ttgaaaattt ttttttttga 780
 tttttttctc tttcgtgac ctcccattga tatttaagtt aataaacggt cttcaatttc 840
 30 tcaagtttca gtttcatttt tcttgttcta ttacaacttt ttttacttct tgctcattag 900
 aaagaaagca tagcaatcta atctaagttt taatctagaa aatttattat aaaaggaaga 960
 gaaataatta aacaatgagc gaagtcggtg tacagaatca caagaaagcg gtgacaaaac 1020
 ccagaagaag agaaaaagtc atcgagctaa ttgaagtgga cggcaaaaag gtgagtagca 1080
 cttcaaccgg taaacgtaaa ttccataaca aatcaaagaa tgggtgcgat aactgtaaaa 1140
 35 gaagaagagt taagtgtgat gaagggaagc cagcctgtag gaagtgcaca aatatgaagt 1200
 tggaatgtca gtatacacca atccatttaa ggaaaggtag aggagcaaca gtagtgaagt 1260

	atgtcacgag aaaggcagac ggtagcgtgg agtctgattc atcggtagat ttacctccta	1320
	cgatcaagaa ggagcagaca ccgttcaatg atatccaatc agcggtaaaa gcttcaggct	1380
	catccaatga ttcttttcca tcaagcgct ctacaactaa gaggagagc gaggaaaagt	1440
	catcggtcccc tatagaggac aaaaacaata tgactcctct aagtatgggc ctccagggtg	1500
5	ccatcaataa gaaagatatg atgaataact ttttctctca aaatggcact attggttttg	1560
	gttctcctga aagattgaat tcaggatatg atggcttact attaccgcca ttgccttctg	1620
	gaaatatggg tgcgttccaa cttcagcaac agcagcaagt gcagcagcaa tctcaaccac	1680
	agacccaagc gcagcaagca agtggaaact caaacgagag atatggttca ttcgatcttg	1740
	cgggtagtcc tgcattgcaa tccacgggaa tgagcttact aaatagtcta agcgggatgt	1800
10	tactatgtaa caggattcct tccggccaaa actacactca acaacaatta caatatcaat	1860
	tacaccagca gctgcaattg caacagcatc agcaagtcca gctgcagcag tatcaacaat	1920
	tacgtcagga acaacaccaa caagttcagc aacaacaaca ggaacaactc cagcaatacc	1980
	aacaacattt tttgcaacag cagcaacaag tactgcttca gcaagagcaa caacctaacg	2040
	atgaggaagg tggcgttcag gaagaaaaca gcaaaaagg aaaggaagg cctttacaat	2100
15	cacaaacaag cgaaactact ttaaacagcg atgctgtctac attacaagct gatgcattat	2160
	ctcagttaag taagatgggg ctaagcctaa agtcgttaag tacctttcca acagctggta	2220
	ttggtggtgt ttctatgac ttccaggaac tgttaggtat taagtttcca ataaataacg	2280
	gcaattcaag agctactaag gccagcaacg cagaggaagc tttggccaat atgcaagagc	2340
	atcatgaacg tgcagctgct tctgtaaagg agaagatgag tcagctctct gatacgaaga	2400
20	gtccagcgcc atcgaataac gcccaagggg gaagtgtag tattatggaa cctcaggcgg	2460
	ctgatgcggt ttcgacaatg ggcctatat caatgattga aagaaacatg aacagaaaca	2520
	gcaacatttc tccatcaacg ccctctgcag tgttgaatga taggcaagag atgcaagatt	2580
	ctataagttc tctaggaat ctgacaaaag cagccttgga gaacaacgaa ccaacgataa	2640
	gtttacaaac atcacagaca gagaatgaag acgatgcac gcggcaagac atgacctcaa	2700
25	aaattaataa cgaagctgac cgaagttctg tttctgtctg taccagtaac atcgctaagc	2760
	tttttagatct ttctaccaa ggcaatctga acctgataga catgaaactg tttcatcatt	2820
	attgcacaaa ggtctggcct acgattacag cggccaaagt ttctgggcct gaaatatgga	2880
	gggactacat accggagtta gcatttgact atccattttt aatgcacgct ttgttggcat	2940
	tcagtgccac ccatctttcg aggactgaaa ctggactgga gcaatacgtt tcatctcacc	3000
30	gcctagacgc tctgagatta ttaagagaag ctgtttttaga aatatctgag aataacaccg	3060
	atgcgctagt tgccagcgcc ctgatactaa tcatggactc gttagcaaat gctagtggta	3120
	acggcactgt aggaaaccaa agtttgaata gcatgtcacc aagcgcttgg atctttcatg	3180
	tcaaagggtc tgcaacaatt ttaaccgctg tgtggccttt gaggtaaaga tctaaatttc	3240
	ataacattat atctgttgat cttagcgatt taggcgatgt cattaaccct gatgttggaa	3300
35	caattactga attggtatgt tttgatgaaa gtattgccga tttgtatcct gtcggcttag	3360
	attcgccata tttgataaca ctagcttatt tagataaatt gcaccgtgaa aaaaaccagg	3420

	gtgattttat tctgcgggta tttacatttc cagcattgct agacaagaca ttcctggcat	3480
	tactgatgac aggtgattta ggtgcaatga gaattatgag atcatattat aaactacttc	3540
	gaggatttgc cacagaggtc aaggataaag tctggtttct cgaaggagtc acgcagggtgc	3600
	tgcctcaaga cgttgatgag tacaggggag gtggtgatat gcatatgatg ctaggattac	3660
5	catcgatgac aacaacaaat ttctctgatt tttcgttatg aagacataaa actgaaacaa	3720
	caccaattaa taatagactt tacagaagac gggagacact agcacacaac tttaccaggc	3780
	aaggatattg acgctagcat gtgtccaatt cagtgtcatt tatgattttt tgtagtagga	3840
	tataaatata tacagcgctc caaatagtgc ggttgcccca aaaacaccac ggaacctcat	3900
	ctgttctcgt actttgttgt gacaaagtag ctcactgcct tattatcaca ttttcattat	3960
10	gcaacgcttc ggaaaatacg atgttgaaaa tgcctctaga gatgaaaaac aatcgtaaaa	4020
	gggtcctgcg taattgaaac atttgatcag tatgcagtgg cacagaaaca accaggaata	4080
	ctatagtcac aggcaatata aggtatatat tggctatgca gaccctcca gaaagtaccg	4140
	acgtcaagtt agatacactt aacgaacctt gtgcacattt aattgagaaa aatgtggctc	4200
	ttcctaagga catattccgt tgcacttgta gttattggat ctatgaaatc gctcgctata	4260
15	caccagtcac gattttgtcc ttaaataaca tactcatcac taaacattct taacaatcac	4320
	gatggatgat gattggttct tatcataatt tgatttcggc agaagcaata ttagaggat	4380
	tggtgtaacg aaattccaat gtcactctgt tagtattatt aatgttacct gcatattatc	4440
	acatgccgct taaaaatgtg ttataagtat taaaatctag tgaaagttga aatgtaatct	4500
	aataggataa tgaaacatat gaaacggaat gaggaataat cggtgtatta ctatgtagag	4560
20	atatcgattt ctttttgagg attcctatat tcttggggag aacttctact atattctgta	4620
	tacatgatat aatagccttt accaacaatg gaatgccaac aa	4662
	<210> 8	
	<211> 3564	
	<212> DNA	
25	<213> Artificial Sequence	
	<220>	
	<223> Cassette with Aspergillus nidulans NpgA coding sequence,	
	regulatory sequences and integration sequences	
	<220>	
30	<221> LTP1 (L0)	
	<222> (596)..(635)	
	<220>	
	<221> Teflp	
	<222> (636)..(1129)	
35	<220>	
	<221> L1	

<222> (1130) .. (1169)
 <220>
 <221> NpgA
 <222> (1170) .. (2201)
 5 <220>
 <221> L2
 <222> (2205) .. (2244)
 <220>
 <221> PRM9t
 10 <222> (2245) .. (2782)
 <220>
 <221> LTP2
 <222> (2783) .. (2822)
 <400> 8
 15 tcaatcaaag caaccacaa atcctaggct gaatcatgat atcgatggaa gcaatcaaca 60
 attttatcaa gaccgcacca aagcacgact atctgacagg cggagttcat cattctggta 120
 atgtagacgt gttacaatta agcggcaata aagaagatgg tagtttagta tggaaccata 180
 cttttgttga tgtagacaac aatgtggtag ctaagtttga agacgctctc gaaaaacttg 240
 aaagtttgca cgggcgctca tcctcatcca caggcaatga agaacacgct aacgtttaac 300
 20 cgaggggagt cacttcataa tgatgtgaga aataagtga tattgtaata attgttgga 360
 ctccattgtc aacaaaagct ataatgtagg tatacagtat atactagaag ttctcctcga 420
 ggatcttgga atccacaaaa gggagtcgat aaatctatat aataaaaatt actttatctt 480
 ctttcgtttt atacgttgtc gtttattatc ctattacgtt atcaatcttc gcatttcagc 540
 tttcattaga tttgatgact gtttctcaaa ctttatgtca ttttcttaca ccgcataaac 600
 25 aacaaataat cataaaaatt ttagaactag acataaagca acaggcgcgt tggactttta 660
 attttcgagg accgcgaatc cttacatcac acccaatccc ccacaagtga tccccacac 720
 accatagctt caaaatgttt ctactccttt tttactcttc cagattttct cggactccgc 780
 gcatcgccgt accacttcaa aacacccaag cacagcatac taaatttccc ctctttcttc 840
 ctctagggtg tcgttaatta cccgtactaa aggtttggaa aagaaaaaag agaccgcctc 900
 30 gtttcttttt cttcgtcgaa aaaggcaata aaaattttta tcacgtttct ttttcttgaa 960
 aatttttttt tttgattttt ttctctttcg atgacctccc attgatattt aagttaataa 1020
 acggtcttca atttctcaag tttcagtttc atttttcttg ttctattaca acttttttta 1080
 cttcttgctc attagaaaga aagcatagca atctaatac agttttaatc tagaaaattt 1140
 attataaaaag gaagagaaat aattaaacaa tggttcaaga tacctcttct gcttctacct 1200
 35 ctccaatttt gactagatgg tacattgata ccagaccatt gactgcttct actgctgctt 1260
 tgccattatt ggaaacttta caaccagccg atcaaatctc cgttcaaaaag tactatcact 1320

	tgaaggacaa	gcacatgtct	ttggcttcta	acttggtgaa	gtacttggtc	gttcacagaa	1380
	actgcagaat	tccatgggcc	tctatcggtta	tttctagaac	tccagatcca	catagaaggc	1440
	catgtttatat	tccaccatct	ggttctcaag	aggattcttt	taaagatggg	tacaccggta	1500
	tcaacgtcga	gtttaatggt	tctcatcaag	cctccatggg	tgctattgct	ggtactgctt	1560
5	ttactccaaa	ttctgggtgt	gattctaagt	tgaaccaga	agttgggtatc	gatattacct	1620
	gcggtcaacga	aagacaagggt	agaaatgggtg	aagaaagggtc	cttggaatct	ttgagacagt	1680
	acatcgatat	cttctccgaa	gttttctcta	ctgctgaaat	ggccaacatt	agaagattgg	1740
	atgggtgtctc	ttcttctca	ttgtctgctg	atagattggg	tgattatggc	tacaggttgt	1800
	tctatactta	ctgggctttg	aaagaagcct	acattaagat	gactgggtgaa	gccttggttg	1860
10	ctocatgggt	gagagaattg	gaattctcta	atgttggtgc	tccagctgct	gttgctgaat	1920
	ctgggtgattc	tgctgggtgat	tttggtgaac	catatactgg	tgtagaacc	accttggtaca	1980
	agaacttggt	tgaagatggt	agaattgaag	ttgctgcttt	gggtgggtgat	tacttggttg	2040
	ctactgctgc	tagaggtggg	ggtattgggtg	cttcttctag	accaggtggg	ggtccagatg	2100
	gttctgggtat	tagatctcaa	gatccttgga	ggccattcaa	gaagttggat	attgaaaggg	2160
15	atattcaacc	atgtgctact	ggtgtatgta	actgcttgct	ttaaagacat	aaaactgaaa	2220
	caacaccaat	taataataga	ctttacagaa	gacgggagac	actagcacac	aactttacca	2280
	ggcaagggtat	ttgacgctag	catgtgtcca	attcagtgct	atattatgatt	ttttgtagta	2340
	ggatataaat	atatacagcg	ctccaaatag	tgcggttgcc	ccaaaaacac	cacggaacct	2400
	catctgttct	cgtactttgt	tgtgacaaag	tagctcactg	ccttattatc	acattttcat	2460
20	tatgcaacgc	ttcgaaaaat	acgatgttga	aatgcctct	agagatgaaa	aacaatcgta	2520
	aaagggctct	gcgtaattga	aacatttgat	cagtatgcag	tggtcacagaa	acaaccagga	2580
	atactatagt	cataggcaat	acaaggtata	tattggctat	gcagaccct	ccagaaagta	2640
	ccgacgtcaa	gttagatata	cttaacgaac	ctagtgcaca	tttaattgag	aaaaatgtgg	2700
	ctcttctcta	ggacatatct	cgttcgtact	tgagttattg	gatctatgaa	atcgctcgct	2760
25	atacaccagt	catgattttg	tccttaaata	acatactcat	cactaaacat	tcttaacaat	2820
	cagaaaaatgc	aaccgataaa	acattataaa	tcttcgcggt	tatctggcat	tgttattaac	2880
	caaaaaaatg	ccggcctatt	acaagctact	gttcaataaa	tattggttga	atgaagacgg	2940
	tccaactgta	caaatacagc	aaactgtcat	atataagggtg	tcttatgtga	cagcacttgc	3000
	gttattgtca	gccggagtat	gtccttgtcg	cattctgggc	tttttacttt	ctgctcagaa	3060
30	ggaagtacga	acaagaaaaa	aaaatcacca	atgcttccct	tttcagtatt	agtttcatat	3120
	ttgtttacgt	tcaaactcgt	cgtttgcgcg	ataacctcta	aaaaagtcag	ttacgtaact	3180
	atatcaatca	gagaatgcaa	aaagcactat	cataaaaaatg	tctctagggg	atgtgagaca	3240
	tgtcaattat	aagaagtgat	ggtgtcatag	tatatatatc	ataaatgatt	atcaaagttt	3300
	caatcctttg	tattttctag	tttagcgcca	acttttgaca	aaacctaaac	tttagataat	3360
35	catcattctt	acaattttta	tctggatggc	aataatctcc	tatataaagc	ccagataaac	3420
	tgtaaaaaga	atccatcact	atttgaaaaa	aagtcactctg	gcacgtttta	ttatcagagc	3480

agaaatgatg aagggtgtta ggcgcgtcca ttgatgcgcc tggtagtcat gatttacgta 3540
 taactaacac atcatgagga cggc 3564
 <210> 9
 <211> 10584
 5 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Cassette with Dictyostelium discoideum DiPKS (G1516D; G1518A)
 coding sequence,
 10 regulatory sequences and integration sequences
 <220>
 <221> LV3
 <222> (1)..(40)
 15 <220>
 <221> S. cerevisiae GAL1 promoter
 <222> (41)..(482)
 <220>
 <221> L1
 20 <222> (483)..(522)
 <220>
 <221> DiPKS
 <222> (523)..(9966)
 <220>
 25 <221> C-methyltransferase domain
 <222> (5050)..(5412)
 <220>
 <221> Motif 1
 <222> (5050)..(5076)
 30 <220>
 <221> G1516D
 <222> (5068)..(5070)
 <220>
 <221> G1518A
 35 <222> (5074)..(5076)
 <220>

<221> Motif 2
 <222> (5309)..(5331)
 <220>
 <221> Motif 3
 5 <222> (5389)..(5421)
 <220>
 <221> L2
 <222> (9967)..(10006)
 <220>
 10 <221> PRM9t
 <222> (10007)..(10544)
 <220>
 <221> LV5
 <222> (10545)..(10584)
 15 <400> 9
 aggaataactc tgaataaaaac aacttatata ataaaaatgc cggattagaa gccgccgagc 60
 ggggtgacagc cctccgaagg aagactctcc tccgtgcgtc ctcgctttca ccggtcgcgt 120
 tcctgaaacg cagatgtgcc tcgcgccgca ctgctccgaa caataaagat tctacaatac 180
 tagctttttat gggttatgaag aggaaaaatt ggcagtaacc tggccccaca aaccttcaaa 240
 20 tgaacgaatc aaattaacaa ccataggatg ataatgcgat tagtttttta gccttatttc 300
 tggggtaatt aatcagcgaa gcgatgattt ttgatctatt aacagatata taaatgcaaa 360
 aactgcataa ccactttaac taatactttc aacattttcg gtttgtatta cttcttattc 420
 aaatgtaata aaagtatcaa caaaaaattg ttaatatacc tctatacttt aacgtcaagg 480
 agctagaaaa tttattataa aaggaagaga aataatthaa caatgaacaa gaactccaaa 540
 25 atccagtcctc caaactcttc tgatgttgct gttattgggtg ttgggttttag attcccagggt 600
 aactctaattg acccagaatc tttgtggaac aacttggttg atgggtttcga tgctattacc 660
 caagtcccaa aagaaagatg ggctacttct tttagagaga tgggtttgat caagaacaag 720
 ttcggtgggt tcttgaagga ttctgaatgg aagaatttcg accctttgtt ctttgggtatc 780
 ggtccaaaag aagctccatt cattgatcca caacaaagggt tgttggtgtc catcgtttgg 840
 30 gaatcttttg aagatgctta catcagacca gatgaattga gaggttctaa cactggtggt 900
 ttcacgcgtg tttctaacia cgattacacc aagttgggtt tccaagacaa ctactctatt 960
 tctccataca ctatgaccgg ctctaactct tcattgaact ccaacagaat ttctactgc 1020
 ttogatttta gaggtccatc cattactggt gataccgctt gttcttcttc cttgggtttct 1080
 gttaattttg gtgtccaatc catccaaatg ggtgaatgta agattgctat ttgcggtggt 1140
 35 gttaacgctt tgtttgatcc atctacatct gttgcctttt ccaagttggg tgttttgcct 1200
 gaaaatggca gatgcaactc ttttagtgat caagcctctg gttacgttag atctgaagggt 1260

	gctggtgttg	ttgttttgaa	gtctttggaa	caagctaagt	tgatggtga	tagaatctac	1320
	ggtgttatca	aggggtgttc	ctctaataa	gatggtgctt	ctaaggtga	caagaactct	1380
	ttgactactc	catcttgtga	agcccaatcc	attaacattt	ctaaggctat	ggaaaaggcc	1440
	tccttgcttc	catctgatat	ctattacatt	gaagcccatg	gtactggtac	tccagttggt	1500
5	gatccaattg	aagttaaggc	cttgtccaag	atcttctcca	actctaaca	caaccagttg	1560
	aacaacttct	ctaccgatgg	taatgataac	gatgatgatg	atgacgata	cacctctcca	1620
	gaaccattat	tgattggctc	attcaagtcc	aacatcggtc	atttggaatc	tgctgctggt	1680
	attgcttctt	tgattaagtg	ttgcttgatg	ttgaagaaca	ggatggtggt	tccatccatt	1740
	aactgctcta	atttgaaccc	atccattcca	ttcgatcagt	acaacatctc	cgttatcaga	1800
10	gaaatcagac	aattcccaac	cgataagttg	gttaacatcg	gtatcaattc	tttcggtttc	1860
	ggtggttcta	actgccattt	gattattcaa	gagtacaaca	acaacttcaa	gaacaactct	1920
	accatctgca	ataacaacaa	caacaacaat	aacaacatcg	actacttgat	cccaatctcc	1980
	tctaagacta	agaagtcctt	ggataagtac	ttgattttga	tcaagaccaa	ctccaactac	2040
	cacaaggata	tttctttcga	tgacttcgct	aagttccaaa	tcaagtctaa	gcagtacaac	2100
15	ttgtccaaca	gaatgactac	cattgctaac	gattggaact	ccttcattaa	gggttctaac	2160
	gaattccaca	acttgatcga	atctaaggat	ggtgaagggt	gttcttcac	ttctaacaga	2220
	ggtattgatt	ccgccaatca	aatcaacact	actactacct	ctaccatcaa	cgatatcgaa	2280
	cctttgttgg	ttttcgtttt	ctgtggtcaa	ggtccacaat	ggaatggtat	gattaagacc	2340
	ttgtacaact	ccgagaacgt	tttcaagaac	accgttgatc	atgttgacag	catcttgtac	2400
20	aagtacttcg	gttactccat	tttgaacgtc	ttgtctaaga	tcgatgataa	cgacgattcc	2460
	atcaaccatc	caatagttgc	tcaaccatct	ttgttcttgt	tgcaaattgg	tttggtcgag	2520
	ttgtttaagt	actggggat	ctaccatct	atctctgttg	gtcattcttt	cggtgaagtc	2580
	tcttcttatt	acttgctcgg	tatcatctct	ttggaaaccg	cttgtaaaat	cgtctacgtc	2640
	agatcctcta	atcagaacaa	aactatgggt	tccggtgaaga	tggttggttg	ttctatgggt	2700
25	tttaagcaat	ggaacgatca	attctctgct	gaatggtccg	atattgaaat	tgcttggttac	2760
	aacgctccag	attccatagt	tgttactggt	aacgaagaaa	gattgaaaga	attgtccatc	2820
	aagttgtccg	acgaatccaa	tcaaattttc	aacaccttct	tgaggtcccc	atgttctttt	2880
	cattcttccc	atcaagaagt	catcaagggt	tctatgttcg	aagagttgtc	taacttgcaa	2940
	tctactggtg	aaaccgaaat	ccctttgttc	tctactgtta	ctggtagaca	agttttgtct	3000
30	ggtcatgtta	ctgctcaaca	catctacgat	aatggttagag	aaccagtctt	gttccaaaag	3060
	acgattgaat	ccattacctc	ctacatcaag	tctcactacc	catccaatca	aaagggtatc	3120
	tacgttgaaa	ttgctccaca	cccaaccttg	ttttcattga	tcaaaaagtc	catcccatcc	3180
	tccaacaaga	attcctcttc	tgttttgtgt	ccattgaaca	gaaaagaaaa	ctccaacaac	3240
	tcctacaaga	agttcgtttc	tcagttgtac	ttcaacgggt	ttaacgttga	cttcaacttc	3300
35	cagttgaact	ccatttgcga	taacgttaac	aacgatcacc	atttgaacaa	cgtcaagcaa	3360
	aactccttca	aagagactac	caattccttg	ccaagatacc	aatgggaaca	agatgaatat	3420

	tgggtccgaac cattgatctc cagaaagaat agattggaag gtccaactac ttccttgttg	3480
	gggtcatagaa ttatctacag cttcccagtt ttccaatccg ttttggactt gcaatctgac	3540
	aactacaaat acttgttgga ccacttggtt aacggtaagc cagtttttcc aggtgctggt	3600
	tatttgata tcatcatcga attcttcgac taccaaaagc agcagttgaa ttcctctgat	3660
5	tcctctaact cctacatcat caacgttgac aagatccaat tcttgaaccc aattcacttg	3720
	accgaaaaca agttgcaaac cttgcaatct tctttcgaac ctatcgttac taagaagtct	3780
	gccttctctg ttaacttctt catcaaggat accgtcgagg atcaatctaa ggttaagtct	3840
	atgtctgacg aaacttggaac taacacttgt aaggctacca tttccttgga acaacaacag	3900
	ccatctccat cttctacttt gactttgtct aagaagcaag acttgcagat cttgagaaac	3960
10	agatgcgata ttagcaagct agacaagttt gagttgtacg acaagatctc taagaatttg	4020
	ggcttgcaat acaactcctt gtttcaagtt gttgatacca tcgaaactgg taaggattgc	4080
	tcttttgcta ctttgtcttt gccagaagat actttgttca ccaccatttt gaacccatgc	4140
	ttgttgata actgtttcca tggtttgttg accttgatca acgaaaaggg ttctttcggt	4200
	gtcgagtcca tttcttctgt ttctatctac ttggagaaca tcggttcctt caatcaaact	4260
15	tctgttggtg acgtccagtt ctacttgtac accactattt ctaaagccac ctctttagt	4320
	tctgaaggta cttgtaagtt gttcaccaag gatggttctt tgattttgtc tatcggttaag	4380
	ttcatcatca agtccaccaa tccaaagtct actaagacca acgaaactat cgaatctcca	4440
	ttggacgaaa ccttctctat tgaatggcaa tctaaggatt ctccaattcc aacccacaa	4500
	caaatccaac aacaatctcc attgaactct aacccatcct tcattagatc taccatcttg	4560
20	aaggacatcc agttcgaaca atactgtctc tccattatcc acaaagaatt gatcaaccac	4620
	gaaaagtaca agaaccagca atccttcgat atcaactcct tggaaaacca cttgaacgat	4680
	gaccaattga tggaatcctt gtccatctcc aaagaatact tgagattctt caccaggatc	4740
	atctccatca ttaagcaata cccaaagatc ttgaacgaaa aagagctaaa agaattgaaa	4800
	gaaatcatcg aattgaagta cccatccgaa gttcagttgt tggaattcga agttatcgag	4860
25	aagggtgtcca tgattatccc aaagtgtgtg ttcgaaaacg acaagcaatc ttccatgacc	4920
	ttgttccaag ataacttgtt gaccagggtc tactccaatt ctaactctac cagattctac	4980
	ttggaaaggg tttccgaaat ggtcttgga tctattagac caatcgtcag agaaaaggg	5040
	gtgttcagaa ttttggaat tgggtctgat acagcctctt tgtctaattg tgttttgact	5100
	aagttgaaca cctacttgtc caccttgaat tctaattggtg gttctgggtta caacatcatc	5160
30	attgagtaca ccttcaccga tatttccgcc aacttcatta ttggtgaaat ccaagaaacc	5220
	atgtgcaact tgtacccaaa cgttactttc aagttctccg tcttggactt ggagaaagag	5280
	attattaact cctccgattt cttgatgggt gattacgata tagttttgat ggcctacgtt	5340
	atccatgccg tttctaacat taagttctcc atcgaacagt tgtacaagtt gttgtctcca	5400
	agaggtttgt tgttgtgtat tgaacctaaag tccaacgttg tgttctccga tttggttttc	5460
35	ggttgtttta atcagtggtg gaactactac gatgatatta gaactacca ctgctccttg	5520
	tctgaatctc aatggaatca gttgttggtg aaccagtcct tgaacaacga atcctcttct	5580

	tcttctaact	gttacggtgg	tttctccaac	gtttctttta	ttggtggtga	aaaggatgtc	5640
	gactcccatt	ctttcatatt	gcactgccaa	aaagaatcca	tctcccaa	gaagttagcc	5700
	accactatta	acaacggttt	gtcatctggt	tccatcggtt	tcgttttgaa	ctctcaacaa	5760
	ttgaccaaca	tgaagtccta	cccaaagggt	attgagtata	ttcaagaggc	tacctctttg	5820
5	tgcaagacca	ttgaaattat	cgattccaag	gacgtcttga	actctaccaa	ttcagttttg	5880
	gaaaagatcc	aaaagtcctt	gttgggtgtc	tgtttgttgg	gttatgactt	gttgagaaac	5940
	aactaccaag	aacagtcttt	cgaatacgtt	aagttgttga	acttgatctc	tactaccgcc	6000
	tcttcatcta	atgataagaa	accaccaaag	gtcttggtga	tcaccaagca	atctgaaaga	6060
	atctccaggt	ctttctactc	cagatccttg	attgggtattt	ccagaacctc	tatgaacgag	6120
10	tacccaaatt	tgtccattac	ctctatcgat	ttggatacca	acgactactc	attgcagtct	6180
	ttgttgaagc	caatcttcag	caactctaag	ttttccgaca	acgagttcat	cttcaaaaag	6240
	ggcttgatgt	tcgtgtccag	gatctttaag	aacaagcagt	tgctagaatc	ctccaacgct	6300
	tttgaaactg	actcttctaa	cttggtactgt	aaggcctctt	ctgacttgct	ttacaagtac	6360
	gctattaagc	agtctatggt	gaccgaaaat	cagatcgaaa	tcaagggtga	atgcgtcggt	6420
15	attaacttca	aggacaacct	attctacaag	ggcttggtgc	cacaagaaat	tttcagaatg	6480
	ggtgacatct	acaatccacc	atatggtttg	gaatgctctg	gtgttattac	cagaattggt	6540
	tctaacgtca	ccgaatactc	agttgggtcaa	aatgtttttg	gtttcgccag	acattctttg	6600
	ggttctcatg	ttgtttacca	caaggatttg	gttatcttga	agccagatac	catctcattt	6660
	tctgaagctg	cttctatccc	agttgtttac	tgtactgctt	ggtactcctt	gttcaacatt	6720
20	ggtcagttgt	ctaacgaaga	atccatccta	attcattctg	ctactggtgg	tgtaggtttg	6780
	gcttctttga	atgtgttgaa	aatgaagaat	cagcaacagc	aaccattgac	caatgtttat	6840
	gctactgttg	gctctaacga	gaagaagaag	ttcttgatcg	ataacttcaa	caactgttgc	6900
	aaagaggacg	gcgaaaacat	tttctctacc	agagacaaag	aatactccaa	ccagttggaa	6960
	tccaagatcg	atgttatttt	gaacaccttg	tccggtgaat	tcgtcgaatc	taatttcaag	7020
25	tccttgagat	ccttcggtag	attgattgat	ttgtctgcta	ctcacgttta	cgccaatcaa	7080
	caaattggtc	taggttaactt	caagttcgac	cacttgattt	ctgctgttga	cttggaaga	7140
	ttgatcgacg	aaaaacctaa	gttgttgcag	tccatcttgc	aaagaattac	caactctatc	7200
	gtcaacggtt	ccttggaaaa	aattccaatt	accatcttcc	catccaccga	aactaaggat	7260
	gctatcgaat	tattgtccaa	gagatcccat	atcggtaaag	ttgttgtaga	ttgcaccgat	7320
30	atctctaagt	gtaatctgtg	tgggtgatgtg	atcaccaact	tctctatgag	attgccaaag	7380
	ccaaactacc	agttgaattt	gaactccacc	ttgttgatta	ctgggtcagtc	tgggttgtct	7440
	atccctttgt	tgaattgggt	gttgtctaa	tctggtggtg	acgttaagaa	cgttgtcatc	7500
	atctctaagt	ccaccatgaa	gtggaagttg	cagactatga	tttccattt	cgtttccggt	7560
	ttcgggtatcc	atcttaacta	cgttcaagtc	gacatctcca	actacgatgc	tttgtctgaa	7620
35	gctattaagc	aattgccatc	tgatttgoca	ccaatcacct	ctgtttttca	tttggctgct	7680
	atctacaacg	atgttccaat	ggatcaagtt	accatgtcta	ccgttgaatc	tgttcataac	7740

	cctaaagttt	tgggtgccgt	taacttgc	agaatctctg	tttcttttgg	ttggaagttg	7800
	aaccacttcg	tcttggtctc	ttctattact	gctattaccg	gttaccaga	ccaatctatc	7860
	tacaattctg	ccaactctat	tttgacgct	ttgtccaact	ttagaagggt	tatgggtttg	7920
	ccatccttct	ccattaactt	gggtccaatg	aaggatgaag	gtaagggttc	taccaacaag	7980
5	agcatcaaga	agctattcaa	gtctagaggt	ttgccaagcc	tatccttgaa	caagttatctt	8040
	ggtttggttg	aggctgctcat	caacaaccca	tctaatactg	ttatcccatc	ccaattgatt	8100
	tgctcccaa	tcgatttcaa	gacctacatc	gaatctttct	caactatgag	gccaaagttg	8160
	ttacacttgc	aacctaccat	ttccaagcag	caatcttcta	tcattaacga	ttctaccaag	8220
	gcttcctcca	acatttcatt	gcaagataag	atcacctcca	aggtgtctga	ttgtgtgtcc	8280
10	attccaatct	ccaagatcaa	cttcgatcat	ccattgaaac	actacggctt	ggattccttg	8340
	ttgaccgttc	aattcaaate	ctggatcgac	aaagaattcg	aaaagaactt	gttcacccat	8400
	atccaattgg	ccaccatctc	tattaactca	ttcttggaag	aggtgaacgg	cttgtctaca	8460
	aacaataaca	acaacaaca	ttccaacgct	aagtcctctc	catccattgt	caaagaagaa	8520
	atcgttacct	tggacaagga	tcaacaacca	ttgctattga	aagaacacca	gcacattatc	8580
15	atctcccag	atattagaat	caacaagcca	aagaggggaat	ccttgattag	aaccccaatc	8640
	ttgaacaaat	tcaaccagat	caccgaatcc	attatcactc	catctacacc	atctttgtcc	8700
	caatccgatg	ttttgaaaac	tccaccaatc	aagtccttga	acaacactaa	gaactccagc	8760
	ttgattaaca	ccccaccaat	tcaatctgtc	caacaacatc	aaaagcaaca	acaaaaggtc	8820
	caagtcatcc	aacaacagca	acaaccatta	tccagattgt	cctacaagag	caacaacaac	8880
20	tctttcggtt	tgggtatcgg	tatttctggt	ccaggtgaac	ctatttccca	acaatccttg	8940
	aaagactcca	tctccaatga	cttttctgat	aaggctgaaa	ctaacgagaa	ggtcaagaga	9000
	atctttgagc	aatctcaaat	caagaccaga	cacttggtta	gagattacac	taagccagag	9060
	aactccatca	agttcagaca	tttgaaacc	attaccgatg	tgaacaacca	gttcaagaaa	9120
	gttggtccag	atttggtcga	acaagcctgt	ttgagagctt	tgaagattg	gggtggtgat	9180
25	aagggtgata	ttaccatata	agtttctggt	acctccaccg	gtattatcat	cccagatggt	9240
	aatttcaagt	tgatcgactt	gttggtgctt	aacaaggatg	ttgaaagagt	gtctttgaac	9300
	ctaattgggt	gtttggctgg	tttgagttct	ttgagaactg	ctgcttcttt	ggctaaggct	9360
	tctccaagaa	atagaatttt	ggttgctctg	accgaagtct	gtccttgca	tttttctaata	9420
	actgatggtg	gtgatcaaat	ggtcgctctc	tctatttttg	ctgatgggtc	tgctgcttac	9480
30	attattggtt	gtaacccaag	aattgaagaa	acccattat	acgaagtcac	gtgctccatt	9540
	aacagatctt	tcccaaatac	cgaacacgcc	atgggttggtg	atttggaaga	agaaggttgg	9600
	aacttggtt	tggatgcttc	tattccaatt	gtcattggtt	ctggtattga	agccttcggt	9660
	gatactttgt	tggataaggc	taagttgcaa	acttccactg	ctatttctgc	taaggattgc	9720
	gaattcttga	ttcatactgg	tggcaagtcc	atcttgatga	acatcgaaaa	ttccttggtg	9780
35	atcgaccaa	agcaactaa	gaatacttgg	gatgtttacc	atgcctacgg	caatatgtca	9840
	tctgcctctg	ttattttcgt	tatggatcat	gccagaaagt	ccaagtcttt	gccaaacttac	9900

tcaatttctt tggcttttgg tccagggttg gcttttgaag gttgtttctt gaagaacgtc 9960
 gtctaaagac ataaaactga aacaacacca attaataata gactttacag aagacgggag 10020
 aactagcac acaactttac caggcaaggt atttgacgct agcatgtgtc caattcagtg 10080
 tcatttatga tttttttag taggatataa atatatacag cgctccaaat agtgcggttg 10140
 5 ccccaaaaac accacggaac ctcatctgtt ctcgactttt gttgtgacaa agtagctcac 10200
 tgccttatta tcacattttc attatgcaac gcttcgaaa atacgatgtt gaaaatgcct 10260
 ctagagatga aaaacaatcg taaaagggtc ctgcgtaatt gaaacatttg atcagtatgc 10320
 agtggcacag aaacaaccag gaatactata gtcataggca atacaaggta tatattggct 10380
 atgcagaccc ctccagaaag taccgacgtc aagttagata cacttaacga acctagtgca 10440
 10 catttaattg agaaaaatgt ggctcttctt aaggacatat tccgttcgta cttgagttat 10500
 tggatctatg aaatcgctcg ctatacacca gtcatgattt tgteccctctt tatattacat 10560
 caaaataaga aaataattat aaca 10584
 <210> 10
 <211> 10584
 15 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Cassette with Dictyostelium discoideum DiPKS (G1516R) coding
 sequence,
 20 regulatory sequences and integration sequences
 <220>
 <221> LV3
 <222> (1)..(40)
 25 <220>
 <221> S. cerevisiae GAL1 promoter
 <222> (41)..(482)
 <220>
 <221> L1
 30 <222> (483)..(522)
 <220>
 <221> DiPKS
 <222> (523)..(9966)
 <220>
 35 <221> C-methyltransferase domain
 <222> (5050)..(5412)

<220>
 <221> G1516R
 <222> (5069)..(5070)
 <220>
 5 <221> Motif 2
 <222> (5309)..(5331)
 <220>
 <221> Motif 3
 <222> (5389)..(5421)
 10 <220>
 <221> Type III PKS domain
 <222> (8881)..(9966)
 <220>
 <221> L2
 15 <222> (9967)..(10006)
 <220>
 <221> PRM9t
 <222> (10007)..(10544)
 <220>
 20 <221> LV5
 <222> (10545)..(10584)
 <400> 10
 aggaatacttc tgaataaaac aacttatata ataaaaatgc cggattagaa gccgccgagc 60
 ggggtgacagc cctccgaagg aagactctcc tccgtgcgtc ctcgctcttca ccggtcgcgt 120
 25 tcttgaaacg cagatgtgcc tcgcgccgca ctgctccgaa caataaagat tctacaatac 180
 tagctttttat ggttatgaag aggaaaaatt gccagtaacc tggccccaca aaccttcaaa 240
 tgaacgaatc aaattaacaa ccataggatg ataatgcat tagtttttta gccttatttc 300
 tggggtaatt aatcagcgaa gcgatgattt ttgatctatt aacagatata taaatgcaaa 360
 aactgcataa ccactttaac taatactttc aacattttcg gtttgtatta cttcttattc 420
 30 aaatgtaata aaagtatcaa caaaaaattg ttaatatacc tctatacttt aacgtcaagg 480
 agctagaaaa tttattataa aagggaagaga aataattaaa caatgaacaa gaactccaaa 540
 atccagtccc caaactcttc tgatgttgct gttattgggtg ttgggttttag attcccagg 600
 aactctaattg acccagaatc tttgtggaac aacttggttg atgggtttcga tgctattacc 660
 caagtcccaa aagaaagatg ggctacttct tttagagaga tgggtttgat caagaacaag 720
 35 ttcggtggtt tcttgaagga ttctgaatgg aagaatttcg accctttgtt ctttggtatc 780
 ggtccaaaag aagctccatt cattgatcca caacaaaggt tgttggtgtc catcgtttgg 840

	gaatcttttg	aagatgctta	catcagacca	gatgaattga	gaggttctaa	cactgggtgtt	900
	ttcatcggtg	tttctaacia	cgattacacc	aagttgggtt	tccaagacaa	ctactctatt	960
	tctccataca	ctatgaccgg	ctctaactct	tcattgaact	ccaacagaat	ttcctactgc	1020
	ttcgatttta	gaggtccatc	cattactggt	gataccgctt	gttcttcttc	cttgggtttct	1080
5	gttaatttgg	gtgtccaatc	catccaaatg	ggtgaatgta	agattgctat	ttgcgggtggt	1140
	gttaacgctt	tgtttgatcc	atctacatct	gttgcccttt	ccaagttggg	tgttttgtct	1200
	gaaaatggca	gatgcaactc	ttttagtgat	caagcctctg	gttacgttag	atctgaaggt	1260
	gctgggtgtg	ttgttttgaa	gtcctttgaa	caagctaagt	tggatggtga	tagaatctac	1320
	ggtgttatca	aggggtgttc	ctctaataaa	gatggtgctt	ctaaggtga	caagaactct	1380
10	ttgactactc	catcttgtga	agcccaatcc	attaacattt	ctaaggctat	ggaaaaggcc	1440
	tccttgtctc	catctgatat	ctattacatt	gaagcccatg	gtactggtac	tccagttggt	1500
	gatccaattg	aagttaaggc	cttggtccaa	atcttctcca	actctaacia	caaccagttg	1560
	aacaacttct	ctaccgatgg	taatgataac	gatgatgatg	atgacgataa	cacctctcca	1620
	gaaccattat	tgattggctc	attcaagtcc	aacatcggtc	atttggaatc	tgctgctggt	1680
15	attgcttctt	tgattaagtg	ttgcttgatg	ttgaagaaca	ggatgttggt	tccatccatt	1740
	aactgctcta	atttgaaccc	atccattcca	ttcgatcagt	acaacatctc	cgttatcaga	1800
	gaaatcagac	aattccaac	cgataagttg	gttaacatcg	gtatcaattc	tttcggtttc	1860
	ggtggttcta	actgccattt	gattattcaa	gagtacaaca	acaacttcaa	gaacaactct	1920
	accatctgca	ataacaacia	caacaacaat	aacaacatcg	actacttgat	cccaatctcc	1980
20	tctaagacta	agaagtcctt	ggataagtac	ttgattttga	tcaagaccaa	ctccaactac	2040
	cacaaggata	tttctttcga	tgacttcgtc	aagttccaaa	tcaagtctaa	gcagtacaac	2100
	ttgtccaaca	gaatgactac	cattgctaac	gattggaact	ccttcattaa	gggttctaac	2160
	gaattccaca	acttgatcga	atctaaggat	ggtgaagggtg	gttcttcatc	ttctaacaga	2220
	ggtattgatt	ccgccaatca	aatcaacact	actactacct	ctaccatcaa	cgatatcgaa	2280
25	cctttgttgg	ttttcgtttt	ctgtggtcaa	ggtccacaat	ggaatggtat	gattaagacc	2340
	ttgtacaact	ccgagaacgt	tttcaagaac	accgttgatc	atgttgacag	catcttgtac	2400
	aagtacttcg	gttactccat	tttgaacgtc	ttgtctaaga	tcgatgataa	cgacgattcc	2460
	atcaaccatc	caatagttgc	tcaaccatct	ttgttcttgc	tgcaaatggg	tttggtcgag	2520
	ttgtttaagt	actgggttat	ctacccatct	atctctgttg	gtcattcttt	cggtgaagtc	2580
30	tcttcttatt	acttgtccgg	tatcatctct	ttggaaaccg	cttgtaaaat	cgtctacgtc	2640
	agatcctcta	atcagaacia	aactatgggt	tccggtaaga	tgttggttgt	ttctatgggt	2700
	tttaagcaat	ggaacgatca	attctctgct	gaatggtccg	atattgaaat	tgcttgttac	2760
	aacgctccag	attccatagt	tgttactggt	aacgaagaaa	gattgaaaga	attgtccatc	2820
	aagttgtccg	acgaatccaa	tcaaattttc	aacaccttct	tgaggtcccc	atgttctttt	2880
35	cattcttccc	atcaagaagt	catcaagggt	tctatgttcg	aagagttgtc	taacttgcaa	2940
	tctactggtg	aaaccgaaat	ccctttgttc	tctactgtta	ctggtagaca	agttttgtct	3000

	ggatcatgtta	ctgctcaaca	catctacgat	aatgttagag	aaccagtctt	gttcacaaaag	3060
	acgattgaat	ccattacctc	ctacatcaag	tctcactacc	catccaatca	aaagggtatc	3120
	tacgttgaaa	ttgctccaca	cccaaccttg	ttttcattga	tcaaaaagtc	catcccatcc	3180
	tccaacaaga	attcctcttc	tgttttgtgt	ccattgaaca	gaaaagaaaa	ctccaacaac	3240
5	tcctacaaga	agttcgtttc	tcagttgtac	ttcaacgggtg	ttaacgttga	cttcaacttc	3300
	cagttgaact	ccatttgcga	taacgttaac	aacgatcacc	atttgaacaa	cgtcaagcaa	3360
	aactccttca	aagagactac	caattccttg	ccaagatacc	aatgggaaca	agatgaatat	3420
	tgggtccgaac	cattgatctc	cagaaagaat	agattggaag	gtccaactac	ttccttgttg	3480
	ggatcatagaa	ttatctacag	cttcccagtt	ttccaatccg	ttttggactt	gcaatctgac	3540
10	aactacaaat	acttggttga	ccacttggtt	aacggtaagc	cagtttttcc	aggtgctggt	3600
	tatttggata	tcatcatcga	attcttcgac	tacaaaagc	agcagttgaa	ttcctctgat	3660
	tcctctaact	cctacatcat	caacgttgac	aagatccaat	tcttgaaccc	aattcacttg	3720
	accgaaaaca	agttgcaaac	cttgcaatct	tctttcgaac	ctatcgttac	taagaagtct	3780
	gccttctctg	ttaacttctt	catcaaggat	accgtcgagg	atcaatctaa	ggttaagtct	3840
15	atgtctgacg	aaacttggac	taacacttgt	aaggtacca	tttccttgga	acaacaacag	3900
	ccatctccat	cttctacttt	gactttgtct	aagaagcaag	acttgcagat	cttgagaac	3960
	agatgcgata	ttagcaagct	agacaagttt	gagttgtacg	acaagatctc	taagaatttg	4020
	ggcttgcagt	acaactcctt	gtttcaagtt	gttgatacca	tcgaaactgg	taaggattgc	4080
	tcttttgcta	ctttgtcttt	gccagaagat	actttgttca	ccaccatttt	gaacccatgc	4140
20	ttggttgata	actgtttcca	tggtttgttg	accttgatca	acgaaaaggg	ttctttcgtt	4200
	gtcgagtcca	tttcttctgt	ttctatctac	ttggagaaca	tcggttcctt	caatcaaaact	4260
	tctgttggtg	acgtccagtt	ctacttgtag	accactatct	ctaaagccac	ctcctttagt	4320
	tctgaaggta	cttgtaagtt	gttcaccaag	gatggttcct	tgattttgtc	tatcggttaag	4380
	ttcatcatca	agtccaccaa	tccaaagtct	actaagacca	acgaaactat	cgaatctcca	4440
25	ttggacgaaa	ccttctctat	tgaatggcaa	tctaaggatt	ctccaattcc	aaccacacaa	4500
	caaattccaac	aacaatctcc	attgaactct	aacctatcct	tcattagatc	taccatcttg	4560
	aaggacatcc	agttcgaaca	atactgctcc	tccattatcc	acaagaatt	gatcaaccac	4620
	gaaaagtaca	agaaccagca	atccttcgat	atcaactcct	tggaacacca	cttgaacgat	4680
	gaccaattga	tggaatcctt	gtccatctcc	aaagaatact	tgagattctt	caccaggatc	4740
30	atctccatca	ttaagcaata	cccaaagatc	ttgaacgaaa	aagagctaaa	agaattgaaa	4800
	gaaatcatcg	aattgaagta	cccatccgaa	gttcagttgt	tggaattcga	agttatcgag	4860
	aagggtgtcca	tgattatccc	aaagttgttg	ttcgaaaacg	acaagcaatc	ttccatgacc	4920
	ttgttccaag	ataacttggt	gaccagggtc	tactccaatt	ctaactctac	cagattctac	4980
	ttggaaaggg	tttccgaaat	ggtcttgtaa	tctatttagac	caatcgtcag	agaaaagagg	5040
35	gtgttcagaa	tttttagagat	cgggtgctcg	acaggctcct	tgtctaattgt	tgttttgact	5100
	aagttgaaca	cctacttgtc	caccttgaat	tctaattggtg	gttctgggtta	caacatcatc	5160

	attgagtaca ccttcaccga tatttccgcc aacttcatta ttggtgaaat ccaagaaacc	5220
	atgtgcaact tgtaccaaa cgttactttc aagttctccg tcttggaactt ggagaaagag	5280
	attattaact cctccgattt cttgatgggt gattacgata tagttttgat ggcctacgtt	5340
	atccatgccg tttctaacat taagttctcc atcgaacagt tgtacaagtt gttgtctcca	5400
5	agaggttggt tgttgtgtat tgaacctaa g tccaacgttg tgttctccga tttggttttc	5460
	ggttgtttta atcagtggtg gaactactac gatgatatta gaactacca ctgctccttg	5520
	tctgaatctc aatggaatca gttgttggtg aaccagtcct tgaacaacga atcctcttct	5580
	tcttctaact gttacggtgg tttctccaac gtttctttta ttggtggtga aaaggatgtc	5640
	gactcccatt ctttcatatt gcactgccaa aaagaatcca tctcccaa at gaagttagcc	5700
10	accactatta acaacggttt gtcactctggt tccatcgta tctgtttgaa ctctcaacaa	5760
	ttgaccaaca tgaagtccta ccaaagggtt attgagtata ttcaagaggc tacctctttg	5820
	tgcaagacca ttgaaattat cgattccaag gacgtcttga actctaccaa ttcagttttg	5880
	gaaaagatcc aaaagtcctt gttggtgttc tgtttgttg gttatgactt gttggagaac	5940
	aactaccaag aacagtcctt cgaatacgtt aagttgttga acttgatctc tactaccgcc	6000
15	tcttcatcta atgataagaa accaccaaag gtcttgttga tcaccaagca atctgaaaga	6060
	atctccaggt ctttctactc cagatccttg attggtattt ccagaacctc tatgaacgag	6120
	tacccaaatt tgtccattac ctctatcgat ttggatacca acgactactc attgcagtct	6180
	ttgttgaagc caatcttcag caactctaag ttttccgaca acgagttcat cttcaaaaag	6240
	ggcttgatgt tctgtgccag gatctttaag aacaagcagt tgctagaatc ctccaacgct	6300
20	tttgaaactg actcttctaa cttgtactgt aaggcctctt ctgacttgct ttacaagtac	6360
	gctattaagc agtctatgtt gaccgaaaat cagatcgaaa tcaagggttga atgcgtcggt	6420
	attaacttca aggacaacct attctacaag ggcttggttc cacaagaaat tttcagaatg	6480
	ggtgacatct acaatccacc atatggtttg gaatgctctg gtgttattac cagaattggt	6540
	tctaacgtca ccgaatactc agttggtcaa aatgtttttg gtttcgccag acattctttg	6600
25	ggttctcatg ttgttaccaa caaggatttg gttatcttga agccagatac catctcatth	6660
	tctgaagctg cttctatccc agttgtttac tgtactgctt ggtactcctt gttcaacatt	6720
	ggtcagttgt ctaacgaaga atccatccta attcattctg ctactggttg ttaggtttg	6780
	gcttctttga atttgttgaa aatgaagaat cagcaacagc aaccattgac caatgtttat	6840
	gctactgttg gctctaacga gaagaagaag ttcttgatcg ataacttcaa caactgttc	6900
30	aaagaggacg gcgaaaacat tttctctacc agagacaaag aatactcaa ccagttggaa	6960
	tccaagatcg atgttattht gaacaccttg tccggtgaat tctgcgaatc taatttcaag	7020
	tccttgagat ccttcggtag attgattgat ttgtctgcta ctacgthta cgccaatcaa	7080
	caaattggtc taggtaactt caagttcgac cacttgatth ctgctgttga cttggaaaga	7140
	ttgatcgacg aaaaacctaa gttgttgacg tccatcttgc aaagaattac caactctatc	7200
35	gtcaacggtt ccttggaata aattccaatt accatcttcc catccaccga aactaaggat	7260
	gctatcgaat tattgtccaa gagatcccat atcgtgaaag ttgtttaga ttgcaccgat	7320

	atctctaagt gtaatcctgt tggatgatgtg atcaccaact tctctatgag attgccaaag	7380
	ccaaactacc agttgaattt gaactccacc ttgttgatta ctggtcagtc tggtttgtct	7440
	atccctttgt tgaattgggtt gttgtctaag tctggtggta acgttaagaa cgttgtcatc	7500
	atctctaagt ccacatgaa gtggaagttg cagactatga tttccattt cgtttccggt	7560
5	ttcggatatcc attttaacta cgttcaagtc gacatctcca actacgatgc tttgtctgaa	7620
	gctattaagc aattgccatc tgatttgcca ccaatcacct ctgtttttca tttggctgct	7680
	atctacaacg atgttccaat ggatcaagtt accatgtcta ccgttgaatc tgttcataac	7740
	cctaaagttt tgggtgccgt taacttgcac agaactctctg tttcttttgg ttggaagttg	7800
	aaccacttcg tcttgttctc ttctattact gctattaccg gttaccaga ccaatctatc	7860
10	tacaattctg ccaactctat tttggacgct ttgtccaact ttagaaggtt tatgggtttg	7920
	ccatccttct ccattaactt ggggtccaatg aaggatgaag gtaaggtttc taccaacaag	7980
	agcatcaaga agctattcaa gtctagaggt ttgccaagcc tatccttgaa caagttatct	8040
	ggtttggttg aggtcgctcat caacaaccca tctaactcatg ttatcccatc ccaattgatt	8100
	tgctcccaa tgcatttcaa gacctacatc gaactcttct caactatgag gccaaagttg	8160
15	ttacacttgc aacctaccat ttccaagcag caatcttcta tcattaacga ttctaccaag	8220
	gcttcctcca acatttcatt gcaagataag atcacctcca aggtgtctga tttgtgtgcc	8280
	attccaatct ccaagatcaa cttcgatcat ccattgaaac actacggctt ggattctttg	8340
	ttgaccgttc aattcaaate ctggatcgac aaagaattcg aaaagaactt gttcacccat	8400
	atccaattgg ccacatctc tattaactca ttcttggaag aggtgaacgg cttgtctaca	8460
20	aacaataaca acaacaacaa ttccaacgctc aagtcctctc catccattgt caaagaagaa	8520
	atcgttacct tggacaagga tcaacaacca ttgctattga aagaacacca gcacattatc	8580
	atctcccag atattagaat caacaagcca aagagggaat ccttgattag aaccccaatc	8640
	ttgaacaaat tcaaccagat caccgaatcc attatcactc catctacacc atctttgtcc	8700
	caatccgatg ttttgaaaac tccaccaatc aagtctttga acaacactaa gaactccagc	8760
25	ttgattaaca cccaccaat tcaatctgtc caacaacatc aaaagcaaca acaaaaggtc	8820
	caagtcatcc aacaacagca acaaccatta tccagattgt cctacaagag caacaacaac	8880
	tctttcgttt tgggtatcgg tatttctgtt ccagggtgaac ctatttccca acaatccttg	8940
	aaagactcca tctccaatga cttttctgat aaggctgaaa ctaacgagaa ggtcaagaga	9000
	atctttgagc aatctcaaat caagaccaga cacttggtta gagattacac taagccagag	9060
30	aactccatca agttcagaca tttggaaacc attaccgatg tgaacaacca gttcaagaaa	9120
	gttggtccag atttggctca acaagcctgt ttgagagctt tgaaagattg ggggtggtgat	9180
	aagggtgata ttaccatat agtttctgtt acctccaccg gtattatcat ccagatggtt	9240
	aatttcaagt tgatcgactt gttgggcttg aacaaggatg ttgaaagagt gtctttgaac	9300
	ctaaggggtt gtttggtggt tttgagttct ttgagaactg ctgcttcttt ggctaaggct	9360
35	tctccaagaa atagaatctt ggtgtgtctgt accgaagtct gctccttgca tttttcta	9420
	actgatgggtg gtgatcaaat ggtcgctctc tctatctttt ctgatgggtc tgctgcttac	9480

```

attattgggtt gtaacccaag aattgaagaa accccattat acgaagtcac gtgctccatt 9540
aacagatctt tcccaaatac cgaaaacgcc atggtttggg atttggaata agaaggttgg 9600
aacttgggtt tggatgcttc tattccaatt gtcattgggt ctggtattga agccttcgtt 9660
gatactttgt tggataaggc taagttgcaa acttccactg ctatttctgc taaggattgc 9720
5 gaattcttga ttcatactgg tggcaagtcc atcttgatga acatcgaaaa ttccttgggt 9780
atcgacccaa agcaaaactaa gaatacttgg gatgtttacc atgcctacgg caatatgtca 9840
tctgcctctg ttattttcgt tatggatcat gccagaaagt ccaagtcttt gccaaactac 9900
tcaatttctt tggcttttgg tccaggtttg gcttttgaag gttgtttctt gaagaacgtc 9960
gtctaaagac ataaaaactga aacaacacca attaataata gactttacag aagacgggag 10020
10 acactagcac acaactttac caggcaagggt atttgacgct agcatgtgtc caattcagtg 10080
tcatttatga tttttttag taggatataa atatatacag cgctccaaat agtgcggttg 10140
ccccaaaaac accacggaac ctcatctgtt ctcgtaactt gttgtgacaa agtagctcac 10200
tgccttatta tcacattttc attatgcaac gcttcggaaa atacgatgtt gaaaatgcct 10260
ctagagatga aaaacaatcg taaaagggtc ctgcgtaatt gaaacatttg atcagtatgc 10320
15 agtggcacag aaacaaccag gaatactata gtcataggca atacaaggta tatattggct 10380
atgcagaccc ctccagaaag taccgacgtc aagttagata cacttaacga acctagtgc 10440
catttaattg agaaaaatgt ggctcttctt aaggacatat tccgttcgta cttgagttat 10500
tggatctatg aaatcgctcg ctatacacca gtcatgattt tgteccctctt tatattacat 10560
caaaataaga aaataattat aaca 10584
20 <210> 11
<211> 6034
<212> DNA
<213> Artificial Sequence
<220>
25 <223> Plasmid
<220>
<221> LV5
<222> (1)..(40)
<220>
30 <221> pYES2-LEU2
<222> (1915)..(4123)
<220>
<221> LEU2 ORF
<222> (1996)..(3090)
35 <220>
<221> LEU2 promoter

```

```

<222> (3091)..(3999)
<220>
<221> misc_feature
<222> (3759)..(3760)
5 <223> n is a, c, g, or t
<220>
<221> LV3
<222> (5995)..(6034)
<400> 11
10 cctctttata ttacatcaaa ataagaaaat aattataaca cctgcattaa tgaatcggcc 60
aacgcgcggg gagaggcggg ttgcgtattg ggcgtcttc cgttcctcg ctactgact 120
cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc tcaactcaaag gcggtataac 180
ggttatccac agaatacagg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa 240
agcccaggaa ccgtaaaaaag gccgcgttgc tggcggtttt ccataggctc cgccccctg 300
15 acgagcatca caaaaatcga cgctcaagtc agagggtggcg aaacccgaca ggactataaa 360
gataccaggc gtttccccct ggaagctccc tcgtgcgctc tctgttccg accctgccgc 420
ttaccggata cctgtccgcc tttctccctt cgggaagcgt ggcgctttct catagctcac 480
gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt gtgcacgaac 540
ccccggttca gcccgaccgc tgcgccttat ccggttaacta tcgtcttgag tccaaccggy 600
20 taagacacga cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt 660
atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga 720
cagtatttgg tatctgcgct ctgctgaagc cagttacctt cgaaaaaaga gttggtagct 780
cttgatccgg caaacaacc accgctggta gcggtggttt ttttgtttgc aagcagcaga 840
ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg gggctgacg 900
25 ctcaagtggaa cgaaaactca cgtaagggga ttttggatcat gagattatca aaaaggatct 960
tcacctagat ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt 1020
aaacttggtc tgacagttac caatgcttaa tcagttaggc acctatctca gcgatctgtc 1080
tatttcgttc atccatagtt gctgactcc ccgtcgtgta gataactacg atacgggagc 1140
gcttaccatc tggccccagt gctgcaatga taccgcgaga ccacgctca ccggctccag 1200
30 atttatcagc aataaaccag ccagccggaa gggccgagcg cagaagtggc cctgcaactt 1260
tatccgcctc cattcagttt attaatgtt gccgggaagc tagagtaagt agttcgccag 1320
ttaatagttt gcgcaacggt gttggcattg ctacaggcat cgtggtgtca ctctcgtcgt 1380
ttggtatggc ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca 1440
tggtgtgcaa aaaagcgggt agctccttcg gtcctccgat cgttgtcaga agtaagttgg 1500
35 ccgcagtgtt atcactcatg gttatggcag cactgcataa ttctcttact gtcatgccat 1560
ccgtaagatg cttttctgtg actggtgagt actcaacca gtcattctga gaatagtgtg 1620

```

	tgccggcgacc	gagttgctct	tgcccgcggt	caatacggga	taatagtgtg	tcacatagca	1680
	gaacttttaa	agtgtcatc	attggaaaac	gttcttcggg	gcgaaaactc	tcaaggatct	1740
	taccgctgtt	gagatccagt	tcgatgtaac	ccactcgtgc	acccaactga	tcttcagcat	1800
	cttttacttt	caccagcggt	tctgggtgag	caaaaacagg	aaggcaaaat	gccgcaaaaa	1860
5	aggaataaag	ggcgacacgg	aaatgttgaa	tactcatact	cttccttttt	caatgggtaa	1920
	taactgatat	aattaaattg	aagctctaata	ttgtgagttt	agtatacatg	catttactta	1980
	taatacagtt	ttttattaag	caaggatttt	cttaacttct	tcggcgacag	catcaccgac	2040
	ttcgggtgta	ctgttggaac	cacctaaatc	accagttctg	atacctgcat	ccaaaacctt	2100
	tttaactgca	tcttcaatgg	ccttaccttc	ttcaggcaag	ttcaatgaca	atttcaacat	2160
10	cattgcagca	gacaagatag	tggcgatagg	gttgacctta	ttctttggca	aatctggagc	2220
	agaaccgtgg	catggttcgt	acaaaccaa	tgcggtgttc	ttgtctggca	aagaggccaa	2280
	ggacgcagat	ggcaacaaac	ccaaggaacc	tgggataacg	gaggcttcat	cggagatgat	2340
	atcaccaaac	atgttgctgg	tgattataat	accatttagg	tgggttgggt	tcttaactag	2400
	gatcatggcg	gcagaatcaa	tcaattgatg	ttgaaccttc	aatgtaggga	attcgttctt	2460
15	gatggtttcc	tccacagttt	ttctccataa	tcttgaagag	gccaaaacat	tagctttatc	2520
	caaggaccaa	ataggcaatg	gtggctcatg	ttgtagggcc	atgaaagcgg	ccattcttgt	2580
	gattctttgc	acttctggaa	cgggtgattg	ttcactatcc	caagcgacac	catcaccatc	2640
	gtcttccttt	ctcttaccaa	agtaaatacc	tcccactaat	tctctgacaa	caacgaagtc	2700
	agtaccttta	gcaaattgtg	gcttgattgg	agataagtct	aaaagagagt	cggatgcaaa	2760
20	gttacatggg	cttaagttgg	cgtacaattg	aagttcttta	cggattttta	gtaaaccttg	2820
	ttcaggtcta	acactaccgg	tacccattt	aggaccaccc	acagcaccta	acaaaacggc	2880
	atcagccttc	ttggaggctt	ccagcgcttc	atctggaagt	ggaacacctg	tagcatcgat	2940
	agcagcacca	ccaattaaat	gattttcgaa	atcgaacttg	acattggaac	gaacatcaga	3000
	aatagcttta	agaaccttaa	tggcttcggc	tgtgatttct	tgaccaacgt	ggtcacctgg	3060
25	caaaacgacg	atcttcttag	gggcagacat	tagaatggta	tatccttgaa	atatatatat	3120
	atattgctga	aatgtaaaag	gtaagaaaag	ttagaaagta	agacgattgc	taaccaccta	3180
	ttggaaaaaa	caataggtcc	ttaaataata	ttgtcaactt	caagtattgt	gatgcaagca	3240
	tttagtcatg	aacgcttctc	tattctatat	gaaaagccgg	ttccggcgct	ctcacctttc	3300
	ctttttctcc	caatttttca	gttgaaaaag	gtatatgcgt	caggcgacct	ctgaaattaa	3360
30	caaaaaattt	ccagtcacgt	aatttgattc	tgtgcgatat	cgcacctgtg	tgttctcggt	3420
	atgttgagga	aaaaaataat	ggttgctaag	agattcgaac	tcttgcatct	tacgatacct	3480
	gagtattccc	acagttaact	gcggtcaaga	tatttcttga	atcaggcgcc	ttagaccgct	3540
	cggccaaaca	accaattact	tgttgagaaa	tagagtataa	ttatcctata	aatataacgt	3600
	ttttgaacac	acatgaacaa	ggaagtacag	gacaattgat	tttgaagaga	atgtggattt	3660
35	tgatgtaatt	gttgggattc	catttttaat	aaggcaataa	tattaggtat	gtagatatac	3720
	tagaagttct	cctcgaggat	ttaggaatcc	ataaaaggnn	atctgcaatt	ctacacaatt	3780

	ctagaaatat	tattatcatc	atTTtatatg	ttaatatTca	ttgatcctat	tacattatca	3840
	atccttgCGT	ttcagcttcc	actaatTTag	atgactatTT	ctcatcattt	gcgtcatcct	3900
	ctaacaccgt	atatgataat	atactagtaa	cgtaaatact	agttagtaga	tgatagttga	3960
	TTTTtattcc	aacataccac	ccataatgta	atagatctag	cttatcgatg	ataagctgtc	4020
5	aaagatgaga	attaattcca	cggactatag	actataccta	gtataactccg	tctactgtac	4080
	gatacacttc	cgctcaggtc	cttgtccttt	aacgaggcct	taccactcct	ttgttactct	4140
	attgatccag	ctcagcaaag	gcagtgTgat	ctaagattct	atcttcgcga	tgtagtaaaa	4200
	ctagctagac	cgagaaaagag	actagaaatg	caaaaggcac	ttctacaatg	gctgccatca	4260
	ttattatccg	atgtgacgct	gcagcttctc	aatgatattc	gaatacgctt	tgaggagata	4320
10	cagcctaata	tccgacaaac	tgttttacag	atTTacgatc	gtacttgTta	cccatcattg	4380
	aattttgaac	atccgaacct	gggagTTTTc	cctgaaacag	atagtataatt	tgaacctgta	4440
	taataatata	tagtctagcg	ctttacggaa	gacaatgtat	gtatttcggT	tcctggagaa	4500
	actattgcat	ctattgcata	ggtaatcttg	cacgtcgcat	ccccggttca	TTTTctgcgt	4560
	ttccatcttg	cacttcaata	gcatactctt	gttaacgaag	catctgtgct	tcattttgta	4620
15	gaacaaaaat	gcaacgcgag	agcgctaatt	tttcaaacaa	agaatctgag	ctgcattttt	4680
	acagaacaga	aatgcaacgc	gaaagcgcta	ttttaccaac	gaagaatctg	tgcttcattt	4740
	ttgtaaaaca	aaaatgcaac	gcgacgagag	cgctaatttt	tcaaacaaag	aatctgagct	4800
	gcattttttac	agaacagaaa	tgcaacgcga	gagcgctatt	ttaccaacaa	agaatctata	4860
	cttctTTTTt	gttctacaaa	aatgcatccc	gagagcgcta	TTTTtctaac	aaagcatcct	4920
20	agattacttt	TTTTctcctt	tgtgcgctct	ataatgcagt	ctcttgataa	ctttttgcac	4980
	tgtaggtccg	ttaaggTtag	aagaaggcta	ctttggtgtc	tattttctct	tccataaaaa	5040
	aagcctgact	ccacttcccg	cgtttactga	ttactagcga	agctgcgggt	gcattttttc	5100
	aagataaagg	catccccgat	tatatcttat	accgatgtgg	attgcgcata	ctttgtgaac	5160
	agaaagtgat	agcgttgatg	attcttcatt	ggtcagaaaa	ttatgaacgg	tttctcttat	5220
25	tttgtctcta	tatactacgt	ataggaaatg	tttacatttt	cgtattgttt	tcgattcact	5280
	ctatgaatag	ttcttactac	aatttttttg	tctaaagagt	aatactagag	ataaacataa	5340
	aaaatgtaga	ggtcgagttt	agatgcaagt	tcaaggagcg	aaaggTggat	gggtaggtta	5400
	tatagggata	tagcacagag	atatatagca	aagagatact	tttgagcaat	gtttgtggaa	5460
	gcggtattcg	caatgggaag	ctccaccccg	gttgataatc	agaaaagccc	caaaaacagg	5520
30	aagattgtat	aagcaaatat	ttaaattgta	aacgttaata	TTTTgttaaa	attcgcgTta	5580
	aatttttgTt	aaatcagctc	atTTtttaac	gaatagcccc	aaatcggcaa	aatcccttat	5640
	aaatcaaaaag	aatagaccga	gatagggttg	agtgttgTtc	cagtttccaa	caagagtcca	5700
	ctattaaaga	acgtggactc	caacgtcaaa	gggcgaaaaa	gggtctatca	gggcgatggc	5760
	ccactacgtg	aacctacacc	ctaatacaagt	TTTTtggggt	cgaggTgccg	taaagcagta	5820
35	aatcggaagg	gtaaacggat	gcccccatTT	agagcttgac	ggggaaagcc	ggcgaacgtg	5880
	gcgagaaaagg	aagggaagaa	agcgaaggga	gcgggggcta	gggcggTggg	aagtgtaggg	5940

gtcacgctgg gcgtaaccac cacacccgcc gcgcttaatg gggcgctaca gggcaggaat 6000
 actctgaata aaacaactta tataataaaa atgc 6034
 <210> 12
 <211> 5056
 5 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Plasmid
 <220>
 10 <221> LV5
 <222> (1)..(40)
 <220>
 <221> pYES backbone
 <222> (41)..(5016)
 15 <220>
 <221> AmpR
 <222> (1040)..(1699)
 <220>
 <221> URA3
 20 <222> (1915)..(3022)
 <220>
 <221> LV3
 <222> (5017)..(5056)
 <400> 12
 25 cctctttata ttacatcaaa ataagaaaat aattataaca cctgcattaa tgaatcggcc 60
 aacgcgcggg gagaggcggg ttgcgtattg ggcgtcttc cgcttcctcg ctactgact 120
 cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc tcaactcaaag gcggtaatat 180
 gggtatccac agaatacagg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa 240
 agcccaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc cgccccctg 300
 30 acgagcatca caaaaatcga cgctcaagtc agagggtggcg aaacccgaca ggactataaa 360
 gataccaggc gtttccccct ggaagctccc tcgtgcgctc tcctgttccg accctgccgc 420
 ttaccggata cctgtccgcc tttctccctt cggaagcgt ggcgctttct catagctcac 480
 gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt gtgcacgaac 540
 ccccggttca gcccgaccgc tgcgccttat ccggtacta tcgtcttgag tccaacccgg 600
 35 taagacacga cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt 660
 atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga 720

	cagtatttgg	tatctgcgct	ctgctgaagc	cagttacctt	cgaaaaaaga	gttggtagct	780
	cttgatccgg	caaacaaacc	accgctggta	gcggtggttt	ttttgtttgc	aagcagcaga	840
	ttacgcgcag	aaaaaaagga	tctcaagaag	atcctttgat	cttttctacg	gggtctgacg	900
	ctcagtggaa	cgaaaactca	cgттаaggga	ttttgggtcat	gagattatca	aaaaggatct	960
5	tcacctagat	cctttttaaat	taaaaatgaa	gtttttaaatc	aatctaaagt	atatatgagt	1020
	aaacttggtc	tgacagttac	caatgcttaa	tcagtgaggc	acctatctca	gcgatctgtc	1080
	tatttcgttc	atccatagtt	gcctgactcc	ccgtcgtgta	gataactacg	atacgggagc	1140
	gcttaccatc	tggccccagt	gctgcaatga	taccgcgaga	cccacgctca	ccggctccag	1200
	atztatcagc	aataaaccag	ccagccggaa	gggccgagcg	cagaagtggg	cctgcaactt	1260
10	tatccgcctc	cattcagtct	attaattggt	gccgggaagc	tagagtaagt	agttcgccag	1320
	ttaatagttt	gcgcaacggt	gttggtcattg	ctacaggcat	cgtgggtgtca	ctctcgtcgt	1380
	ttggtagtgc	ttcattcagc	tccggttccc	aacgatcaag	gcgagttaca	tgatccccc	1440
	tgttgtgcaa	aaaagcggtt	agctccttcg	gtcctccgat	cgttggtcaga	agtaagttgg	1500
	ccgcagtgtt	atcactcatg	gttatggcag	cactgcataa	ttctcttact	gtcatgccat	1560
15	ccgtaagatg	cttttctgtg	actggtgagt	actcaaccaa	gtcattctga	gaatagtgtg	1620
	tgcggcgacc	gagttgctct	tgcccgcggt	caatacggga	taatagtgtg	tcacatagca	1680
	gaactttaaa	agtgtctatc	attggaaaac	gttcttcggg	gcgaaaactc	tcaaggatct	1740
	taccgctgtt	gagatccagt	tcgatgtaac	ccactcgtgc	acccaactga	tcttcagcat	1800
	cttttacttt	caccagcggt	tctgggtgag	caaaaacagg	aaggcaaaat	gccgcaaaaa	1860
20	agggaaataag	ggcgacacgg	aaatggtgaa	tactcatact	cttccttttt	caatgggtaa	1920
	taactgatat	aattaaattg	aagctcta	ttgtgagttt	agtatacatg	catttactta	1980
	taatacagtt	ttttagtttt	gctggccgca	tcttctcaaa	tatgcttccc	agcctgcttt	2040
	tctgtaacgt	tcaccctcta	ccttagcatc	ccttcccttt	gcaaatagtc	ctcttccaac	2100
	aataataatg	tcagatcctg	tagagaccac	atcatccacg	gttctatact	gttgacccaa	2160
25	tgcgtctccc	ttgtcatcta	aaccacaccc	gggtgtcata	atcaaccaat	cgtaaccttc	2220
	atctcttcca	cccatgtctc	tttgagcaat	aaagccgata	acaaaatctt	tgctgctctt	2280
	cgcaatgtca	acagtaccct	tagtatattc	tccagtagat	agggagccct	tgcatgacaa	2340
	ttctgctaac	atcaaaaaggc	ctctaggttc	ctttgttact	tcttctgcgg	cctgcttcaa	2400
	accgctaaca	atacctgggc	ccaccacacc	gtgtgcattc	gtaatgtctg	ccattctgc	2460
30	tattctgtat	acaccgcag	agtactgcaa	tttgactgta	ttaccaatgt	cagcaaat	2520
	tctgtcttcg	aagagtaaaa	aattgtactt	ggcggataat	gccttttagcg	gcttaactgt	2580
	gccctccatg	gaaaaatcag	tcaagatata	cacatgtgtt	tttagtaaac	aaattttggg	2640
	acctaagtct	tcaactaact	ccagtaattc	cttggtggta	cgaacatcca	atgaagcaca	2700
	caagtttggt	tgcttttcgt	gcatgatatt	aaatagcttg	gcagcaacag	gactaggatg	2760
35	agtagcagca	cgttccttat	atgtagcttt	cgacatgatt	tatcttcgtt	tcctgcaggt	2820
	ttttgttctg	tgagttggg	ttaagaatac	tgggcaattt	catgtttctt	caacactaca	2880

	tatgcgata	tataccaatc	taagtctgtg	ctccttcctt	cgttcttcct	tctgttcgga	2940
	gattaccgaa	tcaaaaaaat	ttcaaagaaa	ccgaaatcaa	aaaaaagaat	aaaaaaaaaa	3000
	tgatgaattg	aattgaaaag	ctagcttatac	gatgataagc	tgtcaaagat	gagaattaat	3060
	tccacggact	atagactata	ctagatactc	cgtctactgt	acgatacact	tccgctcagg	3120
5	tccttgtcct	ttaacgaggc	cttaccactc	ttttgttact	ctattgatcc	agctcagcaa	3180
	aggcagtgtg	atctaagatt	ctatcttcgc	gatgtagtaa	aactagctag	accgagaaag	3240
	agactagaaa	tgcaaaaaggc	acttctacaa	tggctgccat	cattattatc	cgatgtgacg	3300
	ctgcagcttc	tcaatgatata	tcgaatacgc	tttgaggaga	tacagcctaa	tatccgacaa	3360
	actgttttac	agatttacga	tcgtacttgt	tacccatcat	tgaattttga	acatccgaac	3420
10	ctgggagttt	tccctgaaac	agatagtata	tttgaacctg	tataataata	tatagtctag	3480
	cgttttacgg	aagacaatgt	atgtatttcg	gttcctggag	aaactattgc	atctattgca	3540
	taggtaatct	tgacgctgc	atccccgggt	cattttctgc	gtttccatct	tgacttcaa	3600
	tagcatatct	ttgttaacga	agcatctgtg	cttcattttg	tagaacaaaa	atgcaacgcg	3660
	agagcgctaa	tttttcaaac	aaagaatctg	agctgcattt	ttacagaaca	gaaatgcaac	3720
15	gcgaaagcgc	tattttacca	acgaagaatc	tgtgcttcat	ttttgtaaaa	caaaaatgca	3780
	acgcgacgag	agcgctaatt	tttcaaacaa	agaatctgag	ctgcattttt	acagaacaga	3840
	aatgcaacgc	gagagcgcta	ttttaccaac	aaagaatcta	tacttctttt	ttgttctaca	3900
	aaaatgcata	ccgagagcgc	tatttttcta	acaaagcatc	ttagattact	ttttttctcc	3960
	tttgtgcgct	ctataatgca	gtctcttgat	aactttttgc	actgtaggtc	cgtaaagggt	4020
20	agaagaaggc	tactttggtg	tctattttct	cttcataaaa	aaaagcctga	ctccacttcc	4080
	cgcgtttact	gattactagc	gaagctgcgg	gtgcattttt	tcaagataaa	ggcatccccg	4140
	attatattct	ataccgatgt	ggattgcgca	tactttgtga	acagaaagtg	atagcgttga	4200
	tgattcttca	ttggtcagaa	aattatgaac	ggtttcttct	attttgtctc	tatatactac	4260
	gtataggaaa	tgtttacatt	ttcgtattgt	tttcgattca	ctctatgaat	agttcttact	4320
25	acaatttttt	tgtctaaaga	gtaatactag	agataaacat	aaaaaatgta	gaggtcgagt	4380
	ttagatgcaa	gttcaaggag	cgaaggtgg	atgggtaggt	tatataggga	tatagcacag	4440
	agatatatag	caaagagata	cttttgagca	atgtttgtgg	aagcgggtatt	cgcaatggga	4500
	agctccaccc	cggttgataa	tcagaaaagc	cccaaaaaca	ggaagattgt	ataagcaaat	4560
	atttaaattg	taaacgttaa	tattttgtta	aaattcgcgt	taaatttttg	ttaaatcagc	4620
30	tcatttttta	acgaatagcc	cgaatcggc	aaaatccctt	ataaatcaaa	agaatagacc	4680
	gagatagggt	tgagtgttgt	tccagtttcc	aacaagagtc	cactattaaa	gaacgtggac	4740
	tccaacgtca	aagggcgaaa	aagggcttat	cagggcgatg	gccactacg	tgaaccatca	4800
	ccctaataca	gttttttggg	gtcgagggtgc	cgtaaagcag	taaatcgaa	gggtaaacgg	4860
	atgcccccat	ttagagcttg	acggggaaaag	ccggcgaaacg	tggcgagaaa	ggaagggaag	4920
35	aaagcgaaag	gagcgggggc	tagggcgggtg	ggaagtgtag	gggtcacgct	gggcgtaacc	4980
	accacacccg	ccgcgcttaa	tggggcgcta	cagggcgagga	atactctgaa	taaaacaact	5040

tatataataa aaatgc 5056

<210> 13

<211> 10584

<212> DNA

5 <213> Artificial Sequence

<220>

<223> Cassette with Dictyostelium discoideum DiPKS coding sequence,
regulatory sequences and integration sequences

<220>

10 <221> LV3

<222> (1)..(40)

<220>

<221> S. cerevisiae GAL1 promoter

<222> (41)..(482)

15 <220>

<221> L1

<222> (483)..(522)

<220>

<221> DiPKS

20 <222> (523)..(9966)

<220>

<221> Motif 1

<222> (5050)..(5076)

<220>

25 <221> C-methyltransferase domain

<222> (5050)..(5412)

<220>

<221> Motif 2

<222> (5309)..(5331)

30 <220>

<221> Motif 3

<222> (5389)..(5421)

<220>

<221> L2

35 <222> (9967)..(10006)

<220>

<221> PRM9t
 <222> (10007)..(10544)
 <220>
 <221> LV5
 5 <222> (10545)..(10584)
 <400> 13
 aggaataactc tgaataaaac aacttatata ataaaaatgc cggattagaa gccgccgagc 60
 ggggtgacagc cctccgaagg aagactctcc tccgtgcgtc ctcgctttca ccggtcgcgt 120
 tcctgaaacg cagatgtgcc tcgcgccgca ctgctccgaa caataaagat tctacaatac 180
 10 tagctttttat gggttatgaag aggaaaaatt ggcagtaacc tggccccaca aaccttcaaa 240
 tgaacgaatc aaattaacaa ccataggatg ataatgcgat tagtttttta gccttatttc 300
 tggggtaatt aatcagcgaa gcgatgattt ttgatctatt aacagatata taaatgcaaa 360
 aactgcataa ccactttaac taatactttc aacattttcg gtttgtatta cttcttattc 420
 aaatgtaata aaagtatcaa caaaaaattg ttaatatacc tctatacttt aacgtcaagg 480
 15 agctagaaaaa ttattataa aaggaagaga aataatataa caatgaacaa gaactccaaa 540
 atccagtccc caaactcttc tgatgttgct gttattgggtg ttggtttttag attcccaggt 600
 aactctaattg acccagaatc tttgtggaac aacttggttg atggtttcga tgctattacc 660
 caagtcccaa aagaaagatg ggctacttct ttagagaga tgggtttgat caagaacaag 720
 ttcggtggtt tcttgaagga ttctgaatgg aagaatttcg accctttgtt ctttggatc 780
 20 ggtccaaaag aagctccatt cattgatcca caacaaagg tttgtgttc catcgtttg 840
 gaatcttttg aagatgctta catcagacca gatgaattga gaggttctaa cactggtgtt 900
 ttcacgtgtg tttctaaca cgattacacc aagttgggt tccaagacaa ctactctatt 960
 tctccataca ctatgaccgg ctctaactct tcattgaact ccaacagaat ttcctactgc 1020
 ttcgatttta gaggtccatc cttactgtt gataccgctt gttcttcttc cttggtttct 1080
 25 gttaatttgg gtgtccaatc catccaaatg ggtgaatgta agattgctat ttgcggtggt 1140
 gttaacgctt tgtttgatcc atctacatct gttgcctttt ccaagttggg tgttttgtct 1200
 gaaaatggca gatgcaactc ttttagtgat caagcctctg gttacgttag atctgaagg 1260
 gctggtgttg ttgttttgaa gtcttttgaa caagctaagt tggatggtga tagaatctac 1320
 ggtgttatca aggggtgttc ctctaataa gatggtgctt ctaatggtga caagaactct 1380
 30 ttgactactc catcttgatg agcccaatcc attaacattt ctaaggctat ggaaaaggcc 1440
 tccttgcttc catctgatat ctattacatt gaagcccatg gtactggtac tccagttggt 1500
 gatccaattg aagtttaagg cttgtccaag atcttctcca actctaaca caaccagttg 1560
 aacaacttct ctaccgatgg taatgataac gatgatgatg atgacgataa cacctctcca 1620
 gaaccattat tgattggctc attcaagtcc aacatcggtc atttggaatc tgctgctggt 1680
 35 attgcttctt tgattaagtg ttgcttgatg ttgaagaaca ggatgttggt tccatccatt 1740
 aactgctcta atttgaacct atccattcca ttcgatcagt acaacatctc cgttatcaga 1800

	gaaatcagac aattcccaac cgataagttg gttaacatcg gtatcaattc tttcggtttc	1860
	ggtggttcta actgccatth gattattcaa gagtacaaca acaacttcaa gaacaactct	1920
	accatctgca ataacaacaa caacaacaat aacaacatcg actacttgat cccaatctcc	1980
	tctaagacta agaagtcctt ggataagtac ttgattttga tcaagaccaa ctccaactac	2040
5	cacaaggata tttcttttga tgacttcgtc aagttccaaa tcaagtctaa gcagtacaac	2100
	ttgtccaaca gaatgactac cattgctaac gattggaact ccttcattaa gggttctaac	2160
	gaattccaca acttgatcga atctaaggat ggtgaagggtg gttcttcatc ttctaacaga	2220
	ggtattgatt cgcaccaatca aatcaacact actactacct ctaccatcaa cgatatcgaa	2280
	cctttgttgg ttttcgtttt ctgtgggtcaa ggtccacaat ggaatggat gattaagacc	2340
10	ttgtacaact ccgagaacgt tttcaagaac accgttgatc atgttgacag catcttgtac	2400
	aagtacttcg gttactccat tttgaacgtc ttgtctaaga tcgatgataa cgacgattcc	2460
	atcaaccatc caatagttgc tcaaccatct ttgttcttgt tgcaaattgg tttggtcgag	2520
	ttgtttaagt actggggat ctacccatct atctctgttg gtcattcttt cgggtgaagtc	2580
	tcttcttatt acttgctcgg tatcatctct ttggaaaccg cttgtaaaat cgtctacgtc	2640
15	agatcctcta atcagaacaa aactatgggt tccggtaaga tggtggttgt ttctatgggt	2700
	tttaagcaat ggaacgatca attctctgct gaatgggtccg atattgaaat tgcttggtac	2760
	aacgctccag attccatagt tgttactggt aacgaagaaa gattgaaaga attgtccatc	2820
	aagttgtccg acgaatccaa tcaaattttc aacaccttct tgagggtccc atgttctttt	2880
	cattcttccc atcaagaagt catcaagggt tctatgttcg aagagttgtc taacttgcaa	2940
20	tctactggtg aaaccgaaat cctttgttc tctactgtta ctggtagaca agttttgtct	3000
	ggtcatgtta ctgctcaaca catctacgat aatgttagag aaccagtctt gttccaaaag	3060
	acgattgaat ccattacctc ctacatcaag tctcactacc catccaatca aaaggttatc	3120
	tacgttgaaa ttgctccaca cccaaccttg ttttcattga tcaaaaagtc catcccatcc	3180
	tccaacaaga attcctcttc tgttttgtgt ccattgaaca gaaaagaaaa ctccaacaac	3240
25	tcctacaaga agttcgtttc tcagttgtac ttcaacggtg ttaacggtga cttcaacttc	3300
	cagttgaact ccatttgcca taacgttaac aacgatcacc atttgaacaa cgtcaagcaa	3360
	aactccttca aagagactac caattccttg ccaagatacc aatgggaaca agatgaatat	3420
	tggtccgaac cattgatctc cagaaagaat agattggaag gtccaactac ttccttgttg	3480
	ggtcatagaa ttatctacag cttcccagtt ttccaatccg ttttggaact gcaatctgac	3540
30	aactacaaat acttggttga ccacttggtt aacggtgaagc cagtttttcc aggtgctggt	3600
	tatttgata tcatcatcga attcttcgac taccaaaagc agcagttgaa ttcctctgat	3660
	tcctctaact cctacatcat caacgttgac aagatccaat tcttgaacct aattcacttg	3720
	accgaaaaca agttgcaaac cttgcaatct tctttogaac ctatcgttac taagaagtct	3780
	gccttctctg ttaacttctt catcaaggat accgtcgagg atcaatctaa ggttaagtct	3840
35	atgtctgacg aaacttggac taacacttgt aaggctacca tttccttgga acaacaacag	3900
	ccatctccat cttctacttt gactttgtct aagaagcaag acttgcagat cttgagaaac	3960

	agatgcgata	ttagcaagct	agacaagttt	gagttgtacg	acaagatctc	taagaatttg	4020
	ggcttgca	gtaactcctt	gtttcaagtt	gttgatacca	tcgaaactgg	taaggattgc	4080
	tcttttgcta	ctttgtcttt	gccagaagat	actttgttca	ccaccatttt	gaacccatgc	4140
	ttggttgata	actgtttcca	tggtttggtg	accttgatca	acgaaaagg	ttctttcggt	4200
5	gtcgagtcca	tttcttctgt	ttctatctac	ttggagaaca	tcggttcctt	caatcaaact	4260
	tctgttggtg	acgtccagtt	ctacttgtag	accactat	ctaaagccac	ctcctttagt	4320
	tctgaaggta	cttgtaagtt	gttcaccaag	gatggttcct	tgattttgtc	tatcggttaag	4380
	ttcatcatca	agtccaccaa	tccaaagtct	actaagacca	acgaaactat	cgaatctcca	4440
	ttggacgaaa	ccttctctat	tgaatggcaa	tctaaggatt	ctccaattcc	aacccccaaa	4500
10	caaatccaac	aacaatctcc	attgaactct	aacccatcct	tcattagatc	taccatcttg	4560
	aaggacatcc	agttcgaaca	atactgctcc	tccattatcc	acaagaatt	gatcaaccac	4620
	gaaaagtaca	agaaccagca	atccttcgat	atcaactcct	tggaaaacca	cttgaacgat	4680
	gaccaattga	tggaatcctt	gtccatctcc	aaagaatact	tgagattctt	caccaggatc	4740
	atctccatca	ttaagcaata	cccaaagatc	ttgaacgaaa	aagagctaaa	agaattgaaa	4800
15	gaaatcatcg	aattgaagta	cccatccgaa	gttcagttgt	tggaattcga	agttatcgag	4860
	aagggtgtcca	tgattatccc	aaagttggtg	ttcgaaaacg	acaagcaatc	ttccatgacc	4920
	ttggtccaag	ataacttggt	gaccagggtc	tactccaatt	ctaactctac	cagattctac	4980
	ttggaaagg	tttccgaaat	ggtcttgtaa	tctattagac	caatcgtcag	agaaaagg	5040
	gtgttcagaa	ttttggaaat	tgggtctggt	acaggctcct	tgtctaattg	tgttttgact	5100
20	aagttgaaca	cctacttggt	caccttgaat	tctaattggt	gttctggtta	caacatcatc	5160
	attgagtaca	ccttcaccga	tatttccgcc	aacttcatta	ttggtgaaat	ccaagaaacc	5220
	atgtgcaact	tgtaccacaa	cgttactttc	aagttctccg	tcttggaact	ggagaaagag	5280
	attattaact	cctccgattt	cttgatgggt	gattacgata	tagttttgat	ggcctacggt	5340
	atccatgccg	tttctaacat	taagttctcc	atcgaacagt	tgtacaagtt	gttgtctcca	5400
25	agaggttggt	tgttggtgat	tgaacctaag	tccaacgttg	tgttctccga	tttggttttc	5460
	ggttggtttta	atcagtggtg	gaactactac	gatgatatta	gaactacca	ctgctccttg	5520
	tctgaatctc	aatggaatca	gttggttggt	aaccagtcct	tgaacaacga	atcctcttct	5580
	tcttctaact	gttacgggtg	tttctccaac	gtttctttta	ttggtggtga	aaaggatg	5640
	gactcccat	ctttcatatt	gcactgccaa	aaagaatcca	tctcccaaat	gaagtttagc	5700
30	accactatta	acaacggttt	gtcatctggt	tccatcggtt	tcgttttgaa	ctctcaacaa	5760
	ttgaccaaca	tgaagtccta	cccaaagggt	attgagtata	ttcaagaggc	tacctctttg	5820
	tgcaagacca	ttgaaattat	cgattccaag	gacgtcttga	actctaccaa	ttcagttttg	5880
	gaaaagatcc	aaaagtcctt	gttggtgttc	tgtttggttg	gttatgactt	gttgagaaac	5940
	aactaccaag	aacagtcctt	cgaatacgtt	aagttgttga	acttgatctc	tactaccgcc	6000
35	tcttcatcta	atgataagaa	accaccaaag	gtcttggtga	tcaccaagca	atctgaaaga	6060
	atctccaggt	ctttctactc	cagatccttg	attggtat	ccagaacctc	tatgaacgag	6120

	tacccaaatt	tgtccattac	ctctatcgat	ttggatacca	acgactactc	attgcagtct	6180
	ttgttgaagc	caatcttcag	caactcctaag	ttttccgaca	acgagttcat	cttcaaaaag	6240
	ggcttgatgt	tcgtgtccag	gatctttaag	aacaagcagt	tgctagaatc	ctccaacgct	6300
	tttgaaactg	actcttctaa	cttgtactgt	aaggcctctt	ctgacttgct	ttacaagtac	6360
5	gctattaagc	agtctatggt	gaccgaaaat	cagatcgaaa	tcaagggttg	atgcgtcggt	6420
	attaacttca	aggacaacct	attctacaag	ggcttggtgc	cacaagaaat	tttcagaatg	6480
	ggtgacatct	acaatccacc	atatggtttg	gaatgctctg	gtgttattac	cagaattggt	6540
	tctaacgtca	ccgaatactc	agttgggtcaa	aatgtttttg	gtttcgccag	acattctttg	6600
	ggttctcatg	ttgttaccaa	caaggatttg	ggtatcttga	agccagatac	catctcatct	6660
10	tctgaagctg	cttctatccc	agttgtttac	tgtactgctt	ggtactcctt	gttcaacatt	6720
	ggtcagttgt	ctaacgaaga	atccatccta	attcattctg	ctactggtgg	tgtagggttg	6780
	gcttctttga	atgtgttgaa	aatgaagaat	cagcaacagc	aaccattgac	caatgtttat	6840
	gctactgttg	gctctaacga	gaagaagaag	ttcttgatcg	ataacttcaa	caacttggtc	6900
	aaagaggacg	gcgaaaacat	tttctctacc	agagacaaag	aatactccaa	ccagttggaa	6960
15	tccaagatcg	atgttatttt	gaacaccttg	tccggtgaat	tcgtcgaatc	taatttcaag	7020
	tccttgagat	ccttcggtag	attgattgat	ttgtctgcta	ctcacgttta	cgccaatcaa	7080
	caaattggtc	taggtaactt	caagttcgac	cacttgtatt	ctgctgttga	cttggaaga	7140
	ttgatcgacg	aaaaaccta	ggtgtgcag	tccatcttgc	aaagaattac	caactctatc	7200
	gtcaacggtt	ccttggaaaa	aattccaatt	accatcttcc	catccaccga	aactaaggat	7260
20	gctatcgaat	tattgtccaa	gagatcccat	atcggtaaa	ttgttgtaga	ttgcaccgat	7320
	atctctaagt	gtaatcctgt	tggtgatgtg	atcaccaact	tctctatgag	attgccaaag	7380
	ccaaactacc	agttgaattt	gaactccacc	ttgttgatta	ctggtcagtc	tggtttgtct	7440
	atccctttgt	tgaattgggt	gttgtctaag	tctggtggtg	acgttaagaa	cgttgtcatc	7500
	atctctaagt	ccaccatgaa	gtggaagttg	cagactatga	tttcccattt	cgtttccggt	7560
25	ttcggatatcc	attttaacta	cgttcaagtc	gacatctcca	actacgatgc	tttgtctgaa	7620
	gctattaagc	aattgccatc	tgatttgcca	ccaatcacct	ctgtttttca	tttggtgctt	7680
	atctacaacg	atgttccaat	ggatcaagtt	accatgtcta	ccgttgaatc	tgttcataac	7740
	cctaaagttt	tggtgcccgt	taacttgcac	agaatctctg	tttcttttgg	ttggaagttg	7800
	aaccacttcg	tcttgttctc	ttctattact	gctattaccg	gttaccaga	ccaatctatc	7860
30	tacaattctg	ccaactctat	tttggacgct	ttgtccaact	ttagaaggtt	tatgggtttg	7920
	ccatccttct	ccattaactt	gggtccaatg	aaggatgaag	gtaagggttc	taccaacaag	7980
	agcatcaaga	agctattcaa	gtctagaggt	ttgccaaagc	tatccttgaa	caagttatct	8040
	ggtttggttg	aggtcgctcat	caacaacca	tctaatacatg	ttatcccatc	ccaattgatt	8100
	tgctcccaaa	tcgatttcaa	gacctacatc	gaatctttct	caactatgag	gccaaagttg	8160
35	ttacacttgc	aacctaccat	ttccaagcag	caatcttcta	tcattaacga	ttctaccaag	8220
	gcttctcca	acatttctatt	gcaagataag	atcacctcca	aggtgtctga	ttgtgtgtcc	8280

	attccaatct ccaagatcaa cttcgatcat ccattgaaac actacggctt ggattcctttg	8340
	ttgaccgttc aattcaaate ctggatcgac aaagaattcg aaaagaactt gttcacccat	8400
	atccaattgg ccaccatctc tattaactca ttcttggaag aggtgaacgg cttgtctaca	8460
	aacaataaca acaacaacaa ttccaacgtc aagtcctctc catccattgt caaagaagaa	8520
5	atcgttacct tggacaagga tcaacaacca ttgctattga aagaacacca gcacattatc	8580
	atctccccag atattagaat caacaagcca aagagggaat ccttgattag aacccccatc	8640
	ttgaacaaat tcaaccagat caccgaatcc attatcactc catctacacc atctttgtcc	8700
	caatccgatg ttttgaaaac tccaccaatc aagtctttga acaacactaa gaactccagc	8760
	ttgattaaca cccccaat tcaatctgtc caacaacatc aaaagcaaca acaaaaggtc	8820
10	caagtcatcc aacaacagca acaaccatta tccagattgt cctacaagag caacaacaac	8880
	tctttcgttt tgggtatcgg tatttctgtt ccagggtgaac ctatttccca acaatccttg	8940
	aaagactcca tctccaatga cttttctgat aaggctgaaa ctaacgagaa ggtcaagaga	9000
	atctttgagc aatctcaaat caagaccaga cacttggtta gagattacac taagccagag	9060
	aactccatca agttcagaca tttggaaacc attaccgatg tgaacaacca gttcaagaaa	9120
15	gttggtccag atttggtcga acaagcctgt ttgagagctt tgaagattg ggggtggtgat	9180
	aagggtgata ttaccatata agtttctgtt acctccaccg gtattatcat ccagatggtt	9240
	aatttcaagt tgatcgactt gttgggcttg aacaaggatg ttgaaagagt gtctttgaac	9300
	ctaattgggtt gtttggtctg tttgagttct ttgagaactg ctgcttcttt ggctaaggct	9360
	tctccaagaa atagaatttt ggtgtgtctgt accgaagtct gtccttgca tttttctaata	9420
20	actgatggtg gtgatcaaat ggtcgcctct tctatttttg ctgatggttc tgctgcttac	9480
	attattggtt gtaaccaag aattgaagaa accccattat acgaagtcac gtgctccatt	9540
	aacagatctt tcccaaatat cgaaaacgcc atgggttggg atttggaata agaagggttg	9600
	aacttggtt tggatgcttc tattccaatt gtcattggtt ctggtattga agccttcgtt	9660
	gatactttgt tggataaggc taagtgtcaa acttccactg ctatttctgc taaggattgc	9720
25	gaattcttga ttcatactgg tggcaagtcc atcttgatga acatcgaaaa ttccttggtt	9780
	atcgacccaa agcaaaactaa gaatacttgg gatgtttacc atgcctacgg caatatgtca	9840
	tctgcctctg ttattttctg tatggatcat gccagaaagt ccaagtcttt gccaaactac	9900
	tcaatttctt tggcttttgg tccaggtttg gcttttgaag gttgtttctt gaagaacgtc	9960
	gtctaaagac ataaaactga aacaacacca attaataata gactttacag aagacgggag	10020
30	acactagcac acaactttac caggcaagggt atttgacgct agcatgtgtc caattcagtg	10080
	tcattttatga tttttttag taggatataa atatatacag cgctccaaat agtgcggttg	10140
	ccccaaaaac accacggaac ctcatctgtt ctcgactttt gttgtgacaa agtagctcac	10200
	tgcttatta tcacattttc attatgcaac gcttcggaaa atacgatgtt gaaaatgcct	10260
	ctagagatga aaaacaatcg taaaagggtc ctgcgtaatt gaaacatttg atcagtatgc	10320
35	agtggcacag aaacaaccag gaatactata gtcataaggca atacaaggta tatattggct	10380
	atgcagaccc ctccagaaag taccgacgtc aagttagata cacttaacga acctagtgtc	10440

catttaattg agaaaaaatgt ggctcttctt aaggacatat tccgttcgta cttgagttat 10500
 tggatctatg aaatcgctcg ctatacacca gtcattgattt tgcacctctt tatattacat 10560
 caaaataaga aaataattat aaca 10584
 <210> 14
 5 <211> 4909
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Cassette with Cas9 coding sequence, regulatory sequences and
 10 integration sequences
 <220>
 <221> LV3
 <222> (1)..(40)
 <220>
 15 <221> TEF1p
 <222> (41)..(446)
 <220>
 <221> Cas9
 <222> (470)..(4609)
 20 <220>
 <221> LV5
 <222> (4870)..(4909)
 <400> 14
 aggaatactc tgaataaaaac aacttatata ataaaaaatgc atagcttcaa aatgttttcta 60
 25 ctccctttttt actcttccag attttctcgg actccgcgca tcgccgtacc acttcaaaac 120
 acccaagcac agcataactaa atttccctc tttcttctc taggggtgtcg ttaattaccc 180
 gtactaaagg tttggaaaag aaaaaagaga ccgcctcgtt tcttttttctt cgtcgaaaaa 240
 ggcaataaaa atttttatca cgtttctttt tcttgaaaat tttttttttg atttttttct 300
 ctttcgatga cctcccattg atatttaagt taataaacgg tcttcaattt ctcaagtttc 360
 30 agtttcattt ttcttgttct attacaactt tttttacttc ttgtcatta gaaagaaagc 420
 atagcaatct aatctaagtt ttctagaact agtggatccc ccgggaaaaa tggacaagaa 480
 gtactccatt gggctcgata tcggcacaaa cagcgtcggc tgggccgtca ttacggacga 540
 gtacaagggtg ccgagcaaaa aattcaaagt tctgggcaat accgatcgcc acagcataaa 600
 gaagaacctc attggcgccc tctgttcga ctccggggag acggccgaag ccacgcggt 660
 35 caaaagaaca gcacggcgca gatatacccg cagaaagaat cggatctgct acctgcagga 720
 gatcttttagt aatgagatgg ctaagggtga tgactcttct ttccataggc tggaggagtc 780

	ctttttggtg gaggaggata aaaagcacga gcgccaccca atctttggca atatcgtgga	840
	cgaggtggcg taccatgaaa agtaccacaac catatatcat ctgaggaaga agcttgtaga	900
	cagtactgat aaggctgact tgcggttgat ctatctcgcg ctggcgcata tgatcaaatt	960
	tgcgggacac ttcctcatcg agggggacct gaaccagac aacagcgatg tcgacaaact	1020
5	ctttatccaa ctggttcaga cttacaatca gcttttcgaa gagaaccgga tcaacgcatc	1080
	cggagttgac gccaaagcaa tcctgagcgc taggctgtcc aaatcccggc ggctcgaaaa	1140
	cctcatcgca cagctccctg gggagaagaa gaacggcctg tttggtaatc ttatcgccct	1200
	gtcactcggg ctgaccccca actttaaatc taacttcgac ctggccgaag atgccaaagct	1260
	tcaactgagc aaagacacct acgatgatga tctcgacaat ctgctggccc agatcggcga	1320
10	ccagtacgca gacctttttt tggcggcaaa gaacctgtca gacgccattc tgctgagtga	1380
	tattctgcga gtgaacacgg agatcaccaa agctccgctg agcgctagta tgatcaagcg	1440
	ctatgatgag caccaccaag acttgacttt gctgaaggcc cttgtcagac agcaactgcc	1500
	tgagaagtac aaggaaattt tcttcgatca gtctaaaaat ggctacgccg gatacattga	1560
	cggcggagca agccaggagg aattttacaa atttattaag cccatcttgg aaaaaatgga	1620
15	cggcaccgag gagctgctgg taaagcttaa cagagaagat ctgttgcgca aacagcgac	1680
	tttcgacaat ggaagcatcc cccaccagat tcacctgggc gaactgcacg ctatcctcag	1740
	gcggcaagag gatttctacc cctttttgaa agataacagg gaaaagattg agaaaatcct	1800
	cacatttcgg ataccctact atgtaggccc cctcgcccgg ggaaattcca gattcgcgtg	1860
	gatgactcgc aaatcagaag agaccatcac tccttggaaac ttcgaggaag tcgtggataa	1920
20	gggggcctct gccagtcct tcatcgaaag gatgactaac tttgataaaa atctgcctaa	1980
	cgaaaagggtg cttcctaaac actctctgct gtacgagtac ttcacagttt ataacgagct	2040
	caccaaggtc aaatacgtca cagaagggat gagaaagcca gcattcctgt ctggagagca	2100
	gaagaaagct atcgtggacc tcctcttcaa gacgaaccgg aaagttaccg tgaaacagct	2160
	caaagaagac tattttcaaaa agattgaatg tttcgactct gttgaaatca gcggagtgga	2220
25	ggatcgcttc aacgcatccc tgggaacgta tcacgatctc ctgaaaatca ttaaagacaa	2280
	ggacttcctg gacaatgagg agaacgagga cattcttgag gacattgtcc tcacccttac	2340
	gttgtttgaa gatagggaga tgattgaaga acgcttgaaa acttacgctc atctcttcga	2400
	cgacaaagtc atgaaacagc tcaagaggcg ccgatataca ggatgggggc ggctgtcaag	2460
	aaaactgatc aatgggatcc gagacaagca gagtggaaag acaatcctgg attttcttaa	2520
30	gtccgatgga tttgccaaac ggaacttcat gcagttgatc catgatgact ctctcacctt	2580
	taaggaggac atccagaaag cacaagtttc tggccagggg gacagtcttc acgagcacat	2640
	cgctaattctt gcaggtagcc cagctatcaa aaagggaata ctgcagaccg ttaaggctcg	2700
	ggatgaactc gtcaaagtaa tgggaaggca taagcccgag aatatcgta tcgagatggc	2760
	ccgagagAAC caaactaccc agaagggaca gaagaacagt agggaaagga tgaagaggat	2820
35	tgaagagggt ataaaagaac tgggggtccca aatccttaag gaacaccag ttgaaaacac	2880
	ccagcttcag aatgagaagc tctacctgta ctacctgcag aacggcaggg acatgtacgt	2940

ggatcaggaa ctggacatca atcggctctc cgactacgac gtggatcata tcgtgccccca 3000
 gtcttttctc aaagatgatt ctattgataa taaagtgttg acaagatccg ataaaaatag 3060
 agggaagagt gataacgtcc cctcagaaga agttgtcaag aaaatgaaaa attattggcg 3120
 gcagctgctg aacgccaaac tgatcacaca acggaagtcc gataatctga ctaaggctga 3180
 5 acgaggtggc ctgtctgagt tggataaagc cggcttcac aaaggcagc ttgttgagac 3240
 acgccagatc accaagcacg tggcccaaat tctcgattca cgcataaaca ccaagtacga 3300
 tgaaaatgac aaactgattc gagaggtgaa agttattact ctgaagtcta agctggctctc 3360
 agatttcaga aaggactttc agttttataa ggtgagagag atcaacaatt accacatgc 3420
 gcatgatgcc tacctgaatg cagtggtagg cactgcactt atcaaaaaat atcccaagct 3480
 10 tgaatctgaa tttgtttacg gagactataa agtgtagcat gttaggaaaa tgatcgcaaa 3540
 gtctgagcag gaaataggca aggccaccgc taagtacttc ttttacagca atattatgaa 3600
 ttttttcaag accgagatta cactggccaa tggagagatt cggaagcgac cacttatcga 3660
 aacaaacgga gaaacaggag aaatcgtgtg ggacaagggt agggatttcg cgacagtccg 3720
 gaaggtcctg tccatgccgc aggtgaacat cgttaaaaag accgaagtac agaccggagg 3780
 15 cttctccaag gaaagtatcc tcccgaagag gaacagcgac aagctgatcg cagcaaaaaa 3840
 agattgggac cccaagaaat acggcggatt cgattctcct acagtcgctt acagtgtact 3900
 gggtgtggcc aaagtggaga aagggaagtc taaaaaactc aaaagcgtca aggaactgct 3960
 gggcatcaca atcatggagc gatcaagctt cgaaaaaac cccatcgact ttctcgaggc 4020
 gaaaggatat aaagaggtca aaaaagacct catcatthaag cttcccaagt actctctctt 4080
 20 tgagcttgaa aacggccgga aacgaatgct cgctagtgcg ggcgagctgc agaaaggtaa 4140
 cgagctggca ctgccctcta aatacgttaa tttcttgtat ctggccagcc actatgaaaa 4200
 gctcaaaggg tctcccgaag ataattgagca gaagcagctg ttcgtggaac aacacaaaca 4260
 ctaccttgat gagatcatcg agcaataag cgaattctcc aaaagagtga tcctcgccga 4320
 cgctaacctc gataaggtgc tttctgctta caataagcac agggataagc ccatcaggga 4380
 25 gcaggcagaa aacattatcc acttgtttac tctgaccaac ttgggcgcgc ctgcagcctt 4440
 caagtacttc gacaccacca tagacagaaa gcggtacacc tctacaaagg aggtcctgga 4500
 cgccacactg attcatcagt caattacggg gctctatgaa acaagaatcg acctctctca 4560
 gctcggtgga gacagcaggg ctgaccccaa gaagaagagg aaggtgtgat ctcttctcga 4620
 gtcatgtaat tagttatgtc acgcttacat tcacgcctc cccccacatc cgctctaacc 4680
 30 gaaaaggaag gagtttagaca acctgaagtc taggtcccta tttatttttt tatagttatg 4740
 ttagtattaa gaacgttatt tataatttcaa atttttcttt tttttctgta cagacgcgtg 4800
 tacgcatgta acattatact gaaaaccttg cttgagaagg ttttgggacg ctggaaggct 4860
 ttaatttgcc ctctttatat tacatcaaaa taagaaaata attataaca 4909

35

[00150] Examples Only

[00151] In the preceding description, for purposes of explanation, numerous details are set forth in order to provide a thorough understanding of the embodiments. However, it will be apparent to one skilled in the art that these specific details are not required.


[00152] The above-described embodiments are intended to be examples only.

- 5 Alterations, modifications and variations can be effected to the particular embodiments by those of skill in the art without departing from the scope, which is defined solely by the claims appended hereto.

WHAT IS CLAIMED IS:

1. A method of producing a polyketide, the method comprising:
providing a yeast cell comprising a first polynucleotide coding for a polyketide synthase enzyme, wherein:

the polyketide synthase enzyme is for producing at least one species of polyketide from malonyl-CoA, the polyketide having structure I:



wherein, on structure I, R1 is a pentyl group, R2 is H, carboxyl, or methyl, and R3 is H, carboxyl, or methyl; and
propagating the yeast cell for providing a yeast cell culture.

2. The method of claim 1 wherein the polyketide synthase enzyme comprises a DiPKS polyketide synthase enzyme from *D. discoideum*.
3. The method of claim 2 wherein the first polynucleotide comprises a coding sequence for the DiPKS polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 535 to 9978 of SEQ ID NO: 13.
4. The method of claim 3 wherein the first polynucleotide has between 80% and 100% base sequence homology with bases 535 to 9978 of SEQ ID NO: 13.
5. The method of any one of claims claim 2 to 4 wherein the at least one species of polyketide comprises a polyketide with a methyl group at R2.
6. The method of claim 2 wherein the DiPKS polyketide synthase enzyme comprises a mutation affecting an active site of a C-Met domain for mitigating methylation of the at least one species of polyketide, resulting in the at least one species of polyketide comprising a first polyketide wherein R2 is methyl and R3 is H, and a second polyketide wherein R2 is H and R3 is H.

7. The method of claim 6 wherein the DiPKS polyketide synthase comprises a DiPKS^{G1516D; G1518A} polyketide synthase.
8. The method of claim 7 wherein the first polynucleotide comprises a coding sequence for the DiPKS^{G1516D; G1518A} polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 9.
9. The method of claim 8 wherein the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 9.
10. The method of claim 6 wherein the DiPKS polyketide synthase comprises a DiPKS^{G1516R} polyketide synthase.
11. The method of claim 10 wherein the first polynucleotide comprises a coding sequence for the DiPKS^{G1516R} polyketide synthase enzyme with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10.
12. The method of claim 11 wherein the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 10.
13. The method of claim 2 wherein the DiPKS polyketide synthase enzyme comprises a mutation reducing activity at an active site of a C-Met domain of the DiPKS polyketide synthase enzyme, for preventing methylation of the at least one species of polyketide, resulting in the at least one species of polyketide having a hydrogen R2 group and a hydrogen R3 group.
14. The method of any one of claims 2 to 13 wherein the yeast cell comprises a second polynucleotide coding for a phosphopantetheinyl transferase enzyme for increasing the activity of DiPKS.
15. The method of claim 14 wherein the phosphopantetheinyl transferase comprises NpgA phosphopantetheinyl transferase enzyme from *A. nidulans*.

16. The method of claim 15 wherein the second polynucleotide comprises a coding sequence for the NpgA phosphopantetheinyl transferase enzyme from *A. nidulans* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 1170 to 2201 of SEQ ID NO: 8.
17. The method of claim 16 wherein the second polynucleotide has between 80% and 100% base sequence homology with bases 1170 to 2201 of SEQ ID NO: 8.
18. The method of any one of claims 1 to 17 wherein the polyketide synthase enzyme comprises an active site for synthesizing the at least one species of polyketide from malonyl-CoA without a longer chain ketyl-CoA.
19. The method of claim 18 wherein the at least one species of polyketide comprises at least one of olivetol, olivetolic acid, methyl-olivetol, or methyl-olivetolic acid.
20. The method of any one of claims 1 to 19 wherein R2 is H and R3 is H.
21. The method of any one of claims 1 to 19 wherein R2 is carboxyl and R3 is H.
22. The method of any one of claims 1 to 19 wherein R2 is methyl and R3 is H.
23. The method of any one of claims 1 to 19 wherein R2 is carboxyl and R3 is methyl.
24. The method of claim 1 to 23 wherein the yeast cell comprises a genetic modification to increase available malonyl-CoA.
25. The method of claim 24 wherein the genetic modification comprises increased expression of Maf1.
26. The method of claim 25 wherein the yeast cell comprises a second polynucleotide including a coding sequence for Maf1 with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 936 to 2123 of SEQ ID NO: 6.
27. The method of claim 26 wherein the second polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 6.

28. The method of claim 24 wherein the genetic modification comprises cytosolic expression of an aldehyde dehydrogenase and an acetyl-CoA synthase.
29. The method of claim 28 wherein the yeast cell comprises a second polynucleotide including a coding sequence for Acs^{L641P} from *S. enterica* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 3938 to 5893 of SEQ ID NO: 2, and a coding sequence for Ald6 from *S. cerevisiae* with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 1494 to 2999 of SEQ ID NO 2.
30. The method of claim 29 wherein the second polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with bases 51 to 7114 SEQ ID NO: 2.
31. The method of claim 24 wherein the genetic modification comprises increased expression of malonyl-CoA synthase.
32. The method of claim 31 wherein the yeast cell comprises a second polynucleotide including a coding sequence for a coding sequence for Acc1^{S659A; S1167A} from *S. cerevisiae*.
33. The method of claim 32 wherein the second polynucleotide includes a coding sequence for the Acc1^{S659A; S1167A} enzyme, with a portion thereof having a primary structure with between 80% and 100% amino acid residue sequence homology with a protein portion coded for by a reading frame defined by bases 9 to 1716 of SEQ ID NO: 5.
34. The method of claim 33 wherein the second polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 5.
35. The method of claim 24 wherein the genetic modification comprises increased expression of an activator for sterol biosynthesis.
36. The method of claim 35 wherein the yeast cell comprises a second polynucleotide including a coding sequence for Upc2^{E888D} from *S. cerevisiae* with a primary structure having

between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 975 to 3701 of SEQ ID NO: 7.

37. The method of claim 36 wherein the second polynucleotide further comprises a promoter sequence, a terminator sequence and integration sequences, and has between 80% and 100% base sequence homology with SEQ ID NO: 7.

38. The method of any one of claims 1 to 37 further comprising extracting the at least one species of polyketide from the yeast cell culture.

39. A yeast cell for producing at least one species of polyketide, the yeast cell comprising a first polynucleotide coding for a polyketide synthase enzyme.


40. The yeast cell of claim 39 further comprising features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide as claimed in relation to the yeast cell provided in of any one of method claims 1 to 37.

41. A method of transforming a yeast cell for production of at least one species of polyketide, the method comprising introducing a first polynucleotide coding for a polyketide synthase enzyme into the yeast cell line.

42. The method of claim 41 further comprising features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide as claimed in relation to the yeast cell provided in any one of method claims 1 to 37.

43. A method of producing a polyketide, the method comprising:
providing a yeast cell comprising a first polynucleotide coding for a polyketide synthase enzyme, wherein:

the polyketide synthase enzyme is for producing at least one species of polyketide from malonyl-CoA, the polyketide having structure II:



wherein, on structure II, R1 is an alkyl group having 1, 2, 3, 4 or 5 carbons, R2 is H, carboxyl, or methyl, and R3 is H, carboxyl, or methyl; and propagating the yeast cell for providing a yeast cell culture.

44. The method of claim 43 further comprising features of one or more of the yeast cell, the first polynucleotide, or the second polynucleotide as claimed in relation to the yeast cell provided in any one of method claims 1 to 37.
45. A polynucleotide comprising a coding sequence for a DiPKS^{G1516D; G1518A} polyketide synthase.
46. The polynucleotide of claim 45 wherein the DiPKS^{G1516D; G1518A} polyketide synthase enzyme has a primary structure with between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 9.
47. The polynucleotide of claim 46 wherein the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 9.
48. A polynucleotide comprising a coding sequence for a DiPKS^{G1516R} polyketide synthase.
49. The polynucleotide of claim 48 wherein the DiPKS^{G1516R} polyketide synthase enzyme has a primary structure with between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10.
50. The polynucleotide of claim 49 wherein the first polynucleotide has between 80% and 100% base sequence homology with bases 523 to 9966 of SEQ ID NO: 10.
51. A DiPKS^{G1516D; G1518A} polyketide synthase with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 9.

52. A DiPKS^{G1516R} polyketide synthase with a primary structure having between 80% and 100% amino acid residue sequence homology with a protein coded for by a reading frame defined by bases 523 to 9966 of SEQ ID NO: 10.