

100
Reputation Metadata Providers 118
Remote Service Provider 110
Reputation Metadata 116
Remote Request 122
Reputation Value(s) 114
Network 108
Reputation Value Builder 112
Processor(s) 124
Computer-Readable Media 126
Access Control Module 128
Authorization Input Builder 130
Authorization Module 132
Rules Module 134
Client Device 104
User 102
Local Request 120
Local Service Provider 106

FIG. 1



200
Reputation Metadata Providers 118
Remote Service Provider 110
Reputation Metadata 116
Remote Request 122
Reputation Metadata 116
Network 108
Reputation Provider 202
Processor(s) 124
Computer-Readable Media 204
Access Control Module 206
Reputation Value Builder 208
Authorization Input Builder 130
Authorization Module 132
Rules Module 134
Client Device 104
User 102
Local Request 120
Local Service Provider 106

FIG. 2



Computing
Device
300
Computer-Readable Media
302
Reputation Value
Builder
304
Reputation
Metadata
116
Reputation Value
114

FIG. 3



Computing Device 400
Computer-Readable Media 402
Access Control Module 404
Reputation Value 114
Authorization Input Builder 406
Authorization Input 414
User Identity 408
Actor Type 410
System Type 412

FIG. 4



Computing Device 500
Computer-Readable Media 502
Access Control Module 504
Authorization Module 506
Rules Module 508
Request 510
Authorization Input 414
Authorization Decision 512

FIG. 5