

FIG. 1




FIG. 2




FIG. 3




FIG. 4

```

SecurityContextInfo ::=
    nextHopChainingCount
    key-eNodeB-StarList
    ...
}

SEQUENCE {
    NextHopChainingCount ,
    Key-eNodeB-StarList ,
    -- NOC
    -- List of KeNB*
}

SEQUENCE ( SIZE ( 1 .. maxCell ) ) OF SEQUENCE {
    PhysicalCellIdentity ,
    EARFCN-DL ,
    Key-eNodeB-Star
    -- target PCI
    -- target EARFCN-DL ,
    -- KeNB*
}

Key-eNodeB-StarList ::=
    physicalCellIdentity
    earfcn-DL
    key-eNodeB-Star
}

```

FIG. 5




FIG. 6




FIG. 7

```

ReestablishmentInfo ::=
    sourcePhysicalCellIdentity
    sourceC-RNTI
    shortMAC-I-List
    ...
}

SEQUENCE {
    PhysicalCellIdentity,
    C-RNTI,
    ShortMAC-I-List,
    -- source PCI
    -- source C-RNTI
    -- List of shortMAC-I
}

SEQUENCE ( SIZE ( 1 .. maxCell ) ) OF SEQUENCE {
    CellIdentity,
    EARFCN-DL,
    BIT STRING ( SIZE ( 16 ) )
    -- target CID
    -- target EARFCN-DL,
    -- shortMAC-I
}

shortMAC-I-List ::=
    cellIdentity
    earfcn-DL
    shortMAC-I
}

```