



1/27

FIGURE 1




2/27

FIGURE 2



3/27


FIGURE 3



4/27


FIGURE 4

Masson-Fontana histochemistry




5/27

FIGURE 5




6/27

FIGURE 6




7/27

FIGURE 7




8/27

FIGURE 8




9/27

FIGURE 9




10/27

FIGURE 10




11/27

FIGURE 11




12/27

FIGURE 12




13/27

FIGURE 13




14/27

FIGURE 14






15/27

FIGURE 15



16/27


FIGURE 16



17/27


FIGURE 17

Masson-Fontana HS 13-071, 13-077, 14-021, HS 14-058, HS 14-061, HS 14-087




18/27

FIGURE 18




19/27

FIGURE 19




20/27

FIGURE 20



21/27

FIGURE 21



22/27

FIGURE 22






FIGURE 23



24/27


FIGURE 24

CD31 staining HS14-061 (indirect immunofluorescence,
mouse anti-human CD31 Ab from DAKO)




25/27

FIGURE 25



26/27


FIGURE 26



Representative photographs of grafts, 3 month following transplantation : (A) Vehicle treated group (B) FOL-005 treated group (C) Minoxidil treated group (D) Minoxidil+FOL-005 treated group

27/27

FIGURE 27



*ANOVA test