

06 MAY 2003

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
30 May 2002 (30.05.2002)

PCT

(10) International Publication Number
WO 02/042280 A3(51) International Patent Classification⁷: C07D 239/56,
239/46, 239/52, A61K 31/505, A61P 25/00, C07D 401/04

(21) International Application Number: PCT/EP01/13084

(22) International Filing Date:
13 November 2001 (13.11.2001)


(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
00125529.8 22 November 2000 (22.11.2000) EP(71) Applicant: F. HOFFMANN-LA ROCHE AG [CH/CH];
124, Grenzachstrasse, CH-4070 Basle (CH).(72) Inventor: STADLER, Heinz; 37, Waldhofstrasse,
CH-4310 Rheinfelden (CH).(74) Agent: POPPE, Regina; 124, Grenzachstrasse,
CH-4070 Basel (CH).(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA,
ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
TG).Published:
— with international search report(88) Date of publication of the international search report:
22 August 2002For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

162162

(54) Title: PYRIMIDINE DERIVATIVES



(1)



ACTION

WO 02/042280 A3

(57) Abstract: The invention relates to compounds of the general formula (I) wherein R¹ is lower alkyl, lower alkoxy, pyridinyl, pyrimidinyl, phenyl, -S-lower alkyl, -S(O)₂-lower alkyl, -N(R)-(CH₂)_n-N(R)₂, -O-(CH₂)_n-N(R)₂, -N(R)₂, or a cyclic tertiary amine which may contain one additional heteroatom, selected from N, O or S, and wherein this group may be connected with the pyrimidine ring via the linker -O(CH₂)_n-; R² is hydrogen, lower alkyl, lower alkoxy, halogen or trifluoromethyl; R³/R^{3'} is, independently from each other, hydrogen or lower alkyl; R⁴ is independently from each other halogen, trifluoromethyl or lower alkoxy; X is -C(O)N(R) or -N(R)C(O)-; Y is -O-, -S-, -SO₂-, or -N(R)-; n is 1, 2, 3 or 4; and m is 0, 1 or 2; and to pharmaceutically acceptable acid addition salts thereof. They have a good affinity to the NK1 receptor and they are therefore suitable in the treatment of diseases, related to this receptor.