

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

SAMPLE No.	OIL TESTED
1	REFRIGERATING MACHINE OIL OF EXAMPLE 10 IN TABLE 1 CONTAINING NO EXTREME PRESSURE AGENT
2	① + CHELEX [®] H-10 1wt% ADDED
3	① + BUTYLPOLYOXYPROPYLENE GLYCOL PHOSPHATE ESTER 1wt% ADDED






FIG. 6



SAMPLE No.	OIL TESTED
4	REFRIGERATING MACHINE OIL OF EXAMPLE 10 ALONE (CONTAINING NO EXTREME PRESSURE AGENT)
5	4 + EXTREME PRESSURE AGENT 0.05 wt % ADDED (BUTYL POLYOXYPROPYLENE PHOSPHATE ESTER)
6	REFRIGERATING MACHINE OIL OF EXAMPLE 17 ALONE (HAVING AN INCREASED VISCOSITY AND CONTAINING NO EXTREME PRESSURE AGENT)
7	4 + EXTREME PRESSURE AGENT 1.0 wt % ADDED (ALKYL POLYOXYALKYLENE PHOSPHATE ESTER)
8	4 + EXTREME PRESSURE AGENT 1.0 wt % ADDED (DIALKYL PHOSPHATE ESTER)



8

FIG. 8




FIG. 9

