

632008017W000seq1ist
SEQUENCE LISTING

<110> Karim, Felix
Baruch, Amos
Maclean, Derek

<120> Therapeutic Agents for Reducing Parathyroid Hormone Levels

<130> 63200.8017.W000

<140> Not Yet Assigned

<141> Filed Herewith

<150> US 61/229,695

<151> 2009-07-29

<150> US 61/255,816

<151> 2009-10-28

<150> US 61/313,635

<151> 2010-03-12

<160> 183

<170> PatentIn version 3.4

<210> 1

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)...(7)

<223> Xaa = any amino acid as defined in the specification filed herewith

<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 2

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa = D-Cys

<220>

<221> VARIANT

<222> (2), (6)

<223> Xaa = D-Ala

<220>

632008017W000seq1ist

<221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<400> 2
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 3
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 3
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 4
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)..(5)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (5)

<223> C-terminal amidation

<400> 4

Xaa Xaa Xaa Xaa Xaa

1

5

<210> 5

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)..(6)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (6)

<223> C-terminal amidation

<400> 5

Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 6

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

632008017W000seq11st

<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)..(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 6
Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 7
<211> 8
<212> PRT
<213> Artificial sequence

<220>
<223> synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)..(8)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (8)
<223> C-terminal amidation

<400> 7
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 8
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> synthetic peptide

632008017W000seq1ist

```

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)..(2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 8
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 9
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)..(2)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (3)..(3)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (4)...(7)
<223> Xaa = D-Arg

```

632008017W000seq1ist

```

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 9
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 10
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5)...(7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)..(4)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 10
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 11
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

```

632008017W000seq1ist

<220>
 <221> VARIANT
 <222> (2)...(4), (6)...(7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (5)..(5)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 11
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 12
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)...(5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)..(6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 12
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 13
 <211> 7
 <212> PRT
 <213> Artificial Sequence

632008017W000seqlist

```

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)...(6)
<223> Xaa = D-Arg

<221> VARIANT
<222> (7)..(7)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 13
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5

<210> 14
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (6)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4), (7)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

```

632008017w000seq1ist

<400> 14
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 15
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (4)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (5) (6), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 15
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 16
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>

632008017W000seq1ist

<221> VARIANT
<222> (2), (5)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (6), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 16
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 17
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (6), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4), (5)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 17
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 18
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (4), (6), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (3), (5)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 18
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 19
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (7)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3)...(6)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

```

<400> 19
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 20
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (4), (5), (6)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (3), (7)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 20
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 21
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (4), (7)
 <223> Xaa = D-Arg

632008017w000seqlist

```

<220>
<221> VARIANT
<222> (5), (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 21
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1                               5

<210> 22
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)...(3)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (4)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 22
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1                               5

<210> 23
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)

```

632008017W000seqlist

<223> Xaa = D-Cys
 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (3), (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 23
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 24
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (5), (6), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (3), (4)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 24
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

```

<210> 25
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4), (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 25
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 26
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)

```

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 26

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 27

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> DISULFID

<222> (1)..(1)

<223> Cys-Cys disulfide bond to Cys

<220>

<221> VARIANT

<222> (2), (6)

<223> Xaa = D-Ala

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 27

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 28

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

632008017W000seq1ist

```

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bond to Cys

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4), (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 28
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1                               5

<210> 29
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1), (5)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (4), (6)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

```

632008017w000seqlist

```

<400> 29
Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 30
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = bAla

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (3)...(8)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (8)
<223> C-terminal amidation

<400> no
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 31
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = 3-Mercaptopropionic acid

<220>
<221> VARIANT
<222> (2)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)

```

<223> C-terminal amidation

<400> 31

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 32

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa = D-Homocysteine

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)...(7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 32

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 33

<211> aa

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa = D-penicillamine

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)...(7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 33
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 34
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)..(1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys interchain disulfide bond

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 34
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 35
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

632008017W000seqlist

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 35
 Cys Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 36
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 36

Xaa Xaa Arg Xaa Xaa Xaa Xaa
1 5

<210> 37
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bond to Cys

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 37
Xaa Xaa Xaa Arg Xaa Xaa Xaa
1 5

<210> 38
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

632008017w000seq1ist

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 38
 Xaa Xaa Xaa Xaa Arg Xaa Xaa
 1 5

<210> 39
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 39
 Xaa Xaa Xaa Xaa Xaa Ala Xaa
 1 5

<210> 40
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bond to Cys
 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 40
 Xaa Xaa Xaa Xaa Xaa Xaa Arg
 1 5

<210> 41
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

632008017W000seq1ist

<220>
 <221> VARIANT
 <222> (2)...(9)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 41
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 42
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 42
 Xaa Gly Xaa Xaa Xaa Gly Xaa
 1 5

<210> 43
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES

632008017W000seq1ist

<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 43
Xaa Ala Xaa Xaa Xaa Ala Xaa
1 5

<210> 44
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 44
Cys Xaa Arg Xaa Arg Xaa Arg
1 5

<210> 45
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 45
Cys His Asp Ala Pro Ile Gly Tyr Asp
1 5

632008017w000seq1ist

<210> 46
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <400> 46
 Cys Pro Asp Tyr His Asp Ala Gly Ile
 1 5

<210> 47
 <211> 12
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> C-terminal amidation

<400> 47
 Cys Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 48
 <211> 12
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> MOD_RES
 <222> (11)..(11)
 <223> C-terminal amidation

<400> 48
 Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 49
 <211> 8

632008017wo00seq1ist

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (4), (5)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (6), (7), (8)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (8)
<223> C-terminal amidation

<400> 49
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 50
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Tyr

<220>
<221> VARIANT
<222> (3)
<223> Xaa = D-Gly

632008017w000seqlist

```

<220>
<221> VARIANT
<222> (4), (7), (8), (10), (11), (12)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (5), (6)
<223> Xaa = D-Lys

<220>
<221> VARIANT
<222> (9)
<223> Xaa = D-Gln

<220>
<221> MOD_RES
<222> (12)
<223> C-terminal amidation

<400> 50
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5             10

<210> 51
<211> aa
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 51
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5

<210> 52
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

```

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 52
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 53
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bonded to Glutathione

<220>
<221> VARIANT
<222> (2)..(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

```

632008017w000seq1ist

<400> 53
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 54
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bonded to Glutathione

<220>
<221> VARIANT
<222> (2)..(7)
<223> Xaa = D-Arg

<400> 54
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 55
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bonded to acetylated Glutathione

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 55

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 56

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> DISULFID

<222> (1)..(1)

<223> Cys-Cys disulfide bonded to 3-Mercaptopropionic acid

<220>

<221> VARIANT

<222> (2), (6)

<223> Xaa = D-Ala

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 56

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 57

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> synthetic peptide

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bonded to polyethylene glycol

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 57
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1               5

<210> 58
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Cys-Cys disulfide bonded to Polyethylene glycol

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

```

632008017wo00seq1ist

<220>
 <221> VARIANT
 <222> (2)...(7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 58
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 59
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bonded to Polyethylene glycol

<220>
 <221> VARIANT
 <222> (2)...(7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 59
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 60
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT

632008017wo00seq1ist

<222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys disulfide bonded to Cys

 <220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 60
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 61
 <211> 8
 <212> PRT
 <213> Artificial sequence

 <220>
 <223> synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = bAla

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Cys

 <220>
 <221> DISULFID
 <222> (2)..(2)
 <223> Cys-Cys disulfide bonded to Cys

 <220>

632008017W000seq1ist

<221> VARIANT
 <222> (3), (7)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (4), (5), (6), (8)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 61
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 62
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = bAla

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Cys

<220>
 <221> DISULFID
 <222> (2)..(2)
 <223> Cys-Cys disulfide bonded to Cys

<220>
 <221> VARIANT
 <222> (3), (7)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (4), (5), (6), (8)
 <223> Xaa = D-Arg

<400> 62
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 63
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

632008017w000seqlist

```

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<400> 63
Xaa Gly Xaa Xaa Xaa Gly Xaa
1 5

<210> 64
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<400> 64
Xaa Ala Xaa Xaa Xaa Ala Xaa
1 5

<210> 65
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

```

632008017W000seqlist

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Val

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 65
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 66
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Val

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<400> 66
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 67
<211> 7
<212> PRT
<213> Artificial Sequence

632008017w000seqlist

```

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 67
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                      5

<210> 68
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Glu

<220>
<221> MOD_RES
<222> (7)

```

632008017wo00seq1ist

<223> C-terminal amidation

<400> 68
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 69
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Glu

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 69
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 70
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES

632008017w000seq1ist

<222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (7)
 <223> Xaa = D-Lys

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 70
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 71
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Glu

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)

<223> C-terminal amidation

<400> 71
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 72
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3)
<223> Xaa = D-Lys

<220>
<221> VARIANT
<222> (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 72
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 73
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES

<222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Lys

<220>
 <221> VARIANT
 <222> (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 73
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 74
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 74
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

632008017W000seqlist

```

<210> 75
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 75
Cys Ala Arg Arg Arg Ala Arg
 1             5

<210> 76
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (4)...(9)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (9)
<223> C-terminal amidation

<400> 76
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1             5

<210> 77
<211> 10

```

<212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2), (3), (4)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (5)..(10)
 <223> Xaa = D-Arg

 <220>
 <221> MOD_RES
 <222> (10)
 <223> C-terminal amidation

 <400> 77
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 78
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2), (4), (6), (8)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (5), (7), (9)
 <223> Xaa = D-Arg

632008017wo00seq1ist

```

<220>
<221> MOD_RES
<222> (9)
<223> C-terminal amidation

<400> 78
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 79
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6), (8)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7), (9)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (9)
<223> C-terminal amidation

<400> 79
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 80
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (2)...(7)

```

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 80

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 81

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> DISULFID

<222> (1)..(1)

<223> Cys-Cys interchain bond with benzoyl

<220>

<221> VARIANT

<222> (2)...(7)

<223> Xaa = D-Arg

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 81

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 82

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Cys-Cys interchain bond with acetyl

<220>
 <221> VARIANT
 <222> (2)...(7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 82
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 83
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Phe

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 83
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1 5
 <210> 84
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ile

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 84
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 85
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>

632008017w000seq1ist

```

<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Leu

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 85
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 86
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (5)
<223> Xaa = D-Lys

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 86
Xaa Xaa Xaa Xaa Xaa Xaa Xaa

```

1 5
 <210> 87
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> synthetic peptide
 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys
 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation
 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala
 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg
 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Val
 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation
 <400> 87
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5
 <210> 88
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> synthetic peptide
 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys
 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation
 <220>

632008017w000seq1ist

<221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Pro

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 88
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 89
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-His

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 89

632008017wo00seq1ist

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 90
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acerylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Gln

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 90
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 91
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

632008017W000seq1ist

```

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Thr

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 91
Xaa xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 92
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ser

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

```

<400> 92
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 93
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 93
 Xaa Xaa Xaa Xaa Xaa Gly Xaa
 1 5

<210> 94
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Gle

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 94
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 95
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 95
Xaa Gly Xaa Xaa Xaa Xaa Xaa
1 5

<210> 96
<211> 7
<212> PRT
<213> Artificial Sequence

<220>

```

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)

<223> Xaa = D-Ile

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 96

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 97

<211> 7

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)

<223> Xaa = D-Pro

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 97
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 98
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Leu

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 98
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 99
<211> 7
<212> PRT
<213> Artificial Sequence

<220>

```

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)

<223> Xaa = D-Gln

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 99

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 100

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)

<223> Xaa = D-Thr

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

632008017w000seq11st

<223> xaa = D-Arg
<220>
<221> VARIANT
<222> (6)
<223> xaa = D-Ala
<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation
<400> 100
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5
<210> 101
<211> 7
<212> PRT
<213> Artificial sequence
<220>
<223> synthetic peptide
<220>
<221> VARIANT
<222> (1)
<223> xaa = D-Cys
<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation
<220>
<221> VARIANT
<222> (2)
<223> xaa = D-Val
<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> xaa = D-Arg
<220>
<221> VARIANT
<222> (6)
<223> xaa = D-Ala
<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation
<400> 101
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5
<210> 102
<211> 7
<212> PRT
<213> Artificial sequence

```

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ser

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 102
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 103
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-His

<220>
<221> VARIANT
<222> (3), (4), (5), (7)

```

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 103

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 104

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2)

<223> Xaa = D-Phe

<220>

<221> VARIANT

<222> (3), (4), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 104

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 105

<211> 7

<212> PRT

<213> Artificial Sequence

632008017W000seq1ist

```

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 105
Xaa Xaa Xaa Gly Xaa Xaa Xaa
1 5

<210> 106
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Pro

<220>
<221> VARIANT
<222> (6)

```

```

<223> Xaa = D-Ala
<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation
<400> 106
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5
<210> 107
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Synthetic peptide
<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys
<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation
<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg
<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Glu
<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala
<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation
<400> 107
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5
<210> 108
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Synthetic peptide
<220>
<221> VARIANT

```

632008017W000seq1ist

```

<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Thr

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 108
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 109
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-His

<220>
<221> VARIANT
<222> (6)

```

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 109

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 110

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2), (3), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (4)

<223> Xaa = D-Phe

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 110

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 111

<211> 7

<212> PRT

<213> Artificial sequence

<220>

<223> synthetic peptide

<220>

<221> VARIANT

```

<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Ser

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 111
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 112
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Gln

<220>
<221> VARIANT
<222> (6)

```

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 112

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 113

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2), (3), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (4)

<223> Xaa = D-Val

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 113

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 114

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

632008017w000seq1ist

```

<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Leu

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 114
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 115
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Ile

<220>
<221> VARIANT
<222> (6)

```

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 115

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 116

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-terminal acetylation

<220>

<221> VARIANT

<222> (2), (3), (5), (7)

<223> Xaa = D-Arg

<220>

<221> VARIANT

<222> (4)

<223> Xaa = N-methylglycine (sarcosine)

<220>

<221> VARIANT

<222> (6)

<223> Xaa = D-Ala

<220>

<221> MOD_RES

<222> (7)

<223> C-terminal amidation

<400> 116

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 117

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

632008017w000seq11st

<222> (1)
 <223> Xaa = D-Cys
 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation
 <220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala
 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg
 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = N-methylglycine (sarcosine)

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation
 <400> 117
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 118
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = N-methylalanine (Nma)

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES

<222> (7)
 <223> C-terminal amidation

 <400> 118
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 119
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> VARIANT
 <222> (4)
 <223> xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = N-methylalanine (Nma)

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 119
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 120
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>

632008017w000seq1ist

<221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = L-aminoisobutyric acid (Aib)

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 120
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 121
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = N-methylalanine (Nma)

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 121
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 122
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = N-methylalanine (Nma)

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 122
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 123
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

632008017W000seq1ist

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = 2-aminoisobutyric acid (Aib)

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 123
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 124
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = 2-aminoisobutyric acid (Aib)

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 124

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 125
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = N-methylglycine (sarcosine)

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 125
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 126
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

632008017w000seq11st

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = N-methylglycine (sarcosine)

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 126
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 127
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = N-methylalanine (Nma)

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 127
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 128
 <211> 7

632008017w000seq1st

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = N-methylglycine (sarcosine)

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 128
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 129
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

632008017w000seq1ist

```

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = Norleucine (NLeu)

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 129
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1               5

<210> 130
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Norleucine (dNLeu)

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 130
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1               5

<210> 131
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

```

632008017W000seq1ist

```

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Norvaline (dnval)

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 131
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 132
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Norvaline (dnval)

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

```

632008017W000seq1ist

```

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 132
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 133
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Norleucine (dNLeu)

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 133
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 134
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

```

632008017W000seq11st

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2)
 <223> Xaa = D-Norleucine (dNLeu)

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 134
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 135
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Norvaline (dNVal)

632008017W000seq11st

```

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 135
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1                               5

<210> 136
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Norvaline (dNVal)

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 136
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1                               5

<210> 137
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

```

632008017W000seq1ist

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Norvaline (dNVal)

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 137
 Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 138
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Norleucine (dNLeu)

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

```

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 138
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 139
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Bond with D-homocysteine (dHcy)

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 139
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 140
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

```

632008017wo00seq1ist

```

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Bond with 3-mercaptopropionic acid (mpa)

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 140
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                               5

<210> 141
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Bond with acetylated L-cysteine

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5), (7)
<223> Xaa = D-Arg

```

632008017wo00seq1ist

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 141
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 142
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

 <220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

 <220>
 <221> DISULFID
 <222> (1)..(1)
 <223> Bond with D-Cysteine

 <220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

 <220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Arg

 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

 <400> 142
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

 <210> 143
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic peptide

 <220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

632008017w000seqlist

```

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Bond with Polyethylene glycol

<220>
<221> VARIANT
<222> (2)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 143
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 144
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> DISULFID
<222> (1)..(1)
<223> Bond with Polyethylene glycol

<220>
<221> VARIANT
<222> (2)...(7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 144
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

<210> 145

```

632008017W000seq1ist

<211> aa
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<400> 145
Cys Glu Glu Glu Glu Glu Glu
1 5

<210> 146
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2)...(5)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6), (7)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 146
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 147
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES

<222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (4), (5), (7)
 <223> Xaa = D-Lys

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 147
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 148
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (4), (6)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 148
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 149
 <211> 7
 <212> PRT
 <213> Artificial Sequence

632008017w000seq1ist

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Ala

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 149
Xaa Xaa Xaa Xaa Xaa Gly Xaa
1 5

<210> 150
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (3), (5), (7)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (4)
<223> Xaa = D-Ala

<220>
<221> VARIANT

632008017W000seq1ist

<222> (6)
 <223> Xaa = D-Gln
 <220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation
 <400> 150
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 151
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-His

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 151
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 152
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

632008017w000seq1ist

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (3), (5), (7)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (4)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ile

<220>
 <221> MOD_RES
 <222> (7)
 <223> C-terminal amidation

<400> 152
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 153
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<220>
 <221> VARIANT
 <222> (1)
 <223> Xaa = D-Cys

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-terminal acetylation

<220>
 <221> VARIANT
 <222> (2), (5)
 <223> Xaa = D-Ala

<220>
 <221> DISULFID
 <222> (2)..(2)
 <223> Bond with 1,3-diaminopropionic acid (DAP)

632008017W000seq1ist

```

<220>
<221> VARIANT
<222> (3), (4), (6)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (6)
<223> C-terminal amidation

<400> 153
Xaa Xaa Xaa Xaa Xaa Xaa
 1                      5

<210> 154
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-terminal acetylation

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (5)
<223> Xaa = D-Homoarginine

<220>
<221> VARIANT
<222> (7)
<223> Xaa = D-Arg

<220>
<221> MOD_RES
<222> (7)
<223> C-terminal amidation

<400> 154
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1                      5

<210> 155
<211> 7
<212> PRT
<213> Artificial Sequence

<220>

```

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = a thiol-containing amino acid residue

<220>

<221> VARIANT

<222> (2)

<223> Xaa = a non-cationic amino acid residue

<220>

<221> VARIANT

<222> (3), (4), (7)

<223> Xaa = any amino acid residue

<220>

<221> VARIANT

<222> (5)

<223> Xaa = a cationic amino acid residue

<220>

<221> VARIANT

<222> (6)

<223> Xaa = a non-cationic amino acid residue

<400> 155

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 156

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> Xaa = D-Cys

<220>

<221> VARIANT

<222> (2)

<223> Xaa = a non-cationic amino acid residue

<220>

<221> VARIANT

<222> (3), (4), (7)

<223> Xaa = any amino acid residue

<220>

<221> VARIANT

<222> (5)

<223> Xaa = D-Arg, L-Arg, D-Lys or L-Lys

<220>

<221> VARIANT

<222> (6)

<223> Xaa = a non-cationic amino acid residue

632008017W000seqlist

<400> 156
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 157
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (2), (3), (4)
<223> Xaa = any amino acid residue

<220>
<221> VARIANT
<222> (5), (7)
<223> Xaa = any cationic amino acid residue

<220>
<221> VARIANT
<222> (6)
<223> Xaa = a non-cationic amino acid residue

<400> 157
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 158
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = a non-cationic amino acid residue

<220>
<221> VARIANT
<222> (3), (4), (7)
<223> Xaa = any amino acid residue

<220>
<221> VARIANT
<222> (5)

632008017W000seq1ist

<223> Xaa = D-Arg, L-Arg, D-Lys or L-Lys

<400> 158
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 159
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (2)
<223> Xaa = D-Ala

<220>
<221> VARIANT
<222> (3), (4), (7)
<223> Xaa = any cationic amino acid residue

<220>
<221> VARIANT
<222> (5)
<223> Xaa = D-Arg

<220>
<221> VARIANT
<222> (6)
<223> Xaa = D-Ala

<400> 159
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 160
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = D-Cys

<220>
<221> VARIANT
<222> (2), (3), (7)
<223> Xaa = any cationic amino acid residue

<220>
<221> VARIANT

632008017wo00seq1ist

<222> (4)
 <223> Xaa = D-Ala

<220>
 <221> VARIANT
 <222> (5)
 <223> Xaa = D-Arg

<220>
 <221> VARIANT
 <222> (6)
 <223> Xaa = D-Ala

<400> 160
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 162
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<400> 162
 His Asp Ala Pro Ile Gly Tyr Asp
 1 5

<210> 163
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<400> 163
 Cys His Asp Ala Pro Ile Gly Tyr Asp
 1 5

<210> 164
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<400> 164
 Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 165
 <211> 12
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic peptide

<400> 165
 Cys Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 Page 98

1 5 632008017w000seqlist
10

<210> 166
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 166
Cys Ser Phe Asn Ser Tyr Glu Leu Gly Ser Leu
1 5 10

<210> 167
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 167
Cys Pro Asp Tyr His Asp Ala Gly Ile
1 5

<210> 168
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 168
Cys Glu Ala Val Ser Leu Lys Pro Thr
1 5

<210> 169
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 169
Glu Ser Val Ser Leu Lys Pro Thr
1 5

<210> 170
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 170
Cys Arg Phe Ala Arg Lys Gly Ala Leu Arg Gln Lys Asn Val
1 5 10

<210> 171

632008017w000seq1ist

<211> 6
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <400> 171
 Tyr Gly Arg Lys Lys Arg
 1 5

 <210> 172
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <400> 172
 Cys Tyr Gly Arg Lys Lys Arg
 1 5

 <210> 173
 <211> 11
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <400> 173
 Tyr Gly Arg Arg Ala Arg Arg Arg Ala Arg Arg
 1 5 10

 <210> 174
 <211> 12
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <400> 174
 Cys Tyr Gly Arg Arg Ala Arg Arg Arg Ala Arg Arg
 1 5 10

 <210> 175
 <211> 4
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> synthetic peptide

 <400> 175
 Cys Arg Arg Arg
 1

 <210> 176
 <211> 5
 <212> PRT
 <213> Artificial Sequence

632008017w000seqlist

```

<220>
<223> synthetic peptide

<400> 176
Cys Arg Arg Arg Arg
1      5

<210> 177
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 177
Cys Arg Arg Arg Arg Arg Arg Arg
1      5

<210> 178
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 178
Cys Arg Arg Arg Arg Arg Arg Arg Arg
1      5

<210> 179
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 179
Cys Arg Arg Arg Arg Arg Arg Arg Arg Arg
1      5      10

<210> 180
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

<400> 180
Cys Arg Arg Arg Arg Arg Arg Arg Arg Arg Arg
1      5      10

<210> 181
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic peptide

```

632008017w000seq1ist

```

<400> 180
Cys Arg Arg Arg Arg Arg Arg Arg Arg Arg Arg Arg
1          5          10

<210> 182
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<400> 182
Cys Arg Arg Arg Arg Arg Arg Arg Arg Arg Arg Arg
1          5          10

<210> 183
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic peptide

<220>
<221> VARIANT
<222> (1)
<223> Xaa = L-Cys

<220>
<221> VARIANT
<222> (2), (6)
<223> Xaa = a non-cationic amino acid residue

<220>
<221> VARIANT
<222> (3), (4), (7)
<223> Xaa = any amino acid residue

<220>
<221> VARIANT
<222> (5)
<223> Xaa = D-Arg, L-Arg, D-Lys or L-Lys

<400> 183
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1          5

```