
Claims:

1. Use of a pharmaceutical composition comprising (a) at least one EP2 receptor antagonist according to formula (I)



(I)

wherein

R^1: means H, C_1-C_3 alkyl or C_1-C_2 alkyloxy;

R^2: H or methyl;

subject to the proviso that one of the two residues R^1 or R^2 equals H;

X: $-(CH_2)_l-$, $-(CH_2)_k-O-$, $-CH_2-S-$, $CH_2-S(O)_2-$, $-CH(CH_3)-$, $-CH(CH_3)-O-$ or $-C(CH_3)_2-O-$;

k: 1 or 2;

l: 0, 1 or 2;

R^4: H, C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

and in the case that X means $-(CH_2)_l-$ with l meaning 0 or 1 or $-CH(CH_3)-$

R^4: additionally means a 4-6-membered heterocyclyl residue;

and in the case that X means $-(CH_2)_l-$ or $-CH(CH_3)-$

R^4: additionally means CN;

m: 1 or 2;

n: 1 or 2;

Ar: a 6-10-membered aryl or 5-10-membered hetaryl residue,

R^3: halogen, CN, SF_5, C_1-C_4 alkyl, C_3-C_6 cycloalkyl, C_4-C_6 heterocyclyl, O-C_1-C_4 alkyl, O-C_3-C_6 cycloalkyl, O-C_4-C_6 heterocyclyl, S-C_1-C_4 alkyl, $S(O)_2$-C_1-C_4 alkyl, Ar', O-Ar', $C(CH_3)_2$-CN or $C(CH_3)_2$-OH; and

Ar': an optionally singly or doubly substituted 6-membered aryl or 5-6-membered heteroaryl residue;

wherein the substituents are selected from F, Cl, CN, C_1-C_4 alkyl, O-C_1-C_4 alkyl, $C(CH_3)_2$-CN, $C(CH_3)_2$-OH and $C(O)NH_2$;

and comprising (b) at least one COX inhibitor selected from the list below:

C1 indomethacin;

C2 diclofenac;

C4 naproxen;

C5 ibuprofen;

C6 meloxicam;

C7 piroxicam;

C8 nimesulide;

C9 ketoprofen;

C10 tenoxicam;

C11 mefanemic acid;

C12 ketoralac;

C13 celecoxib (4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulphonamide);

C14 parecoxib(N-[4-(5-methyl-3-phenyl-4-isoxazolyl)phenyl]sulphonylpropionamide);


C15 rofecoxib (4-(4-mesylphenyl)-3-phenylfuran-2(5H)-one);

C16 valdecoxib (4-[5-methyl-3-phenyl-4-isoxazoyl)benzenesulphonamide);

C17 etoricoxib

for on-demand contraception.

2. Pharmaceutical composition comprising (a) at least one EP2 receptor antagonist according to formula (Ia)



(Ia)

wherein

R^1, R^2: mean H or methyl;

subject to the proviso that one of the two residues R^1 or R^2 equals H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1 or 2;

l: 0, 1 or 2;

R^4: H, C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m: 1 or 2;

n: 1 or 2;

Ar: a 6-10-membered aryl or 5-10-membered hetaryl residue,

R^3: halogen, CN, SF_5, C_1-C_4 alkyl, C_3-C_6 cycloalkyl, C_4-C_6 heterocyclyl, O-C_1-C_4 alkyl, O-C_3-C_6 cycloalkyl, O-C_4-C_6 heterocyclyl, S-C_1-C_4 alkyl, $S(O)_2$-C_1-C_4 alkyl, Ar', O-Ar', $C(CH_3)_2$-CN or $C(CH_3)_2$-OH; and

Ar': an optionally singly or doubly substituted 6-membered aryl or 5-6-membered heteroaryl residue;

wherein the substituents are selected from F, Cl, CN, C_1-C_4 alkyl, O-C_1-C_4 alkyl, $C(CH_3)_2$-CN, $C(CH_3)_2$-OH and $C(O)NH_2$;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof

and comprising

(b) at least one COX inhibitor selected from the list

C1 indomethacin;

C2 diclofenac;

C4 naproxen;

C5 ibuprofen;

C6 meloxicam;

C7 piroxicam;

C8 nimesulide;

C9 ketoprofen;

C10 tenoxicam;

C11 mefanemic acid;

C12 ketoralac;

C13 celecoxib (4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulphonamide);

C14 parecoxib (N-[4-(5-methyl-3-phenyl-4-isoxazolyl)phenyl]sulphonylpropionamide);

C15 rofecoxib (4-(4-mesylphenyl)-3-phenylfuran-2(5H)-one);

C16 valdecoxib (4-[5-methyl-3-phenyl-4-isoxazoyl)benzenesulphonamide);

C17 etoricoxib

as active compounds and at least one pharmaceutically acceptable carrier.

3. Pharmaceutical composition according to Claim 2, wherein

R^1: means a methyl group;

R^2: H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1;

l: 0 or 1;

R^4: C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m, n: 1; and

Ar: a phenyl residue;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof and R^3 and Ar' have the meanings stated in Claim 2.

4. Pharmaceutical composition according to Claim 3, wherein

R^1: means a methyl group;

R^2: H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1;

l: 0 or 1;

R^4: C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m, n: 2; and

Ar: a phenyl residue;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof and R^3 and Ar' have the meanings stated in Claim 2.

5. Pharmaceutical composition according to Claim 3 or 4, wherein the EP2 receptor antagonist is selected from the following group:

E1 2-{[1-(4-cyano-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E2 2-{[1-(4-tert-butoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E3 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E4 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-morpholinobenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E5 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E6 2-{[1-(2-fluoro-4-mesylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E7 2-{[1-(2-fluoro-4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E8 2-{[1-(4-bromo-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E9 2-{[1-(2-fluoro-4-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E10 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E11 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E12 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E13 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E14 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E15 2-({1-[4-(4-tert-butylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E17 N-(2-methoxyethyl)-2-({1-[4-(4-methoxyphenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E18 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-phenoxybenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E19 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E20 2-{[1-(4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E21 2-{[1-(4-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E22 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E23 2-{[1-(2-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E24 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphonyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E25 N-(2-methoxyethyl)-4-methyl-2-({1-[3-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E26 N-(2-methoxyethyl)-4-methyl-2-{[1-(3-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E27 2-{[1-(3-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E28 2-({1-[4-(4-carbamoylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E29 2-({1-[4-(cyclopentyloxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E30 2-({1-[4-(difluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E31 2-{[1-(4-cyanobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E32 2-({1-[4-(1H-imidazol-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E33 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(oxazol-2-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E34 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(oxazol-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E35 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(isoxazol-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E36 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-pyrazol-1-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E37 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-1,2,4-triazol-1-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E38 2-({1-[4-(difluoromethoxy)-2-fluorobenzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E39 2-({1-[2-fluoro-4-(pyrrolidin-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E40 2-({1-[(3,4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E41 2-({1-[(3-fluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E42 2-({1-[(3-fluoro-4'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E43 2-[(1-{[3-fluoro-3'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E44 2-[(1-{[3-fluoro-2'-(trifluoromethoxy)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E45 2-({1-[(2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E46 2-({1-[(2',4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E47 2-({1-[(2-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E48 N-(2-methoxyethyl)-4-methyl-2-({1-[(2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E49 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-pyridyloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E50 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4H-1,2,4-triazol-4-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E51 2-({1-(2-fluoro-4-(morpholin-4-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E52 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E53 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E54 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E55 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E56 4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E57 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E58 4-methyl-N-(2,2,2-trifluoroethyl)-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E59 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E60 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]-methyl}-2H-indazole-5-carboxamide

E61 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}-methyl)-4-methyl-2H-indazole-5-carboxamide

E62 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E63 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E64 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E65 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E66 4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E67 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E68 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E69 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E70 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E71 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E72 N-(2-isopropoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E73 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E74 N-(2-isopropoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E75 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E76 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E77 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E78 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E79 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E80 4-methyl-N-[2-(trifluoromethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E81 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E82 N-(2-tert-butoxyethyl)-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E83 N-(2-tert-butoxyethyl)-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E84 N-(2-tert-butoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E85 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-{2-[(^{2}H3)methyloxy]-(^{2}H4)ethyl}-2H-indazole-5-carboxamide

E86 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-{2-[(^{2}H3)methyloxy](^{2}H4)ethyl}-2H-indazole-5-carboxamide

E87 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E88 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E89 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E90 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E91 2-{[1-(4-chloro-2-fluorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E92 2-({1-[3-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E93 2-({1-[4-chloro-3-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E94 2-{[1-(4-cyclopropylbenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E95 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E96 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E97 4-methyl-N-(2,2,2-trifluoroethyl)-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}-methyl)-2H-indazole-5-carboxamide

E98 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E99 4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]azetidin-3-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E100 N-[2-(cyclopropyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E101 N-[2-(cyclobutyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E102 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E103 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}-methyl)-4-methyl-2H-indazole-5-carboxamide

E104 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)azetidin-3-yl]-methyl}-2H-indazole-5-carboxamide

E105 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E106 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E107 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E108 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E109 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E110 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E111 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E112 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E113 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]-benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E114 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E115 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoro-ethyl)-2H-indazole-5-carboxamide

E116 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E117 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E118 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E119 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-ethyl-4-methyl-2H-indazole-5-carboxamide

E120 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E121 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E122 4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E123 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E124 4-methyl-2-{[1-(4-morpholinobenzoyl)piperidin-4-yl]methyl}-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E125 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E127 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E128 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E129 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E130 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E131 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E132 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E133 2-[(1-{4-[(5-cyanopyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E134 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E135 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[5-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E136 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E137 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E138 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E139 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E140 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E141 2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E142 4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E143 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E144 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E145 2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E146 2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E147 4-methyl-2-({1-[4-(5-methylpyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E148 2-({1-[4-(5-fluoropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E149 2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E150 4-methyl-2-({1-[4-(2-methylpyrimidin-5-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E151 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E152 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E153 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E154 2-{[1-(4-bromo-3-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E155 2-{[1-(4-tert-butylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E156 2-({1-[4-(1-hydroxy-1-methylethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxy-ethyl)-4-methyl-2H-indazole-5-carboxamide

E157 2-{[1-(4-cyclohexylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E158 2-({1-[4-(1-cyano-1-methylethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E159 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyrimidin-2-yloxy)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E160 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-3-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E162 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-2-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E163 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[4-(trifluoromethyl)pyrimidin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E164 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E165 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E166 2-({1-[(4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E167 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(3,4,5,6-tetrahydro-2H-pyran-4-yloxy)benzoyl]-piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E168 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E169 2-[(1-{4-[(5-cyanopyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E170 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E171 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E172 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E173 N-(2-methoxyethyl)-4-methyl-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E174 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E175 2-{[1-(2-fluoro-4-isopropoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E176 2-({1-[(3-fluoro-3',4'-dimethylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E177 2-({1-[(2',3-difluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E178 2-({1-[4-(difluoromethoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E179 2-({1-[4-(2-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E180 2-({1-[(4'-cyano-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E181 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E182 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E183 N-(2-methoxyethyl)-2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E184 2-({1-[(4'-chloro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E185 2-[(1-{[4'-(2-cyanopropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E186 N-(2-methoxyethyl)-2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E187 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E188 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E189 2-({1-[(4'-fluoro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E190 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E191 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E192 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(2-methylpyrimidin-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E193 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E194 2-({1-[(4'-chloro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E195 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E196 2-({1-[(4'-chloro-2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E197 2-({1-[(2'-chloro-4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E198 2-({1-[4-(5-chloropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E199 2-({1-[4-(5-fluoropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E200 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[5-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E201 2-[(1-{[4'-(2-hydroxypropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E202 2-({1-[(3',5'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxy-ethyl)-4-methyl-2H-indazole-5-carboxamide

E203 2-({1-[(4'-fluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E204 2-({1-[(3',5'-difluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E205 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(3-pyridyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E206 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(4-pyridyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide and

E207 N-(2-methoxyethyl)-4-methyl-2-({1-[(2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

6. Pharmaceutical composition according to Claim 5, where the EP2 receptor antagonist is selected from the list below:

E2 2-{[1-(4-tert-butoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E3 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E5 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E7 2-{[1-(2-fluoro-4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E8 2-{[1-(4-bromo-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E9 2-{[1-(2-fluoro-4-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E10 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E11 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E12 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E13 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E14 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E15 2-({1-[4-(4-tert-butylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E17 N-(2-methoxyethyl)-2-({1-[4-(4-methoxyphenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E18 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-phenoxybenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E19 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E20 2-{[1-(4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E21 2-{[1-(4-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E22 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E24 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphonyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E25 N-(2-methoxyethyl)-4-methyl-2-({1-[3-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E26 N-(2-methoxyethyl)-4-methyl-2-{[1-(3-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E27 2-{[1-(3-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E29 2-({1-[4-(cyclopentyloxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E30 2-({1-[4-(difluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E31 2-{[1-(4-cyanobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E36 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-pyrazol-1-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E38 2-({1-[4-(difluoromethoxy)-2-fluorobenzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E39 2-({1-[2-fluoro-4-(pyrrolidin-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E40 2-({1-[(3,4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E41 2-({1-[(3-fluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E42 2-({1-[(3-fluoro-4'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E43 2-[(1-{[3-fluoro-3'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E44 2-[(1-{[3-fluoro-2'-(trifluoromethoxy)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E45 2-({1-[(2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E46 2-({1-[(2',4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E47 2-({1-[(2-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E48 N-(2-methoxyethyl)-4-methyl-2-({1-[(2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E51 2-({1-[2-fluoro-4-(morpholin-4-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E52 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E53 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E54 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E55 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E59 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E60 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E61 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E62 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E63 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E64 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E65 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E66 4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E67 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E68 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E69 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E70 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E71 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E72 N-(2-isopropoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E73 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E74 N-(2-isopropoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E75 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E76 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E77 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E78 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E79 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E80 4-methyl-N-[2-(trifluoromethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E81 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E82 N-(2-tert-butoxyethyl)-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E83 N-(2-tert-butoxyethyl)-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E84 N-(2-tert-butoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E85 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-{2-[(2H3)methyloxy](2H4)ethyl}-2H-indazole-5-carboxamide

E86 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-{2-[(2H3)methyloxy](2H4)ethyl}-2H-indazole-5-carboxamide

E87 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E88 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E89 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E90 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E91 2-{[1-(4-chloro-2-fluorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E92 2-({1-[3-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E93 2-({1-[4-chloro-3-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E94 2-{[1-(4-cyclopropylbenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E95 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E100 N-[2-(cyclopropyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E101 N-[2-(cyclobutyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E102 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E103 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E104 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E105 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E107 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E108 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E109 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E112 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E113 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E114 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E115 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E116 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E117 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E125 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E127 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E128 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E131 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E132 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E137 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E138 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E141 2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E143 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E153 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E154 2-{[1-(4-bromo-3-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E155 2-{[1-(4-tert-butylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E157 2-{[1-(4-cyclohexylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E160 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-3-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E162 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-2-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E163 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[4-(trifluoromethyl)pyrimidin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E164 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E165 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluormethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E166 2-({1-[(4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E168 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E170 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E171 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E172 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E173 N-(2-methoxyethyl)-4-methyl-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E174 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E175 2-{[1-(2-fluoro-4-isopropoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E176 2-({1-[(3-fluoro-3',4'-dimethylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E177 2-({1-[(2',3-difluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E178 2-({1-[4-(difluoromethoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E179 2-({1-[4-(2-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E180 2-({1-[(4'-cyano-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E181 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E182 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E183 N-(2-methoxyethyl)-2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E184 2-({1-[(4'-chloro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E185 2-[(1-{[4'-(2-cyanopropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E186 N-(2-methoxyethyl)-2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E187 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E188 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E189 2-({1-[(4'-fluoro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E190 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E191 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E193 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E194 2-({1-[(4'-chloro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E195 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E196 2-({1-[(4'-chloro-2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E197 2-({1-[(2'-chloro-4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E198 2-({1-[4-(5-chloropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E199 2-({1-[4-(5-fluoropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E200 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[5-(trifluoromethyl)pyridin-3-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E201 2-[(1-{[4'-(2-hydroxypropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E202 2-({1-[(3',5'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E203 2-({1-[(4'-fluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E204 2-({1-[(3',5'-difluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E205 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(3-pyridyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E206 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(4-pyridyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E207 N-(2-methoxyethyl)-4-methyl-2-({1-[(2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

7. Pharmaceutical composition according to Claim 6, where the EP2 receptor antagonist is selected from the list below:

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

8. Pharmaceutical composition according to any of Claims 2 - 7, characterized in that it comprises the COX inhibitor in the following ranges:

C1	indomethacin:	19 – 800 mg/day;
C2	diclofenac:	37.5 – 800 mg/day;
C4	naproxen:	125 – 4000 mg/day;
C5	ibuprofen:	200 – 4800 mg/day;
C6	meloxicam:	2 – 60 mg/day;
C7	piroxicam:	5 – 80 mg/day;
C8	nimesulide:	25 – 800 mg/day;
C9	ketoprofen:	25 – 1200 mg/day;
C10	tenoxicam:	10 – 160 mg/day;
C11	mefanemic acid:	125 – 2000 mg/day;
C12	ketoralac:	2.5 – 160 mg/day;
C13	celecoxib:	25 – 800 mg/day;
C14	parecoxib	12.5 – 200 mg/day;

C15 rofecoxib: 6 – 200 mg/day;

C16 valdecoxib: 10 – 160 mg/day;

C17 etoricoxib: 15 – 360 mg/day.

9. Pharmaceutical composition according to any of Claims 2 – 7, where the COX inhibitor is

C1 indomethacin;

C2 diclofenac;

C4 naproxen;

C5 ibuprofen;

C6 meloxicam;

C7 piroxicam;

C8 nimesulide.

10. Pharmaceutical composition according to Claim 9, where the COX inhibitor is:

C1 indomethacin;

C2 diclofenac;

C6 meloxicam;

C7 piroxicam.

11. Use of the pharmaceutical composition according to one of Claims 2-10 for the production of a drug containing suitable formulation and carrier substances.

12. Use of the pharmaceutical composition according to one of Claims 2-10 and the drugs according to Claim 11 for fertility control/contraception.

13. Use of the pharmaceutical composition according to one of Claims 2-10 and the drugs according to Claim 11 for emergency contraception.

14. Use according to Claim 1 or 13, where the pharmaceutical composition is administered in a single administration dose in a period of up to 24 hours, preferably 6 - 12 hours, before expected sexual intercourse or up to 2 hours after sexual intercourse.

15. Method for on-demand contraception, characterized in that the pharmaceutical composition according to any of Claims 2 - 10 is administered on demand and once in a period of 0 - 24, preferably 6 - 12, hours prior to expected sexual intercourse or up to 2 hours after sexual intercourse.

16. Method for on-demand contraception, characterized in that initially a first pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 24 hours, preferably 6 - 12 hours, prior to expected sexual intercourse, and a second pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 48 hours after sexual intercourse, where the preparations taken before and after intercourse are identical.

17. Method for on-demand contraception, characterized in that initially a first pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 24 hours, preferably 6 - 12 hours, prior to expected sexual intercourse, and a second pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 48 hours after sexual intercourse, where the preparations taken before and after intercourse are not identical.

18. Administration protocol for on-demand contraception, characterized in that a pharmaceutical composition according to any of Claims 2 – 10 is taken in a period of up to 24 hours, preferably 6 – 12 hours, prior to expected sexual intercourse and a further pharmaceutical composition according to any of Claims 2 – 10 is taken in a period of up to 48 hours after sexual intercourse.

19. Kit for providing an administration protocol according to Claim 18 or for carrying out a method according to either of Claims 16 - 17 for on-demand contraception, comprising in each case at least one tablet comprising a pharmaceutical composition according to any of Claims 2 - 10, for administration before, and at least one tablet comprising a pharmaceutical composition according to any of Claims 2 - 10, for administration after expected sexual intercourse.

20. Use of the pharmaceutical composition according to one of Claims 2-10, in the form of a pharmaceutical preparation for oral, pulmonary, nasal, dermal or transdermal administration.


21. Use of a pharmaceutical composition according to Claim 1, wherein

in the case that X means $-(CH_2)_l-$ with l meaning 0

R^4: is additionally a 4-6-membered heterocyclyl radical linked via a ring carbon atom.

Claims:

1. Use of a pharmaceutical composition comprising (a) at least one EP2 receptor antagonist according to formula (I)



(I)

wherein

R^1: means H, C_1-C_2 alkyl or C_1-C_2 alkyloxy;

R^2: H or methyl;

subject to the proviso that one of the two residues R^1 or R^2 equals H;

X: $-(CH_2)_l-$, $-(CH_2)_k-O-$, $-CH_2-S-$, $CH_2-S(O)_2-$, $-CH(CH_3)-$, $-CH(CH_3)-O-$ or $-C(CH_3)_2-O-$;

k: 1 or 2;

l: 0, 1 or 2;

R^4: H, C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

and in the case that X means $-(CH_2)_l-$ with l meaning 0 or 1 or $-CH(CH_3)-$

R^4: additionally means a 4-6-membered heterocyclyl residue;

and in the case that X means $-(CH_2)_l-$ or $-CH(CH_3)-$

R^4: additionally means CN;

m: 1 or 2;

n: 1 or 2;

Ar: a 6-10-membered aryl or 5-10-membered hetaryl residue,

R^3: halogen, CN, SF_5, C_1-C_4 alkyl, C_3-C_6 cycloalkyl, C_4-C_6 heterocyclyl, O-C_1-C_4 alkyl, O-C_3-C_6 cycloalkyl, O-C_4-C_6 heterocyclyl, S-C_1-C_4 alkyl, $S(O)_2$-C_1-C_4 alkyl, Ar′, O-Ar′, $C(CH_3)_2$-CN or $C(CH_3)_2$-OH; and

Ar′: an optionally singly or doubly substituted 6-membered aryl or 5-6-membered heteroaryl residue;

wherein the substituents are selected from F, Cl, CN, C_1-C_4 alkyl, O-C_1-C_4 alkyl, $C(CH_3)_2$-CN, $C(CH_3)_2$-OH and $C(O)NH_2$;

and comprising (b) at least one COX inhibitor selected from the list below:

C1 indomethacin;


C2 diclofenac;

C6 meloxicam;

C7 piroxicam;

for on-demand contraception.

2. Pharmaceutical composition comprising (a) at least one EP2 receptor antagonist according to formula (Ia)



(Ia)

wherein

R^1, R^2: mean H or methyl;

subject to the proviso that one of the two residues R^1 or R^2 equals H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1 or 2;

l: 0, 1 or 2;

R^4: H, C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m: 1 or 2;

n: 1 or 2;

Ar: a 6-10-membered aryl or 5-10-membered hetaryl residue,

R^3: halogen, CN, SF_5, C_1-C_4 alkyl, C_3-C_6 cycloalkyl, C_4-C_6 heterocyclyl, O-C_1-C_4 alkyl, O-C_3-C_6 cycloalkyl, O-C_4-C_6 heterocyclyl, S-C_1-C_4 alkyl, $S(O)_2$-C_1-C_4 alkyl, Ar′, O-Ar′, $C(CH_3)_2$-CN or $C(CH_3)_2$-OH; and

Ar′: an optionally singly or doubly substituted 6-membered aryl or 5-6-membered heteroaryl residue;

wherein the substituents are selected from F, Cl, CN, C_1-C_4 alkyl, O-C_1-C_4 alkyl, $C(CH_3)_2$-CN, $C(CH_3)_2$-OH and $C(O)NH_2$;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof

and comprising

(b) at least one COX inhibitor selected from the list

C1 indomethacin;

C2 diclofenac;

C6 meloxicam;

C7 piroxicam;

as active compounds and at least one pharmaceutically acceptable carrier.

3. Pharmaceutical composition according to Claim 2, wherein

R^1: means a methyl group;

R^2: H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1;

l: 0 or 1;

R^4: C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m, n: 1; and

Ar: a phenyl residue;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof and R^3 and Ar′ have the meanings stated in Claim 2.

4. Pharmaceutical composition according to Claim 2, wherein

R^1: means a methyl group;

R^2: H;

X: $-(CH_2)_l-$ or $-(CH_2)_k-O-$;

k: 1;

l: 0 or 1;

R^4: C_1-C_4 alkyl, C_3-C_4 cycloalkyl or CH_2-C_3-C_4 cycloalkyl;

m, n: 2; and

Ar: a phenyl residue;

and isomers, diastereomers, enantiomers and salts or cyclodextrin clathrates thereof and R^3 and Ar′ have the meanings stated in Claim 2.

5. Pharmaceutical composition according to Claim 3 or 4, wherein the EP2 receptor antagonist is selected from the following group:

E1 2-{[1-(4-cyano-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E2 2-{[1-(4-tert-butoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E3 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E4 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-morpholinobenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E5 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E6 2-{[1-(2-fluoro-4-mesylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E7 2-{[1-(2-fluoro-4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E8 2-{[1-(4-bromo-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E9 2-{[1-(2-fluoro-4-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E10 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E11 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E12 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E13 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E14 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E15 2-({1-[4-(4-tert-butylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E17 N-(2-methoxyethyl)-2-({1-[4-(4-methoxyphenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E18 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-phenoxybenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E19 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E20 2-{[1-(4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E21 2-{[1-(4-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E22 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E23 2-{[1-(2-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E24 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphonyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E25 N-(2-methoxyethyl)-4-methyl-2-({1-[3-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E26 N-(2-methoxyethyl)-4-methyl-2-{[1-(3-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E27 2-{[1-(3-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E28 2-({1-[4-(4-carbamoylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E29 2-({1-[4-(cyclopentyloxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E30 2-({1-[4-(difluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E31 2-{[1-(4-cyanobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E32 2-({1-[4-(1H-imidazol-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E33 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(oxazol-2-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E34 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(oxazol-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E35 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(isoxazol-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E36 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-pyrazol-1-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E37 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-1,2,4-triazol-1-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E38 2-({1-[4-(difluoromethoxy)-2-fluorobenzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E39 2-({1-[2-fluoro-4-(pyrrolidin-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E40 2-({1-[(3,4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E41 2-({1-[(3-fluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E42 2-({1-[(3-fluoro-4'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E43 2-[(1-{[3-fluoro-3'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E44 2-[(1-{[3-fluoro-2'-(trifluoromethoxy)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E45 2-({1-[(2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E46 2-({1-[(2',4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E47 2-({1-[(2-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E48 N-(2-methoxyethyl)-4-methyl-2-({1-[(2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E49 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-pyridyloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E50 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4H-1,2,4-triazol-4-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E51 2-({1-(2-fluoro-4-(morpholin-4-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E52 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E53 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E54 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E55 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E56 4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E57 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E58 4-methyl-N-(2,2,2-trifluoroethyl)-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E59 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E60 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]-methyl}-2H-indazole-5-carboxamide

E61 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}-methyl)-4-methyl-2H-indazole-5-carboxamide

E62 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E63 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E64 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E65 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E66 4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E67 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E68 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E69 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E70 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoro-ethoxy)ethyl]-2H-indazole-5-carboxamide

E71 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E72 N-(2-isopropoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E73 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E74 N-(2-isopropoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E75 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E76 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E77 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E78 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoro-methoxy)ethyl]-2H-indazole-5-carboxamide

E79 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoro-methoxy)ethyl]-2H-indazole-5-carboxamide

E80 4-methyl-N-[2-(trifluoromethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E81 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E82 N-(2-tert-butoxyethyl)-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E83 N-(2-tert-butoxyethyl)-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E84 N-(2-tert-butoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E85 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-{2-[(^{2}H3)methyloxy]-(^{2}H4)ethyl}-2H-indazole-5-carboxamide

E86 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-{2-[(^{2}H3)methyloxy](^{2}H4)ethyl}-2H-indazole-5-carboxamide

E87 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E88 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E89 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E90 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E91 2-{[1-(4-chloro-2-fluorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E92 2-({1-[3-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E93 2-({1-[4-chloro-3-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E94 2-{[1-(4-cyclopropylbenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E95 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E96 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E97 4-methyl-N-(2,2,2-trifluoroethyl)-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}-methyl)-2H-indazole-5-carboxamide

E98 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E99 4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]azetidin-3-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E100 N-[2-(cyclopropyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E101 N-[2-(cyclobutyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E102 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E103 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}-methyl)-4-methyl-2H-indazole-5-carboxamide

E104 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)azetidin-3-yl]-methyl}-2H-indazole-5-carboxamide

E105 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E106 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E107 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E108 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E109 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E110 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E111 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E112 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)-ethyl]-2H-indazole-5-carboxamide

E113 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]-benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E114 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E115 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoro-ethyl)-2H-indazole-5-carboxamide

E116 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E117 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E118 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E119 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-ethyl-4-methyl-2H-indazole-5-carboxamide

E120 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E121 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E122 4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E123 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E124 4-methyl-2-{[1-(4-morpholinobenzoyl)piperidin-4-yl]methyl}-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E125 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E127 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E128 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E129 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E130 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E131 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E132 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E133 2-[(1-{4-[(5-cyanopyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E134 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E135 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[5-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E136 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E137 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E138 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E139 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E140 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E141 2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E142 4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E143 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E144 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E145 2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E146 2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E147 4-methyl-2-({1-[4-(5-methylpyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E148 2-({1-[4-(5-fluoropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E149 2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E150 4-methyl-2-({1-[4-(2-methylpyrimidin-5-yl)benzoyl]piperidin-4-yl}methyl)-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E151 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E152 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E153 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E154 2-{[1-(4-bromo-3-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E155 2-{[1-(4-tert-butylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E156 2-({1-[4-(1-hydroxy-1-methylethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxy-ethyl)-4-methyl-2H-indazole-5-carboxamide

E157 2-{[1-(4-cyclohexylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E158 2-({1-[4-(1-cyano-1-methylethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E159 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyrimidin-2-yloxy)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E160 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-3-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E162 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-2-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E163 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[4-(trifluoromethyl)pyrimidin-2-yl]oxy}-benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E164 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E165 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)-piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E166 2-({1-[(4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E167 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(3,4,5,6-tetrahydro-2H-pyran-4-yloxy)benzoyl]-piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E168 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E169 2-[(1-{4-[(5-cyanopyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E170 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E171 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E172 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E173 N-(2-methoxyethyl)-4-methyl-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E174 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E175 2-{[1-(2-fluoro-4-isopropoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E176 2-({1-[(3-fluoro-3',4'-dimethylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E177 2-({1-[(2',3-difluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E178 2-({1-[4-(difluoromethoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E179 2-({1-[4-(2-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E180 2-({1-[(4'-cyano-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E181 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E182 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E183 N-(2-methoxyethyl)-2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E184 2-({1-[(4'-chloro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E185 2-[(1-{[4'-(2-cyanopropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E186 N-(2-methoxyethyl)-2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E187 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E188 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E189 2-({1-[(4'-fluoro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E190 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E191 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E192 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(2-methylpyrimidin-5-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E193 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E194 2-({1-[(4'-chloro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E195 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E196 2-({1-[(4'-chloro-2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E197 2-({1-[(2'-chloro-4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E198 2-({1-[4-(5-chloropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E199 2-({1-[4-(5-fluoropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E200 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[5-(trifluoromethyl)pyridin-3-yl]benzoyl}-piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E201 2-[(1-{[4'-(2-hydroxypropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E202 2-({1-[(3',5'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxy-ethyl)-4-methyl-2H-indazole-5-carboxamide

E203 2-({1-[(4'-fluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E204 2-({1-[(3',5'-difluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E205 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(3-pyridyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

E206 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(4-pyridyl)benzoyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide and

E207 N-(2-methoxyethyl)-4-methyl-2-({1-[(2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}-methyl)-2H-indazole-5-carboxamide

6. Pharmaceutical composition according to Claim 5, where the EP2 receptor antagonist is selected from the list below:

E2 2-{[1-(4-tert-butoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E3 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E5 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E7 2-{[1-(2-fluoro-4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E8 2-{[1-(4-bromo-2-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E9 2-{[1-(2-fluoro-4-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E10 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E11 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pentafluoro-λ^6-sulphanyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E12 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E13 2-({1-[4-(4-chlorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E14 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(4-methylphenoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E15 2-({1-[4-(4-tert-butylphenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E17 N-(2-methoxyethyl)-2-({1-[4-(4-methoxyphenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E18 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-phenoxybenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E19 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E20 2-{[1-(4-methoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E21 2-{[1-(4-fluorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E22 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E24 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphonyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E25 N-(2-methoxyethyl)-4-methyl-2-({1-[3-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E26 N-(2-methoxyethyl)-4-methyl-2-{[1-(3-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E27 2-{[1-(3-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E29 2-({1-[4-(cyclopentyloxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E30 2-({1-[4-(difluoromethyl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E31 2-{[1-(4-cyanobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E36 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(1H-pyrazol-1-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E38 2-({1-[4-(difluoromethoxy)-2-fluorobenzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E39 2-({1-[2-fluoro-4-(pyrrolidin-1-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E40 2-({1-[(3,4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E41 2-({1-[(3-fluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E42 2-({1-[(3-fluoro-4'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E43 2-[(1-{[3-fluoro-3'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E44 2-[(1-{[3-fluoro-2'-(trifluoromethoxy)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E45 2-({1-[(2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E46 2-({1-[(2',4'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E47 2-({1-[(2-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E48 N-(2-methoxyethyl)-4-methyl-2-({1-[(2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E51 2-({1-[2-fluoro-4-(morpholin-4-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E52 2-{[1-(4-bromobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E53 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E54 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E55 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E59 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E60 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E61 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E62 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E63 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E64 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E65 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E66 4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E67 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E68 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E69 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E70 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E71 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E72 N-(2-isopropoxyethyl)-4-methyl-2-{[1-(4-methylbenzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E73 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E74 N-(2-isopropoxyethyl)-4-methyl-2-({1-[4-(trifluoromethyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E75 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E76 2-{[1-(4-cyclopropylbenzoyl)piperidin-4-yl]methyl}-N-(2-isopropoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E77 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E78 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E79 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E80 4-methyl-N-[2-(trifluoromethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E81 N-(2-tert-butoxyethyl)-2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-2H-indazole-5-carboxamide

E82 N-(2-tert-butoxyethyl)-2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E83 N-(2-tert-butoxyethyl)-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E84 N-(2-tert-butoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E85 2-{[1-(4-chlorobenzoyl)piperidin-4-yl]methyl}-4-methyl-N-{2-[(2H3)methyloxy](2H4)ethyl}-2H-indazole-5-carboxamide

E86 2-({1-[4-(4-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-{2-[(2H3)methyloxy](2H4)ethyl}-2H-indazole-5-carboxamide

E87 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E88 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E89 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E90 2-({1-[2-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E91 2-{[1-(4-chloro-2-fluorobenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E92 2-({1-[3-fluoro-4-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E93 2-({1-[4-chloro-3-(trifluoromethyl)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E94 2-{[1-(4-cyclopropylbenzoyl)azetidin-3-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E95 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E100 N-[2-(cyclopropyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E101 N-[2-(cyclobutyloxy)ethyl]-4-methyl-2-({1-[4-(trifluoromethoxy)benzoyl]azetidin-3-yl}methyl)-2H-indazole-5-carboxamide

E102 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2H-indazole-5-carboxamide

E103 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E104 N-[2-(cyclopropylmethoxy)ethyl]-4-methyl-2-{[1-(4-methylbenzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E105 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(trifluoromethoxy)ethyl]-2H-indazole-5-carboxamide

E107 N-[2-(cyclopropylmethoxy)ethyl]-2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E108 2-({1-[(4'-fluorobiphenyl-4-yl)carbonyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E109 2-({1-[4-(4-fluorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E112 2-{[1-(4-chlorobenzoyl)azetidin-3-yl]methyl}-4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2H-indazole-5-carboxamide

E113 4-methyl-N-[2-(2,2,2-trifluoroethoxy)ethyl]-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E114 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}azetidin-3-yl)methyl]-2H-indazole-5-carboxamide

E115 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E116 2-({1-[4-(4-chlorophenoxy)benzoyl]azetidin-3-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E117 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)azetidin-3-yl]methyl}-2H-indazole-5-carboxamide

E125 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[(trifluoromethyl)sulphanyl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E127 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E128 4-methyl-N-(2,2,2-trifluoroethyl)-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E131 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E132 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E137 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E138 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E141 2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E143 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-N-(2,2,2-trifluoroethyl)-2H-indazole-5-carboxamide

E153 2-({1-[4-(4-cyanophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E154 2-{[1-(4-bromo-3-methylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E155 2-{[1-(4-tert-butylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E157 2-{[1-(4-cyclohexylbenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E160 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-3-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E162 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(pyridin-2-yloxy)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E163 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[4-(trifluoromethyl)pyrimidin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E164 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluoromethyl)pyridin-3-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E165 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[6-(trifluormethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

E166 2-({1-[(4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E168 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[3-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E170 2-[(1-{4-[(5-chloropyridin-2-yl)oxy]benzoyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E171 2-({1-[4-(2,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E172 2-({1-[4-(3,4-difluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E173 N-(2-methoxyethyl)-4-methyl-2-[(1-{[4'-(trifluoromethyl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E174 2-({1-[4-(3-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E175 2-{[1-(2-fluoro-4-isopropoxybenzoyl)piperidin-4-yl]methyl}-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E176 2-({1-[(3-fluoro-3',4'-dimethylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E177 2-({1-[(2',3-difluoro-4'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E178 2-({1-[4-(difluoromethoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E179 2-({1-[4-(2-fluorophenoxy)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E180 2-({1-[(4'-cyano-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E181 2-({1-[4-(5-chloropyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E182 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-2-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E183 N-(2-methoxyethyl)-2-({1-[(4'-methoxy-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E184 2-({1-[(4'-chloro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E185 2-[(1-{[4'-(2-cyanopropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E186 N-(2-methoxyethyl)-2-({1-[4-(5-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E187 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[6-(trifluoromethyl)pyridin-3-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E188 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E189 2-({1-[(4'-fluoro-2'-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E190 N-(2-methoxyethyl)-4-methyl-2-({1-[4-(6-methylpyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E191 N-(2-methoxyethyl)-2-({1-[4-(6-methoxypyridin-2-yl)benzoyl]piperidin-4-yl}methyl)-4-methyl-2H-indazole-5-carboxamide

E193 2-({1-[(4'-fluoro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E194 2-({1-[(4'-chloro-2'-methoxybiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E195 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[2-(trifluoromethyl)pyrimidin-5-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E196 2-({1-[(4'-chloro-2'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E197 2-({1-[(2'-chloro-4'-fluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E198 2-({1-[4-(5-chloropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E199 2-({1-[4-(5-fluoropyridin-3-yl)benzoyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E200 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[5-(trifluoromethyl)pyridin-3-yl]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E201 2-[(1-{[4'-(2-hydroxypropan-2-yl)biphenyl-4-yl]carbonyl}piperidin-4-yl)methyl]-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E202 2-({1-[(3',5'-difluorobiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E203 2-({1-[(4'-fluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E204 2-({1-[(3',5'-difluoro-2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-N-(2-methoxyethyl)-4-methyl-2H-indazole-5-carboxamide

E205 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(3-pyridyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E206 N-(2-methoxyethyl)-4-methyl-2-({1-[3-methyl-4-(4-pyridyl)benzoyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

E207 N-(2-methoxyethyl)-4-methyl-2-({1-[(2-methylbiphenyl-4-yl)carbonyl]piperidin-4-yl}methyl)-2H-indazole-5-carboxamide

7. Pharmaceutical composition according to Claim 6, where the EP2 receptor antagonist is selected from the list below:

E16 N-(2-methoxyethyl)-4-methyl-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E126 4-methyl-N-(2,2,2-trifluoroethyl)-2-[(1-{4-[4-(trifluoromethyl)phenoxy]benzoyl}piperidin-4-yl)methyl]-2H-indazole-5-carboxamide

E161 N-(2-methoxyethyl)-4-methyl-2-{[1-(4-{[5-(trifluoromethyl)pyridin-2-yl]oxy}benzoyl)piperidin-4-yl]methyl}-2H-indazole-5-carboxamide

8. Pharmaceutical composition according to any of Claims 2 - 7, characterized in that it comprises the COX inhibitor in the following ranges:

C1	indomethacin:	19 – 800 mg/day;
C2	diclofenac:	37.5 – 800 mg/day;
C6	meloxicam:	2 – 60 mg/day;
C7	piroxicam:	5 – 80 mg/day.

9. Use of the pharmaceutical composition according to one of Claims 2-8 for the production of a drug containing suitable formulation and carrier substances.

10. Use of the pharmaceutical composition according to one of Claims 2-8 and the drugs according to Claim 9 for fertility control/contraception.

11. Use of the pharmaceutical composition according to one of Claims 2-8 and the drugs according to Claim 9 for contraception on demand.

12. Use according to Claim 1 or 11, wherein the pharmaceutical composition is administered in a single administration dose in a period of up to 24 hours, preferably 6 - 12 hours, before expected sexual intercourse or up to 2 hours after sexual intercourse.

13. Use according to Claim 1 or 11, wherein initially a first pharmaceutical composition according to any of Claims 2 - 8 is taken in a period of up to 24 hours, preferably 6 - 12 hours, prior to expected sexual intercourse, and a second pharmaceutical composition according to any of Claims 2 - 8 is taken in a period of up to 48 hours after sexual intercourse, where the preparations taken before and after intercourse are identical.

14. Use according to Claim 1 or 11, wherein initially a first pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 24 hours, preferably 6 - 12 hours, prior to expected sexual intercourse, and a second pharmaceutical composition according to any of Claims 2 - 10 is taken in a period of up to 48 hours after sexual intercourse, where the preparations taken before and after intercourse are not identical.

15. Kit for providing a use according to Claim 13 or 14 , comprising in each case at least one tablet comprising a pharmaceutical composition according to any of Claims 2 - 8, for administration before, and at least one tablet comprising a pharmaceutical composition according to any of Claims 2 - 8, for administration after expected sexual intercourse.

16. Use of the pharmaceutical composition according to one of Claims 2-10, in the form of a pharmaceutical preparation for oral, pulmonary, nasal, dermal or transdermal administration.

17. Use of a pharmaceutical composition according to Claim 1, wherein

in the case that X means $-(CH_2)_l-$ with l meaning 0

R^4: is additionally a 4-6-membered heterocyclyl radical linked via a ring carbon atom.