

DESCRIPTION

[Title of Invention] RECORDING MEDIUM, DATA
ACQUISITION METHOD, AND DATA ACQUISITION APPARATUS
[Technical Field]

5 [0001] The present invention relates to a data
acquisition program, a data acquisition method, and a data
acquisition apparatus.

[Background Art]

10 [0002] Crawler tools have been known as tools for
collecting information published on the Internet. A
crawler tool goes round Web pages on the Internet, and
stores contents thereof in uniform resource locator (URL)
units, that is, in page units. Further, it has been
proposed to detect presence or absence of update of a part
15 by: analyzing contents of Web pages and the like;
identifying a location specified by a user; and when a new
content is received, extracting a corresponding specified
location from the new content and comparing the
corresponding specified location with the original data.

20 [0003] Further, it has been proposed to generate a page
part including a content of a specified portion that is
able to be independent, which is a portion that is able to
be processed independently of a Web page, that is, a Web
page, when tag information of the part that is able to be
25 independent is extracted and the portion that is able to be
independent is specified by a user. Furthermore, it has
been proposed to generate a new Web page, based on the
generated page part.

[Citation List]

30 [Non Patent Citation]

[0004] Patent Document 1: Japanese Laid-open Patent
Publication No. 2001-202283

Patent Document 2: Japanese Laid-open Patent

Publication No. 2001-109742

[Summary of Invention]

[Technical Problem]

[0005] However, in a case where specific information is
5 collected from various Web pages on the Internet, for
example, if a received content or a Web page based on a
generated page part is referred to, other information that
is not aimed to be collected may be included. Therefore,
it is difficult to collect only the specific information
10 and output highly versatile data.

[0006] According to one aspect of the present invention,
a data acquisition program, a data acquisition method, and
a data acquisition apparatus, which enable data of a
targeted part to be extracted and output even if specific
15 tag information is not available, are provided.

[Solution to Problem]

[0007] In one aspect, a computer-readable recording
medium stores a data acquisition program that causes a
computer to execute a process of identifying a position of
20 a part to be extracted in a document that is associated
with a specific URL and includes structural information of
tags, the position being on a hierarchical structure of the
tags included in the document, and allowing the position on
the hierarchical structure to be registered. The computer-
25 readable recording medium stores the data acquisition
program that causes the computer to execute a process of
accessing periodically or non-periodically the document
associated with the specific URL, and extracting and
outputting data corresponding to the registered position on
30 the hierarchical structure of the tags.

[Advantageous Effects of Invention]

[0008] Data of a targeted part are able to be extracted
and output even if specific tag information is not
available.

35 [Brief Description of Drawings]

CLAIMS

1. A computer-readable recording medium storing a data acquisition program that causes a computer to execute a process comprising:

5 identifying a position of a part to be extracted in a document that is associated with a specific URL and includes structural information of tags, the position being on a hierarchical structure of the tags included in the document, and allowing the position on the hierarchical
10 structure to be registered; and
accessing periodically or non-periodically the document associated with the specific URL, and extracting and outputting data corresponding to the registered position on the hierarchical structure of the tags.

15

2. The computer-readable recording medium according to claim 1, wherein the position of the part to be extracted is further identified by use of a combination of: a name of a tag or an ordering sequence number of the tag in the
20 document; and a hierarchical structure of tags.

3. The computer-readable recording medium according to claim 1, wherein when data corresponding to a position on the hierarchical structure of the tags, the data having
25 been extracted and registered in the past, are different from data corresponding to the position on the hierarchical structure of the tags, the data having been extracted and registered this time, information indicating that the data have changed is output.

30

4. The computer-readable recording medium according to claim 1, wherein when a plurality of positions of the part to be extracted have been registered for the document, output according to the number or rate of data matching
35 past data,

in data corresponding to the plurality of positions is performed.

5 5. The computer-readable recording medium according to claim 1, wherein

the document described in HTML format or a source of the document is displayed;

10 selection of a part to be extracted that is included in the displayed document or the displayed source of the document is received;

a hierarchy of a tag corresponding to the received part to be extracted is identified; and

the identified hierarchy is registered as information identifying a position of the part to be extracted.

15

6. A data acquisition method, in which a computer executes a process comprising:

identifying a position of a part to be extracted in a document that is associated with a specific URL and

20 includes structural information of tags, the position being on a hierarchical structure of the tags included in the document, and allowing the position on the hierarchical structure to be registered; and

25 accessing periodically or non-periodically the document associated with the specific URL, and extracting and outputting data corresponding to the registered position on the hierarchical structure of the tags.

7. The data acquisition method according to claim 6,
30 wherein the position of the part to be extracted is identified by use of a combination of: a name of a tag or an ordering sequence number of the tag in the document; and a hierarchical structure of tags.

35