

FIG. 1




FIG. 2

WHITE CONTROL CONDITION				ACCOMPANYING WHITE CONDITION
DEVICE ID	CONTROL ITEM	WHITE CONTROL CONDITION	OPERATING TIME ZONE	
00xx	TEMPERATURE	20 TO 30 DEGREES	8:00 TO 24:00	
00xx	DEVICE OPERATION SEQUENCE	A→B→C	-	
00x1	ROTATION SPEED	1000~2000rpm	-	
00x1	DEVICE OPERATION SEQUENCE	E→F→G	-	
00x2	SPEED	0~60km/h	8:00 TO 24:00	
00x2	ALTITUDE	1000 m OR LESS	-	
00x3	EXECUTION LOG STORAGE DESTINATION	DEVICE MAIN BODY	-	
00x3	DISTANCE TO USER EQUIPMENT	10 m OR LESS	. . .	
. . .	. . .	. . .	. . .	

FIG. 3

ADMINISTRATOR INFORMATION

ADMINISTRATOR TERMINAL IDENTIFICATION NUMBER	ADMINISTRATOR TERMINAL POSITION INFORMATION	CORRESPONDING MANAGEMENT MOBILE TERMINAL IDENTIFICATION NUMBER	TELEPHONE NUMBER FOR AUTHENTICATION	MANAGEMENT MOBILE TERMINAL POSITION INFORMATION
aaa	(x1, y1, z1)	bbb	03-XXX-YYYY	(x2, y2, z2)

FIG. 4




FIG. 5

