(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
27 February 2003 (27.02.2003)

PCT

(10) International Publication Number
WO 03/017171 A1

(51) International Patent Classification[7]: G06F 17/60

(21) International Application Number: PCT/US02/26041

(22) International Filing Date: 15 August 2002 (15.08.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/312,737 15 August 2001 (15.08.2001) US

(71) Applicant: QUALCOMM, INCORPORATED [US/US]; 5775 Morehouse Drive, San Diego, CA 92121 (US).

(72) Inventors: HOREL, Gerald; 6500 Torin Road, Brentwood Bay, British Columbia V8M2H5 (CA). NGUYEN, Phil, Tien; 12676 Via Colmenar, San Diego, CA 92129 (US). YU, Julie; 48700 Algonquin Court, San Diego, CA 92130 (US). PATWARI, Jaiteerth; 9974 Kika Court, Apt. #7424, San Diego, CA 92129 (US).

(74) Agents: WADSWORTH, Philip R. et al.; 5775 Morehouse Drive, San Diego, CA 92121 (US).


(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*

[Continued on next page]

(54) Title: TRANSACTION PROCESSING



(57) Abstract: Systems and methods consistent with the present invention provide a transaction processing during which a transaction billing event is created. Metadata associated with an application is stored in a transaction manager database (310). When a wireless device (300) downloads an application, raw transaction information is sent to and stored in the database (310). The raw transaction data may include a subset of the metadata and additional information included by other devices and/or systems. Billing events are created by correlating the metadata and the raw transaction data. In addition, subscription billing events, such as those having reoccurring charges, are calculated by evaluating those transactions having a subscription transaction type and their associated metadata stored in the database.

WO 03/017171 A1

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.