


- [12] (Non-patent Literature 0003) New England Journal of Medicine 2004;350:2129-39.
- [13] (Non-patent Literature 0004) Clin Cancer Res 2006;12:6494-6501.
- [14] (Non-patent Literature 0005) Fukuoka et al. JCO 2003.
- [15] (Non-patent Literature 0006) Kris et al. JAMA 2003.
- [16] (Non-patent Literature 0007) Shepherd et al. NEJM 2004.
- [17] (Non-patent Literature 0008) Kobayashi et al. NEJM 2005.
- [18] (Non-patent Literature 0009) Pao et al. PLOS Medicine 2005.
- [19] (Non-patent Literature 0010) Kosaka et al. CCR 2006.
- [20] (Non-patent Literature 0011) Balak et al. CCR 2006.
- [21] (Non-patent Literature 0012) Engelman et al. Science 2007.

Summary

~~[21a] In an aspect of the present disclosure, there is provided a compound represented by Chemical Formula 1, stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:
[Chemical Formula 1]~~



~~where, in Chemical Formula 1,~~

~~R¹ is hydrogen, halogen, C₁₋₈-alkyl, or C₁₋₈-alkoxy, where the C₁₋₈-alkyl and C₁₋₈-alkoxy of R¹ are, respectively and independently, substituted or unsubstituted by at least one halogen;~~

~~R² is hydrogen or NR⁷R⁸, where R⁷ and R⁸ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁷ and R⁸ are linked together with an N atom to which they are bonded to form a heterocycloalkyl or 3 to 12 atoms, where the C₁₋₈-alkyl or heterocycloalkyl of 3 to 12 atoms of R⁷ and R⁸ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from a group comprised of C₁₋₈-alkyl, C₁₋₈-alkoxy and C₁₋₈-alkylamino;~~

~~R³ is hydrogen, NR⁹R¹⁰ or OR¹¹, where R⁹, R¹⁰ and R¹¹ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁹ and R¹⁰ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 12 atoms or a heteroaryl of 3 to 12 atoms, and the C₁₋₈-alkyl, heterocycloalkyl of 3 to 12 atoms or heteroaryl of 3 to 12 atoms of R⁹, R¹⁰ and R¹¹ are, respectively and independently, substituted or unsubstituted by at least one substituent R selected from among a group comprised of hydroxy, C₁₋₈-alkyl, C₁₋₈-alkoxy, C₁₋₈-alkylamino, C₁₋₈-alkylcarbonyl, NR¹²R¹³, and heterocycloalkyl of 3 to 12 atoms;~~

where the substituents R are, respectively and independently, additionally substituted or unsubstituted by at least one substituent selected from a group comprised of halogen; carbonyl; C₁₋₈-alkyl substituted or unsubstituted by hydroxy or C₁₋₈-alkylamino; C₂₋₈-alkenyl; C₁₋₈-alkoxy; C₁₋₈-alkylamino; C₁₋₈-alkylcarbonyl; and, a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈-alkyl, and where the R¹² and R¹³ are, respectively and independently, hydrogen, C₁₋₈-alkyl, C₂₋₈-alkenyl, C₁₋₈-alkylcarbonyl, C₂₋₈-alkenylcarbonyl, or a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈;

R⁴ is $\text{NH}(\text{C}=\text{O})\text{R}^{14}\text{C}=\text{CR}^{15}\text{R}^{16}$, where the R¹⁴, R¹⁵ and R¹⁶ are, respectively and independently, hydrogen, halogen, or C₁₋₈-alkyl substituted or unsubstituted by C₁₋₈-alkylamino;

R⁵ is C₁₋₈-alkyl, an aryl of 3 to 12 atoms, a heteroaryl of 3 to 12 atoms, or a heterocycloalkyl of 3 to 12 atoms, and the C₁₋₈-alkyl, aryl of 3 to 12 atoms, heteroaryl of 3 to 12 atoms, or heterocycloalkyl of 3 to 12 atoms of R⁵ are, respectively and independently, substituted or unsubstituted by at least one substituent J selected from a group comprised of halogen, cyano, C₁₋₈-alkyl substituted or unsubstituted by halogen, aryl of 3 to 12 atoms, heteroaryl of 3 to 12 atoms, heterocycloalkyl of 3 to 12 atoms, C₂₋₈-alkenyl, C₁₋₈-alkoxy, C₂₋₈-alkynyl and C₁₋₈-alkylamino, wherein each of the substituents J are independently substituted or unsubstituted with one or more substituents selected from a group comprised of halogen, C₁₋₈-alkyl substituted or unsubstituted by halogen, C₁₋₈-alkoxy, and C₁₋₈-alkylamino,

and R⁶ is hydrogen or C₁₋₈-alkyl.


[21b] In another aspect of the present disclosure, there is provided a method for preparing the compound of Chemical Formula 1, the method comprised of:

a step of preparing a compound of Chemical Formula 5 from a compound of Chemical Formula 4,


a step of preparing a compound of Chemical Formula 6 from the compound of Chemical Formula 5, and,

a step of preparing the compound of Chemical Formula 1 from the compound of Chemical Formula 6.


[Chemical Formula 4]




[Chemical Formula 5]



[Chemical Formula 6]



[Chemical Formula 1]





In Chemical Formula 4, G is a leaving group, and R^1 and R^6 are respectively the same as defined herein.




[21c] In a further aspect of the present disclosure, there is provided a pharmaceutical composition for preventing or treating cancer, the composition comprising the compound of Chemical Formula 1, stereoisomers of the same, hydrates of the same or pharmaceutically acceptable salts of the same as an effective component.

[21d] In another aspect of the present disclosure, there is provided a pharmaceutical composition disclosed herein for preventing or treating cancer, wherein the compound of Chemical Formula 1 inhibits a wild type or mutant kinase of EGFR (epidermal growth factor receptor) or at least one of ERBB2 and ERBB4.

[21e] In a further aspect of the present disclosure, there is provided a compound selected from the group consisting of







[21a] In an aspect of the present disclosure, there is provided a compound selected from any one of the compounds 1 through 1059 below, or pharmaceutically acceptable salts of the same:

- 1) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 2) N-(4-methoxy-2-morpholino-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 3) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 4) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 5) N-(4-methoxy-2-morpholino-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 6) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 7) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 8) N-(2-(2-(dimethylamino)ethoxy)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 9) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 10) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 11) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 12) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 13) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 14) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 15) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 16) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 17) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 18) N-(4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 19) N-(4-methoxy-2-(2-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 20) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
- 21) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
- 22) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
- 23) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
- 24) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

25) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

26) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

27) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

28) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

29) N-(2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

30) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

31) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

32) N-(4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

33) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

34) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

35) N-(4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

36) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

37) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

38) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

39) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

40) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

41) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

42) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

43) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-morpholinophenyl)acrylamide;

44) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

45) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

46) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

47) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

48) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

49) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

50) N-(2-(4-dimethylaminopiperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

51) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 52) N-(4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 53) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 54) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 55) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 56) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 57) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 58) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 59) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 60) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 61) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 62) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 63) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 64) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 65) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 66) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 67) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 68) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 69) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 70) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 71) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 72) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 73) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 74) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 75) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 76) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 77) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
78) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
79) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
80) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
81) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
82) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
83) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
84) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
85) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
86) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
87) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
88) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
89) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
90) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
91) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
92) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
93) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
94) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
95) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
96) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
97) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
98) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
99) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
100) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
101) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
102) N-(4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

103) N-(2-(4-(2-oxa-6-azaspiro[3.3]heptane-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

104) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(5-ethylhexahydropyrrolo[3,4-c]pyrrole-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

105) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aS)-tetrahydro-1H-puro[3,4-c]pyrrole-5(3H)-yl)piperidine-1-yl)phenyl)acrylamide;

106) N-(2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

107) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

108) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

109) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

110) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

111) N-(2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

112) N-(2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

113) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

114) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

115) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

116) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-ethoxyphenyl)acrylamide;

117) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-(E)-4-(dimethylamino)but-2-enamide;

118) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

119) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-(((R)-1,1,1-trifluoropropane-2-yl)oxy)phenyl)acrylamide;

120) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-2-fluoroacrylamide;

121) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

122) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

123) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

124) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

125) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

126) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

127) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

128) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

129) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

130) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

131) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

132) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

133) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

134) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

135) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

136) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

137) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

138) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

139) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

140) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

141) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

142) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

143) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
144 N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
145 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
146 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
147 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
148 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
149 N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
150 N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
151 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
152 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
153 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
154 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
155 N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
156 N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
157 N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
158 N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
159 N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
160 N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
161 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
162 N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
163 N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
164 N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
165) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
166) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
167) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
168) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
169) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
170) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
171) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
172) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
173) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
174) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
175) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
176) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
177) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
178) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
179) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
180) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
181) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
182) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
183) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

184) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
185) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
186) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
187) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
188) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
189) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
190) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
191) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
192) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
193) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
194) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
195) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
196) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
197) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
198) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
199) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
200) N-(4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
201) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
202) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
203) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
204) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
205) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
206) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
207) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
208) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

209) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
210) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
211) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
212) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
213) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
214) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
215) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
216) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
217) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
218) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
219) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
220) N-(2-(4-isopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
221) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
222) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
223) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
224) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
225) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
226) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
227) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
228) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
229) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
230) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
231) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
232) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
233) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
234) N-(4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-

yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

235) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

236) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

237) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

238) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

239) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

240) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

241) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

242) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

243) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

244) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

245) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

246) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

247) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

248) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

249) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-ethyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

250) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

251) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

252) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(6-ethyl-3,6-diazabicyclo[3.1.1]heptane-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

253) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-4-(dimethylamino)-1,4'-bipiperidine-1'-yl)-4-methoxyphenyl)acrylamide;

254) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

255) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

256) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

257) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

258) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

259) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

260) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

261) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-(3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

262) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

263) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

264) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

265) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

266) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

267) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

268) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

269) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

270) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

271) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

272) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

273) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

274) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-3-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

275) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1-isopropylpiperidine-4-yl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

276) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

277) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

278) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

279) N-(2-(4-(cyclopentyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

280) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

281) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

282) N-(4-methoxy-2-(4-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

283) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

284) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

285) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

286) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

287) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

288) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

289) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

290) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

291) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

292) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

293) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

294) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

295) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

296) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

297) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

298) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

299) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

300) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-propylpiperazine-1-yl)phenyl)acrylamide;

301) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

302) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

303) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

304) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

305) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-(1,4'-bipiperidine)-1'-yl)-4-methoxyphenyl)acrylamide;

306) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-

(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
307) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
308) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
309) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
310) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
311) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
312) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
313) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
314) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
315) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
316) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;
317) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;
318) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
319) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
320) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
321) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
322) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
323) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
324) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
325) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
326) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
327) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
328) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
329) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
330) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

331) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

332) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

333) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

334) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

335) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

336) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

337) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

338) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

339) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

340) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

341) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

342) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

343) N-(2-(4-acetyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

344) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

345) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

346) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

347) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

348) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

349) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

350) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

351) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

352) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

353) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

354) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

355) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

356) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
357) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
358) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
359) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
360) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
361) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
362) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
363) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
364) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
365) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
366) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
367) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
368) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
369) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
370) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
371) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
372) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
373) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
374) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
375) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
376) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
377) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
378) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
379) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;
380) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
381) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-

3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

382) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

383) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

384) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

385) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

386) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

387) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)phenyl)acrylamide;

388) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

389) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

390) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

391) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

392) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

393) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

394) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

395) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

396) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

397) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)-(E)-4-(dimethylamino)but-2-enamide;

398) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

399) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

400) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

401) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

402) N-(1-(2-acrylamido-4-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-methoxyphenyl)piperidine-4-yl)-N-(1-isopropylpiperidine-4-yl)acrylamide;

403) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

404) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

405) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

406) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

407) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

408) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

409) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

410) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

411) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

412) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

413) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

414) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

415) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

416) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

417) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

418) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

419) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

420) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

421) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

422) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

423) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

424) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

425) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

426) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

427) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

428) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

429) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

430) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

431) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 432) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 433) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
 434) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 435) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 436) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 437) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 438) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 439) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 440) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 441) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 442) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 443) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 444) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 445) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;
 446) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;
 447) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;
 448) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;
 449) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 450) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 451) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 452) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 453) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 454) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 455) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
456) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
457) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
458) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
459) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
460) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
461) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
462) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
463) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
464) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
465) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
466) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
467) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
468) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
469) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
470) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
471) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
472) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
473) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;
474) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
475) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
476) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
477) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;
478) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
479) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
480) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-

ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
481) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
482) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
483) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
484) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
485) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
486) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
487) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
488) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
489) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
490) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
491) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
492) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
493) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
494) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
495) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)acrylamide;
496) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)-(E)-4-(dimethylamino)but-2-enamide;
497) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
498) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
499) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
500) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
501) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
502) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
503) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

504 N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
505 N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
506 N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
507 N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
508 N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
509 N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
510 N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
511 N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
512 N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
513 N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
514 N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
515 N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
516 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
517 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
518 N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
519 N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
520 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
521 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
522 N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
523 N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
524 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
525 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
526 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
527 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
528 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
529 N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

530) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

531) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

532) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

533) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-fluorophenyl)acrylamide;

534) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methylphenyl)acrylamide;

535) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

536) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

537) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

538) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

539) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

540) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

541) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

542) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)phenyl)acrylamide;

543) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

544) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

545) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

546) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

547) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

548) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

549) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

550) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

551) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

552) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

553) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
554 N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
555 N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
556 N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
557 N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
558 N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
559 N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
560 N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
561 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;
562 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;
563 N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
564 N-(2-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
565 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
566 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
567 N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
568 N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
569 N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
570 N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
571 N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
572 N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
573 N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
574 N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
575 N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
576 N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
577 N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
578 N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
579) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
580) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
581) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
582) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
583) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
584) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
585) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
586) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
587) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-4-methoxyphenyl)acrylamide;
588) N-(2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
589) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
590) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
591) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;
592) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
593) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
594) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
595) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
596) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
597) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
598) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
599) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
600) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
601) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
602) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
603) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

604) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

605) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

606) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

607) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

608) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

609) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

610) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

611) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

612) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

613) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

614) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

615) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

616) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

617) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

618) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

619) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

620) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

621) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

622) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

623) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

624) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

625) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

626) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

627) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

628) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
629) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
630) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
631) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
632) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
633) N-(3-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-(4-methylpiperazine-1-yl)phenyl)acrylamide;
634) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
635) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
636) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
637) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
638) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
639) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
640) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
641) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
642) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
643) N-(2-(4-(4-isopropyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
644) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
645) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
646) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
647) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
648) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
649) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
650) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
651) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-

ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
652) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
653) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
654) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
655) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
656) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
657) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;
658) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;
659) N-(4-methoxy-2-((S)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
660) N-(2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
661) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
662) N-(2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
663) N-(4-methoxy-2-((R)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
664) N-(2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
665) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
666) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;
667) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;
668) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
669) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
670) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
671) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
672) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
673) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
674) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;
675) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
676) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
677) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

678) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
679) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
680) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
681) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
682) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
683) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
684) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;
685) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;
686) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
687) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
688) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
689) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
690) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
691) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
692) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
693) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
694) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
695) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
696) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
697) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
698) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
699) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
700) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
701) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
702) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
703) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
704) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
705) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
706) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
707) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
708) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
709) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
710) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
711) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
712) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
713) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-(dimethylamino)azetidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
714) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
715) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
716) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
717) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
718) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
719) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
720) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
721) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
722) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-2-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
723) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
724) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
725) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
726) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
727) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-

(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 728) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 729) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 730) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 731) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 732) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 733) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 734) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 735) N-(2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 736) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 737) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 738) N-(2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 739) N-(2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 740) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 741) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 742) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 743) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 744) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 745) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 746) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
 747) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 748) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 749) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 750) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 751) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 752) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6S)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 753) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

754) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
755) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
756) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
757) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
758) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
759) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
760) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
761) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
762) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
763) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
764) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
765) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
766) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
767) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
768) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
769) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
770) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
771) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
772) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
773) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
774) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
775) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
776) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
777) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

778) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
779) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
780) N-(2-(4-(4-isopropyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
781) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
782) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
783) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
784) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
785) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
786) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
787) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
788) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
789) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
790) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
791) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
792) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
793) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
794) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
795) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
796) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
797) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
798) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
799) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
800) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
801) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
802) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
803) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

804) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
805) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
806) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
807) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
808) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
809) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
810) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
811) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
812) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
813) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
814) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
815) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
816) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
817) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
818) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
819) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
820) N-(2-(4-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
821) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
822) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
823) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
824) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
825) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
826) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
827) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
828) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 829) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 830) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 831) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 832) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 833) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 834) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 835) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 836) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 837) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;
 838) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
 839) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 840) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
 841) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 842) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
 843) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
 844) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
 845) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
 846) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 847) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 848) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 849) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 850) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 851) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 852) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(hexahydropyrrolo[1,2-a]pyrazine-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 853) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
854) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
855) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
856) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
857) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;
858) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
859) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
860) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
861) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
862) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
863) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
864) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
865) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
866) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
867) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
868) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
869) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
870) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
871) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
872) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
873) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

874) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

875) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

876) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

877) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

878) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

879) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

880) N-(2-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

881) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

882) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

883) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

884) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

885) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

886) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

887) N-(2-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

888) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

889) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

890) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

891) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

892) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

893) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

894) N-(2-(4-(4-(sec-butyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

895) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

896) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

897) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

898) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

899) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

900) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

901) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

902) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

903) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

904) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

905) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

906) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

907) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

908) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

909) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

910) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

911) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

912) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

913) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

914) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

915) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

916) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

917) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

918) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

919) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

920) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
921) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
922) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
923) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
924) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
925) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
926) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
927) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
928) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
929) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
930) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
931) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
932) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
933) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
934) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
935) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
936) N-(5-((6-((S)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
937) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
938) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
939) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
940) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
941) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
942) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
943) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-

5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
944) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
945) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
946) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
947) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
948) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
949) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
950) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
951) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
952) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
953) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
954) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
955) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
956) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
957) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;
958) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
959) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
960) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
961) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
962) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;
963) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
964) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
965) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
966) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
967) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
968) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

969) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;

970) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

971) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

972) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

973) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

974) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

975) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

976) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

977) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

978) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(diethylamino)ethoxy)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

979) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

980) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

981) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

982) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

983) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

984) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

985) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

986) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

987) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

988) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

989) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

990) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

991) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

992) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

993) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
994) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
995) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
996) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
997) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
998) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
999) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1000) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1001) N-(5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
1002) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1003) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1004) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1005) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1006) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1007) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1008) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1009) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1010) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1011) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
1012) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1013) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
1014) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1015) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1016) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
1017) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-
2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1018) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-
2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;
1019) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-
2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;
1020) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-
2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1021) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1022) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1023) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-
dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1024) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-
dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1025) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-
yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;
1026) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-
yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1027) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-
yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;
1028) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-
yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;
1029) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1030) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1031) N-(5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-
(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
1032) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-
2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1033) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-
difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1034) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1035) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-
3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-
methoxyphenyl)acrylamide;
1036) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-
2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-
methoxyphenyl)acrylamide;

1037) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1038) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1039) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1040) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1041) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1042) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1043) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1044) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1045) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1046) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1047) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1048) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1049) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1050) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1051) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;


1052) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1053) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1054) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1055) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1056) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
1057) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
1058) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
1059) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide.



or a pharmaceutically acceptable salt thereof.

[21f21b] In another aspect of the present disclosure, there is provided a compound disclosed herein, or a pharmaceutically acceptable salt thereof, for use in treating cancer.

[21g21c] In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of cancer.

[21h21d] In another aspect of the present disclosure, there is provided a pharmaceutical composition comprising a compound disclosed herein, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

Disclosure

Technical Problem

[22] The purpose of one aspect of the present invention is to provide a compound which exhibits inhibitory effects against wild type or mutant EGFR and is therefore useful in the treating of cancer, and stereoisomers, hydrates, or pharmaceutically acceptable salts of the compound.

[23] The purpose of another aspect of the present invention is to provide a method for preparation of the compound.

[24] The purpose of yet another aspect of the present invention is to provide a pharmaceutical composition for preventing or treating cancer, the composition comprising the compound or stereoisomers, hydrates or pharmaceutically acceptable salts of the same as an effective component.

[25] The purpose of yet another aspect of the present invention is to provide a pharmaceutical composition which suppresses wild type EGFR (epidermal growth factor receptor) or EGFR mutations to prevent or treat cancer.


Technical Solution

[26] To achieve the above-stated purposes,

[27] The present invention provides a compound represented by Chemical Formula 1, stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:

[28] [Chemical Formula 1]


[29]



[30] In Chemical Formula 1,

What is claimed is...

[Claim 1] — A compound represented by Chemical Formula 1, stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:
~~— [Chemical Formula 1]~~



where, in Chemical Formula 1,

~~R¹ is hydrogen, halogen, C₁₋₈-alkyl, or C₁₋₈-alkoxy, where the C₁₋₈-alkyl and C₁₋₈-alkoxy of R¹ are, respectively and independently, substituted or unsubstituted by at least one halogen;~~

~~R² is hydrogen or -NR⁷R⁸, where R⁷ and R⁸ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁷ and R⁸ are linked together with an N atom to which they are bonded to form a heterocycloalkyl or 3 to 12 atoms, where the C₁₋₈-alkyl or heterocycloalkyl of 3 to 12 atoms of R⁷ and R⁸ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from a group comprised of C₁₋₈-alkyl, C₁₋₈-alkoxy and C₁₋₈-alkylamino;~~

~~R³ is hydrogen, -NR⁹R¹⁰ or -OR¹¹, where R⁹, R¹⁰ and R¹¹ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁹ and R¹⁰ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 12 atoms or a heteroaryl of 3 to 12 atoms, and the C₁₋₈-alkyl, heterocycloalkyl of 3 to 12 atoms or heteroaryl of 3 to 12 atoms of R⁹, R¹⁰ and R¹¹ are, respectively and independently, substituted or unsubstituted by at least one substituent R selected from among a group comprised of hydroxy, C₁₋₈-alkyl, C₁₋₈-alkoxy, C₁₋₈-alkylamino, C₁₋₈-alkylcarbonyl, -NR¹²R¹³, and heterocycloalkyl of 3 to 12 atoms;~~

~~where the substituents R are, respectively and independently, additionally substituted or unsubstituted by at least one substituent selected from a group comprised of halogen; carbonyl; C₁₋₈-alkyl substituted or unsubstituted by hydroxy or C₁₋₈-alkylamino; C₂₋₈-alkenyl; C₁₋₈-alkoxy; C₁₋₈-alkylamino; C₁₋₈-alkylcarbonyl; and, a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈-alkyl, and where the R¹² and R¹³ are, respectively and independently, hydrogen, C₁₋₈-alkyl, C₂₋₈-alkenyl, C₁₋₈-alkylcarbonyl, C₂₋₈-alkenylcarbonyl, or a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈;~~

~~R⁴ is -NH(C=O)R¹⁴C=CR¹⁵R¹⁶, where the R¹⁴, R¹⁵ and R¹⁶ are, respectively and independently, hydrogen, halogen, or C₁₋₈-alkyl substituted or unsubstituted by C₁₋₈-alkylamino;~~

~~R⁵ is C₁₋₈-alkyl, an aryl of 3 to 12 atoms, a heteroaryl of 3 to 12 atoms, or a heterocycloalkyl of 3 to 12 atoms, and the C₁₋₈-alkyl, aryl of 3 to 12 atoms, heteroaryl of 3 to 12 atoms, or heterocycloalkyl of 3 to 12 atoms of R⁵ are, respectively and independently, substituted or unsubstituted by at least one substituent J selected from a group comprised of halogen, cyano, C₁₋₈-alkyl~~

substituted or unsubstituted by halogen, aryl of 3 to 12 atoms, heteroaryl of 3 to 12 atoms, heterocycloalkyl of 3 to 12 atoms, C₂₋₈-alkenyl, C₁₋₈-alkoxy, C₂₋₈-alkynyl and C₁₋₈-alkylamino, wherein each of the substituents J are independently substituted or unsubstituted with one or more substituents selected from a group comprised of halogen, C₁₋₈-alkyl substituted or unsubstituted by halogen, C₁₋₈-alkoxy, and C₁₋₈-alkylamino,

and R⁶ is hydrogen or C₁₋₈-alkyl.

[Claim 2] The compound of Claim 1, wherein

R¹ is hydrogen, halogen, C₁₋₈-alkyl, or C₁₋₈-alkoxy, where the C₁₋₈-alkoxies of R¹ are, respectively and independently, substituted or unsubstituted by at least one halogen,

R² is hydrogen or NR⁷R⁸, where R⁷ and R⁸ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁷ and R⁸ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 12 atoms, and the C₁₋₈-alkyl of R⁷ and R⁸ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from a group comprised of C₁₋₈-alkoxy and C₁₋₈-alkylamino, and the heterocycloalkyl of 3 to 12 atoms formed by the bonding of R⁷ and R⁸ is substituted or unsubstituted by at least one substituent selected from among a group comprised of C₁₋₈-alkyl and C₁₋₈-alkoxy,

R³ is hydrogen, NR⁹R¹⁰ or OR¹¹, where R⁹, R¹⁰ and R¹¹ are, respectively and independently, hydrogen or C₁₋₈-alkyl, or the R⁹ and R¹⁰ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 12 atoms or heteroaryl of 3 to 12 atoms, and the C₁₋₈-alkyls of R⁹, R¹⁰ and R¹¹ are, respectively and independently, substituted or unsubstituted by at least one substituent R selected from among a group comprised of C₁₋₈-alkoxy, and C₁₋₈-alkylamino, where the heterocycloalkyl of 3 to 12 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by at least one substituent R^a selected from among a group comprised of hydroxy, C₁₋₈-alkyl, C₁₋₈-alkoxy, C₁₋₈-alkylamino, C₁₋₈-alkylcarbonyl, NR¹²R¹³, and heterocycloalkyl of 3 to 12 atoms, and the C₁₋₈-alkyl, C₁₋₈-alkoxy, C₁₋₈-alkylamino, and C₁₋₈-alkylcarbonyl of the substituent R^a are, respectively and independently, additionally substituted or unsubstituted by at least one substituent selected from a group comprised of C₁₋₈-alkyl, C₁₋₈-alkoxy, C₁₋₈-alkylamino, and heterocycloalkyl of 3 to 12 atoms, the heterocycloalkyl of 3 to 12 atoms of the substituent R^a is additionally substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen; carbonyl; C₁₋₈-alkyl substituted or unsubstituted by a hydroxy or a C₁₋₈-alkylamino; C₂₋₈-alkenyl; C₁₋₈-alkoxy; C₁₋₈-alkylamino; C₁₋₈-alkylcarbonyl; and, a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈-alkyl, where the R¹² and R¹³ are, respectively and independently, hydrogen, C₁₋₈-alkylcarbonyl, C₂₋₈-alkenylcarbonyl, or a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₈-alkyl, and the heteroaryl of 3 to 12 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by C₁₋₈-alkyl,

R⁴ is -NH(C=O)R¹⁴C=CR¹⁵R¹⁶, where the R¹⁴ is hydrogen or halogen, and the R¹⁵ and R¹⁶ are, respectively and independently, hydrogen or C₁₋₈-alkyl substituted or unsubstituted by an alkylamino of C₁₋₈,

R⁵ is a C₁₋₈-alkyl substituted by an aryl of 3 to 12 atoms or a heteroaryl of 3 to 12 atoms; an aryl of 3 to 12 atoms; or a heteroaryl of 3 to 12 atoms, where the aryl of 3 to 12 atoms and the heteroaryl of 3 to 12 atoms of R⁵ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from a group comprised of halogen, cyano, C₁₋₈-alkyl, C₁₋₈-alkoxy, and C₂₋₈-alkynyl C₁₋₈-alkyl substituted with an aryl of 3 to 12 atoms or heteroaryl of 3 to 12

atoms of R⁵ is substituted or unsubstituted by at least one substituent selected from a group comprised of halogen, C₁₋₈-alkyl substituted or unsubstituted by halogen, C₁₋₈-alkoxy and C₁₋₈-alkylamino;

and R⁶ is hydrogen or C₁₋₈-alkyl, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same.

[Claim 3]—The compound of Claim 1, wherein

R¹ is hydrogen, halogen, C₁₋₄-alkyl, or C₁₋₄-alkoxy, where the C₁₋₄-alkoxies of R¹ are, respectively and independently, substituted or unsubstituted by at least one halogen;

R² is hydrogen or -NR⁷R⁸, where R⁷ and R⁸ are linked, together with the N atoms to which they are bonded, to form a heterocycloalkyl of 3 to 8 atoms, where the heterocycloalkyl of 3 to 8 atoms formed by the bonding of R⁷ and R⁸ is substituted or unsubstituted by at least one C₁₋₄-alkyl;

R³ is hydrogen, NR⁹R¹⁰ or OR¹¹, where R⁹, R¹⁰, and R¹¹ are, respectively and independently C₁₋₆-alkyl, or R⁹ and R¹⁰ are linked together with the N atoms with which they are bonded to form a heterocycloalkyl of 3 to 10 atoms or heteroaryl of 3 to 8 atoms, the C₁₋₆-alkyls of R⁹, R¹⁰, and R¹¹ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from a group comprised of C₁₋₄-alkylamino and C₁₋₄-alkoxy, and the heterocycloalkyl of 3 to 10 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by at least one substituent R^b selected from among a group comprised of hydroxy, C₁₋₆-alkyl, C₁₋₄, C₁₋₄-alkylamino, C₁₋₄-alkylcarbonyl, -NR¹²R¹³ and heterocycloalkyl of 3 to 10 atoms, the C₁₋₆-alkyl, C₁₋₄-alkoxy, and C₁₋₄-alkylamino of the substituent R^b are, respectively and independently, additionally substituted or unsubstituted by at least one substituent selected from among a group comprised of C₁₋₆-alkyl, C₁₋₄-alkoxy, and C₁₋₄-alkylamino, the heterocycloalkyl of 3 to 10 atoms of substituent R^b is additionally substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen; carbonyl; C₁₋₆-alkyl substituted or unsubstituted by C₁₋₄-alkylamino; C₂₋₄-alkenyl; C₁₋₄-alkylamino; C₁₋₄-alkylcarbonyl; and, a heterocycloalkyl of 3 to 8 atoms substituted or unsubstituted by C₁₋₄-alkyl, R¹² and R¹³ are, respectively and independently, hydrogen, C₂₋₄-alkenyl carbonyl or heterocycloalkyl of 3 to 8 atoms substituted or unsubstituted by C₁₋₄-alkyl, the heterocycloalkyl of 3 to 8 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by C₁₋₄-alkyl;

R⁴ is -NH(C=O)R¹⁴C=CR¹⁵R¹⁶, R¹⁴ is hydrogen or halogen, and R¹⁵ and R¹⁶ are, respectively and independently, hydrogen or C₁₋₄-alkyl substituted by an alkylamino of C₁₋₄;

R⁵ is a C₁₋₄-alkyl; a aryl of 3 to 8 atoms; or a heteroaryl of 3 to 8 atoms substituted by a aryl of 3 to 8 atoms or heteroaryl of 3 to 8 atoms; the aryl of 3 to 8 atoms or heteroaryl of 3 to 8 atoms of R⁵ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen, cyano, C₁₋₄-alkyl substituted or unsubstituted by halogen, C₁₋₄-alkoxy, and C₂₋₄-alkynyl, the C₁₋₄-alkyl substituted by a aryl of 3 to 8 atoms or heteroaryl of 3 to 8 atoms of R⁵ is substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen, C₁₋₄-alkyl substituted or unsubstituted by halogen, and C₁₋₄-alkylamino;

and R⁶ is hydrogen or C₁₋₄-alkyl, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same.

[Claim 4]—The compound of Claim 1, wherein

~~R¹ is hydrogen, halogen, C₁₋₄-alkyl or C₁₋₄-alkoxy, where the C₁₋₄-alkoxy of R¹ is, respectively and independently, substituted or unsubstituted by at least one halogen;~~

~~R² is hydrogen or NR⁷R⁸, where R⁷ and R⁸ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 8 atoms having one or two N atoms, where the heterocycloalkyl of 3 to 8 atoms formed by the bonding of R⁷ and R⁸ is substituted or unsubstituted by at least one C₁₋₄-alkyl;~~

~~R³ is hydrogen, NR⁹R¹⁰, or OR¹¹, where R⁹, R¹⁰ and R¹¹ are, respectively and independently, C₁₋₆-alkyl, or R⁹ and R¹⁰ are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 10 atoms having one or two heteroatoms selected from a group comprised of N and O, or a heteroaryl of 3 to 8 atoms having one or two heteroatoms selected from a group comprised of N and O, the C₁₋₆-alkyl of R⁹, R¹⁰ and R¹¹ are, respectively and independently, substituted or unsubstituted by at least one substituent selected from among a group comprised of C₁₋₄-alkylamino and C₁₋₄-alkoxy, the heterocycloalkyl of 3 to 10 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by at least one substituent R^e selected from among a group comprised of a heterocycloalkyl of 3 to 10 atoms having one or two heteroatoms selected from among a group comprised of hydroxy, C₁₋₆-alkyl, C₁₋₄-alkoxy, C₁₋₄-alkylamino, C₁₋₄-carbonyl, NR¹²R¹³, and heterocycloalkyl of 3 to 10 atoms having one or two heteroatoms selected from the group consisting of N and O, the C₁₋₆-alkyl, C₁₋₄-alkoxy and C₁₋₄-alkylamino of substituents R^e are, respectively and independently, additionally substituted or unsubstituted by at least one substituent selected from among C₁₋₆-alkyl, C₁₋₄-alkoxy and C₁₋₄-alkylamino, the heterocycloalkyl of 3 to 10 atoms of substituents R^e is substituted or unsubstituted by halogen; carbonyl; C₁₋₆-alkyl substituted or unsubstituted by C₁₋₄-alkylamino; C₂₋₄-alkenyl; C₁₋₄-alkylamino; C₁₋₄-alkylcarbonyl; and C₁₋₄-alkyl, and additionally substituted or unsubstituted by at least one substituent selected from among a group comprised of heterocycloalkyl of 3 to 8 atoms having one or two heteroatoms selected from a group comprised of N and O, R¹² and R¹³ are, respectively and independently, substituted or unsubstituted by hydrogen, C₂₋₄-alkenylcarbonyl or C₁₋₄-alkyl, are heterocycloalkyl of 3 to 8 atoms having one or two N atoms, the heteroaryl of 3 to 8 atoms formed by the bonding of R⁹ and R¹⁰ is substituted or unsubstituted by C₁₋₄-alkyl;~~


~~R⁴ is NH(C=O)R¹⁴C=CR¹⁵R¹⁶, the R¹⁴ is hydrogen or halogen, and the R¹⁵ and R¹⁶ are, respectively and independently, C₁₋₄-alkyl substituted by hydrogen or C₁₋₄-alkylamino;~~

~~R⁵ is a C₁₋₄-alkyl substituted by a aryl of 3 to 8 atoms or heteroaryl of 3 to 8 atoms; aryl of 3 to 8 atoms; or heteroaryl of 3 to 8 atoms, the aryl of 3 to 8 atoms or heteroaryl of 3 to 8 atoms of R⁵ is, respectively and independently, substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen, cyano, C₁₋₄-alkyl substituted or unsubstituted by halogen, C₁₋₄-alkoxy, and C₂₋₄-alkynyl, the C₁₋₄ substituted by a aryl of 3 to 8 atoms or a heteroaryl of 3 to 8 atoms of R⁵ is substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen, C₁₋₄-alkyl substituted or unsubstituted by halogen, and C₁₋₄-alkylamino; and~~

~~R⁶ is hydrogen or C₁₋₄-alkyl, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same.~~

[Claim 5] — The compound of Claim 1, wherein the compound represented by Chemical Formula 1 is represented by Chemical Formula 2, stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:

~~[Chemical Formula 2]~~




~~where, in Chemical Formula 2,~~

~~R¹ is hydrogen or C₁₋₄-alkoxy;~~

~~R³ is -X-Y-Z, where X and Y are, respectively and independently, single bonds or heterocycloalkyl of 3 to 8 atoms comprising at least one N atom, and Z is -NR¹⁷R¹⁸ or is represented by Chemical Formula 3,~~

~~[Chemical Formula 3]~~



~~where, in a case where Z is -NR¹⁷R¹⁸, at least one of X and Y is the heterocycloalkyl of 3 to 8 atoms comprising at least one N atom, where R¹⁷ and R¹⁸ are, respectively and independently, a C₁₋₄-alkyl substituted or unsubstituted by hydrogen or C₁₋₄-alkylamino, or are linked together with an N atom to which they are bonded to form a heterocycloalkyl of 3 to 12 atoms;~~

~~in a case where Z is Chemical Formula 3, L is a C₁₋₄-alkylene substituted or unsubstituted by C₁₋₄-alkyl, M is -NR¹⁹ or -O-, T and Q are, respectively and independently, C₁₋₄-alkyl substituted or unsubstituted by hydrogen or C₁₋₄-alkylamino; T and Q are linked to each other to form a heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by C₁₋₄-alkyl; or T and Q are linked to each other, with additional links between at least two different atoms forming a ring, to form a bridged or fused heterocycloalkyl of 3 to 12 atoms substituted or unsubstituted by a C₁₋₄-alkyl, R¹⁹ is hydrogen, C₁₋₆-alkyl, C₂₋₆-alkenyl, C₁₋₆-alkylcarbonyl, C₁₋₄-alkylamino, or a heterocycloalkyl of 3 to 8 atoms;~~


~~R⁵ is a aralkyl of 3 to 8 atoms, aryl of 3 to 8 atoms, or heteroaryl of 3 to 8 atoms, where the aralkyl of 3 to 8 atoms, aryl of 3 to 8 atoms, or heteroaryl of 3 to 8 atoms of R⁵ may be, respectively and independently, substituted or unsubstituted by at least one substituent selected from among a group comprised of halogen, cyano, C₁₋₄-alkyl, and C₁₋₄-alkoxy, or stereoisomers of the same or pharmaceutically acceptable salts of the same.~~

[Claim 6] ~~The compound of Claim 5, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same, wherein R¹ is hydrogen, methoxy or ethoxy.~~

[Claim 7] ~~The compound of Claim 5, wherein~~

~~R³ is -X-Y-Z, where X and Y are, respectively and independently, a single bond, azetidine, pyrrolidine, piperidine or piperazine, and Z is represented by -NR¹⁷R¹⁸ or Chemical Formula 3,~~

~~[Chemical Formula 3]~~



~~where, in a case where Z is -NR¹⁷R¹⁸, at least one of X and Y is azetidine, pyrrolidine, piperidine or piperazine, where R¹⁷ and R¹⁸ are, respectively and independently methyl or ethyl, or are linked together with an N atom to which they are bonded to be azaspiroctane,~~

~~in a case where Z is Chemical Formula 3, L is methylene, ethylene, propylene or butylene substituted or unsubstituted by methyl or ethyl,~~

~~M is -NR¹⁹ or -O-, and T and Q are, respectively and independently, methyl or ethyl substituted or unsubstituted by dimethyl amino; M is -NR¹⁹, and T and Q are linked to each other to form a piperazine substituted or unsubstituted by methyl or ethyl; M is -NR¹⁹, and T and Q are linked together, with additional links between at least two different atoms among the atoms forming the ring, forming a 6 to 8 atom diazabicycloalkyl substituted or unsubstituted by methyl or ethyl; M is -O-, and T and Q are linked together, forming a morpholine substituted or unsubstituted by methyl or ethyl; or M is -O-, and T and Q are linked together, with additional links between at least two different atoms among the atoms forming the ring, forming a 6 to 8 atom oxazabicycloalkyl substituted or unsubstituted by methyl or ethyl; and~~

~~R¹⁹ is methyl, ethyl, propyl, cyclopropyl, cyclopropylmethyl, cyclobutyl, cyclopentyl, prop-2-en-1-yl, acetyl, dimethylamino, or oxetane, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same.~~

[Claim 8] ~~The compound of Claim 5, wherein~~

~~R⁵ is phenyl, benzyl, pyridine or thiophene, and the phenyl, benzyl, pyridine or thiophene may be, respectively and independently, substituted or unsubstituted by at least one substituent selected from among a group comprised of fluoro, chloro, cyano, methyl substituted or unsubstituted by at least one fluoro, and methoxy, or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same.~~

[Claim 91] ~~The A compound of Claim 1, wherein the compound represented by Chemical Formula 1 is selected from~~ any one of the compounds 1 through 1059 below, ~~or stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:~~

- 1) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 2) N-(4-methoxy-2-morpholino-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 3) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 4) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 5) N-(4-methoxy-2-morpholino-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 6) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-

yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
7) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
8) N-(2-(2-(dimethylamino)ethoxy)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
9) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
10) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
11) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
12) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
13) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
14) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
15) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
16) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
17) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
18) N-(4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
19) N-(4-methoxy-2-(2-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
20) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
21) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
22) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
23) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
24) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
25) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
26) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
27) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
28) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
29) N-(2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
30) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
31) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

32) N-(4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

33) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

34) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

35) N-(4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

36) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

37) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

38) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

39) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

40) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

41) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

42) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

43) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-morpholinophenyl)acrylamide;

44) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

45) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

46) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

47) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

48) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

49) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

50) N-(2-(4-dimethylaminopiperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

51) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

52) N-(4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

53) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

54) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

55) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

56) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

57) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

58) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

59) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

60) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

61) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

62) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

63) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

64) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

65) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

66) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

67) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

68) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

69) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

70) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

71) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

72) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

73) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

74) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

75) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

76) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

77) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

78) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

79) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

80) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

81) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

82) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

83) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

84) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

85) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

86) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

87) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

88) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

89) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

90) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

91) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

92) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

93) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-

(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

94) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

95) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

96) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

97) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

98) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

99) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

100) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

101) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

102) N-(4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

103) N-(2-(4-(2-oxa-6-azaspiro[3.3]heptane-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

104) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(5-ethylhexahydropyrrolo[3,4-c]pyrrole-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

105) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aS)-tetrahydro-1H-puro[3,4-c]pyrrole-5(3H)-yl)piperidine-1-yl)phenyl)acrylamide;

106) N-(2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

107) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

108) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

109) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

110) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

111) N-(2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

112) N-(2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

113) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

114) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

115) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

116) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-ethoxyphenyl)acrylamide;

117) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-(E)-4-(dimethylamino)but-2-enamide;

118) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

119) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-(((R)-1,1,1-trifluoropropane-2-yl)oxy)phenyl)acrylamide;

120) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-2-fluoroacrylamide;

121) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

122) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

123) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

124) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

125) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

126) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

127) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

128) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

129) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

130) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

131) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

132) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

133) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

134) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

135) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

136) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

137) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

138) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

139) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

140) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

141) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

142) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

143) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

144) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

145) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

146) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-

3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
147) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
148) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
149) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
150) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
151) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
152) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
153) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
154) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
155) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
156) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
157) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
158) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
159) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
160) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
161) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
162) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
163) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
164) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-

methoxyphenyl)acrylamide;

165) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

166) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

167) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

168) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

169) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

170) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

171) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

172) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

173) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

174) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

175) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

176) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

177) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

178) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

179) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

180) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

181) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

182) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

183) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

184) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

185) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

186) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

187) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

188) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

189) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

190) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

191) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

192) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

193) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

194) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

195) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

196) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

197) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

198) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

199) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

200) N-(4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

201) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

202) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-

yl)phenyl)acrylamide;
203) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
204) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
205) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
206) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
207) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
208) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
209) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
210) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
211) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
212) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
213) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
214) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
215) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
216) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
217) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
218) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
219) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
220) N-(2-(4-isopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
221) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-

methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 222) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 223) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 224) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 225) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 226) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 227) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 228) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 229) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 230) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 231) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 232) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 233) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 234) N-(4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 235) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;
 236) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 237) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 238) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 239) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 240) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 241) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
242) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
243) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
244) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
245) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
246) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
247) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
248) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
249) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-ethyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
250) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
251) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
252) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(6-ethyl-3,6-diazabicyclo[3.1.1]heptane-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
253) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-1,4'-bipiperidine-1'-yl)-4-methoxyphenyl)acrylamide;
254) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
255) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
256) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
257) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
258) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
259) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
260) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-

1-yl)phenyl)acrylamide;

261) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-(3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

262) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

263) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

264) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

265) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

266) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

267) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

268) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

269) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

270) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

271) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

272) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

273) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

274) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-3-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

275) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1-isopropylpiperidine-4-yl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

276) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

277) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

278) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

279) N-(2-(4-(cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

280) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

281) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-

((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 282) N-(4-methoxy-2-(4-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 283) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 284) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 285) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 286) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 287) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 288) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
 289) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
 290) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 291) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 292) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 293) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 294) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 295) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 296) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 297) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 298) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 299) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 300) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-propylpiperazine-1-yl)phenyl)acrylamide;
 301) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 302) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 303) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 304) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 305) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(dimethylamino)-(1,4'-bipiperidine)-1'-yl)-4-methoxyphenyl)acrylamide;
306) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
307) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
308) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
309) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
310) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
311) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
312) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
313) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
314) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
315) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
316) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;
317) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;
318) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
319) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
320) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
321) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
322) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
323) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
324) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
325) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

326) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

327) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

328) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

329) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

330) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

331) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

332) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

333) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

334) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

335) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

336) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

337) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

338) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

339) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

340) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

341) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

342) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

343) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

344) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

345) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

346) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

347) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

348) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

349) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

350) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

351) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

352) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

353) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

354) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

355) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

356) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

357) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

358) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

359) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

360) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

361) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

362) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

363) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

364) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

365) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

366) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

367) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
368) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
369) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
370) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
371) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
372) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
373) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
374) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
375) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
376) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
377) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
378) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
379) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;
380) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
381) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
382) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
383) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
384) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
385) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
386) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
387) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)phenyl)acrylamide;
388) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

389) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

390) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

391) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

392) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

393) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

394) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

395) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

396) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

397) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)-(E)-4-(dimethylamino)but-2-enamide;

398) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

399) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

400) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

401) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

402) N-(1-(2-acrylamido-4-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-methoxyphenyl)piperidine-4-yl)-N-(1-isopropylpiperidine-4-yl)acrylamide;

403) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

404) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

405) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

406) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

407) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

408) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

409) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

410) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

411) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

412) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

413) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

414) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

415) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

416) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

417) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

418) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

419) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

420) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

421) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

422) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

423) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

424) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

425) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

426) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

427) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

428) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

429) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

430) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

431) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-

methoxyphenyl)acrylamide;

432) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

433) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

434) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

435) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

436) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

437) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

438) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

439) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

440) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

441) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

442) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

443) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

444) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

445) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

446) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

447) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

448) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

449) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

450) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

451) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)phenyl)acrylamide;
 452) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 453) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 454) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 455) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 456) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 457) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
 458) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
 459) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 460) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 461) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 462) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 463) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 464) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 465) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 466) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 467) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
 468) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 469) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
 470) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 471) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 472) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 473) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-

1-yl)phenyl)acrylamide;
 474) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 475) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 476) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 477) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;
 478) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
 479) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 480) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 481) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
 482) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 483) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 484) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 485) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 486) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 487) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 488) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 489) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 490) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 491) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 492) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 493) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 494) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-

(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 495) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)acrylamide;
 496) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)-(E)-4-(dimethylamino)but-2-enamide;
 497) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 498) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 499) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 500) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 501) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 502) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 503) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 504) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 505) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 506) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 507) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 508) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 509) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 510) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 511) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 512) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 513) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 514) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

515) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

516) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

517) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

518) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

519) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

520) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

521) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

522) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

523) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

524) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

525) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

526) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

527) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

528) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

529) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

530) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

531) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

532) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

533) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-fluorophenyl)acrylamide;

534) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methylphenyl)acrylamide;

535) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

536) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

537) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

538) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

539) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

540) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

541) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

542) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)phenyl)acrylamide;

543) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

544) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

545) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

546) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

547) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

548) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

549) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

550) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

551) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

552) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

553) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

554) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

555) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

556) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

557) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

558) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

559) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

560) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

561) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

562) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

563) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

564) N-(2-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

565) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

566) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

567) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

568) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

569) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

570) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

571) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

572) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

573) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

574) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

575) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)phenyl)acrylamide;

576) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

577) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

578) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

579) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

580) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

581) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

582) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

583) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

584) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

585) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

586) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

587) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-4-methoxyphenyl)acrylamide;

588) N-(2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

589) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

590) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

591) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

592) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

593) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

594) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

595) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

596) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

597) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

598) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

599) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

600) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

601) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

602) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

603) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

604) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

605) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

606) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

607) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

608) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

609) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

610) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

611) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

612) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

613) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

614) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

615) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

616) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

617) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

618) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

619) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

620) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

621) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

622) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

623) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

624) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

625) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

626) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

627) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

628) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

629) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

630) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

631) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

632) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

633) N-(3-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-(4-methylpiperazine-1-yl)phenyl)acrylamide;

634) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

635) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

636) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

637) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

638) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

639) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

640) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

641) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

642) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

643) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

644) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

645) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

646) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

647) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

648) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

649) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

650) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

651) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

652) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

653) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

654) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

655) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

656) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

657) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

658) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;
659) N-(4-methoxy-2-((S)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
660) N-(2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
661) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
662) N-(2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
663) N-(4-methoxy-2-((R)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
664) N-(2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
665) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
666) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;
667) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;
668) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
669) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
670) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
671) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
672) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
673) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
674) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;
675) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
676) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
677) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
678) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;
679) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
680) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
681) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
682) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
683) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
684) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;
685) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;
686) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;
687) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
688) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
689) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
690) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
691) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
692) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
693) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
694) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
695) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
696) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
697) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
698) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
699) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
700) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 701) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
 702) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
 703) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 704) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 705) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 706) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 707) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 708) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 709) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 710) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 711) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 712) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 713) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-(dimethylamino)azetidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 714) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 715) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 716) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 717) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 718) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
 719) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 720) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
 721) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
 722) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-2-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 723) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 724) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 725) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
 726) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 727) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 728) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 729) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 730) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
 731) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 732) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
 733) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 734) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;
 735) N-(2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 736) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 737) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 738) N-(2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
 739) N-(2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-

methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

740) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

741) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

742) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

743) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

744) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

745) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

746) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

747) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

748) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-(3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

749) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

750) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

751) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

752) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6S)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

753) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

754) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

755) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

756) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

757) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

758) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

759) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

760) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

761) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

762) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

763) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

764) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

765) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

766) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

767) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

768) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

769) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

770) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

771) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

772) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

773) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

774) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

775) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

776) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

777) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

778) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

779) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

780) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

781) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

782) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

783) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

784) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

785) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

786) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

787) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

788) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

789) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

790) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

791) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

792) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

793) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

794) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

795) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

796) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

797) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

798) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

799) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

800) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

801) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

802) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

803) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

804) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

805) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

806) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

807) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

808) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

809) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

810) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

811) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

812) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

813) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

814) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

815) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

816) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

817) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

818) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

819) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

820) N-(2-(4-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

821) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

822) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

823) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

824) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

825) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

826) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

827) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

828) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

829) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

830) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

831) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

832) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

833) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

834) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

835) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

836) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

837) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

838) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

839) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

840) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

841) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

842) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
843) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
844) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
845) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
846) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
847) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
848) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
849) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
850) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
851) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
852) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(hexahydropyrrolo[1,2-a]pyrazine-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
853) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
854) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;
855) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;
856) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
857) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;
858) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
859) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
860) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
861) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;
862) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

863) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

864) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

865) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

866) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

867) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

868) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

869) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide~~N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide~~;

870) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

871) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

872) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

873) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

874) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

875) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

876) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

877) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

878) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

879) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

880) N-(2-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

881) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

882) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

883) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

884) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

885) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

886) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

887) N-(2-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

888) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

889) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

890) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

891) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

892) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

893) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

894) N-(2-(4-(4-(sec-butyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

895) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

896) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

897) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

898) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

899) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

900) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

901) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-

methoxyphenyl)acrylamide;
902) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
903) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
904) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;
905) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
906) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;
907) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
908) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;
909) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
910) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
911) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
912) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
913) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
914) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
915) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;
916) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
917) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
918) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
919) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
920) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;
921) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

922) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

923) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

924) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

925) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

926) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

927) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

928) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

929) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

930) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

931) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

932) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

933) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

934) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

935) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

936) N-(5-((6-((S)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

937) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

938) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

939) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

940) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

941) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

942) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-

methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

943) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

944) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

945) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

946) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

947) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

948) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

949) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

950) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

951) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

952) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

953) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

954) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

955) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

956) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

957) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;

958) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

959) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

960) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

961) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

962) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;

963) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

964) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

965) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

966) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

967) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

968) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

969) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;

970) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

971) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

972) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

973) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

974) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

975) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

976) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

977) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

978) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(diethylamino)ethoxy)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

979) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

980) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

981) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

982) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

983) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

984) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

985) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

986) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

987) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

988) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

989) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)phenyl)acrylamide;

990) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

991) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

992) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

993) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

994) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

995) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

996) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

997) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

998) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

999) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1000) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1001) N-(5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

1002) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1003) N-(2-(4-ethylpiperazine-1-yl)-5-((6-(S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1004) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1005) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1006) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1007) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1008) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1009) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1010) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1011) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
1012) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1013) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;
1014) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1015) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1016) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
1017) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;
1018) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1019) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1020) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1021) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1022) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1023) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1024) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
1025) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;
1026) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1027) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1028) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1029) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1030) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1031) N-(5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

1032) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-(S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1033) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1034) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1035) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1036) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1037) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1038) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1039) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1040) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1041) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1042) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1043) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1044) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1045) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1046) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1047) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1048) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1049) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1050) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1051) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1052) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1053) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1054) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1055) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1056) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1057) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;


1058) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1059) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide.


[Claim 10] — A method for preparing the compound of Chemical Formula 1, the method comprised of:

— a step of preparing a compound of Chemical Formula 5 from a compound of Chemical Formula 4;


_____ a step of preparing a compound of Chemical Formula 6 from the compound of Chemical Formula 5, and;
 _____ a step of preparing the compound of Chemical Formula 1 from the compound of Chemical Formula 6.
 _____ [Chemical Formula 4]




_____ [Chemical Formula 5]



_____ [Chemical Formula 6]



_____ [Chemical Formula 1]




_____ In Chemical Formula 4, G is a leaving group, and R^1 and R^6 are respectively the same as defined in Claim 1.


[Claim 11] The method for preparing the compound of Chemical Formula 1 according to Claim 10, wherein the compound of Chemical Formula 4 is prepared by a method comprised of a step of preparing a compound of Chemical Formula 8 from

~~a compound of Chemical Formula 7; and, a step of preparing the compound of Chemical Formula 4 from the compound of Chemical Formula 8:~~

~~[Chemical Formula 7]~~



~~[Chemical Formula 8]~~



~~in Chemical Formula 7 or Chemical Formula 8 above, G is, respectively and independently, a leaving group, and R⁵ and R⁶ may respectively be the same as defined in Claim 1.~~

[Claim 12] ~~A pharmaceutical composition for preventing or treating cancer, the composition comprising the compound of Chemical Formula 1 of Claim 1, stereoisomers of the same, hydrates of the same or pharmaceutically acceptable salts of the same as an effective component.~~


[Claim 13] ~~The pharmaceutical composition for preventing or treating cancer according to Claim 12, wherein the compound of Chemical Formula 1 inhibits a wild type or mutant kinase of EGFR (epidermal growth factor receptor) or at least one of ERBB2 and ERBB4.~~


[Claim 14] ~~The pharmaceutical composition for preventing or treating cancer according to Claim 13, wherein the EGFR mutant is at least one selected from among a group comprised of EGFR Del19/T790M, EGFR L858R/T790M, EGFR L858R, EGFR Exon20 ins NPH, EGFR Exon20 ins SVD, EGFR Exon20 ins FQEA, EGFR Exon20 ins H, and EGFR Exon20 ins ASV;
and the ERBB2 mutant is Her2 Exon20 ins YVMA.~~




[Claim 15] ~~The pharmaceutical composition for preventing or treating cancer according to Claim 12, wherein the cancer is at least one selected from among a group comprised of pseudomyxoma, intrahepatic biliary tract cancer, hepatoblastoma, liver cancer, thyroid cancer, colon cancer, testicular cancer, myelodysplastic syndrome, glioblastoma, oral cancer, cleft lip cancer, mycelia, acute myelogenous leukemia, acute lymphocytic leukemia, basal cell carcinoma, ovarian cell carcinoma, Ovarian germ cell carcinoma, male breast cancer, brain cancer, pituitary adenoma, multiple myeloma, gallbladder cancer, biliary tract cancer, colon cancer, chronic myelogenous leukemia, chronic lymphocytic leukemia, retinoblastoma, choroidal melanoma, barter bulge cancer, bladder cancer, peritoneal cancer, parathyroid cancer, Adrenal cancer, non-sinus cancer, non-small cell lung cancer, tongue cancer, astrocytoma, small cell lung cancer, pediatric brain cancer, pediatric lymphoma, pediatric leukemia, small intestine cancer, meningioma, esophageal cancer, glioma, renal cancer, kidney cancer, heart cancer, duodenal cancer, Malignant soft tissue cancer, malignant bone cancer, malignant lymphoma, malignant mesothelioma, malignant melanoma, eye cancer, vulvar cancer, ureteral cancer, urethral cancer, primary site unknown cancer, gastric lymphoma, gastric cancer, gastric carcinoma, gastrointestinal~~





interstitial cancer, Wilms cancer, breast cancer, sarcoma, penile cancer, pharyngeal cancer, pregnant villi Diseases, cervical cancer, endometrial cancer, uterine sarcoma, prostate cancer, metastatic bone cancer, metastatic brain cancer, mediastinal cancer, rectal cancer, rectal carcinoma, vaginal cancer, spinal carcinoma, auditory nerve sheath, pancreatic cancer, salivary gland cancer, Kaposi's sarcoma, Paget's disease, tonsils Cancer, squamous cell carcinoma, lung adenocarcinoma, lung cancer, lung squamous cell carcinoma, skin cancer, anal cancer, rhabdomyosarcoma, laryngeal cancer, pleural cancer, blood cancer, and thymic cancer.


[Claim 162] A compound of claim 1 selected from the group consisting of:










[illegible]



or a pharmaceutically acceptable salt thereof.

[Claim 184] A compound of Claim ~~16-2~~ which is selected from the group consisting of:




, and
or a pharmaceutically acceptable salt thereof.

[Claim 195] A compound of Claim ~~16~~2 which is selected from the group consisting of:




or a pharmaceutically acceptable salt thereof.

[Claim 206] A compound of Claim 16-2 which is selected from the group consisting of:




or a pharmaceutically acceptable salt thereof.

[Claim 217] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 228] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 239] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2410] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2511] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2612] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2713] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2814] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 2915] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3016] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3117] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3218] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3319] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3420] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 3521] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim **3622**] A compound of Claim **16-2** which is




or a pharmaceutically acceptable salt thereof.

[Claim **3723**] A compound of Claim **16-2** which is




or a pharmaceutically acceptable salt thereof.

[Claim **3824**] A compound of Claim **16-2** which is




or a pharmaceutically acceptable salt thereof.

[Claim 3925] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 4026] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim ~~41~~27] A compound of Claim ~~16~~-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim ~~42~~28] A compound of Claim ~~16~~-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim ~~43~~29] A compound of Claim ~~16~~-2 which is




or a pharmaceutically acceptable salt thereof.

[Claim 4430] A compound of Claim 16-2 which is




or a pharmaceutically acceptable salt thereof.


[Claim 4531] A compound of Claim 16-2 which is



[Claim 4632] A compound of Claim ~~16-2~~ which is



[Claim 4733] A compound of Claim ~~16-2~~ which is



[Claim 4834] A compound of any of Claims ~~16~~1 to ~~47~~33, or a pharmaceutically acceptable salt thereof, for use in treating cancer.

[Claim 5036] The compound for use of Claim 4834, wherein the cancer ~~in the subject in need thereof~~ comprises one or more mutations selected from the group consisting of: EGFR Del19/T790M, EGFR L858R/T790M, EGFR L858R, EGFR Exon20 ins NPH, EGFR Exon20 ins SVD, EGFR Exon20 ins FQEA, EGFR Exon20 ins H, EGFR Exon20 ins ASV, and a mutation of ERBB2, and wherein the mutation of ERBB2 ~~which~~ is Her2 Exon20 ins YVMA.

456

cholangiocarcinoma, hepatoblastoma, liver cancer, thyroid cancer, ~~colon~~-colorectal cancer, testicular cancer, myelodysplastic syndrome, glioblastoma, oral cancer, lip cancer, mycosis fungoides, acute myeloid leukemia, acute lymphocytic leukemia, basal cell carcinoma, ovarian epithelial cancer, ovarian germ cell cancer, male breast cancer, brain cancer, pituitary adenomas, multiple myeloma, gallbladder cancer, biliary tract cancer, colorectal cancer, chronic myelogenous leukemia, chronic lymphocytic leukemia, retinoblastoma, choroidal melanoma, ampulla of Vater cancer, bladder cancer, peritoneal cancer, parathyroid cancer, adrenal cancer, nasal and paranasal sinus cancer, non-small cell lung cancer, tongue cancer, astrocytoma, small cell lung cancer, childhood brain cancer, pediatric lymphoma, pediatric leukemia, small intestine cancer, meningioma, esophageal cancer, glioma, renal carcinoma, kidney cancer, heart cancer, duodenal cancer, malignant soft tissue cancer, malignant bone cancer, malignant lymphoma, malignant mesothelioma, malignant melanoma, eye cancer, vulvar cancer, ureter cancer, urethral cancer, cancer of unknown primary site, gastric lymphoma, gastric cancer, gastric carcinoid tumors, gastrointestinal stromal tumors, Wilms cancer, breast cancer, sarcoma, penile cancer, pharyngeal cancer, gestational ~~choriocarcinoma~~~~trophoblastic disease~~, cervical cancer, endometrial cancer, uterine sarcoma, prostate cancer, metastatic bone cancer, metastatic brain cancer, mediastinal cancer, rectal cancer, rectal carcinoid tumors, vaginal cancer, spinal carcinoma, ~~acoustic neuroma~~, pancreatic cancer, salivary gland cancer, Kaposi's sarcoma, Paget's disease, tonsillar cancer, squamous cell carcinoma, lung adenocarcinoma, lung cancer, lung squamous cell carcinoma, skin cancer, anal cancer, rhabdomyosarcoma, laryngeal cancer, pleural cancer, blood cancer, and thymic carcinoma.

[Claim 5238] The compound for use of Claim ~~5137~~, wherein the cancer is selected from the group consisting of: metastatic brain cancer, breast cancer, and non-small cell lung cancer.

[Claim 5339] The compound for use of Claim ~~5238~~, wherein the cancer is metastatic brain cancer.

[Claim 5440] The compound for use of Claim ~~5238~~, wherein the cancer is breast cancer.

[Claim 5541] The compound for use of Claim ~~5238~~, wherein the cancer is non-small cell lung cancer.

[Claim 5642] Use of a compound of any one of Claims ~~16-1~~ to ~~4733~~, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of cancer.

[Claim 5743] The use of Claim ~~5642~~, wherein the cancer comprises an epidermal growth factor receptor (EGFR) mutation; or one or more wild-type or mutant kinases selected from the group consisting of: ERBB2 and ERBB4.

[Claim 5844] The use of Claim ~~5642~~, wherein the cancer comprises one or more mutations selected from the group consisting of: EGFR Del19/T790M, EGFR L858R/T790M, EGFR L858R, EGFR Exon20 ins NPH, EGFR Exon20 ins SVD, EGFR Exon20 ins FQEA, EGFR Exon20 ins H, EGFR Exon20 ins ASV; and a mutation of ERBB2, and wherein the mutation of ERBB2 ~~which~~ is Her2 Exon20 ins YVMA.

[Claim 5945] The use of Claim ~~5642~~, wherein the cancer is selected from the group consisting of: pseudomyxoma, intrahepatic cholangiocarcinoma, hepatoblastoma, liver

cancer, thyroid cancer, ~~colon~~-colorectal cancer, testicular cancer, myelodysplastic syndrome, glioblastoma, oral cancer, lip cancer, mycosis fungoides, acute myeloid leukemia, acute lymphocytic leukemia, basal cell carcinoma, ovarian epithelial cancer, ovarian germ cell cancer, male breast cancer, brain cancer, pituitary adenomas, multiple myeloma, gallbladder cancer, biliary tract cancer, colorectal cancer, chronic myelogenous leukemia, chronic lymphocytic leukemia, retinoblastoma, choroidal melanoma, ampulla of vater cancer, bladder cancer, peritoneal cancer, parathyroid cancer, adrenal cancer, nasal and paranasal sinus cancer, non-small cell lung cancer, tongue cancer, astrocytoma, small cell lung cancer, childhood brain cancer, pediatric lymphoma, pediatric leukemia, small intestine cancer, meningioma, esophageal cancer, glioma, renal carcinoma, kidney cancer, heart cancer, duodenal cancer, malignant soft tissue cancer, malignant bone cancer, malignant lymphoma, malignant mesothelioma, malignant melanoma, eye cancer, vulvar cancer, ureter cancer, urethral cancer, cancer of unknown primary site, gastric lymphoma, gastric cancer, gastric carcinoid tumors, gastrointestinal stromal tumors, Wilms cancer, breast cancer, sarcoma, penile cancer, pharyngeal cancer, gestational ~~trophoblastic disease~~choriocarcinoma, cervical cancer, endometrial cancer, uterine sarcoma, prostate cancer, metastatic bone cancer, metastatic brain cancer, mediastinal cancer, rectal cancer, rectal carcinoid tumors, vaginal cancer, spinal carcinoma, ~~acoustic neuroma~~, pancreatic cancer, salivary gland cancer, Kaposi's sarcoma, Paget's disease, tonsillar cancer, squamous cell carcinoma, lung adenocarcinoma, lung cancer, lung squamous cell carcinoma, skin cancer, anal cancer, rhabdomyosarcoma, laryngeal cancer, pleural cancer, blood cancer, and thymic carcinoma.

[Claim 6046] The use of Claim 5945, wherein the cancer is selected from the group consisting of metastatic brain cancer, breast cancer, and non-small cell lung cancer.

[Claim 6147] The use of Claim 6046, wherein the cancer is metastatic brain cancer.

[Claim 6248] The use of Claim 6046, wherein the cancer is breast cancer.

[Claim 6349] The use of Claim 6046, wherein the cancer is non-small cell lung cancer.

[Claim 6450] A pharmaceutical composition comprising a compound of any one of Claims 16-1 to 4733, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.