



CLAIMS


1. A compound of formula (I) or a salt thereof,




wherein

- 10 A is selected from:





5




B is selected from:

and

each R^1 is independently selected from halo and methyl;

10 R^2 is selected from chloro, fluoro, trifluoromethyl, methyl and cyano;


R^3 is selected from isopropyl, cyclopropyl, isobutyl, cyclobutyl and cyclopentyl, or R^3 is:



wherein R^{22} is selected from OH, OCH₃, NH₂, NHMe, NMe₂, NHCOMe and NHCOH;

15

R^4 is selected from:



and

wherein

R^{15} is independently selected from OCH_3 , CH_2CH_3 , OH , OCF_3 and H ;

10 R¹⁶ is selected from H, -O-(C₁-C₄)alkyl, halo, OCF₃, CN, -C(O)NR⁹R¹⁰, -C(O)-morpholinyl-4-yl, hydroxy-azetidin-1-yl-carbonyl, -CH₂NR⁹R¹⁰, -CH₂NR⁹-C(O)R¹⁰, CH₂CN, methyl-imidazolyl-, -CH₂C(O)NR⁹R¹⁰, -CH₂C(O)OH, -C(O)OH, -CH₂C(O)O-(C₁-C₄)alkyl, -N(R⁹)-C(O)-(C₁-C₄)alkyl, -NR⁹R¹⁰ and (C₁-C₄)alkyl optionally substituted by 1 or 2 OH;

15 R¹⁷ is selected from H, O-(C₁-C₄)alkyl, -CH₂C(O)NR⁹R¹⁰, -CH₂C(O)O-(C₁-C₄)alkyl, -CH₂C(O)OH, -NR⁹R¹⁰, -C(O)NR⁹R¹⁰, -CH₂NR⁹R¹⁰, -C(O)OCH₃ and -CH₂CN;

R¹⁸ is selected from H, O(C₁-C₄)alkyl, OH, CH₂NR⁹R¹⁰, -NR⁹R¹⁰ and azetidin-1-yl, said azetidin-1-yl being substituted with OH or both CH₃ and OH,

R¹⁹ is selected from H, O(C₁-C₄)alkyl, (C₁-C₄)alkyl, -NR⁹R¹⁰, -N(R⁹)-C(O)-(C₁-C₄)alkyl and -C(O)NR⁹R¹⁰;

R^{20} is selected from H, CH_3 and $-CH_2CH_3$;

R^{21} is selected from $-NR^9R^{10}$, $-CH_2NR^9R^{10}$, $C(O)NR^9R^{10}$ and CN;

5 R^5 is selected from:

- H,
- heterocyclyl¹-C(O)-(CH₂)_n-,
- (C₁-C₄)alkyl-, said (C₁-C₄)alkyl- being optionally substituted with 1 or 2 substituents independently selected from OH, =O,
- 10 • heterocyclyl¹-(C₁-C₄)alkyl-, wherein said alkyl of heterocyclyl¹-(C₁-C₄)alkyl- is optionally substituted by 1 or 2 OH, and said heterocyclyl¹ can be optionally substituted by methyl or ethyl,
- (C₁-C₄)alkyl-O-C(O)-(CH₂)_m-, and
- cyano;

15

R^6 is selected from:

- H,
- (C₁-C₄)alkyl-, optionally substituted with (C₁-C₄)alkoxy,
- (C₁-C₄)alkoxy, optionally substituted with (C₁-C₄)alkoxy,
- 20 • (C₁-C₄)alkoxy(C₁-C₄)alkoxy(C₁-C₄)alkyl-,
- halo,
- $R^9(R^{10})N-C(O)-(CH_2)_m$ -,
- cyano,
- $R^9(R^{10})N-(CH_2)_m$ -,
- 25 • $R^9(R^{10})N-(CH_2)_n-O-(CH_2)_m$ -,
- (C₁-C₄)alkyl-C(O)-(R¹⁰)N-(CH₂)_m-,
- $-O-(CH_2)_p$ -heteroaryl²;

25

R^7 is selected from:

- 30 • H,
- halo, and

- (C₁-C₄)alkyl-, optionally substituted with (C₁-C₄)alkoxy;

each R⁸ is independently selected from H, methyl, ethyl, hydroxyethyl and methoxyethyl-, wherein said methyl or ethyl is optionally substituted with 1, 2 or 3 fluoro substituents;

each R⁹ is independently selected from H, methyl or ethyl;

each R¹⁰ is independently selected from H and (C₁-C₄) alkyl wherein said (C₁-C₄) alkyl is optionally substituted by 1 or 2 substituents independently selected from methoxy, ethoxy, hydroxy and halo;

or R⁹ and R¹⁰, together with the N atom to which they are attached, can join to form a saturated 5 or 6 membered heterocyclic ring further comprising ring carbon atoms and optionally one ring heteroatom independently selected from N, O and S, and wherein when the ring contains a S atom, said S is optionally substituted with one or two oxo substituents;

R¹¹ is H, (C₁-C₄)alkyl, (C₁-C₄) alkoxy or halo;

R¹² is H or halo;

R¹³ is selected from NH₂, -C(O)OH, -NH(C(O)-CH₃) and -C(O)- NH(CH₃);

R¹⁴ is selected from -C(O)- NR⁹(R¹⁰), (C₁-C₄)alkyl, -C(O)(C₁-C₄)alkyl, -C(O)O(C₁-C₄)alkyl;

each R²³ is independently selected from H, halo, cyclopropyl and (C₁-C₄)alkyl;

n is 1, 2 or 3;

p is 0, 1, 2 or 3;

heterocyclyl¹ is a 3, 4, 5 or 6 membered fully saturated or partially unsaturated monocyclic group comprising ring carbon atoms and 1 or 2 ring heteroatoms independently selected from N, O and S;


heteroaryl² is 5 or 6 membered fully unsaturated monocyclic group comprising ring carbon atoms and 1, 2, 3 or 4 ring heteroatoms independently selected from N, O and S, wherein the total number of ring S atoms does not exceed 1, and the total number of ring O atoms does not exceed 1;


and

m is 0, 1 or 2.


* indicates the point of attachment to the remainder of the molecule.

2. A compound or salt thereof according to claim 1, wherein A is selected from:






3. A compound or salt thereof according to claim 1 or claim 2, wherein A is selected from:



4. A compound or salt thereof according to any of claims 1 to 3, wherein B is selected from:




5. A compound or salt thereof according to claim 1 or claim 4, wherein each R^1 is independently selected from chloro, fluoro and methyl.


6. A compound or salt thereof according to any of claims 1 to 3, wherein R^2 is selected from chloro and cyano.

7. A compound or salt thereof according to any of claims 1 to 6, wherein R^3 is selected from isopropyl, cyclobutyl, cyclopropyl, 2-methoxy-1-methyl-ethyl and 2-hydroxy-1-methyl-ethyl.


8. A compound or salt thereof according to any of claims 1 to 7, wherein R^4 is selected from



9. A compound or salt thereof according to any of claims 1 to 8, wherein R^4 is selected from:



10. A compound or salt thereof according to any of claims 1 to 9, wherein R^4 is selected from



11. A compound or salt thereof according to any of claims 1 to 10, wherein R^5 is selected from:

- H,
- (C_1-C_4) alkyl-, said (C_1-C_4) alkyl- being optionally substituted with 1 or 2 substituents independently selected from OH, =O,
- (C_1-C_4) alkyl-O-C(O)-(CH₂)_m-, and
- cyano.


12. A compound or salt thereof according to any of claims 1 to 11, wherein R^5 is H.

13. A compound or salt thereof according to any of claims 1 and 4-12, wherein R^6 is selected from:


- H,
- methyl,
- methoxy
- fluoro
- chloro
- cyano and
- -C(O)NH₂.

14. A compound or salt thereof according to any of claims 1-3 and 5 to 13, wherein R^7 is selected from H and (C_1-C_4) alkyl-, in particular H and methyl.

15. A compound or salt thereof according to any of claims 1 to 14, wherein the compound of formula (I) has the stereochemistry shown in formula (IA):



16. A compound or salt thereof according to any of claims 1-14, wherein the compound of formula (I) has the stereochemistry shown in formula (IB):



17. A compound of formula (I) or a salt thereof, selected from:

1: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-fluoro-2-methoxy-phenyl)-1-isopropyl-4-oxo-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

2: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(6-fluoro-2-methoxy-phenyl)-1-isopropyl-4-oxo-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

3: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-trifluoromethoxy-phenyl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

4: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidaol-2-yl]-4-methoxy-benzonitrile

- 5: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 6: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(4-methoxy-pyridin-3-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 7: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 8: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-methoxy-pyridin-3-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 9: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
- 10 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 10: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N-methyl benzamide
- 11: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxyethyl)-4-methoxy-benzamide
- 15 12: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 13: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 14: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[5-(3-hydroxy-azetidine-1-
- 20 carbonyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(3-methoxy-pyridin-4-yl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 16: 2-(5-Amino methyl-2-methoxy-phenyl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 25 17: N-[3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzyl]-acetamide
- 18: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 19: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-
- 30 isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 20: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one

- 21: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(4-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 22: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(4-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 5 23: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 24: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 25: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-10 4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 26: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzonitrile
- 27: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 15 28: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(3,6-pyridazin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 29: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,6-dimethoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(4-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 31: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 32: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,6-dimethoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 33: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,6-dimethoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 34: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-ethyl-benzonitrile
- 35: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 36: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 37: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 38: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-4-methoxy-pyrimidin-5-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 39: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(2-hydroxy-ethyl amino)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 40: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 41: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 10 42: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 43: 4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 15 44: 4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 45: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 46: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 47: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-ethyl-6-methoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 48: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 49: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-ethyl-benzonitrile
- 50: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 51: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-4-methoxy-pyrimidin-5-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 52: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(2-hydroxy-ethyl amino)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 53: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 54: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 55: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 56: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 57: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 10 58: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 59: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-3-methyl-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 60: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(3-hydroxy-3-methyl-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 61: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 62: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 63: 2-(4-Amino methyl-2-methoxy-phenyl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 64: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 25 65: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 66: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 67: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 68: 3-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide

- 69: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 70: 3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 5 71: 6-(4-Chloro-2-methyl-phenyl)-5-(4-chloro-pyrimidin-2-yl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 72: 6-(4-Chloro-phenyl)-5-(5-chloro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 73: 3-[5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 10 74: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 75: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 76: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 77: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 78: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-hydroxy-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 79: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 80: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 81: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 82: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 83: 6-(4-Chloro-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5-(1-methyl-6-oxo-piperidin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 84: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(1-methyl-6-oxo-piperidin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 85: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 86: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 87: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 88: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-cyclopropyl-2-(2,4-dimethoxy pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 89: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 10 90: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 91: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 92: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 93: {4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 94: 4-[6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzamide
- 20 95: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzamide
- 96: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-2-oxo-1,2-dihydro-pyrimidin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 97: 5-(4-Amino-cyclohexyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 98: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexanecarboxylic acid
- 99: N-{4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexyl}-acetamide
- 30 100: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile

- 101: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 102: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 103: (R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 104: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexanecarboxylic acid methylamide
- 105: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 106: {4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 107: {4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 15 108: {4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 109: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 110: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 111: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 112: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 113: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-((R)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 114: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 115: 5-(5-Chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-(4-methyl-cyclohexyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 116: 4-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazole-4-carboxylic acid ethyl ester

- 117: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 118: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzonitrile
- 5 119: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzonitrile
- 120: 4-Chloro-2-[6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-benzonitrile
- 121: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 122: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 123: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-piperidine-1-carboxylic acid methylamide
- 15 124: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 125: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-piperidine-1-carboxylic acid methyl ester
- 126: 2-[4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl]-N-methyl-acetamide
- 20 127: 5-(5-Chloro-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 128: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 129: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 130: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(5-cyanomethyl-2-methoxy-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 131: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(5-cyanomethyl-2-methoxy-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 30 132: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(5-cyanomethyl-2-methoxy-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile

- 133: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetonitrile
- 134: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 135: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 136: {4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 137: {5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 10 138: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 139: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carboxylic acid amide
- 15 140: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 141: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 142: 4-[(S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 143: 4-[(R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 144: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[3-(2-methyl-3H-imidazol-4-yl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 145: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 146: {5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 147: 2-{5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-N-methyl-acetamide
- 30 148: 2-{5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-N-methyl-acetamide

- 149: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((S)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 150: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 5 151: 2-{5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-N-methyl-acetamide
- 152: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 153: 6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-methyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 154: 2-{3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N-methyl-acetamide
- 155: 2-{3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N,N-dimethyl-acetamide
- 15 156: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((S)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 157: 2-{3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N-methyl-acetamide
- 158: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 159: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 160: 4-[(S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 161: 4-[(R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 162: {3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-acetic acid
- 163: (R)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 164: (S)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 165: {3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-acetic acid methyl ester
- 166: 4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 167: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 168: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 169: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 170: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carbonitrile
- 171: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-5-methoxy-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 172: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-5-methoxy-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 173: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 174: 3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 20 175: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 176: 3-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 25 177: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 178: 5-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione
- 179: 5-[6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione
- 30 180: 5-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione

- 181: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-cyclopropyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 182: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 5 183: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 184: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 185: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 186: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 187: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(1-ethyl-5-methoxy-2-oxo-1,2-dihydro-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 15 188: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 189: 3-[(R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 190: 3-[(S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 20 191: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 192: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 193: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 194: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 195: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 196: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 197: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 198: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 199: 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 200: 3-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 201: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 202: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 203: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 204: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 205: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 206: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 207: 3-[6-(4-Chloro-phenyl)-5-(5-chloro-pyridin-3-yl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 208: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 209: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 210: 5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 211: 3-[5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 30 212: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzoic acid

- 213: 6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 214: 6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 215: 3-[6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 216: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzonitrile
- 217: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
10 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-4-methoxy-benzamide
- 218: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-4-methoxy-benzamide
- 219: 4-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-3-methoxy-benzamide
- 15 220: 4-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-3-methoxy-benzamide
- 221: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-ethyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 222: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
20 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 223: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 224: 6-(4-Chloro-2-methyl-phenyl)-5-(4-chloro-pyridin-2-yl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 225: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 226: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 227: 6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-
30 phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 228: N-[3-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzyl]-2-hydroxy-acetamide

- 229: 5-[5-Chloro-1-(2-hydroxy-ethyl)-6-oxo-1,6-dihydro-pyridin-3-yl]-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 230: 5-[5-Chloro-1-(2-methoxy-ethyl)-6-oxo-1,6-dihydro-pyridin-3-yl]-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 231: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 232: 5-(5-Chloro-1-ethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 233: 2-(2-Amino-pyridin-4-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 234: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-[5-(1-hydroxy-2-methyl-propyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 235: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-[5-(1-hydroxy-ethyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 236: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 237: 5-(5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl)-6-methoxy-N,N-dimethylpyridazine-3-carboxamide
- 238: 2-(4-(5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chloro-2-methylphenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl)-5-methoxypyridin-2-yl)acetonitrile
- 20 239: 4-(5-(3-chloro-2-fluorophenyl)-2-(2-(cyanomethyl)-5-methoxypyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-4-yl)-3-methylbenzonitrile
- 240: 4-(5-(3-chloro-4-fluorophenyl)-2-(2-(cyanomethyl)-5-methoxypyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-4-yl)benzonitrile
- 25 241: {4-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 242: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 243: 6-(4-Chloro-phenyl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 244: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(3-methoxy-1-methyl-6-oxo-1,6-dihydro-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 245: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 246: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 5 247: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 248: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 249: 4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carboxylic acid dimethylamide
- 10 250: {4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 251: {4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 15 252: 4-[(S)-5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 253: 4-[(R)-5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 254: 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 255: 4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 256: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-((R)-2-methoxy-1-methyl-ethyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 257: 4-[5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-((R)-2-methoxy-1-methyl-ethyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 258: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 259: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 260: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(4-fluoro-3-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 261: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(2-methoxy-5-methyl-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 262: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 263: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 264: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 265: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 266: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 267: 6-(4-Chloro-phenyl)-5-(4-fluoro-3-methyl-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, and
- 15 268: 6-(4-Chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5-(2-methoxy-5-methyl-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one.
- 269: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 270: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-pyridine-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 271: 6-(4-Chloro-2-phenyl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 272: 6-(4-Chloro-phenyl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 273: 6-(4-Chloro-2-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 274: 6-(4-Chloro-2-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 275: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 276: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 277: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluorobenzonitrile
- 278: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 5 279: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dihydroxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 280: (R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 281: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 282: (S)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 283: (R)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 284: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 285: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 286: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-methyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 287: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 288: 4-[(R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 25 289: 4-[(S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 290: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 291: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,4-dimethyl-6-oxo-1,6-dihydro-pyridin-2-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 292: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 293: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 294: 5-(5-Chloro-1-difluoromethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 295: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 296: 5-(5-Chloro-1-ethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 297: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 298: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-oxo-1,2-dihydro-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 299: 6-(4-Chloro-phenyl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 300: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(3-methoxy-6-methyl-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 301: 5-(5-Chloro-2-methoxy-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 302: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5-(3-methoxy-6-methyl-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 303: 6-(4-Chloro-2-fluoro-phenyl)-5-(3-chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 304: 6-(4-Chloro-2-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 305: 6-(4-Chloro-2-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 306: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(4-fluoro-2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 307: (S)-5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 308: (R)-5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 309: 6-(4-Chloro-phenyl)-5-(5-cyclopropyl-4-fluoro-2-methyl-2H-pyrazol-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 310: 6-(4-Chloro-phenyl)-5-(5-cyclopropyl-4-fluoro-2-methyl-2H-pyrazol-3-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 311: 4-{5-(3-Chloro-2-fluoro-phenyl)-2-[2-(1,1-dioxo-1-thiomorpholin-4-yl)-4-methoxy-pyrimidin-5-yl]-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl}-benzonitrile
- 312: 4-{5-(3-Chloro-2-fluoro-phenyl)-2-[2-((S)-3-hydroxy-piperidin-1-yl)-4-methoxy-pyrimidin-5-yl]-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl}-benzonitrile
- 10 313: 2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 314: 2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 15 315: (R)-5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-hydroxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 316: (S)-5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-hydroxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 317: (S)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 20 318: (R)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 319: 5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 25 320: 5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 321: 5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 30 322: (S)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy-d6-pyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one

323: (S)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one


324: (R)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one

5 325: (S)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one and

326: (R)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one.


18. A compound of formula (I) as claimed in claim 1, which is

15 (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one




or a salt thereof.

20 19. A compound of formula (I) as claimed in claim 1, which is 4-[(S)-5-(3-Chloro-2-fluorophenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile




or a salt thereof.

20. A compound of formula (I) as claimed in claim 1, which is (S)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one




or a salt thereof.

21. A compound of formula (I) as claimed in claim 1, which is (S)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one



or a salt thereof.

22. A compound of formula (I) as claimed in claim 1, which is (S)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy-d6-pyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one



or a salt thereof.

23. The crystalline form A of 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 6.54 ± 0.2 , 14.29 ± 0.2 , 15.72 ± 0.2 , 16.78 ± 0.2 , 17.82 ± 0.2 , 19.41 ± 0.2 , $20.10 \pm 0.2^\circ$, 20.67 ± 0.2 , 23.65 ± 0.2 and 25.82 ± 0.2 , at a temperature of about 22°C , in particular 16.78 ± 0.2 , 19.41 ± 0.2 , 23.65 ± 0.2 and 25.82 ± 0.2 .

24. The crystalline form A of 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 6.25 ± 0.2 , 10.34 ± 0.2 , 14.83 ± 0.2 , 15.33 ± 0.2 , 15.84 ± 0.2 , 19.16 ± 0.2 , 19.50

$\pm 0.2^\circ$, 20.94 ± 0.2 , 22.32 ± 0.2 , 25.05 ± 0.2 and 25.74 ± 0.2 , at a temperature of about 22°C .

25. The crystalline form A (ethanol solvate) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.89 ± 0.2 , 12.33 ± 0.2 , 14.61 ± 0.2 , 16.21 ± 0.2 , 16.66 ± 0.2 , 17.50 ± 0.2 , 17.78 ± 0.2 , 19.83 ± 0.2 , 20.56 ± 0.2 , 22.35 ± 0.2 , $22.98 \pm 0.2^\circ$ at a temperature of about 22°C .
26. The crystalline form B (succinic acid co-crystal) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.04 ± 0.2 , 17.27 ± 0.2 , 19.52 ± 0.2 , 20.85 ± 0.2 , 21.14 ± 0.2 , 23.42 ± 0.2 , 23.67 ± 0.2 , 24.54 ± 0.2 , $26.95 \pm 0.2^\circ$ at a temperature of about 22°C .
27. The crystalline form C (hydrate) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 10.09 ± 0.2 , 14.52 ± 0.2 , 14.88 ± 0.2 , 16.93 ± 0.2 , 17.56 ± 0.2 , 19.18 ± 0.2 , 20.46 ± 0.2 , 20.87 ± 0.2 , 21.86 ± 0.2 , 25.00 ± 0.2 , 25.68 ± 0.2 , 28.57 ± 0.2 , $32.17 \pm 0.2^\circ$ at a temperature of about 22°C .
28. The crystalline form A of (S)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.98 ± 0.2 , 12.56 ± 0.2 , 14.58 ± 0.2 , 14.95 ± 0.2 , 15.55 ± 0.2 , 17.08 ± 0.2 , 17.44 ± 0.2 , 19.72 ± 0.2 , 23.83 ± 0.2 , 25.78 ± 0.2 , $26.26 \pm 0.2^\circ$ at a temperature of about 22°C , in particular 14.58 ± 0.2 , 17.08 ± 0.2 and 17.44 ± 0.2 .
29. A compound of the formula (I) or salt thereof as defined in any one of claims 1 to 28, for use as a pharmaceutical.

30. A compound of the formula (I) or salt thereof as defined in any one of claims 1 to 28, for use in the treatment of a disorder or a disease mediated by the activity of MDM2 and/or MDM4.

31. Use of a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28, for the manufacture of a medicament for the treatment of a disorder or a disease in a subject mediated by the activity of MDM2 and/or MDM4.

32. A pharmaceutical composition comprising a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28, and one or more pharmaceutically acceptable carriers.

33. A therapeutically effective amount of a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28 mediated by the activity of MDM2 and/or MDM4 to be administered to a subject.

34. A therapeutically effective amount of a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28 for use in the treatment of a disorder or a disease mediated by the activity of MDM2 and/or MDM4 to be administered to a subject.

35. A compound for use, or use of, as claimed in any of claims 30, 31 or 34, wherein the disorder or disease mediated by the activity of MDM2 and/or MDM4 is cancer.


36. A compound of the formula (I) or salt thereof as claimed in any one of claims 1 to 28, in combination with one or more therapeutically active agents.

37. A compound for use, or use of, as claimed in any of claims 30, 31 or 34, wherein the disorder or disease mediated by the activity of MDM2 and/or MDM4 is for the treatment of benign or malignant tumors, a soft tissue sarcoma such as liposarcoma, rhabdomyosarcoma or bone cancer, a carcinoma, such as of the kidney, liver, adrenal gland, bladder, breast, gastric, ovary, colon, rectum, prostate, pancreas, lung, vagina or thyroid, mesothelioma, a multiple myeloma, a gastrointestinal cancer, especially colon carcinoma or colorectal adenoma, a tumor of the head and neck, a melanoma, a prostate hyperplasia, a neoplasia, a neoplasia of epithelial character, a

leukemia such as acute myeloid leukemia or B-cell chronic lymphocytic leukemia, a lymphoma, such as of B- or T-cell origin, and metastases in other organs.


CLAIMS


1. A compound of formula (I) or a salt thereof,




wherein

- 10 A is selected from:





5




B is selected from:

, and ;

each R^1 is independently selected from halo and methyl;

10 R^2 is selected from chloro, fluoro, trifluoromethyl, methyl and cyano;


R^3 is selected from isopropyl, cyclopropyl, isobutyl, cyclobutyl and cyclopentyl, or R^3 is:




wherein R^{22} is selected from OH, OCH₃, NH₂, NHMe, NMe₂, NHCOMe and NHCOH;

15

R^4 is selected from:



and



5

wherein

R^{15} is independently selected from OCH_3 , CH_2CH_3 , OH , OCF_3 and H ;

10 R^{16} is selected from H , $-O-(C_1-C_4)alkyl$, $halo$, OCF_3 , CN , $-C(O)NR^9R^{10}$, $-C(O)-morpholinyl-4-yl$, $hydroxy-azetidin-1-yl-carbonyl$, $-CH_2NR^9R^{10}$, $-CH_2NR^9-C(O)R^{10}$, CH_2CN , $methyl-imidazolyl$, $-CH_2C(O)NR^9R^{10}$, $-CH_2C(O)OH$, $-C(O)OH$, $-CH_2C(O)O-(C_1-C_4)alkyl$, $-N(R^9)-C(O)-(C_1-C_4)alkyl$, $-NR^9R^{10}$ and $(C_1-C_4)alkyl$ optionally substituted by 1 or 2 OH ;

15 R^{17} is selected from H , $O(C_1-C_4)alkyl$, $-CH_2C(O)NR^9R^{10}$, $-CH_2C(O)O-(C_1-C_4)alkyl$, $-CH_2C(O)OH$, $-NR^9R^{10}$, $-C(O)NR^9R^{10}$, $-CH_2NR^9R^{10}$, $-C(O)OCH_3$ and $-CH_2CN$;

R^{18} is selected from H , $O(C_1-C_4)alkyl$, OH , $CH_2NR^9R^{10}$, $-NR^9R^{10}$ and $azetidin-1-yl$, said $azetidin-1-yl$ being substituted with OH or both CH_3 and OH ,

20

R^{19} is selected from H , $O(C_1-C_4)alkyl$, $(C_1-C_4)alkyl$, $-NR^9R^{10}$, $-N(R^9)-C(O)-(C_1-C_4)alkyl$ and $-C(O)NR^9R^{10}$;

R^{20} is selected from H, CH_3 and $-CH_2CH_3$;

R^{21} is selected from $-NR^9R^{10}$, $-CH_2NR^9R^{10}$, $C(O)NR^9R^{10}$ and CN;

5 R^5 is selected from:

- H,
- heterocyclyl¹-C(O)-(CH₂)_n-,
- (C₁-C₄)alkyl-, said (C₁-C₄)alkyl- being optionally substituted with 1 or 2 substituents independently selected from OH, =O,
- 10 • heterocyclyl¹-(C₁-C₄)alkyl-, wherein said alkyl of heterocyclyl¹-(C₁-C₄)alkyl- is optionally substituted by 1 or 2 OH, and said heterocyclyl¹ can be optionally substituted by methyl or ethyl,
- (C₁-C₄)alkyl-O-C(O)-(CH₂)_m-, and
- cyano;

15

R^6 is selected from:

- H,
- (C₁-C₄)alkyl-, optionally substituted with (C₁-C₄)alkoxy,
- (C₁-C₄)alkoxy, optionally substituted with (C₁-C₄)alkoxy,
- 20 • (C₁-C₄)alkoxy(C₁-C₄)alkoxy(C₁-C₄)alkyl-,
- halo,
- $R^9(R^{10})N-C(O)-(CH_2)_m$ -,
- cyano,
- $R^9(R^{10})N-(CH_2)_m$ -,
- 25 • $R^9(R^{10})N-(CH_2)_n-O-(CH_2)_m$ -,
- (C₁-C₄)alkyl-C(O)-(R¹⁰)N-(CH₂)_m-,
- -O-(CH₂)_p-heteroaryl²;

25

R^7 is selected from:

- 30 • H,
- halo, and

- (C₁-C₄)alkyl-, optionally substituted with (C₁-C₄)alkoxy;

each R⁸ is independently selected from H, methyl, ethyl, hydroxyethyl and methoxyethyl-, wherein said methyl or ethyl is optionally substituted with 1, 2 or 3 fluoro substituents;

5

each R⁹ is independently selected from H, methyl or ethyl;

each R¹⁰ is independently selected from H and (C₁-C₄) alkyl wherein said (C₁-C₄) alkyl is optionally substituted by 1 or 2 substituents independently selected from methoxy, ethoxy, hydroxy and halo;

10

or R⁹ and R¹⁰, together with the N atom to which they are attached, can join to form a saturated 5 or 6 membered heterocyclic ring further comprising ring carbon atoms and optionally one ring heteroatom independently selected from N, O and S, and wherein when the ring contains a S atom, said S is optionally substituted with one or two oxo substituents;

15

R¹¹ is H, (C₁-C₄)alkyl, (C₁-C₄) alkoxy or halo;

R¹² is H or halo;

20 R¹³ is selected from NH₂, -C(O)OH, -NH(C(O)-CH₃) and -C(O)- NH(CH₃);

R¹⁴ is selected from -C(O)- NR⁹(R¹⁰), (C₁-C₄)alkyl, -C(O)(C₁-C₄)alkyl, -C(O)O(C₁-C₄)alkyl;

each R²³ is independently selected from H, halo, cyclopropyl and (C₁-C₄)alkyl;

25

n is 1, 2 or 3;

p is 0, 1, 2 or 3;

heterocyclyl¹ is a 3, 4, 5 or 6 membered fully saturated or partially unsaturated monocyclic group comprising ring carbon atoms and 1 or 2 ring heteroatoms independently selected from N, O and S;

30

heteroaryl² is 5 or 6 membered fully unsaturated monocyclic group comprising ring carbon atoms and 1, 2, 3 or 4 ring heteroatoms independently selected from N, O and S, wherein the total number of ring S atoms does not exceed 1, and the total number of ring O atoms does not exceed 1;


5

and


m is 0, 1 or 2.

10 * indicates the point of attachment to the remainder of the molecule.


2. A compound or salt thereof according to claim 1, wherein A is selected from:




15



3. A compound or salt thereof according to claim 1 or claim 2, wherein A is selected from:



4. A compound or salt thereof according to any of claims 1 to 3, wherein B is selected from:




5

5. A compound or salt thereof according to claim 1 or claim 4, wherein each R^1 is independently selected from chloro, fluoro and methyl.

6. A compound or salt thereof according to any of claims 1 to 3, wherein R^2 is selected from chloro and cyano.


7. A compound or salt thereof according to any of claims 1 to 6, wherein R^3 is selected from isopropyl, cyclobutyl, cyclopropyl, 2-methoxy-1-methyl-ethyl and 2-hydroxy-1-methyl-ethyl.

8. A compound or salt thereof according to any of claims 1 to 7, wherein R^4 is selected from




9. A compound or salt thereof according to any of claims 1 to 8, wherein R^4 is selected from:

20



10. A compound or salt thereof according to any of claims 1 to 9, wherein R^4 is selected from



5

11. A compound or salt thereof according to any of claims 1 to 10, wherein R^5 is selected from:

- H,
- (C_1-C_4) alkyl-, said (C_1-C_4) alkyl- being optionally substituted with 1 or 2 substituents independently selected from OH, =O,
- (C_1-C_4) alkyl-O-C(O)-(CH₂)_m-, and
- cyano.

10

12. A compound or salt thereof according to any of claims 1 to 11, wherein R^5 is H.


15 13. A compound or salt thereof according to any of claims 1 and 4-12, wherein R^6 is selected from:

- H,
- methyl,
- methoxy
- fluoro
- chloro
- cyano and
- -C(O)NH₂.


20

14. A compound or salt thereof according to any of claims 1-3 and 5 to 13, wherein R^7 is selected from H and (C_1-C_4) alkyl-, in particular H and methyl.

15. A compound or salt thereof according to any of claims 1 to 14, wherein the compound of formula (I) has the stereochemistry shown in formula (IA):



16. A compound or salt thereof according to any of claims 1-14, wherein the compound of formula (I) has the stereochemistry shown in formula (IB):



17. A compound of formula (I) or a salt thereof, according to claim 1, selected from:

1: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-fluoro-2-methoxy-phenyl)-1-isopropyl-4-oxo-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one


2: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(6-fluoro-2-methoxy-phenyl)-1-isopropyl-4-oxo-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

3: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-trifluoromethoxy-phenyl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

4: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile

- 5: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 6: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(4-methoxy-pyridin-3-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 7: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 8: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-methoxy-pyridin-3-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 9: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
- 10 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 10: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N-methyl benzamide
- 11: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxyethyl)-4-methoxy-benzamide
- 15 12: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 13: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 14: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[5-(3-hydroxy-azetidine-1-
- 20 carbonyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(3-methoxy-pyridin-4-yl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 16: 2-(5-Amino methyl-2-methoxy-phenyl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 25 17: N-[3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzyl]-acetamide
- 18: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 19: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-
- 30 isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 20: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one

- 21: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(4-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 22: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(4-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 5 23: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 24: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 25: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 26: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzonitrile
- 27: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 15 28: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(3,6-pyridazin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 29: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,6-dimethoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(4-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 31: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 32: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,6-dimethoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 33:



- 34: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-ethyl-benzonitrile
- 35: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 36: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 37: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 38: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-4-methoxy-pyrimidin-5-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 39: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(2-hydroxy-ethyl amino)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 40: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 41: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-10 oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 42: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 43: 4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 15 44: 4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 45: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 46: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(4-methoxy-2-20 methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 47: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-ethyl-6-methoxy-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 48: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 49: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-ethyl-benzonitrile
- 50: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 51: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-4-methoxy-pyrimidin-5-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 52: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(2-hydroxy-ethyl amino)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 53: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 54: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 55: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 56: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 57: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 10 58: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 59: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-3-methyl-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 60: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(3-hydroxy-3-methyl-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 61: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 62: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 63: 2-(4-Amino methyl-2-methoxy-phenyl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 64: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 25 65: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 66: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 67: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 68: 3-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide


- 69: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 70: 3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 5 71: 6-(4-Chloro-2-methyl-phenyl)-5-(4-chloro-pyrimidin-2-yl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 72: 6-(4-Chloro-phenyl)-5-(5-chloro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 73: 3-[5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 10 74: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl benzamide
- 75: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 76: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6,-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 77: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 78: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-hydroxy-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 79: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 80: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 81: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 82: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 83: 6-(4-Chloro-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5-(1-methyl-6-oxo-piperidin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 84: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(1-methyl-6-oxo-piperidin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 85: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 86: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 87: 4-[5-(3-Chloro-4-fluoro-phenyl)-3-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 88: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-cyclopropyl-2-(2,4-dimethoxy pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 89: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 10 90: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazole-4-one
- 91: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 92: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 93: {4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 94: 4-[6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzamide
- 20 95: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzamide
- 96: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-2-oxo-1,2-dihydro-pyrimidin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 97: 5-(4-Amino-cyclohexyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 98: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexanecarboxylic acid
- 99: N-[4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexyl]-acetamide
- 30 100: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile

- 101: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 102: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 103: (R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 104: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-cyclohexanecarboxylic acid methylamide
- 105: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 106: {4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 107: {4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 15 108: {4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 109: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 110: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 111: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 112: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 113: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-((R)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 114: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 115: 5-(5-Chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-(4-methyl-cyclohexyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 116: 4-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazole-4-carboxylic acid ethyl ester

- 117: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 118: 4-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzonitrile
- 5 119: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-3-methyl-benzonitrile
- 120: 4-Chloro-2-[6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-benzonitrile
- 121: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-{2-[(2-hydroxy-ethyl)-methyl-amino]-5-methoxy-pyrimidin-4-yl}-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 122: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 123: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-piperidine-1-carboxylic acid methylamide
- 15 124: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 125: 4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-piperidine-1-carboxylic acid methyl ester
- 126: 2-{4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-N-methyl-acetamide
- 20 127: 5-(5-Chloro-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 128: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 129: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 130: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(5-cyanomethyl-2-methoxy-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 131: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(5-cyanomethyl-2-methoxy-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 30 132: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(5-cyanomethyl-2-methoxy-pyridin-3-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile

- 133: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetonitrile
- 134: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 135: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 136: {4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 137: {5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 10 138: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 139: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carboxylic acid amide
- 15 140: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 141:



- 142: 4-[(S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 143: 4-[(R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 144: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[3-(2-methyl-3H-imidazol-4-yl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 145: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,3-dimethyl-2-oxo-hexahydro-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 146: {5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid
- 147: 2-[5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl]-N-methyl-acetamide
- 30 148: 2-[5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl]-N-methyl-acetamide

- 149: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((S)-2-hydroxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 150: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 5 151: 2-{5-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-N-methyl-acetamide
- 152: {5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-6-methoxy-pyridin-3-yl}-acetic acid ethyl ester
- 153: 6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-methyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 154: 2-{3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N-methyl-acetamide
- 155: 2-{3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N,N-dimethyl-acetamide
- 15 156: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((S)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 157: 2-{3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-N-methyl-acetamide
- 158: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 159: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 160: 4-[(S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 161: 4-[(R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 162: {3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-acetic acid
- 163: (R)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 164: (S)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 165: {3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-phenyl}-acetic acid methyl ester
- 166: 4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 5 167: 4-[5-(3-Chloro-4-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 168: (R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 169: (S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 170: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carbonitrile
- 171: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-5-methoxy-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 172: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-5-methoxy-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 173: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 174: 3-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 20 175: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 176: 3-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzamide
- 25 177: 5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 178: 5-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione
- 179: 5-[6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione
- 30 180: 5-[2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-4,6-dihydro-1H-pyrrolo[3,4-d]imidazol-5-yl]-1,3-dimethyl-1H-pyrimidine-2,4-dione

- 181: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-cyclopropyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 182: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 5 183: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 184: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 185: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 186: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-cyano-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 187: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(1-ethyl-5-methoxy-2-oxo-1,2-dihydro-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 15 188: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 189: 3-[(R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 190: 3-[(S)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 20 191: 4-[5-(5-Chloro-2-methyl-phenyl)-3-isopropyl-2-(2-methoxy-phenyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 192: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 193: 2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 194: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 195: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 196: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 197: 3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 198: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 199: 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 200: 3-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 201: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-[2-(3-hydroxy-azetidin-1-yl)-4-methoxy-pyrimidin-5-yl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 202: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 203: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 204: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 205: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 206: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 207: 3-[6-(4-Chloro-phenyl)-5-(5-chloro-pyridin-3-yl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 208: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 209: 3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 210: 5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 211: 3-[5-(3-Chloro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 30 212: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzoic acid

- 213: 6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-1-isopropyl-2-[2-methoxy-5-(morpholine-4-carbonyl)-phenyl]-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 214: 6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 215: 3-[6-(4-Chloro-2-methyl-phenyl)-5-(3-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzonitrile
- 216: 4-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-3-methoxy-benzonitrile
- 217: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
10 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-4-methoxy-benzamide
- 218: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-4-methoxy-benzamide
- 219: 4-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-(2-hydroxy-ethyl)-3-methoxy-benzamide
- 15 220: 4-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-3-methoxy-benzamide
- 221: 5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-2-methyl-phenyl)-2-(2-ethyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 222: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-
20 tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 223: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-N,N-dimethyl-benzamide
- 224: 6-(4-Chloro-2-methyl-phenyl)-5-(4-chloro-pyridin-2-yl)-2-(5-hydroxymethyl-2-methoxy-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 225: 3-[(R)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 226: 3-[(S)-6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-N-isopropyl-4-methoxy-benzamide
- 227: 6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-
30 phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 228: N-{3-[6-(4-Chloro-2-methyl-phenyl)-5-(5-chloro-2-methyl-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-4-methoxy-benzyl}-2-hydroxy-acetamide

- 229: 5-[5-Chloro-1-(2-hydroxy-ethyl)-6-oxo-1,6-dihydro-pyridin-3-yl]-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 230: 5-[5-Chloro-1-(2-methoxy-ethyl)-6-oxo-1,6-dihydro-pyridin-3-yl]-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 231: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 232: 5-(5-Chloro-1-ethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 233: 2-(2-Amino-pyridin-4-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 234: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-[5-(1-hydroxy-2-methyl-propyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 235: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-[5-(1-hydroxy-ethyl)-2-methoxy-phenyl]-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 236: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 237: 5-(5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl)-6-methoxy-N,N-dimethylpyridazine-3-carboxamide
- 238: 2-(4-(5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chloro-2-methylphenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl)-5-methoxypyridin-2-yl)acetonitrile
- 20 239: 4-(5-(3-chloro-2-fluorophenyl)-2-(2-(cyanomethyl)-5-methoxypyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-4-yl)-3-methylbenzonitrile
- 240: 4-(5-(3-chloro-4-fluorophenyl)-2-(2-(cyanomethyl)-5-methoxypyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-4-yl)benzonitrile
- 25 241: {4-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydropyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 242: 4-[5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-3-methyl-benzonitrile
- 243: 6-(4-Chloro-phenyl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 244: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(3-methoxy-1-methyl-6-oxo-1,6-dihydro-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 245: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 246: 4-[5-(3-Chloro-2-fluoro-phenyl)-3-isopropyl-2-(4-methoxy-2-methylamino-pyrimidin-5-yl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 5 247: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 248: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 249: 4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyrimidine-2-carboxylic acid dimethylamide
- 10 250: {4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 251: {4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-2-yl]-5-methoxy-pyridin-2-yl}-acetonitrile
- 15 252: 4-[(S)-5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 253: 4-[(R)-5-(5-Chloro-2-methyl-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 254: 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 20 255: 4-[(R)-5-(3-Chloro-2-fluoro-phenyl)-2-(2-cyanomethyl-5-methoxy-pyridin-4-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 256: 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-((R)-2-methoxy-1-methyl-ethyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 25 257: 4-[5-(5-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-((R)-2-methoxy-1-methyl-ethyl)-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile
- 258: 5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 259: 5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-((R)-2-methoxy-1-methyl-ethyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 260: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(4-fluoro-3-methyl-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 261: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(2-methoxy-5-methyl-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 262: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 263: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 264: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 265: (S)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 266: (R)-2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(3-chloro-2-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 267: 6-(4-Chloro-phenyl)-5-(4-fluoro-3-methyl-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, and
- 15 268: 6-(4-Chloro-phenyl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5-(2-methoxy-5-methyl-phenyl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one.
- 269: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 270: 5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-pyridine-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 271: 6-(4-Chloro-2-phenyl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 272: 6-(4-Chloro-phenyl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-2-(2-methoxy-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 273: 6-(4-Chloro-2-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 274: 6-(4-Chloro-2-phenyl)-1-cyclobutyl-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 275: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 276: 5-(5-Chloro-2-methyl-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 277: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluorobenzonitrile
- 278: 4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 5 279: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dihydroxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 280: (R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 281: (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 282: (S)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 283: (R)-5-(5-Chloro-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 284: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 285: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 286: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-6-methyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 287: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 288: 4-[(R)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 25 289: 4-[(S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-2-fluoro-benzonitrile
- 290: 6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 291: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,4-dimethyl-6-oxo-1,6-dihydro-pyridin-2-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 292: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 293: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(1,5-dimethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 294: 5-(5-Chloro-1-difluoromethyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 295: 5-(5-Chloro-1-methyl-d3-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 296: 5-(5-Chloro-1-ethyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 10 297: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-2-methyl-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 298: 5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(4-methoxy-2-oxo-1,2-dihydro-pyrimidin-5-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 15 299: 6-(4-Chloro-phenyl)-5-(2,6-dimethyl-pyrimidin-4-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 300: 6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-(3-methoxy-6-methyl-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 301: 5-(5-Chloro-2-methoxy-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 20 302: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5-(3-methoxy-6-methyl-pyridazin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 303: 6-(4-Chloro-2-fluoro-phenyl)-5-(3-chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 25 304: 6-(4-Chloro-2-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 305: 6-(4-Chloro-2-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 306: 6-(4-Chloro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)-5-(4-fluoro-2,5-dimethyl-2H-pyrazol-3-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 30 307: (S)-5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one

- 308: (R)-5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 309: 6-(4-Chloro-phenyl)-5-(5-cyclopropyl-4-fluoro-2-methyl-2H-pyrazol-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 5 310: 6-(4-Chloro-phenyl)-5-(5-cyclopropyl-4-fluoro-2-methyl-2H-pyrazol-3-yl)-1-isopropyl-2-(5-methoxy-1-methyl-2-oxo-1,2-dihydro-pyridin-4-yl)-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
- 311: 4-{5-(3-Chloro-2-fluoro-phenyl)-2-[2-(1,1-dioxo-1-thiomorpholin-4-yl)-4-methoxy-pyrimidin-5-yl]-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl}-benzonitrile
- 312: 4-{5-(3-Chloro-2-fluoro-phenyl)-2-[2-((S)-3-hydroxy-piperidin-1-yl)-4-methoxy-pyrimidin-5-yl]-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl}-benzonitrile
- 10 313: 2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 314: 2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 15 315: (R)-5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-hydroxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 316: (S)-5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-hydroxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 317: (S)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 20 318: (R)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 319: 5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 25 320: 5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 321: 5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one
- 30 322: (S)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy-d6-pyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one

323: (S)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one


324: (R)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one

5 325: (S)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one and

326: (R)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2-(dimethylamino)-4-methoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one.
10


18. A compound of formula (I) as claimed in claim 1, which is

(S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one
15



or a salt thereof.


20 19. A compound of formula (I) as claimed in claim 1, which is 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile



or a salt thereof.


20. A compound of formula (I) as claimed in claim 1, which is (S)-5-(5-Chloro-2-oxo-1,2-dihydro-
5 pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-
pyrrolo[3,4-d]imidazol-4-one

10




or a salt thereof.

21. A compound of formula (I) as claimed in claim 1, which is (S)-5-(3-chloro-4-fluorophenyl)-6-
15 (4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-
dihydropyrrolo[3,4-d]imidazol-4(1H)-one



or a salt thereof.

22. A compound of formula (I) as claimed in claim 1, which is (S)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydropyridin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy-d6-pyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one



or a salt thereof.

23. The crystalline form A of 4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 6.54 ± 0.2 , 14.29 ± 0.2 , 15.72 ± 0.2 , 16.78 ± 0.2 , 17.82 ± 0.2 , 19.41 ± 0.2 , $20.10 \pm 0.2^\circ$, 20.67 ± 0.2 , 23.65 ± 0.2 and 25.82 ± 0.2 , at a temperature of about 22°C , in particular 16.78 ± 0.2 , 19.41 ± 0.2 , 23.65 ± 0.2 and 25.82 ± 0.2 .

24. The crystalline form A of 4-[(S)-5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-3-isopropyl-6-oxo-3,4,5,6-tetrahydro-pyrrolo[3,4-d]imidazol-4-yl]-benzonitrile, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 6.25 ± 0.2 , 10.34 ± 0.2 , 14.83 ± 0.2 , 15.33 ± 0.2 , 15.84 ± 0.2 , 19.16 ± 0.2 , 19.50

$\pm 0.2^\circ$, 20.94 ± 0.2 , 22.32 ± 0.2 , 25.05 ± 0.2 and 25.74 ± 0.2 , at a temperature of about 22°C .

25. The crystalline form A (ethanol solvate) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.89 ± 0.2 , 12.33 ± 0.2 , 14.61 ± 0.2 , 16.21 ± 0.2 , 16.66 ± 0.2 , 17.50 ± 0.2 , 17.78 ± 0.2 , 19.83 ± 0.2 , 20.56 ± 0.2 , 22.35 ± 0.2 , $22.98 \pm 0.2^\circ$ at a temperature of about 22°C .

26. The crystalline form B (succinic acid co-crystal) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.04 ± 0.2 , 17.27 ± 0.2 , 19.52 ± 0.2 , 20.85 ± 0.2 , 21.14 ± 0.2 , 23.42 ± 0.2 , 23.67 ± 0.2 , 24.54 ± 0.2 , $26.95 \pm 0.2^\circ$ at a temperature of about 22°C .

27. The crystalline form C (hydrate) of (S)-5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5,6-dihydro-1H-pyrrolo[3,4-d]imidazol-4-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 10.09 ± 0.2 , 14.52 ± 0.2 , 14.88 ± 0.2 , 16.93 ± 0.2 , 17.56 ± 0.2 , 19.18 ± 0.2 , 20.46 ± 0.2 , 20.87 ± 0.2 , 21.86 ± 0.2 , 25.00 ± 0.2 , 25.68 ± 0.2 , 28.57 ± 0.2 , $32.17 \pm 0.2^\circ$ at a temperature of about 22°C .

28. The crystalline form A of (S)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-((R)-1-methoxypropan-2-yl)-5,6-dihydropyrrolo[3,4-d]imidazol-4(1H)-one, characterized by a x-ray powder diffraction pattern comprising 4 or more 2 theta values selected from the group consisting of 9.98 ± 0.2 , 12.56 ± 0.2 , 14.58 ± 0.2 , 14.95 ± 0.2 , 15.55 ± 0.2 , 17.08 ± 0.2 , 17.44 ± 0.2 , 19.72 ± 0.2 , 23.83 ± 0.2 , 25.78 ± 0.2 , $26.26 \pm 0.2^\circ$ at a temperature of about 22°C , in particular 14.58 ± 0.2 , 17.08 ± 0.2 and 17.44 ± 0.2 .

29. A compound of the formula (I) or salt thereof as defined in any one of claims 1 to 28, for use as a pharmaceutical.

30. A compound of the formula (I) or salt thereof as defined in any one of claims 1 to 28, for use in the treatment of a disorder or a disease mediated by the activity of MDM2 and/or MDM4.

31. Use of a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28, in the manufacture of a medicament for the treatment of cancer.

32. A pharmaceutical composition comprising a compound of formula (I) or salt thereof as defined in any one of claims 1 to 28, and one or more pharmaceutically acceptable carriers.

33. A compound for use, or use of, as claimed in any of claims 30 or 31; wherein the disorder or disease mediated by the activity of MDM2 and/or MDM4 is cancer.

34. A compound of the formula (I) or salt thereof as claimed in any one of claims 1 to 28, in combination with one or more therapeutically active agents.

35. A compound in any of claims 30 or 31 for use in the treatment of benign or malignant tumors, a soft tissue sarcoma such as liposarcoma, rhabdomyosarcoma or bone cancer, a carcinoma, such as of the kidney, liver, adrenal gland, bladder, breast, gastric, ovary, colon, rectum, prostate, pancreas, lung, vagina or thyroid, mesothelioma, a multiple myeloma, a gastrointestinal cancer, especially colon carcinoma or colorectal adenoma, a tumor of the head and neck, a melanoma, a prostate hyperplasia, a neoplasia, a neoplasia of epithelial character, a leukemia such as acute myeloid leukemia or B-cell chronic lymphocytic leukemia, a lymphoma, such as of B- or T-cell origin, and metastases in other organs.

36. The use of a compound in any of claims 30 or 31 in the manufacture of a medicament for the treatment of benign or malignant tumors, a soft tissue sarcoma such as liposarcoma, rhabdomyosarcoma or bone cancer, a carcinoma, such as of the kidney, liver, adrenal gland, bladder, breast, gastric, ovary, colon, rectum, prostate, pancreas, lung, vagina or thyroid, mesothelioma, a multiple myeloma, a gastrointestinal cancer, especially colon carcinoma or colorectal adenoma, a tumor of the head and neck, a melanoma, a prostate hyperplasia, a neoplasia, a neoplasia of epithelial character, a leukemia such as acute myeloid leukemia or B-cell chronic lymphocytic leukemia, a lymphoma, such as of B- or T-cell origin, and metastases in other organs.